

Cod echipament	Descriere Engleza
3Z49-BAT1	
3Z4S-LE ML01-327N	Magnify lens
3Z4S-LE ML03-181N	Magnify lens
3Z4S-LE ML05-132N	Magnify lens
3Z4S-LE ML-0614	CCTV Lens 6mm
3Z4S-LE ML-0813	CCTV Lens 8mm
3Z4S-LE ML-1.5X	
3Z4S-LE ML-10035	CCTV Lens 100mm
3Z4S-LE ML-1214	CCTV Lens 12mm
3Z4S-LE ML-1614	CCTV Lens 16mm
3Z4S-LE ML1-89N	Magnify lens
3Z4S-LE ML-2.5X	
3Z4S-LE ML-2514	CCTV Lens 25mm
3Z4S-LE ML-2X	
3Z4S-LE ML-3519	CCTV Lens 35mm
3Z4S-LE ML-5018	CCTV Lens 50mm
3Z4S-LE ML-7527	CCTV Lens 75mm
3Z4S-LE ML-EXR	Macro ring set
3Z4S-LE ML-EXR05	Macro ring 0.5mm
3Z4S-LE ML-EXR1	Macro ring 1mm
3Z4S-LE ML-EXR10	Macro ring 10mm
3Z4S-LE ML-EXR100	Macro ring 100mm
3Z4S-LE ML-EXR15	Macro ring 15mm
3Z4S-LE ML-EXR1520	Macro ring variable
3Z4S-LE ML-EXR2	Macro ring 2mm
3Z4S-LE ML-EXR20	Macro ring 20mm
3Z4S-LE ML-EXR25	Macro ring 25mm
3Z4S-LE ML-EXR30	Macro ring 30mm
3Z4S-LE ML-EXR3042	Macro ring variable
3Z4S-LE ML-EXR40	Macro ring 40mm
3Z4S-LE ML-EXR5	Macro ring 5mm
3Z4S-LE ML-EXR50	Macro ring 50mm
3Z4S-LE ML-PL255	Polarizing filters
3Z4S-LE ML-PL270	Polarizing filters
3Z4S-LE ML-PL305	Polarizing filters
3Z4S-LT MAD-DR10	Adaptor for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-10
3Z4S-LT MAD-DR28	Adaptor filter for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-28
3Z4S-LT MAD-DR31	Adaptor filter for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-31
3Z4S-LT MAD-DR35	
3Z4S-LT MAD-DR50	Adaptor filter for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-50
3Z4S-LT MAD-DR56	Adaptor filter for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-56
3Z4S-LT MBRL-CB13015	
3Z4S-LT MBRL-CB5015	
3Z4S-LT MBRL-CB7530	
3Z4S-LT MBRL-CG13015	
3Z4S-LT MBRL-CG5015	
3Z4S-LT MBRL-CG7530	
3Z4S-LT MBRL-CIR7530	Bar light, IR LED, 75 x30mm, suitable for camera strobe controller
3Z4S-LT MBRL-CR13015	Bar light, red LED, 130 x15mm, suitable for camera strobe controller
3Z4S-LT MBRL-CR5015	Bar light, red LED, 50 x 15mm, suitable for camera strobe controller
3Z4S-LT MBRL-CR7530	Bar light, red LED, 75 x30mm, suitable for camera strobe controller

3Z4S-LT MBRL-CUV7530	Bar light, UV LED, 75 x30mm, suitable for camera strobe controller
3Z4S-LT MBRL-CW13015	Bar light, white LED, 130 x15mm, suitable for camera strobe controller
3Z4S-LT MBRL-CW5015	Bar light, white LED, 50 x 15mm, suitable for camera strobe controller
3Z4S-LT MBRL-CW7530	Bar light, white LED, 75 x30mm, suitable for camera strobe controller
3Z4S-LT MC-AC200A 2.0M	
3Z4S-LT MC-AC200B 2.0M	
3Z4S-LT MCBP-CB3430	
3Z4S-LT MCBP-CG3430	
3Z4S-LT MCBP-CW3430	
3Z4S-LT MCEL-CB8	
3Z4S-LT MCEL-CG8	
3Z4S-LT MCEL-CR8	
3Z4S-LT MCEL-CW8	
3Z4S-LT MCEP-AD3LGB	
3Z4S-LT MCEP-ADLG	
3Z4S-LT MCEP-CB8	
3Z4S-LT MCEP-CG8	High power spot light, blue LED, 8mm, requires standalone strobe controller
3Z4S-LT MCEP-CR8	High power spot light, red LED, 8mm, requires standalone strobe controller
3Z4S-LT MCEP-CW8	High power spot light, white LED, 8mm, requires standalone strobe controller
3Z4S-LT MC-EXC-02	
3Z4S-LT MC-EXC-07	
3Z4S-LT MDBC-CB100	
3Z4S-LT MDBC-CB150	
3Z4S-LT MDBC-CG100	
3Z4S-LT MDBC-CG150	
3Z4S-LT MDBC-CR100	
3Z4S-LT MDBC-CR150	
3Z4S-LT MDBC-CW100	
3Z4S-LT MDBC-CW150	
3Z4S-LT MDBL-CB100	
3Z4S-LT MDBL-CB180100	
3Z4S-LT MDBL-CB25	
3Z4S-LT MDBL-CB70	
3Z4S-LT MDBL-CG100	
3Z4S-LT MDBL-CG180100	
3Z4S-LT MDBL-CG25	
3Z4S-LT MDBL-CG70	
3Z4S-LT MDBL-CIR70	
3Z4S-LT MDBL-CR100	
3Z4S-LT MDBL-CR180100	
3Z4S-LT MDBL-CR25	
3Z4S-LT MDBL-CR70	
3Z4S-LT MDBL-CW100	Direct Backlight (shell type), red LED, 70mm x 70mm, suitable for camera strobe cor
3Z4S-LT MDBL-CW180100	
3Z4S-LT MDBL-CW25	
3Z4S-LT MDBL-CW70	
3Z4S-LT MDF-BR13015	Diffusion plate for bar light, 3Z4S-LT-MBRL-(CR, CW, CB, CG)-13015
3Z4S-LT MDF-BR5015	Diffusion plate for bar light, 3Z4S-LT-MBRL-(CR, CW, CB, CG)-5015
3Z4S-LT MDF-BR7530	Diffusion plate for bar light, 3Z4S-LT-MBRL-(CR, CW, CB, CG)-7530
3Z4S-LT MDF-DQ108	
3Z4S-LT MDF-DR10	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-10
3Z4S-LT MDF-DR16	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-16

OMRON Industrial

3Z4S-LT MDF-DR28	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-28
3Z4S-LT MDF-DR31	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-31
3Z4S-LT MDF-DR35	
3Z4S-LT MDF-DR50	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-50
3Z4S-LT MDF-DR56	Diffusion plate for direct ringlight, 3Z4S-LT-MDRL-(CR, CW, CB, CG)-56
3Z4S-LT MDF-LR100	
3Z4S-LT MDF-LR25	
3Z4S-LT MDF-LR48	
3Z4S-LT MDF-LR68	
3Z4S-LT MDML-CB156	
3Z4S-LT MDML-CB50	
3Z4S-LT MDML-CG156	
3Z4S-LT MDML-CG50	
3Z4S-LT MDML-CR156	
3Z4S-LT MDML-CR50	Dome light, red LED, 50mm OD, suitable for camera strobe controller
3Z4S-LT MDML-CW156	
3Z4S-LT MDML-CW50	Dome light, white LED, 50mm OD, suitable for camera strobe controller
3Z4S-LT MDQL-CB108	
3Z4S-LT MDQL-CB58	
3Z4S-LT MDQL-CG108	
3Z4S-LT MDQL-CG58	
3Z4S-LT MDQL-CR108	
3Z4S-LT MDQL-CR58	
3Z4S-LT MDQL-CUV108	
3Z4S-LT MDQL-CW108	
3Z4S-LT MDQL-CW58	
3Z4S-LT MDRL-CB10	
3Z4S-LT MDRL-CB16	
3Z4S-LT MDRL-CB28	
3Z4S-LT MDRL-CB31	Direct ringlight, blue LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CB35	
3Z4S-LT MDRL-CB36	
3Z4S-LT MDRL-CB50	
3Z4S-LT MDRL-CB56	
3Z4S-LT MDRL-CG10	
3Z4S-LT MDRL-CG16	
3Z4S-LT MDRL-CG28	
3Z4S-LT MDRL-CG31	
3Z4S-LT MDRL-CG35	
3Z4S-LT MDRL-CG36	
3Z4S-LT MDRL-CG50	
3Z4S-LT MDRL-CG56	
3Z4S-LT MDRL-CIR31	Direct ringlight, IR LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR10	Direct ringlight, red LED, 32mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR16	Direct ringlight, red LED, 48mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR28	Direct ringlight, red LED, 50mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR31	Direct ringlight, red LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR35	Direct ringlight, red LED, 70mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR36	Direct ringlight, red LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR50	Direct ringlight, red LED, 90mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CR56	Direct ringlight, red LED, 120mm OD, requires standalone strobe controller
3Z4S-LT MDRL-CUV31	Direct ringlight, UV LED, 66mm OD, suitable for camera strobe controller

3Z4S-LT MDRL-CW10	Direct ringlight, white LED, 32mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW16	Direct ringlight, white LED, 48mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW28	Direct ringlight, white LED, 50mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW31	Direct ringlight, white LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW35	Direct ringlight, white LED, 70mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW36	Direct ringlight, white LED, 66mm OD, suitable for camera strobe controller
3Z4S-LT MDRL-CW50	Direct ringlight, white LED, 90mm OD, requires standalone strobe controller
3Z4S-LT MDRL-CW56	Direct ringlight, white LED, 120mm OD, requires standalone strobe controller
3Z4S-LT MEBL-CB10080	
3Z4S-LT MEBL-CB-145	
3Z4S-LT MEBL-CB25	
3Z4S-LT MEBL-CB50	
3Z4S-LT MEBL-CB7050	
3Z4S-LT MEBL-CG10080	
3Z4S-LT MEBL-CG145	
3Z4S-LT MEBL-CG25	
3Z4S-LT MEBL-CG50	
3Z4S-LT MEBL-CG7050	
3Z4S-LT MEBL-CR10080	Edge-type backlight, red LED, 100mm x 80mm, suitable for camera strobe controller
3Z4S-LT MEBL-CR145	Edge type backlight, red LED, 145mm x 145mm, suitable for camera strobe controller
3Z4S-LT MEBL-CR25	Edge type backlight, red LED, 25mm x 25mm, suitable for camera strobe controller
3Z4S-LT MEBL-CR50	Edge type backlight, red LED, 50mm x 50mm, suitable for camera strobe controller
3Z4S-LT MEBL-CR7050	Edge type backlight, red LED, 70mm x 50mm, suitable for camera strobe controller
3Z4S-LT MEBL-CW10080	Edge type backlight, white LED, 100mm x 80mm, suitable for camera strobe controller
3Z4S-LT MEBL-CW145	Edge type backlight, white LED, 145mm x 145mm, suitable for camera strobe controller
3Z4S-LT MEBL-CW25	Edge type backlight, white LED, 25mm x 25mm, suitable for camera strobe controller
3Z4S-LT MEBL-CW50	Edge type backlight, white LED, 50mm x 50mm, suitable for camera strobe controller
3Z4S-LT MEBL-CW7050	Edge type backlight, white LED, 70mm x 50mm, suitable for camera strobe controller
3Z4S-LT MLA-DR1616	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-16, R-16mm
3Z4S-LT MLA-DR3125	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-31, R-25mm
3Z4S-LT MLA-DR3130	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-31, R-30mm
3Z4S-LT MLA-DR31M255	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-31, M25.5 P0.5
3Z4S-LT MLA-DR31M270	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-31, M27 P0.5
3Z4S-LT MLA-DR31M305	Lens mounting adaptor for MDRL series, 3Z4S-LT-MDRL-(CR,CW,CB,CG)-31, M30.5 P0.5
3Z4S-LT MLA-SCBS	Base mounting plate for MSCL series
3Z4S-LT MLA-SCM255	Base / lens adaptor for MSCL series, M25.5 P0.5, requires 3Z4S-LT-MLA-SCBS
3Z4S-LT MLA-SCM270	Base / lens adaptor for MSCL series, M27 P0.5, requires 3Z4S-LT-MLA-SCBS
3Z4S-LT MLA-SCM305	Base / lens adaptor for MSCL series, M30.5 P0.5, requires 3Z4S-LT-MLA-SCBS
3Z4S-LT MLEK-A080W1LR-200V	Lighting power supply, analog type, single channel, 0.8A, not MCEP series
3Z4S-LT MLEK-A080W1LRD-200V	
3Z4S-LT MLEK-A080W2LR-200V	
3Z4S-LT MLEK-A080W2LRD-200V	Lighting power supply, analog type, twin channel, 0.8A, not MCEP series
3Z4S-LT MLEK-A230W1LR-200V	
3Z4S-LT MLEK-A230W1LRD-200V	
3Z4S-LT MLEK-A230W2LR-200V	
3Z4S-LT MLEK-A230W2LRDB-200V	Lighting power supply, digital type, twin channel, 2.3A, not MCEP series
3Z4S-LT MLEK-C080E1LS	Strobe controller, 0.8A max, direct camera connection (F160-S2 / F150-S1A)
3Z4S-LT MLEK-C100E1TS2	Strobe controller, 1A max, direct camera connection (FZ series / Xpectia)
3Z4S-LT MLEK-C100E1TSX	Strobe controller, 1A max, direct camera connection (ZFX-S/SC)
3Z4S-LT MLEK-D770W4LRD-200V	
3Z4S-LT MLEP-A035W1LR-200V	
3Z4S-LT MLEP-A035W1LRD-200V	

3Z4S-LT MLEP-A035W3LR-200V
3Z4S-LT MLEP-A035W3LRD-200V
3Z4S-LT MLEP-A070W1LR-200V
3Z4S-LT MLEP-A070W1LRD-200V
3Z4S-LT MLEP-A070W3LR-200V
3Z4S-LT MLEP-A070W3LRD-200V
3Z4S-LT MLM-SC105
3Z4S-LT MLM-SC56
3Z4S-LT MLM-SC74
3Z4S-LT MLNL-CB192
3Z4S-LT MLNL-CG192
3Z4S-LT MLNL-CR192
3Z4S-LT MLNL-CW192
3Z4S-LT ML-R64-25
3Z4S-LT ML-R64-27
3Z4S-LT ML-R64-30
3Z4S-LT MLRL-CB100
3Z4S-LT MLRL-CB25
3Z4S-LT MLRL-CB46
3Z4S-LT MLRL-CB48
3Z4S-LT MLRL-CB68
3Z4S-LT MLRL-CG100
3Z4S-LT MLRL-CG25
3Z4S-LT MLRL-CG46
3Z4S-LT MLRL-CG48
3Z4S-LT MLRL-CG68
3Z4S-LT MLRL-CR100
3Z4S-LT MLRL-CR25
3Z4S-LT MLRL-CR46
3Z4S-LT MLRL-CR48
3Z4S-LT MLRL-CR68
3Z4S-LT MLRL-CW100
3Z4S-LT MLRL-CW25
3Z4S-LT MLRL-CW46
3Z4S-LT MLRL-CW48
3Z4S-LT MLRL-CW68
3Z4S-LT MPL-BR13015-B
3Z4S-LT MPL-BR5015-B
3Z4S-LT MPL-BR7530-B
3Z4S-LT MPL-DR10-B
3Z4S-LT MPL-DR16-B
3Z4S-LT MPL-DR28-B
3Z4S-LT MPL-DR31-B
3Z4S-LT MPL-DR50-B
3Z4S-LT MPL-DR56-B
3Z4S-LT MPL-SC105
3Z4S-LT MPL-SC56
3Z4S-LT MPL-SC74
3Z4S-LT MRC-601L
3Z4S-LT M-RCB001L
3Z4S-LT M-RCB002L
3Z4S-LT M-RCB003L

Low angle ringlight, red LED, 140mm OD, requires standalone strobe controller
Low angle ringlight, red LED, 50mm OD, suitable for camera strobe controller
Low angle ringlight, red LED, 75mm OD, suitable for camera strobe controller
Low angle ringlight, red LED, 74mm OD, suitable for camera strobe controller
Low angle ringlight, red LED, 100mm OD, suitable for camera strobe controller

3Z4S-LT M-RCB301L
3Z4S-LT M-RCB301XS
3Z4S-LT M-RCB302L
3Z4S-LT M-RCB303L
3Z4S-LT M-RCB401L
3Z4S-LT M-RCB402L
3Z4S-LT M-RCB403L
3Z4S-LT MSCL-CB105-B
3Z4S-LT MSCL-CB24
3Z4S-LT MSCL-CB39
3Z4S-LT MSCL-CB56-B
3Z4S-LT MSCL-CB74-B
3Z4S-LT MSCL-CG105-B
3Z4S-LT MSCL-CG24
3Z4S-LT MSCL-CG39
3Z4S-LT MSCL-CG56-B
3Z4S-LT MSCL-CG74-B
3Z4S-LT MSCL-CR105-B
3Z4S-LT MSCL-CR24
3Z4S-LT MSCL-CR39
3Z4S-LT MSCL-CR56-B
3Z4S-LT MSCL-CR74-B
3Z4S-LT MSCL-CW105-B
3Z4S-LT MSCL-CW24
3Z4S-LT MSCL-CW39
3Z4S-LT MSCL-CW56-B
3Z4S-LT MSCL-CW74-B
3Z4S-LT MSLC-CB109
3Z4S-LT MSLC-CG109
3Z4S-LT MSLC-CR109
3Z4S-LT MSLC-CW109
3Z4S-LT MSPP-CR42
3Z4S-LT MSPP-CR74
3Z4S-LT MSPP-CW42
3Z4S-LT MSPP-CW74
3Z4S-LT MSQD-CB32
3Z4S-LT MSQD-CB48
3Z4S-LT MSQD-CG32
3Z4S-LT MSQD-CG48
3Z4S-LT MSQD-CR32
3Z4S-LT MSQD-CR48
3Z4S-LT MSQD-CW32
3Z4S-LT MSQD-CW48
3Z4S-LT MSRL-CB20
3Z4S-LT MSRL-CB33
3Z4S-LT MSRL-CB44
3Z4S-LT MSRL-CG20
3Z4S-LT MSRL-CG33
3Z4S-LT MSRL-CG44
3Z4S-LT MSRL-CIR20
3Z4S-LT MSRL-CR20
3Z4S-LT MSRL-CR33

Lighting extension cable, 4-pin type, all lights except MCEP series, 2m

Lighting extension cable, 4-pin type, all lights except MCEP series, 3m

DOAL light, red LED, 28mm OD (36mm x 36mm), suitable for camera strobe control

DOAL light, red LED, 28mm OD (56mm x 56mm), suitable for camera strobe control

DOAL light, white LED, 28mm OD (36mm x 36mm), suitable for camera strobe control

Shadowless ring light, blue LED, 123mm OD, suitable for camera strobe controller

3Z4S-LT MSRL-CR44
3Z4S-LT MSRL-CW20
3Z4S-LT MSRL-CW33
3Z4S-LT MSRL-CW44
3Z4S-LT M-XS402C
3Z4S-LT M-XS405C
3Z4S-LT M-XS410C
3Z4S-US KAB-M8-3-025-2M
3Z4S-US KAB-M9-2-025-2M
3Z4S-US LQ-LED630-23-50FLD
3Z4S-US LQ-LED630-23-50FLG
3Z4S-US LQ-LED630-23-95RLD
3Z4S-US LQ-LED630-23-95RLG
3Z4S-US LQ-LED630-24V-50K
3Z4S-US LQ-LED875-30-50FLD
3Z4S-US LQ-LED875-30-50FLG
3Z4S-US LQ-LED875-30-95RLD
3Z4S-US LQ-LED875-30-95RLG
3Z4S-US LQ-LED875-30-95RLO
3Z4S-US LQ-LED999-120-80DL
3Z4S-US LQ-LED999-20-100-90FLD
3Z4S-US LQ-LED999-20-50FLD
3Z4S-US LQ-LED999-20-50FLG
3Z4S-US LQ-LED999-20-95RLD
3Z4S-US LQ-LED999-20-95RLG
3Z4S-US LQ-LED999-20-95RLO
3Z4S-US LQ-LED999-24V-50K
3Z4S-US ZU-DL50-80-8
3Z4S-US ZU-FI830RG-M27
3Z4S-US ZU-KO-BL-460-350-160
3Z4S-US ZU-LO-ABGLAS-95RL
3Z4S-US ZU-LO-F102-95RL
3Z4S-US ZU-LO-F230-95RL
3Z4S-US ZU-LO-F400-95RL
3Z4S-US ZU-LO-F71-95RL
3Z4S-US ZU-LO-FFI430-95RLK
3Z4S-US ZU-LO-FFI630-95RLK
3Z4S-US ZU-LO-POL-95RL
3Z4S-US ZU-LO-SS-95RL
3Z4S-US ZU-LO-SS-95RLD
3Z4S-US ZU-MUKO2
3Z4S-US ZU-POL-LIN-M27
3Z4S-US ZU-RL
41768 SHP4-18
42591 SHMS-18
4710NL-05W-B49 B01
4X-KITMINI
500VFA6X3216A
50M CABLE FOR E3C-DM2R
537.019.200
5915PC-22T-B30-B00FAN - FAN000131
61F-03B

61F-04B	
61F-11	Floatless level controller
61F-11D	
61F-11H	Floatless level controller
61F-11L 2KM	
61F-11L 4KM	
61F-11R	
61F-11T	
61F-D21T-V1 100-240VAC	Monitoring relay 22.5mm wide, conductive level, 100-240 VAC supply variable sensit
61F-D21T-V1 24VAC/DC	Monitoring relay 22.5mm wide, conductive level, 24 VAC/DC supply variable sensitiv
61F-G 110/220AC	Floatless level controller
61F-G 120/240AC	
61F-G1 110/220AC	
61F-G1 120/240AC	
61F-G1H 110/220AC	
61F-G1N 120/240AC	
61F-G1NL 110/220AC 2KM	
61F-G1NL 110/220AC 4KM	
61F-G1P 220AC	
61F-G1P AC120	
61F-G1P AC200	Floatless level controller
61F-G1PH AC100	
61F-G1T 110/220AC	
61F-G2 110/220AC	Floatless level controller
61F-G2 120/240AC	
61F-G2H 110/220AC	Floatless level controller
61F-G2N 120/240AC	
61F-G2N AC110/220	
61F-G2NH AC110/220	
61F-G2NH AC120/240	
61F-G2P 110AC	Floatless level controller
61F-G2P 220AC	
61F-G2-TDL 110/220	
61F-G3 110/220AC	
61F-G3 120/240AC	
61F-G3D 110/220AC	
61F-G3H 110/220AC	
61F-G3L 110/220AC 2KM	
61F-G3L 110/220AC 4KM	
61F-G3N 120/240AC	Floatless level controller
61F-G3N AC110/220	
61F-G3T 110/220AC	
61F-G4 110/220AC	
61F-G4D 110/220AC	
61F-G4H 110/220AC	
61F-G4N 120/240AC	
61F-GH 110/220AC	
61F-GL 4KM 120/240AC	
61F-GN 110/220AC	
61F-GN 120/240AC	
61F-GN AC100/200	
61F-GNL 110/220AC 4KM	

61F-GP 220VAC CE		
61F-GP 240VAC CE		
61F-GP 24VAC CE		
61F-GP AC380		
61F-GPH AC240		
61F-GPN 110AC		Floatless level controller
61F-GPN 200AC		Floatless level controller
61F-GP-N 230VAC CE		
61F-GP-N 240AC CE		
61F-GP-N 24AC	CE	Floatless level controller
61F-GP-N AC100		
61F-GP-N2 110AC CE		Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (
61F-GP-N2 120AC	CE	
61F-GP-N2 220AC		
61F-GP-N2 230AC		Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (
61F-GP-N2 24AC CE		Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (
61F-GP-N8 100AC+		Level Controller
61F-GP-N8 110AC		Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (r
61F-GP-N8 120AC		
61F-GP-N8 200AC		
61F-GP-N8 230AC		Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (r
61F-GP-N8 24AC		Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (r
61F-GP-N8D 100AC+		
61F-GP-N8D 110AC+		Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (req
61F-GP-N8D 120AC+		
61F-GP-N8D 200AC+		
61F-GP-N8D 220AC+		
61F-GP-N8D 230AC		Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (req
61F-GP-N8D 240AC+		
61F-GP-N8D 24AC+		Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (req
61F-GP-N8H 100AC+		
61F-GP-N8H 110AC		Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (re
61F-GP-N8H 120AC+		
61F-GP-N8H 200AC+		
61F-GP-N8H 220AC		
61F-GP-N8H 230AC		Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (re
61F-GP-N8H 24AC		Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (re
61F-GP-N8HY 100AC+		
61F-GP-N8HY 110AC+		
61F-GP-N8HY 200AC+		
61F-GP-N8HY 220AC		Level sensor, conductive, compact, plug-in, high-sensitivity reverse-acting, relay, LE
61F-GP-N8L 100AC 2KM+		
61F-GP-N8L 100AC 4KM+		
61F-GP-N8L 110AC 2KM		
61F-GP-N8L 110AC 4KM		
61F-GP-N8L 120AC 2KM+		
61F-GP-N8L 120AC 4KM+		
61F-GP-N8L 200AC 2KM+		
61F-GP-N8L 200AC 4KM+		
61F-GP-N8L 220AC 2KM		
61F-GP-N8L 220AC 4KM+		
61F-GP-N8L 230AC 2KM+		Level sensor, conductive, compact, plug-in, long distance

61F-GP-N8L 230AC 4KM+	Level sensor, conductive, compact, plug-in, long distance, relay, LED indicator (req
61F-GP-N8L 240AC 2KM	
61F-GP-N8L 240AC 4KM	
61F-GP-N8L 24AC 2KM	Level sensor, conductive, compact, plug-in, long distance, relay, LED indicator (req
61F-GP-N8L 24AC 4KM	Level sensor, conductive, compact, plug-in, long distance, relay, LED indicator (req
61F-GP-N8R 100AC+	
61F-GP-N8R 110AC+	Level sensor, conductive, compact, plug-in, general-purpose 2-wire, relay, LED indic
61F-GP-N8R 120AC+	
61F-GP-N8R 200AC+	
61F-GP-N8R 220AC+	
61F-GP-N8R 230AC+	Level sensor, conductive, compact, plug-in, general-purpose 2-wire, relay, LED indic
61F-GP-N8R 240AC+	
61F-GP-N8R 24AC+	
61F-GP-N8-V50 110VAC	Level sensor, conductive, plug-in, variable-sensitivity, relay, LED indicator (requires
61F-GP-N8-V50 230AC	Level sensor, conductive, plug-in, variable-sensitivity, relay, LED indicator (requires
61F-GP-N8-V50 24VAC	Level sensor, conductive, plug-in, variable-sensitivity, relay, LED indicator (requires
61F-GP-N8Y 110AC	Level sensor, conductive, compact, plug-in, reverse-acting, relay, LED indicator (req
61F-GP-N8Y 240AC	Level sensor, conductive, compact, plug-in, reverse-acting, relay, LED indicator (req
61F-GP-N8Y 24AC	Level sensor, conductive, compact, plug-in, reverse-acting, relay, LED indicator (req
61F-GPN-BC 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-pu
61F-GPN-BT 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-pu
61F-GP-ND AC100	Level Controller
61F-GP-NE1	
61F-GP-NE2	
61F-GP-NH 100AC	
61F-GP-NR 100AC	
61F-GPNT 100AC	
61F-GP-NT 200AC	
61F-GP-N-TDL AC110V	
61F-GPN-V50 110AC	
61F-GPN-V50 120AC	
61F-GPN-V50 220AC	
61F-GPN-V50 240AC	Level sensor, conductive, plug-in, variable-sensitivity, relay, LED indicator (requires
61F-GP-V50 AC240	
61F-GR 100/200AC	
61F-HSL 110AC	
61F-HSL 220AC	Floatless level controller
61F-HSL 24AC	Floatless level controller
61F-IP 110AC	
61F-IP 220AC	
72606-EZZ-08676A	
72606-EZZ-08676B	
72606-EZZ-08676C	
72606-WP003	
72616-W5301	
8PFA	
8PFA1	Socket, DIN rail/surface mounting, 8-pin, screw terminals
A1000-CAVPC232-EE	Connecting cable, RS-232C, from 3G3JV/MV(V7)/E7/F7/V1000 to PC,(equivalent to 3C
A1000-FEV2122-RE	
A1000-FIA2052-RE	
A1000-FIA2068-RE	
A1000-FIA2096-RE	

A1000-FIA3024-RE	
A1000-FIA3044-RE	
A1000-FIA3052-RE	
A1000-FIA3071-RE	
A1000-FIA3105-RE	
A1000-FIA3170-RE	
A1000-FIA3300-RE	
A1000-FIA3480-RE	
A1000-FIA3660-RE	
A1000-FIV1010-RE	J1000/V1000 footprint RFI filter, 10A, 200 VAC, single phase, for 0.12 to 0.55KW drive
A1000-FIV1010-RE-IT	
A1000-FIV1010-RE-LL	J1000/V1000 footprint RFI filter, 10A, 200 VAC, single phase, for 0.12 to 0.55KW drive
A1000-FIV1010-RE-UL	
A1000-FIV1010-SE	J1000/V1000 footprint RFI filter, 10A, 200 VAC, single phase, for 0.12 to 0.55KW drive
A1000-FIV1020-RE	J1000/V1000 footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5KW drives
A1000-FIV1020-RE-IT	
A1000-FIV1020-RE-LL	J1000/V1000 footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5KW drives
A1000-FIV1020-RE-UL	
A1000-FIV1020-SE	J1000/V1000 footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5KW drives
A1000-FIV1030-RE	V1000 footprint RFI filter, 30A, 200 VAC, single phase, for 2.2KW drives
A1000-FIV1030-RE-IT	
A1000-FIV1030-RE-LL	V1000 footprint RFI filter, 30A, 200 VAC, single phase, for 2.2KW drives
A1000-FIV1030-RE-UL	
A1000-FIV1030-SE	V1000 footprint RFI filter, 30A, 200 VAC, single phase, for 2.2KW drives
A1000-FIV1040-RE	V1000 footprint RFI filter, 40A, 200 VAC, single phase, for 4.0KW drives
A1000-FIV1040-RE-IT	
A1000-FIV1040-RE-LL	V1000 footprint RFI filter, 40A, 200 VAC, single phase, for 4.0KW drives
A1000-FIV1040-RE-UL	
A1000-FIV1040-SE	V1000 footprint RFI filter, 40A, 200 VAC, single phase, for 4.0KW drives
A1000-FIV2010-RE	J1000/V1000 footprint RFI filter, 10A, 200 VAC, three phase, for 0.12 to 1.1KW drives
A1000-FIV2010-RE-IT	
A1000-FIV2010-RE-LL	
A1000-FIV2010-RE-UL	
A1000-FIV2010-SE	J1000/V1000 footprint RFI filter, 10A, 200 VAC, three phase, for 0.12 to 1.1KW drives
A1000-FIV2020-RE	J1000/V1000 footprint RFI filter, 20A, 200 VAC, three phase, for 1.5 to 2.2KW drives
A1000-FIV2020-RE-IT	
A1000-FIV2020-RE-LL	
A1000-FIV2020-RE-UL	
A1000-FIV2020-SE	J1000/V1000 footprint RFI filter, 20A, 200 VAC, three phase, for 1.5 to 2.2KW drives
A1000-FIV2030-RE	J1000/V1000 footprint RFI filter, 30A, 200 VAC, three phase, for 4.0KW drives
A1000-FIV2030-RE-IT	
A1000-FIV2030-RE-LL	
A1000-FIV2030-RE-UL	
A1000-FIV2030-SE	J1000/V1000 footprint RFI filter, 30A, 200 VAC, three phase, for 4.0KW drives
A1000-FIV2050-SE	V1000 footprint RFI filter, 50A, 200 VAC, three phase, for 5.5 to 7.5KW drives
A1000-FIV2060-RE	V1000 footprint RFI filter, 60A, 200 VAC, three phase, for 5.5 to 7.5KW drives
A1000-FIV2060-RE-IT	
A1000-FIV2060-RE-LL	
A1000-FIV2060-RE-UL	
A1000-FIV2080-RE	
A1000-FIV2080-RE-IT	
A1000-FIV2080-RE-LL	V1000 footprint RFI filter, 80A, 200 VAC, three phase, for 11KW drives

OMRON Industrial

A1000-FIV2080-RE-UL	
A1000-FIV2080-SE	V1000 footprint RFI filter, 80A, 200 VAC, three phase, for 11KW drives
A1000-FIV2100-RE	V1000 footprint RFI filter, 100A, 200 VAC, three phase, for 15KW drives
A1000-FIV2100-RE-IT	
A1000-FIV2100-RE-LL	
A1000-FIV2100-RE-UL	
A1000-FIV2100-SE	V1000 footprint RFI filter, 100A, 200 VAC, three phase, for 15KW drives
A1000-FIV3005-RE	J1000/V1000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55KW drives
A1000-FIV3005-RE-IT	
A1000-FIV3005-RE-LL	J1000/V1000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55KW drives
A1000-FIV3005-RE-UL	J1000/V1000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55KW drives
A1000-FIV3005-SE	J1000/V1000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55KW drives
A1000-FIV3010-RE	J1000/V1000 footprint RFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0KW drives
A1000-FIV3010-RE-IT	
A1000-FIV3010-RE-LL	J1000/V1000 footprint RFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0KW drives
A1000-FIV3010-RE-UL	
A1000-FIV3010-SE	J1000/V1000 footprint RFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0KW drives
A1000-FIV3020-RE	J1000/V1000 footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives
A1000-FIV3020-RE-IT	
A1000-FIV3020-RE-LL	J1000/V1000 footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives
A1000-FIV3020-RE-UL	
A1000-FIV3020-SE	J1000/V1000 footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives
A1000-FIV3030-RE	V1000 footprint RFI filter, 30A, 400 VAC, three phase, for 5.5 to 7.5KW drives
A1000-FIV3030-RE-IT	
A1000-FIV3030-RE-LL	V1000 footprint RFI filter, 30A, 400 VAC, three phase, for 5.5 to 7.5KW drives
A1000-FIV3030-RE-UL	
A1000-FIV3030-SE	V1000 footprint RFI filter, 30A, 400 VAC, three phase, for 5.5 to 7.5KW drives
A1000-FIV3050-RE	V1000 footprint RFI filter, 50A, 400 VAC, three phase, for 11 to 15KW drives
A1000-FIV3050-RE-IT	
A1000-FIV3050-RE-LL	V1000 footprint RFI filter, 50A, 400 VAC, three phase, for 11 to 15KW drives
A1000-FIV3050-RE-UL	
A1000-FIV3050-SE	V1000 footprint RFI filter, 50A, 400 VAC, three phase, for 11 to 15KW drives
A1000-REJ0K10750-IE	Braking Resistor for J1000, 750 Ohms
A1000-REJ0K15062-IE	Braking Resistor for J1000, 62 Ohms
A1000-REJ0K15070-IE	Braking Resistor for J1000, 70 Ohms
A1000-REJ0K15100-IE	Braking Resistor for J1000, 100 Ohms
A1000-REJ0K15200-IE	Braking Resistor for J1000, 200 Ohms
A1000-REJ0K15300-IE	Braking Resistor for J1000, 300 Ohms
A1000-REJ0K15400-IE	Braking Resistor for J1000, 400 Ohms
A1000-REV00K4020-IE	
A1000-REV00K4030-IE	
A1000-REV00K4100-IE	Braking Resistor for V1000, 100 Ohms, 400 Watts
A1000-REV00K5075-IE	Braking Resistor for V1000, 75 Ohms, 500 Watts
A1000-REV00K6013-IE	
A1000-REV00K6050-IE	Braking Resistor for V1000, 50 Ohms, 600 Watts
A1000-REV00K9010-IE	
A1000-REV00K9040-IE	Braking Resistor for V1000, 40 Ohms, 900 Watts
A1000-REV00K9132-IE	
A1000-REV02K0010-IE	
A1000-REV04K0032-IE	
A16-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230VAC), solder terminal
A16-12	Incandescent lamp, 12 VAC/DC

OMRON Industrial

A16-12DA	LED, 12 VDC, blue
A16-12DG	LED, 12 VDC, green
A16-12DR	LED, 12 VDC, red
A16-12DSG	LED, 12 VDC, green, superbright
A16-12DSR	LED, 12 VDC, red, superbright
A16-12DSW	
A16-12DW	LED, 12 VDC, white
A16-12DY	LED, 12 VDC, yellow
A16-1NGN	Neon lamp, 110 VAC, green
A16-1NRN	Neon lamp, 110 VAC, red
A16-1P	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), PCB terminal
A16-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal
A16-24	Incandescent lamp, 24 VAC/DC
A16-24DA	LED, 24 VDC, blue
A16-24DG	LED, 24 VDC, green
A16-24DPW	
A16-24DR	LED, 24 VDC, red
A16-24DSG	LED, 24 VDC, green, superbright
A16-24DSR	LED, 24 VDC, red, superbright
A16-24DSW	LED, 24 VDC, white, superbright
A16-24DSY	LED, 24 VDC, yellow, superbright
A16-24DW	LED, 24 VDC, white
A16-24DY	LED, 24 VDC, yellow
A16-2NGN	Neon lamp, 220 VAC, green
A16-2NRN	Neon lamp, 220 VAC, red
A16-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), PCB terminal
A16-2S	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC)
A16-5	Incandescent lamp, 5 VAC/DC
A165-AGA-2	
A165-CAA	IP65 case for pushbutton unit, square, latching
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator
A165-CJA	IP65 case for pushbutton unit, rectangular, latching
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator
A165-CTA	IP65 case for pushbutton unit, round, latching
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator
A16-5DA	LED, 5 VDC, blue
A16-5DG	LED, 5 VDC, green
A16-5DR	LED, 5 VDC, red
A16-5DSG	
A16-5DSR	
A16-5DSY	
A16-5DW	LED, 5 VDC, white
A16-5DY	LED, 5 VDC, yellow
A165E-01*	
A165E-01L	
A165E-02*	DPST-NC contact block for A165E Emergency stop switch
A165E-02L	Emergency stop switch(16mm), illuminated
A165E-LM-24D-02	
A165E-LS	
A165E-LS-24D-01	Emergency stop switch, illuminated, 30mm dia, push-lock/turn-reset, SPST-NC, 24 V
A165E-LS-24D-02	Emergency stop switch, illuminated, 30mm dia, push-lock/turn-reset, DPST-NC, 24 V
A165E-M-02	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, DPST-NC

A165E-M-03U	
A165E-S	
A165E-S-01	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, SPST-NC
A165E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, DPST-NC
A165E-S-02(STOP)	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, DPST-NC
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 3PST-NC
A165E-S-03U-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 3PST-NC
A165K-A2AL	Selector switch, square, key-type, 2 notches, spring return, IP65, key release left side
A165K-A2M	Selector switch, square, key-type, 2 notches, maintained, IP65, key release both pos
A165K-A2ML	Selector switch, square, key-type, 2 notches, maintained, IP65, key release left side
A165K-A2ML-1	
A165K-A2ML-2	
A165K-A2MR	Selector switch, square, key-type, 2 notches, maintained, IP65, key release right side
A165K-A3AC	Selector switch, square, key-type, 3 notches, spring return left to centre, IP65, key re
A165K-A3M	
A165K-A3MAC	
A165K-A3MAL	
A165K-A3MC	Selector switch, square, key-type, 3 notches, maintained, IP65, key release centre or
A165K-A3MC-2	
A165K-A3ML	
A165K-A3MR	
A165K-J2AL	Selector switch, rectangular, key-type, 2 notches, spring return, IP65, key release lef
A165K-J2M	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release both
A165K-J2M-1	
A165K-J2ML	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release left s
A165K-J2ML-1	
A165K-J2ML-2	Key-type selector switch, 16mm mounting, rectangular, 2 position, manual reset, DP
A165K-J2MR	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release right
A165K-J3AC	
A165K-J3M	Selector switch, rectangular, key-type, 3 notches, maintained, IP65, key release in al
A165K-J3M-2	
A165K-J3MC	
A165K-J3ML	
A165K-J3ML-2	
A165K-J3MR	
A165K-KEY	Spare key for A165K switches
A165K-T2AL	
A165K-T2M	Selector switch, round, key-type, 2 notches, maintained, IP65, key release both posit
A165K-T2M-1	
A165K-T2M-2	
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side o
A165K-T2ML-1	Selector switch, round, key-type, 2 notches, SPDT switch unit, maintained, IP65, key
A165K-T2ML-2	
A165K-T2MR	Selector switch, round, key-type, 2 notches, maintained, IP65, key release right side
A165K-T3AC	
A165K-T3M	Selector switch, round, key-type, 3 notches, maintained, IP65, key release in all posi
A165K-T3M-2	
A165K-T3MAG	
A165K-T3MAL	
A165K-T3MC	
A165K-T3ML	
A165K-T3MR	

OMRON Industrial

A165L-AA	Pushbutton, illuminated, square, IP65, blue
A165L-AAM-24D-1	
A165L-AB	Pushbutton, illuminated, square, IP65, black
A165L-AG	Pushbutton, illuminated, square, IP65, green
A165L-AGA-24-2	
A165L-AGA-24D-2	
A165L-AGM-24D-1	
A165L-AGN	Pushbutton, illuminated, square, IP65, green for neon only
A165L-AGY	Pushbutton, illuminated, square, IP65, green for LED only
A165L-AR	Pushbutton, illuminated, square, IP65, red
A165L-ARA-24D-2	
A165L-ARM-24D-1	
A165L-ARN	Pushbutton, illuminated, square, IP65, red for neon only
A165L-AW	Pushbutton, illuminated, square, IP65, white
A165L-AWA-24D-2	
A165L-AWM-5D-1	
A165L-AY	Pushbutton, illuminated, square, IP65, yellow
A165L-AYM-24D-1	
A165L-JA	Pushbutton, illuminated, rectangular, IP65, blue
A165L-JAA-24-1	
A165L-JAA-24D-1	
A165L-JAA-24D-2	
A165L-JAA-5-1	
A165L-JAM-24-1	
A165L-JAM-24D-2	
A165L-JB	Pushbutton, illuminated, rectangular, IP65, black
A165L-JG	Pushbutton, illuminated, rectangular, IP65, green
A165L-JGA-24D-1	
A165L-JGA-24D-2	
A165L-JGA-5D-2	
A165L-JGM-24-1	
A165L-JGM-24D-2	
A165L-JGN	Pushbutton, illuminated, rectangular, IP65, green for neon only
A165L-JGY	Pushbutton, illuminated, rectangular, IP65, green for LED only
A165L-JR	Pushbutton, illuminated, rectangular, IP65, red
A165L-JRA-24D-1	
A165L-JRA-5D-2	
A165L-JRM-12-2	
A165L-JRM-12D-1	
A165L-JRM-24-1	
A165L-JRM-24D-2	
A165L-JW	Pushbutton, illuminated, rectangular, IP65, white
A165L-JWA-24D-1	
A165L-JWA-5D-2	
A165L-JWM-24-1	
A165L-JWM-24-2	
A165L-JWM-24D-2	
A165L-JWM-5D-2	
A165L-JY	Pushbutton, illuminated, rectangular, IP65, yellow
A165L-JYA-12-2	
A165L-JYA-24-1	
A165L-JYM-12-1	

A165L-JYM-24-1	
A165L-JYM-24D-1	
A165L-JYM-24D-2	
A165L-TA	Pushbutton, illuminated, round, IP65, blue
A165L-TAA-24-1	
A165L-TB	Pushbutton, illuminated, round, IP65, black
A165L-TG	Pushbutton, illuminated, round, IP65, green
A165L-TGA-24D-1	
A165L-TGA-24D-2	
A165L-TGM-12D-1	
A165L-TGM-24D-1	
A165L-TGN	Pushbutton, illuminated, round, IP65, green for neon only
A165L-TGY	Pushbutton, illuminated, round, IP65, green for LED only
A165L-TPY	
A165L-TR	Pushbutton, illuminated, round, IP65, red
A165L-TRA-24-1	
A165L-TRA-24D-2	
A165L-TRM-24D-2	
A165L-TRN	Pushbutton, illuminated, round, IP65, red for neon only
A165L-TW	Pushbutton, illuminated, round, IP65, white
A165L-TWM-24D-1	
A165L-TWM-5D-1	
A165L-TY	Pushbutton, illuminated, round, IP65, yellow
A165L-TYA-12-1	
A165L-TYM-12D-1	
A165L-TYM-24D-1	
A165L-TYM-24D-2	
A165S-A2A	
A165S-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65
A165S-A2M-1	
A165S-A2M-2	
A165S-A3A	Selector switch, non-illuminated, lever type, square, 3 notches, spring-return, IP65
A165S-A3M	Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65
A165S-A3M-2	
A165S-J2A	Selector switch, non-illuminated, lever type, rectangular, 2 notches, spring-return, IP65
A165S-J2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65
A165S-J2M-2	Knob-type selector switch, 16mm mounting, non illuminated, rectangular, 2 position
A165S-J3A	Selector switch, non-illuminated, lever type, rectangular, 3 notches, spring-return, IP65
A165S-J3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65
A165S-J3M-2	
A165S-T2A	
A165S-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65
A165S-T2M-1	
A165S-T2M-2	
A165S-T3A	Selector switch, non-illuminated, lever type, round, 3 notches, spring-return, IP65
A165S-T3M	Selector switch, non-illuminated, lever type, round, 3 notches, maintained, IP65
A165S-T3M-2	
A165-TAM-1	
A165-TBM-1	
A165-TGM-1	
A165-TRM-1	
A165W-A2AG	

A165W-A2AR
A165W-A2AR-24D-1
A165W-A2AY
A165W-A2MG
A165W-A2MG-24D-1
A165W-A2MR
A165W-A2MY
A165W-A3AG
A165W-A3AR
A165W-A3AY
A165W-A3MG
A165W-A3MR
A165W-A3MY
A165W-J2AG
A165W-J2AR
A165W-J2AY
A165W-J2MG
A165W-J2MR
A165W-J2MR-24D-2
A165W-J2MY
A165W-J2MY-24D-2
A165W-J3AG
A165W-J3AR
A165W-J3AY
A165W-J3MG
A165W-J3MR
A165W-J3MY
A165W-T2AG
A165W-T2AR
A165W-T2AY
A165W-T2MG
A165W-T2MR
A165W-T2MY
A165W-T3AG
A165W-T3AR
A165W-T3AY
A165W-T3MG
A165W-T3MR
A165W-T3MR-24D-2
A165W-T3MY
A16-AGM-1
A16-AGM-2
A16-ARM-2
A16-AWM-1
A16-AYM-2
A16-CAA
A16-CAM
A16-CJA
A16-CJM
A16-CTA
A16-CTM
A16-E2-1

Selector switch, illuminated, red, lever type, round, 2 notches, maintained, IP65

IP40 case for pushbutton unit, square, latching

IP40 case for pushbutton unit, square, momentary or indicator

IP40 case for pushbutton unit, rectangular, latching

IP40 case for pushbutton unit, rectangular, momentary or indicator

IP40 case for pushbutton unit, round, latching

IP40 case for pushbutton unit, round, momentary or indicator

A16-JBA-2	
A16-JBM-2	
A16-JGM-1	
A16-JRM-1	
A16-JRM-2	
A16-JWM-1	
A16L-AA	Pushbutton, illuminated, square, IP40, blue
A16L-AAM-24-1	
A16L-AAM-24D-2	
A16L-AB	
A16L-AG	Pushbutton, illuminated, square, IP40, green
A16L-AGA-24D-2	
A16L-AGM-12D-1	
A16L-AGM-24D-1	
A16L-AGM-24D-2	
A16L-AGN	
A16L-AGY	Pushbutton, illuminated, square, IP40, green for LED only
A16L-APY	Pushbutton, illuminated, square, IP40, pure yellow
A16L-AR	Pushbutton, illuminated, square, IP40, red
A16L-ARM-24D-2	
A16L-ARN	
A16L-AW	Pushbutton, illuminated, square, IP40, white
A16L-AWA-24D-1	
A16L-AWM-24D-1	
A16L-AWM-24D-2	
A16L-AWM-5D-1	
A16L-AY	Pushbutton, illuminated, square, IP40, yellow
A16L-AYM-24D-1	
A16L-AYM-24D-2	
A16L-JA	Pushbutton, illuminated, rectangular, IP40, blue
A16L-JAM-12D-1	
A16L-JB	Pushbutton, illuminated, rectangular, IP40, black
A16L-JG	Pushbutton, illuminated, rectangular, IP40, green
A16L-JGA-24-2	
A16L-JGA-24D-1	
A16L-JGM-24-2	
A16L-JGM-24D-1	
A16L-JGM-24D-2	
A16L-JGM-5-2	
A16L-JGN	
A16L-JGY	Pushbutton, illuminated, rectangular, IP40, green for LED only
A16L-JPY	Pushbutton, illuminated, rectangular, IP40, pure yellow
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red
A16L-JRA-24D-1	
A16L-JRM-24-1	
A16L-JRM-24D-1	
A16L-JRM-24D-2	
A16L-JRN	
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white
A16L-JWM-24D-1	
A16L-JY	Pushbutton, illuminated, rectangular, IP40, yellow
A16L-JYA-24-2	

A16L-JYM-24-2	
A16L-JYM-24D-1	
A16L-TA	Pushbutton, illuminated, round, IP40, blue
A16L-TAM-24D-1	
A16L-TB	
A16L-TG	Pushbutton, illuminated, round, IP40, green
A16L-TGA-24-1	
A16L-TGM-24D-1	
A16L-TGY	Pushbutton, illuminated, round, IP40, green for LED only
A16L-TPY	Pushbutton, illuminated, round, IP40, pure yellow
A16L-TR	Pushbutton, illuminated, round, IP40, red
A16L-TRA-5D-1	
A16L-TRM-24-1	
A16L-TRM-24D-1	
A16L-TRM-5D-1	
A16L-TRN	
A16L-TW	Pushbutton, illuminated, round, IP40, white
A16L-TY	Pushbutton, illuminated, round, IP40, yellow
A16L-TYM-24D-1	
A16S-2N1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, sold
A16S-2N1L	
A16S-2N-1LP	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position illuminated selector s
A16S-2N-1P	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB
A16S-2N2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, sold
A16S-2N2L	
A16S-2N-2LP	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position illuminated selector s
A16S-2N-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB
A16S-3N2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, sold
A16S-3N2L	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position illuminated selector s
A16S-3N-2LS	
A16-T1-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), 100 VAC input with reduced voltag
A16-T1-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), 100 VAC input with reduced voltag
A16-T1-2S	
A16-T2-2S	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), 200 VAC input with reduced voltag
A16-TAM-2	
A16-TBA-1	
A16-TBM-1	
A16-TGA-2	
A16-TGM-1	
A16-TRM-1	
A16W-3NG-24D-2S	
A16Z-3004	Tightening tool
A16Z-5070	Yellow E-stop name plate
A16Z-5080	Switch and lamp extractor
A16ZA-3003	Panel plug, square, 16mm
A16ZA-5050	Switch guard, for square and round models, 16mm
A16ZA-5060	Dust cover, square, 16mm
A16ZA-5203	
A16ZA-5204	
A16ZJ-3003	Panel plug, rectangular, 16mm
A16ZJ-5050	Switch guard, rectangular, 16mm
A16ZJ-5060	

A16ZJ-5202	
A16ZJ-5203	
A16ZJ-5204	
A16ZT-3003	
A16ZT-5060	Dust cover, round, 16mm
A16ZT-5203	
A16ZT-5204	
A-20G	
A-20G-B	
A-20GD	
A-20GQ	
A-20GQ21	
A-20GQ22	
A-20GQ22-B	
A-20GQ-B7-K	
A-20GV	
A-20GV2	
A-20GV21	
A-20GV22	
A-20GV22-B	
A-20GV2-B	
A-20GV-B	
A-20GV-B7-K	
A-20GV-K	
A22-01	Contact block, SPST-NC, general-purpose load
A22-01A	Contact block, SPST-NC, alternate, general-purpose load
A22-01M	Contact block, SPST-NC, momentary, general-purpose load
A22-01S	Contact block, SPST-NC, microload
A22-02	Contact block, DPST-NC, general-purpose load
A22-02A	
A22-02M	
A22-02S	Contact block, DPST-NC, microload
A22-10	Contact block, SPST-NO, general-purpose load
A22-10A	
A22-10M	Contact block, SPST-NO, momentary, general-purpose load
A22-10S	Contact block, SPST-NO, microload
A22-11	Contact block, SPST-NO + SPST-NO, general-purpose load
A22-11A	
A22-11M	Contact block, SPST-NO + SPST-NC, momentary, general-purpose load
A22-12	Incandescent lamp, 12 VAC/DC
A22-12AA	
A22-12AG	LED, 12 VAC/DC, green
A22-12AR	LED, 12 VAC/DC, red
A22-12AY	LED, 12 VAC/DC, yellow
A22-20	Contact block, DPST-NO, general-purpose load
A22-20A	
A22-20M	Contact block, 2 x SPST-NO, momentary, general-purpose load
A22-20S	Contact block, DPST-NO, microload
A22-24	Incandescent lamp, 24 VAC/DC
A22-24AA	LED, 24 VAC/DC, blue
A22-24AG	LED, 24 VAC/DC, green
A22-24AR	LED, 24 VAC/DC, red

OMRON Industrial

A22-24AY	LED, 24 VAC/DC, yellow
A22-3200	Mounting latch, momentary models
A22-3210	Mounting latch, latching models
A22-5	Incandescent lamp, 5 VAC/DC,
A22-6AA	LED, 6 VAC, blue
A22-6AG	LED, 6 VAC, green
A22-6AR	LED, 6 VAC, red
A22-6AY	LED, 6 VAC, yellow
A22-CA	
A22-CB	
A22-CG	
A22-CR	
A22-CY	
A22-DA	Pushbutton, 22mm square guarded type, non-illuminated, blue
A22-DB	
A22-DG	
A22-DR	
A22-DR-11M	
A22-DY	
A22E-L	Emergency stop switch, non-illuminated, 60mm dia, push-lock/turn-reset, IP65
A22E-L-01	
A22E-L-02	Emergency stop switch, non-illuminated, 60mm dia, push-lock/turn-reset, 2 x SPST-I
A22E-L-11	
A22EL-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65
A22EL-M-12A-01	
A22EL-M-12A-02	
A22EL-M-12A-11	
A22EL-M-24A-01	Emergency stop switch, 24 VAC/DC illuminated, 40mm dia, push-lock/turn-reset, SPST-NC
A22EL-M-24A-02	
A22EL-M-24A-11	
A22EL-M-T1-01	
A22EL-M-T1-02	
A22EL-M-T1-11	
A22EL-M-T2-01	
A22EL-M-T2-02	
A22EL-M-T2-11	
A22E-LP	
A22E-LP-01	
A22E-LP-02	
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65
A22E-M-01	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, SPST-NC,
A22E-M-01B	
A22E-M-02	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, 2 x SPST-I
A22E-M-02B	
A22E-M-10	
A22E-M-11	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, SPST-NO
A22E-M-11B	
A22E-M-20	
A22E-MK	Emergency stop switch, non-illuminated, 40mm dia, push-lock/key-reset, IP65
A22E-MK-01	
A22E-MK-02	
A22E-MK-11	

A22E-MP	
A22E-MP-01	
A22E-MP-02	
A22E-MP-10	
A22E-MP-11	
A22E-MY	
A22E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, IP65
A22E-S-01	
A22E-S-02	
A22E-S-10	
A22E-S-11	
A22E-S-20	
A22E-SK	Emergency stop switch, non-illuminated, 30mm dia, push-lock/key-reset, IP65
A22E-SK-01	
A22E-SK-02	
A22E-SK-11	
A22-FA	Pushbutton, non-illuminated, flat-round, IP65, blue
A22-FA-10M	
A22-FB	Pushbutton, non-illuminated, flat-round, IP65, black
A22-FB-01A	
A22-FB-01M	
A22-FB-02M	
A22-FB-10M	
A22-FB-11M	
A22-FB-20M	
A22-FG	Pushbutton, non-illuminated, flat-round, IP65, green
A22-FG-01A	
A22-FG-01M	
A22-FG-10M	
A22-FG-11M	
A22-FR	Pushbutton, non-illuminated, flat-round, IP65, red
A22-FR-01A	
A22-FR-01M	
A22-FR-02M	
A22-FR-10M	
A22-FR-11A	
A22-FR-11M	
A22-FW	Pushbutton, non-illuminated, flat-round, IP65, white
A22-FW-11M	
A22-FY	Pushbutton, non-illuminated, flat-round, IP65, yellow
A22-FY-10M	
A22-FY-11A	
A22-FY-11M	
A22-GA	Pushbutton, 22mm guarded type, non-illuminated, blue
A22-GB	Pushbutton, 22mm guarded type, non-illuminated, black
A22-GG	Pushbutton, 22mm guarded type, non-illuminated, green
A22-GR	Pushbutton, 22mm guarded type, non-illuminated, red
A22-GR-02M	
A22-GW	Pushbutton, 22mm guarded type, non-illuminated, white
A22-GW-10M	
A22-GY	Pushbutton, 22mm guarded type, non-illuminated, yellow
A22-GY-10M	

A22-H1	Incandescent lamp, 100 VAC
A22-HA	
A22-HB	
A22-HG	
A22-HR	
A22-HW	
A22-HY	
A22K-2AL	Selector switch, key-type, non-illuminated, 2 notches, spring-return, IP65,key release
A22K-2AL-10	
A22K-2M	Selector switch, key-type, non-illuminated, 2 notches, maintained, IP65,key release
A22K-2M-10	
A22K-2M-11	
A22K-2M-20	
A22K-2ML	Selector switch, key-type, non-illuminated, 2 notches, maintained, IP65,key release
A22K-2ML-10	
A22K-2ML-20	
A22K-3AC	Selector switch, key-type, non-illuminated, 3 notches, spring-return, IP65,key release
A22K-3AMR	
A22K-3M	Selector switch, key-type, non-illuminated, 3 notches, maintained, IP65, key release
A22K-3MAL	
A22K-3MC	Selector switch, key-type, non-illuminated, 3 notches, maintained, IP65,key centre o
A22K-3ML	Selector switch, key-type, non-illuminated, 3 notches, maintained, IP65,key release
A22K-K	A22K replacement key
A22L-01A	
A22L-01A-T1	
A22L-01A-T2	
A22L-01M	
A22L-01M-T1	
A22L-01M-T2	
A22L-02A	
A22L-02A-T1	
A22L-02A-T2	
A22L-02M	
A22L-02M-T1	
A22L-02M-T2	
A22L-10A	Contact block, lighted model, SPST-NO, alternate, general-purpose load
A22L-10A-T1	
A22L-10A-T2	
A22L-10M	Contact block, lighted model, SPST-NO, momentary, general-purpose load
A22L-10M-T1	
A22L-10M-T2	
A22L-11A	
A22L-11A-T1	
A22L-11A-T2	
A22L-11M	Contact block, lighted model, SPST-NO + SPST-NC, momentary, general-purpose lo
A22L-11M-T1	
A22L-11M-T2	
A22L-20A	
A22L-20A-T1	
A22L-20A-T2	
A22L-20M	
A22L-20M-T1	

A22L-20M-T2	
A22L-CA	
A22L-CG	
A22L-CG-24A-10M	
A22L-CR	
A22L-CW	Pushbutton, 22mm square projection type, illuminated, white
A22L-CY	
A22L-DA	
A22L-DG	
A22L-DG-24A-10M	
A22L-DR	Pushbutton, 22mm square guarded type, illuminated, red
A22L-DR-T1-10M	
A22L-DW	
A22L-DY	
A22L-DY-T2-11A	
A22L-GA	Pushbutton, illuminated, full guarded type, IP65, blue
A22L-GA-24-10M	
A22L-GA-24A-10M	
A22L-GA-T2-11M	
A22L-GG	Pushbutton, illuminated, full guarded type, IP65, green
A22L-GG-24-10M	
A22L-GG-24A-10M	
A22L-GG-24A-11M	
A22L-GG-T2-10A	
A22L-GG-T2-11M	
A22L-GR	Pushbutton, illuminated, full guarded type, IP65, red
A22L-GR-24-10M	
A22L-GR-24A-01M	
A22L-GR-24A-10M	
A22L-GR-T2-11M	
A22L-GW	Pushbutton, illuminated, full guarded type, IP65, white
A22L-GW-24A-10M	
A22L-GW-24A-11A	
A22L-GW-24A-11M	
A22L-GW-T2-11M	
A22L-GY	Pushbutton, illuminated, full guarded type, IP65, yellow
A22L-GY-24A-10M	
A22L-GY-T2-11M	
A22L-HA	
A22L-HG	
A22L-HR	
A22L-HW	
A22L-HY	
A22L-TA	Pushbutton, illuminated, projection type, IP65, blue
A22L-TA-24-11M	
A22L-TA-24A-11M	
A22L-TG	Pushbutton, illuminated, projection type, IP65, green
A22L-TG-24A-01M	
A22L-TG-24A-10M	
A22L-TG-24A-11M	
A22L-TG-T2-11M	
A22L-TR	Pushbutton, illuminated, projection type, IP65, red

A22L-TR-24A-01M	
A22L-TR-24A-10M	
A22L-TR-24A-11M	
A22L-TR-T2-10M	
A22L-TR-T2-11M	
A22L-TW	Pushbutton, illuminated, projection type, IP65, white
A22L-TW-24A-10M	
A22L-TW-24A-11M	
A22L-TY	Pushbutton, illuminated, projection type, IP65, yellow
A22L-TY-24A-01M	
A22L-TY-24A-10M	
A22L-TY-24A-11M	
A22-MA	
A22-MB	
A22-MB-11M	
A22-MG	Pushbutton, 40mm dia. mushroom type, non-illuminated, green
A22-MG-11M	
A22-MG-20M	
A22-MR	Pushbutton, 40mm dia. mushroom type, non-illuminated, red
A22-MR-11M	
A22-MY	Pushbutton, 40mm dia. mushroom type, non-illuminated, yellow
A22S-2A	Selector switch, knob-type, non-illuminated, 2 notches, spring-return, IP65
A22S-2A-10	
A22S-2A-11	
A22S-2M	Selector switch, knob-type, non-illuminated, 2 notches, maintained, IP65
A22S-2M-10	
A22S-2M-11	
A22S-2M-20	
A22S-3A	Selector switch, knob-type, non-illuminated, 3 notches, spring-return, IP65
A22S-3A-11	
A22S-3A-20	
A22S-3M	Selector switch, knob-type, non-illuminated, 3 notches, maintained, IP65
A22S-3M-11	
A22S-3M-20	
A22S-3MA OEE	
A22-SA	
A22-SB	Pushbutton, 30mm dia. mushroom type, non-illuminated, black
A22S-C2A	
A22S-C2M	
A22S-C2M-11	
A22S-C3A	
A22S-C3AM	
A22S-C3M	
A22-SG	
A22-SG-11M	
A22-SR	
A22-SW	
A22-SY	
A22-T1	Lamp socket, transformer illumination, 110 VAC
A22-T2	Lamp socket, transformer illumination, 220 VAC
A22-TA	
A22-TB	

A22-TB-10M

A22-TG

Pushbutton, 22mm projection type, non-illuminated, green

A22-TG-10M

A22-TG-11M

A22TK-2LL-03-01

A22TK-2LL-03-02

A22TK-2LL-03-K01

A22TK-2LL-03-K02

A22TK-2LL-12-01

A22TK-2LL-12-02

A22TK-2LL-12-K01

A22TK-2LL-12-K02

A22TK-2LL-21-01

A22TK-2LL-21-02

A22TK-2LL-21-K01

A22TK-2LL-21-K02

A22TK-2LR-03-01

A22TK-2LR-03-02

A22TK-2LR-03-K01

A22TK-2LR-03-K02

A22TK-2LR-12-01

A22TK-2LR-12-02

A22TK-2LR-12-K01

A22TK-2LR-12-K02

A22TK-2LR-21-01

A22TK-2LR-21-02

A22TK-2LR-21-K01

A22TK-2LR-21-K02

A22TK-2RL-03-01

A22TK-2RL-03-02

A22TK-2RL-03-K01

A22TK-2RL-03-K02

A22TK-2RL-12-01

A22TK-2RL-12-02

A22TK-2RL-12-K01

A22TK-2RL-12-K02

A22TK-2RL-21-01

A22TK-2RL-21-02

A22TK-2RL-21-K01

A22TK-2RL-21-K02

A22TK-2RR-03-01

A22TK-2RR-03-02

A22TK-2RR-03-K01

A22TK-2RR-03-K02

A22TK-2RR-12-01

A22TK-2RR-12-02

A22TK-2RR-12-K01

A22TK-2RR-12-K02

A22TK-2RR-21-01

A22TK-2RR-21-02

A22TK-2RR-21-K01

A22TK-2RR-21-K02

A22-TN	Lamp socket, direct lighting
A22-TR	Pushbutton, 22mm projection type, non-illuminated, red
A22-TR-11M	
A22-TW	Pushbutton, 22mm projection type, non-illuminated, white
A22-TY	
A22-TY-11M	
A22W-2AA	
A22W-2AG	
A22W-2AR	
A22W-2AY	
A22W-2MA	
A22W-2MA-24A-11	
A22W-2MA-24A-20	
A22W-2MG	
A22W-2MG-24A-11	
A22W-2MG-T2-20	
A22W-2MR	
A22W-2MR-24A-11	
A22W-2MR-24A-20	
A22W-2MR-T1-11	
A22W-2MY	
A22W-2MY-T2-10	
A22W-3AA	
A22W-3AG	
A22W-3AR	
A22W-3AY	
A22W-3MA 1	
A22W-3MG	
A22W-3MR	
A22W-3MY	
A22Z-3003	Three-throw spacer for non-lighted switch units
A22Z-30TA	
A22Z-30TG	
A22Z-30TR	
A22Z-30TW	
A22Z-30TY	
A22Z-3320	Legend plate, standard size, without legend plate
A22Z-3321	
A22Z-3322	
A22Z-3323	
A22Z-3330	Legend plate, large size, without legend plate
A22Z-3331	
A22Z-3332	
A22Z-3333	
A22Z-3360	
A22Z-3380	Security bracket, lever stopper, for A22E emergency stop switch
A22Z-3443B	Legend plate, standard size, without text, black
A22Z-3443B-1	Legend plate, standard size, white text on black background 'I'
A22Z-3443B-10	Legend plate, standard size, white text on black background 'OFF-ON'
A22Z-3443B-3	Legend plate, standard size, white text on black background 'START'
A22Z-3443B-5	Legend plate, standard size, white text on black background 'ON'
A22Z-3443B-6	Legend plate, standard size, white text on black background 'OFF'

A22Z-3443B-7	Legend plate, standard size, white text on black background 'UP'
A22Z-3443B-8	Legend plate, standard size, white text on black background 'DOWN'
A22Z-3443B-9	Legend plate, standard size, white text on black background 'POWER ON'
A22Z-3443C	Legend plate, standard size, without text, transparent
A22Z-3443R	Legend plate, standard size, without text, red
A22Z-3443R-2	Legend plate, standard size, white text on red background 'O'
A22Z-3443R-4	Legend plate, standard size, white text on red background 'STOP'
A22Z-3443W	Legend plate, standard size, without text, white
A22Z-3453B	Legend plate, large size, without text, black
A22Z-3453C	Legend plate, large size, without text, transparent
A22Z-3453R	Legend plate, large size, without text, red
A22Z-3453W	Legend plate, large size, without text, white
A22Z-3460	
A22Z-3460-2	
A22Z-3460-3	
A22Z-3460-4	
A22Z-3466-1	Legend plate, emergency stop, 60mm dia, round, yellow
A22Z-3476-1	Legend plate, emergency stop, 90mm dia, round, yellow
A22Z-3500-1	
A22Z-3500-2	
A22Z-3530	Round plug hole
A22Z-3580	Metallic bezel rings for flat or projection models
A22Z-3582	
A22Z-3600F	Sealing caps for flat models
A22Z-3600G	
A22Z-3600T	Sealing caps for projection models
A22Z-3700	
A22Z-3901	
A22Z-3905	Tightening wrench
A22Z-3908	
A22Z-A30	
A22Z-B101	Control box enclosure, one hole
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop
A22Z-B102	Control box enclosure, two holes
A22Z-B103	Control box enclosure, three holes
A22Z-B201	
A22Z-B201Y	
A22Z-B202	
A22Z-B203	
A22Z-EG1	
A22Z-EG2	
A22Z-EG21	
A22Z-EG22	
A22Z-R25	
A2A-4A	
A2A-4B	
A2A-4G	
A2A-4R	
A2A-4W	
A2A-4Y	
A2M-2B81	
A2M-2B81 (S) 1	OMI

A2M-2B81 (S) BY OMI

A3A-200

A3A-211

Flange and leaf spring, black, square, for A3A switches

A3A-212

A3A-221

Flange and leaf spring, black, round, for A3A switches

A3A-222

A3A-241

A3A-251

A3A-7930-E(N)

A3AA-90A1-00EG

A3AA-90K1-00A

A3AA-90K1-00B

Compact Pushbutton, illuminated, square, momentary, SPST-NO, solder terminal, gr

A3AA-90K1-00EG

A3AA-90K1-00ER

Compact Pushbutton, illuminated, square, momentary, SPST-NO, solder terminal, ye

A3AA-90K1-00EY

A3AA-90K1-00G

A3AA-90K1-00L

A3AA-90L1-00EG

A3AA-90L1-00ER

A3AA-90L1-00EY

A3AA-90L1-00L

A3AA-91A1-00EG

A3AA-91B1-00EG

A3AA-91B1-00ER

Compact Pushbutton, illuminated, square, momentary, SPST-NO, pcb terminal, red I

A3AA-91K1-00ER

Compact Pushbutton, illuminated, square, momentary, SPST-NO, pcb terminal, yello

A3AA-91K1-00EY

A3AA-91K1-00G

A3AA-91L1-00EG

Compact Pushbutton, illuminated, square, alternate, SPST-NO, pcb terminal, green I

A3AA-91L1-00ER

Compact Pushbutton, illuminated, square, alternate, SPST-NO, pcb terminal, red LEI

A3AA-91L1-00EY

Compact Pushbutton, illuminated, square, alternate, SPST-NO, pcb terminal, yellow

A3AA-91L1-00L

A3AT-90A1-00EG

A3AT-90A1-00ER

A3AT-90A1-00EY

A3AT-90K1-00A

A3AT-90K1-00B

Compact Pushbutton, non-lighted, round, momentary, SPST-NO, solder terminal, bla

A3AT-90K1-00EG

Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, gre

A3AT-90K1-00ER

Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, rec

A3AT-90K1-00EY

Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, yel

A3AT-90K1-00G

A3AT-90K1-00R

A3AT-90L1-00B

A3AT-90L1-00EG

Compact Pushbutton, illuminated, round, alternate, SPST-NO, solder terminal, green

A3AT-90L1-00ER

A3AT-90L1-00EY

Compact Pushbutton, illuminated, round, alternate, SPST-NO, solder terminal, yello

A3AT-90L1-00L

A3AT-91A1-00G

A3AT-91B1-00ER

A3AT-91K1-00B

A3AT-91K1-00EG

Compact Pushbutton, illuminated, round, momentary, SPST-NO, pcb terminal, red LI

A3AT-91K1-00ER

Compact Pushbutton, illuminated, round, momentary, SPST-NO, pcb terminal, yello

A3AT-91K1-00EY

A3AT-91K1-00G	
A3AT-91K1-00L	
A3AT-91K1-00R	
A3AT-91L1-00B	
A3AT-91L1-00EG	Compact Pushbutton, illuminated, round, alternate, SPST-NO, pcb terminal, green LI
A3AT-91L1-00ER	
A3AT-91L1-00EY	
A3AT-91L1-00L	
A3C-3002	
A3C-3004	
A3C-4101	
A3C-4102	
A3C-4103	
A3CA-500G	Pushbutton, illuminated, square, green
A3CA-500R	Pushbutton, illuminated, square, red
A3CA-500W	Pushbutton, illuminated, square, white
A3CA-500Y	Pushbutton, illuminated, square, yellow
A3CA-5050	
A3CA-7011	Square switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terr
A3CA-7021	Square switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terr
A3CA-7121	
A3CA-90A1-24ER	
A3CJ-500A	
A3CJ-500G	Pushbutton, illuminated, rectangular, green
A3CJ-500GY	
A3CJ-500R	Pushbutton, illuminated, rectangular, red
A3CJ-500W	Pushbutton, illuminated, rectangular, white
A3CJ-500Y	Pushbutton, illuminated, rectangular, yellow
A3CJ-501B	
A3CJ-5050	Rectangular switch guard
A3CJ-5060	
A3CJ-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solde
A3CJ-7111	
A3CJ-7121	
A3CJ-90A1-24EG	
A3CJ-90A1-24ER	
A3CJ-90A1-24EY	
A3CT-500G	Pushbutton, illuminated, round, green
A3CT-500GY	Pushbutton, illuminated, round, green
A3CT-500R	Pushbutton, illuminated, round, red
A3CT-500W	Pushbutton, illuminated, round, white
A3CT-500Y	Pushbutton, illuminated, round, yellow
A3CT-501B	
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder tern
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder tern
A3CT-7111	
A3CT-7121	
A3CT-90A1-24EW	
A3D-3002	
A3D-3004	
A3D-4101	
A3D-4102	Spare socket, PCB terminal

A3DA-500GY	Pushbutton, illuminated, square, green, IP40, built-in LED
A3DA-500R	Pushbutton, illuminated, square, red, IP40, built-in LED
A3DA-500W	Pushbutton, illuminated, square, white, IP40, built-in LED
A3DA-500Y	Pushbutton, illuminated, square, yellow, IP40, built-in LED
A3DA-501B	Pushbutton, illuminated, square, IP40, built-in LED
A3DA-7111	Square switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, momentary
A3DA-7112	
A3DA-7121	Square switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, alternate
A3DA-7122	
A3DJ-500GY	Pushbutton, illuminated, rectangular, green, IP40, built-in LED
A3DJ-500R	Pushbutton, illuminated, rectangular, red, IP40, built-in LED
A3DJ-500W	Pushbutton, illuminated, rectangular, white, IP40, built-in LED
A3DJ-500Y	Pushbutton, illuminated, rectangular, yellow, IP40, built-in LED
A3DJ-7111	Rectangular switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, momentary
A3DJ-7112	
A3DJ-7121	Rectangular switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, alternate
A3DT-500GY	Pushbutton, illuminated, round, green, IP40, built-in LED
A3DT-500R	Pushbutton, illuminated, round, red, IP40, built-in LED
A3DT-500W	Pushbutton, illuminated, round, white, IP40, built-in LED
A3DT-500Y	Pushbutton, illuminated, round, yellow, IP40, built-in LED
A3DT-501B	
A3DT-7111	Round switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, momentary
A3DT-7112	
A3DT-7121	Round switch unit, SPST-NO, 0.1 A (30 VDC), solder terminal, alternate
A3DT-7122	
A3KA-51Y-24E	
A3KA-7010	
A3KA-7030	
A3KA-7040	
A3KA-90A1-24EG	
A3KA-90A1-24ER	
A3KA-90D1-24ER	
A3KJ-51R-24E	
A3KJ-51W-24E	
A3KJ-51Y-24E	
A3KJ-7010	
A3KJ-7020	
A3KJ-7030	
A3KJ-7040	
A3KJ-7050	
A3KJ-90C1-12EY	
A3KJ-90C1-24EG	
A3KJ-90C1-24EW	
A3KJ-90C1-24EY	
A3KJ-90D1-24EW	
A3PA-4001	
A3PA-4007	
A3PA-4008	
A3PA-4103	
A3PA-5012	
A3PA-5021	
A3PA-5050	

A3PA-5060
A3PA-5202
A3PA-5701-12E
A3PA-5701-24E
A3PA-5702-05E
A3PA-5702-24E
A3PA-5703-05E
A3PA-5703-12E
A3PA-5703-24E
A3PA-5706-12E
A3PA-5706-24E
A3PA-5711-05E
A3PA-5711-12E
A3PA-5711-24E
A3PA-5712-24E
A3PA-5716-12E
A3PA-5721-12E
A3PA-5723-24E
A3PA-5726-12E
A3PA-5726-24E
A3PA-5732-24E
A3PA-5733-05E
A3PA-5736-05E
A3PA-5736-12E
A3PA-5800-24E
A3PA-5803-24E
A3PA-7010-1
A3PA-7020-1
A3PA-7030
A3PA-7030-1
A3PA-7031
A3PA-7040-1
A3PA-7050-1
A3PA-7060-1
A3PA-7070-1
A3PA-90A21-24EGG
A3PAN-5050
A3PAN-5055
A3PJ-3002
A3PJ-4001
A3PJ-4002
A3PJ-4004
A3PJ-4007
A3PJ-4010
A3PJ-4101
A3PJ-5011
A3PJ-5012
A3PJ-5013
A3PJ-5014
A3PJ-5016
A3PJ-5021
A3PJ-5022

A3PJ-5050
A3PJ-5060
A3PJ-5080
A3PJ-5201
A3PJ-5202
A3PJ-5206-OFF
A3PJ-5206-ON
A3PJ-5701-05E
A3PJ-5702-05E
A3PJ-5702-12E
A3PJ-5702-24E
A3PJ-5703-05E
A3PJ-5703-24E
A3PJ-5706-24E
A3PJ-5711-24E
A3PJ-5713-24E
A3PJ-5722-24E
A3PJ-5723-24E
A3PJ-5731-24E
A3PJ-5732-24E
A3PJ-5733-24E
A3PJ-5736-12E
A3PJ-5736-24E
A3PJ-5751-24E
A3PJ-7010-1
A3PJ-7010-2
A3PJ-7020-1
A3PJ-7030
A3PJ-7030-1
A3PJ-7040
A3PJ-7040-1
A3PJ-7050-1
A3PJ-7050-2
A3PJ-7060-1
A3PJ-7070-1
A3PJ-7070-2
A3PJ-7080-1
A3PJ-90A11-24EG
A3PJ-90A11-24EO
A3PJ-90A11-24ER
A3PJ-90A21-28
A3PJ-90C11-24EG
A3PJ-90C11-28
A3PT-5021
A3PT-7011
A3PT-90C12-24CG
A3PT-90C12-24CO
A3PT-90C12-24CR
A3PT-90C12-24CW
A3SA-4001
A3SA-4002
A3SA-4102

A3SA-4501
A3SA-4502
A3SA-5050
A3SA-5060
A3SA-5801
A3SA-5802
A3SA-5803
A3SA-5805
A3SA-7010
A3SA-7020
A3SA-7030
A3SA-7040
A3SA-7050
A3SA-7060
A3SA-7070
A3SA-90A1-24EY
A3SA-90C1-28W
A3SJ-3002
A3SJ-4102
A3SJ-4203
A3SJ-5050
A3SJ-5060
A3SJ-5301
A3SJ-5302
A3SJ-5303
A3SJ-5322
A3SJ-5323
A3SJ-5324
A3SJ-5801
A3SJ-5802
A3SJ-5803
A3SJ-5804
A3SJ-5805
A3SJ-5902
A3SJ-5905
A3SJ-5907
A3SJ-5909
A3SJ-5912
A3SJ-5914
A3SJ-5922
A3SJ-5923
A3SJ-7010
A3SJ-8010
A3SJ-8020
A3SJ-8030
A3SJ-8040
A3SJ-8050
A3SJ-8070
A3SJ-90A1-24EG
A3SJ-90A1-24ER
A3SJ-90A1-24EY
A3SJ-90C1-24EG

A3SJ-90C1-24ER
 A3SJ-90C1-24EY
 A3SJ-90E1-24EG
 A3SJ-90E1-24ER
 A3SJ-90E1-24EY
 A3SJ-90E1-28A
 A4E-B200HS
 A4E-B200SS
 A4E-B200VA
 A4E-B200VS
 A4E-C211HS
 A4E-C211VA
 A4E-C211VS
 A4EG-BE2R041
 A4EG-BM2B041
 A4EG-C000041
 A4EG-OP1
 A4EG-OP2
 A4EG-OP3
 A60Q20-2FUSE - FU002031
 A60Q30-2FUSE - FU002032
 A6A-10C
 A6A-10CF
 A6A-10CW
 A6A-10CS
 A6A-10R
 A6A-10RF
 A6A-10RS
 A6A-10RW
 A6A-16C
 A6A-16CF
 A6A-16CW
 A6A-16CS
 A6A-16R
 A6A-16RF
 A6A-16RS
 A6A-16RW
 A6C-10R(N)
 A6C-16R(N)
 A6CV-10R
 A6CV-16R
 A6D-0100 JPN
 A6D-0103
 A6D-2100 -JPN-
 A6D-2103 JPN
 A6D-3100 JPN
 A6D-3103 JPN
 A6D-4100
 A6D-4103
 A6D-5100
 A6D-5103 JPN
 A6D-6100

A6D-6103
A6D-7100 -JPN-
A6D-7100 by CHN
A6D-7103 JPN
A6D-8100
A6D-8103
A6D-9103
A6DR-0100
A6DR-2100
A6DR-4100
A6DR-4100-05
A6DR-6100
A6DR-8100
A6DR-8100-05
A6DR-8100-17
A6E-0101
A6E-0104
A6E-2101
A6E-2104
A6E-3101
A6E-3104
A6E-4101
A6E-4104
A6E-5101
A6E-5104
A6E-6101
A6E-6104
A6E-7101
A6E-7104
A6E-8101
A6E-8104
A6E-9101
A6E-9104
A6ER-0101
A6ER-0104
A6ER-2101
A6ER-2104
A6ER-3101
A6ER-3104
A6ER-4101
A6ER-4104
A6ER-5101
A6ER-5104
A6ER-6101
A6ER-6104
A6ER-7101
A6ER-7104
A6ER-8101
A6ER-8104
A6ER-9104
A6H-0101
A6H-0101-P

A6H-0102
A6H-0102-P
A6H-0102-P
A6H-2101
A6H-2101-P
A6H-2102
A6H-2102-P
A6H-4101
A6H-4102
A6H-4102
A6H-4102-P
A6H-4102-PM
A6H-6101
A6H-6101-P
A6H-6102
A6H-6102-P
A6H-8101
A6H-8101-PM
A6H-8102
A6H-8102-P
A6H-8102-P
A6HF-0102
A6HF-0102-P
A6HF-0102-PM
A6HF-2102
A6HF-2102-P
A6HF-2102-PM
A6HF-4102
A6HF-4102-P
A6HF-4102-PM
A6HF-6102
A6HF-6102-P
A6HF-6102-PM
A6HF-8102
A6HF-8102-P
A6HF-8102-PM
A6HR-0104
A6HR-0104-P
A6HR-0104-PM
A6HR-2104
A6HR-2104-P
A6HR-2104-PM
A6HR-4104
A6HR-4104-P
A6HR-4104-PM
A6HR-6104
A6HR-6104-P
A6HR-6104-PM
A6HR-8104
A6HR-8104-P
A6HR-8104-PM
A6K-102RF

A6K-102RS
A6K-104RF
A6K-104RS
A6K-162RF
A6K-162RS
A6K-164RF
A6K-164RS
A6KS-102RF
A6KS-102RF-P
A6KS-102RS
A6KS-102RS-P
A6KS-104RF
A6KS-104RF-P
A6KS-104RS
A6KS-104RS-P
A6KS-162RF
A6KS-162RF-P
A6KS-162RS
A6KS-162RS-P
A6KS-164RF
A6KS-164RF-P
A6KS-164RS
A6KS-164RS-P
A6KSV-104RF
A6KSV-104RF-P
A6KSV-104RS
A6KSV-104RS-P
A6KSV-164RF
A6KSV-164RF-P
A6KSV-164RS
A6KSV-164RS-P
A6KV-102RF
A6KV-102RS
A6KV-104RF
A6KV-104RS
A6KV-162RF
A6KV-162RS
A6KV-164RF
A6KV-164RS
A6R-101RF
A6R-101RF CHN
A6R-101RS
A6R-101RS CHN
A6R-102RF by CHN
A6R-102RS
A6R-102RS CHN
A6R-161RF CHN
A6R-161RS CHN
A6R-162RF CHN
A6R-162RS
A6R-162RS CHN
A6RS-101RF

A6RS-101RF-P
A6RS-101RS
A6RS-102RF
A6RS-102RF-P
A6RS-102RS
A6RS-161RF
A6RS-161RS
A6RS-162RF
A6RS-162RF-P
A6RS-162RS
A6RS-162RS-P
A6RV-101RF
A6RV-101RF CHN
A6RV-101RS
A6RV-101RS CHN
A6RV-102RF CHN
A6RV-102RS
A6RV-102RS CHN
A6RV-161RF CHN
A6RV-161RS CHN
A6RV-162RF
A6RV-162RF CHN
A6RV-162RS
A6RV-162RS CHN
A6S-0101-H
A6S-0102-H
A6S-0102-PH
A6S-0102-PHA03 DRT
A6S-0104-H
A6S-1101-H
A6S-1102-H
A6S-1102-PH
A6S-1104-H
A6S-1104-PH
A6S-2101
A6S-2101-H
A6S-2101-PH
A6S-2102-H
A6S-2102-PA03
A6S-2102-PH
A6S-2102-PH DRT
A6S-2102-PHA03
A6S-2102-PMH
A6S-2104-H
A6S-2104-PH
A6S-3101-H
A6S-3102-H
A6S-3102-PH
A6S-3102-PH DRT
A6S-3104-H
A6S-3104-PH
A6S-4101-H

A6S-4101-PH
A6S-4102-H
A6S-4102-PH
A6S-4102-PH DRT
A6S-4102-PMH
A6S-4104-H
A6S-4104-PH
A6S-5101-H
A6S-5102-H
A6S-5102-PH
A6S-5104-H
A6S-5104-PH DRT
A6S-6101-H
A6S-6102-H
A6S-6102-PH
A6S-6104
A6S-6104-H
A6S-6104-PH
A6S-7101-H
A6S-7101-PH
A6S-7102-H
A6S-7102-PH
A6S-7104-H
A6S-8101-H
A6S-8102-H
A6S-8102-PH
A6S-8102-PH DRT
A6S-8104-H
A6S-8104-PH
A6S-9101-H
A6S-9102-H
A6S-9104-H
A6SR-0101
A6SR-0101-P
A6SR-0104
A6SR-0104-P
A6SR-2101
A6SR-2101-P
A6SR-2104
A6SR-2104-P
A6SR-4101
A6SR-4101-P
A6SR-4104
A6SR-4104-P
A6SR-6101
A6SR-6101-P
A6SR-6104
A6SR-6104-P
A6SR-8101
A6SR-8101-P
A6SR-8104
A6SR-8104-P

A6T-0101
A6T-0102
A6T-0104
A6T-1101
A6T-1102
A6T-1104
A6T-2101
A6T-2101.
A6T-2101-D01
A6T-2102
A6T-2102(WP)
A6T-2104.
A6T-3101
A6T-3102
A6T-3104
A6T-4101
A6T-4101(WP)
A6T-4101-D01
A6T-4102
A6T-4102(WP)
A6T-4104
A6T-4104(WP)
A6T-4104-C02
A6T-4104-C03
A6T-4104-D01
A6T-5104
A6T-6101
A6T-6101(WP)
A6T-6101-D01
A6T-6102
A6T-6102(WP)
A6T-6104
A6T-6104(WP)
A6T-7101
A6T-7102
A6T-7132
A6T-7134
A6T-8101
A6T-8101(WP)
A6T-8102
A6T-8102(WP)
A6T-8104
A6T-8104-D01
A6T-8104-L
A6TR-0101
A6TR-0104
A6TR-2101
A6TR-2104
A6TR-4101
A6TR-4104
A6TR-6101
A6TR-6104

A6TR-8101
A6TR-8104
A7B-C
A7B-CP
A7BL-206
A7BL-206-1
A7BL-207
A7B-M -COUPLE-
A7B-M-1 -COUPLE-
A7B-PA
A7B-PA-1
A7B-PC
A7B-PC-1
A7B-PF
A7B-PF-1
A7B-PG
A7B-PG-1
A7B-PK
A7B-PK-1
A7BS-203-1
A7BS-206
A7BS-206-1
A7BS-206-PM-1
A7BS-206S
A7BS-206-S-1
A7BS-207
A7BS-207-1
A7BS-207-S
A7BS-207-S-1
A7BS-219-1
A7BS-254
A7BS-255
A7BS-255-1
A7BS-256
A7BS-S
A7CN-106-1
A7CN-206-1
A7CN-2M-1+
A7CN-L206-1
A7D-106
A7D-106-1
A7D-206.
A7D-206-1
A7D-206-1,
A7D-206-S07-60-1
A7D-2M-1
A7D-2PA-1
A7D-2PA-1,
A7DP-206
A7DP-206-1
A7DP-206-S07-1
A7MD-1M -COUPLE-

Thumbwheel switch

A7MD-PA
A7PH-201-1
A7PH-203
A7PH-206,
A7PH-206-1,
A7PH-207,
A7PH-207-1
A7PH-219
A7PH-254-1
A7P-M -COUPLE-
A7P-M-1 -COUPLE-
A7P-PA
A7P-PA-1
A7P-PB-1
A7P-PG
A7P-PK
A7P-PK-1
A7PS-203,
A7PS-203-1,
A7PS-206
A7PS-206-1
A7PS-206-PM-1
A7PS-207
A7PS-207-1
A7PS-207-D
A7PS-219
A7PS-254
A7PS-254-1
A7PS-255
A8A-201
A8A-201-1
A8A-201-1D
A8A-201-2
A8A-201-2D
A8A-201-D
A8A-202
A8A-202-1
A8A-202-2
A8A-203
A8A-203-1
A8A-204-1
A8A-205
A8A-205-2
A8A-207
A8A-207-1
A8A-207-2
A8A-212
A8A-212-1
A8A-212-2
A8A-213
A8A-213-1
A8A-213-1A

Thumbwheel switch, front mounting, bcd, light grey

Thumbwheel switch, front mounting, bcd with component adding provision, light grey

A8A-213-2
A8A-216
A8A-216-1
A8A-216-2
A8A-222
A8A-222-1
A8A-222-1G
A8A-222-2
A8A-223
A8A-223-1
A8A-223-1E
A8A-223-1G
A8A-223-2
A8A-226
A8A-226-1
A8A-226-2
A8G-107-1-24
A8G-107-1E-24
A8L-11-11N1
A8L-11-11N1 BY OMZ
A8L-11-11S1
A8L-11-11S2
A8L-11-12S1
A8L-11-12S2
A8L-11-15N1 BY OMZ
A8L-21-11N1 BY OMZ
A8L-21-11N2
A8L-21-11N2 BY OMZ
A8L-21-11S1
A8L-21-11S2
A8L-21-12N2 BY OMZ
A8L-21-12S1
A8L-21-15N2 BY OMZ
A8MD-1162
A8MD-1163
A8MS-1162
A8MS-1163
A8ND-3162
A8NS-3162
A8W RUBBER CAP
A8WD-1162
A8WD-1163
A8WD-2262
A8WD-2263
A8WS-1162
A8WS-1163
A8WS-2262
A8WS-2263
A9P11-0011
A9P11-0012
A9P11-0013
A9P11-0031

A9P11-0032
A9P11-0033
A9P13-0011
A9P13-0012
A9P13-0013
A9P13-0031
A9P13-0032
A9P13-0033
A9P21-0011
A9P21-0012
A9P21-0013
A9P21-0031
A9P21-0032
A9P23-0011
A9P23-0012
A9P23-0013
A9P23-0031
A9P23-0032
A9P23-0033
A9S11-0011
A9S11-0012
A9S11-0021
A9S11-0022
A9S12-0011
A9S12-0012
A9S21-0011
A9S21-0012
A9S22-0011
A9S22-0012
A9T11-0011
A9T11-0011-E
A9T11-0012
A9T11-0013
A9T11-0014
A9T11-0021
A9T11-0022
A9T11-0023
A9T11-0024
A9T12-0011
A9T12-0012
A9T12-0013
A9T12-0014
A9T12-0021
A9T12-0022
A9T12-0023
A9T13-0011
A9T13-0012
A9T13-0013
A9T13-0014
A9T13-0021
A9T13-0022
A9T13-0023

A9T13-0024
A9T14-0011
A9T14-0012
A9T14-0013
A9T14-0014
A9T14-0021
A9T14-0022
A9T14-0023
A9T14-0024
A9T15-0011
A9T15-0012
A9T15-0013
A9T15-0014
A9T15-0021
A9T15-0022
A9T15-0023
A9T15-0024
A9T21-0011
A9T21-0011-E
A9T21-0012
A9T21-0013
A9T21-0014
A9T21-0021
A9T21-0022
A9T21-0023
A9T21-0024
A9T22-0011
A9T22-0012
A9T22-0013
A9T22-0014
A9T22-0021
A9T22-0022
A9T22-0023
A9T22-0024
A9T23-0011
A9T23-0012
A9T23-0013
A9T23-0014
A9T23-0021
A9T23-0022
A9T23-0023
A9T23-0024
A9T24-0011
A9T24-0012
A9T24-0013
A9T24-0014
A9T24-0021
A9T24-0022
A9T24-0023
A9T24-0024
A9T25-0011
A9T25-0012

A9T25-0013	
A9T25-0014	
A9T25-0022	
A9T25-0023	
A9T25-0024	
ABDI0002 / CD F3SN/H manual	
AC CHOKE 50A	
ACA21-USB EEC	
ACA-32RL-MS32F	Motor power cable clamp for SGMGH-55/75/1A/1E
AI-14B	
AI-14U	
AI-V3/J	Potentiometer Option for setting frequency reference on drive
Alpha-speedline48h	
ALP-IP67	
AM100P-B5	
AO-08	
AO-12	
AO-12B2	
AP1-A	
AP1-B	Terminal cover for Z15 switch, metal (requires AP-B)
AP-A	Terminal cover for Z15 switch
AP-B	Terminal cover for Z15 switch, plastic
APB-PG	Terminal cover for Z15 switch, plastic
AP-DV	
APR-S	
AP-Z	Terminal cover for Z15 switch, dust-proof
ASF643B2401	
AS-FX-735T-US	
ASMK 1802	
ASMM0800 (100 pcs)	M8 half nut (in multiples of 100pcs)
ASMM1200 (100 pcs)	M12 half nut (in multiples of 100pcs)
ASMM1801 (100 pcs)	M18 half nut (in multiples of 100pcs)
ASMM1802 (100 pcs)	
ASMM1802 NUT M18 SUS	
ASMM3000 (100 pcs)	M30 half nut (in multiples of 100pcs)
ASZA0800 (1000pcs)	M8 shakeproof washer (in multiples of 1000)
ASZA1200 (1000pcs)	M12 shakeproof washer (in multiples of 1000)
ASZA1201 (500pcs)	
ASZA1801 (100pcs)	M18 shakeproof washer (in multiples of 100)
ASZA1802 (200pcs)	M18 shakeproof washer (in multiples of 200)
ASZA3001 (100pcs)	M30 shakeproof washer (in multiples of 100)
AT28C256	
AX-BCR2035090-TE	
AX-BCR2070130-TE	
AX-BCR4015045-TE	Braking unit, 15A, 11KVA
AX-BCR4017068-TE	Braking unit, 17A, 13KVA
AX-BCR4035090-TE	Braking unit, 35A, 26KVA
AX-BCR4070130-TE	Braking unit, 70A, 52KVA
AX-BCR4090240-TE	Braking unit, 90A, 67KVA
AX-BCR4090420-TE	
AX-CUSBM002-E	Mini USB to USB connector cable, MX2 and G5 series
AX-FER2102-RE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below

OMRON Industrial

AX-FER2515-RE	Ferrite choke, 25mm diameter, for 15kW inverters and below
AX-FER5045-RE	Ferrite choke, 50mm diameter, for 45kW inverters and below
AX-FER6055-RE	
AX-FIJ1006-RE	
AX-FIJ1006-RE-IT	
AX-FIJ1006-RE-LL	
AX-FIJ1010-RE	
AX-FIJ1010-RE-IT	
AX-FIJ1010-RE-LL	
AX-FIJ1023-RE	
AX-FIJ1023-RE-IT	
AX-FIJ1023-RE-LL	
AXFIJ2006RE	JX footprint RFI filter, 6A, 200VAC, 3-phase, for 0.2 - 1.1kW models
AXFIJ2006RE-IT	
AXFIJ2006RE-LL	
AXFIJ2020RE	JX footprint RFI filter, 20A, 200VAC, 3-phase, for 1.5 - 4.0kW models
AXFIJ2020RE-IT	
AXFIJ2020RE-LL	
AXFIJ2040RE	JX footprint RFI filter, 40A, 200VAC, 3-phase, for 5.5 - 7.5kW models
AXFIJ2040RE-IT	
AXFIJ2040RE-LL	
AX-FIJ3005-RE	JX footprint RFI filter, 5A, 400VAC, 3-phase, for 0.55 - 1.5kW models
AX-FIJ3005-RE-IT	
AX-FIJ3005-RE-LL	
AX-FIJ3011-RE	JX footprint RFI filter, 11A, 400VAC, 3-phase, for 2.2 - 4.0kW models
AX-FIJ3011-RE-IT	
AX-FIJ3011-RE-LL	
AX-FIJ3020-RE	JX footprint RFI filter, 20A, 400VAC, 3-phase, for 5.5 - 7.5kW models
AX-FIJ3020-RE-IT	
AX-FIJ3020-RE-LL	
AX-FIM1010-DE-LL	MX footprint filter, 10A, 200vac, single phase, for 0.12 to 0.55kW models, low leakage
AX-FIM1010-RE	MX footprint RFI filter, 10A, 200VAC, single phase, for 0.12 to 0.55KW models
AX-FIM1010-RE-IT	
AX-FIM1010-RE-LL	
AX-FIM1010-SE	
AX-FIM1014-DE-LL	
AX-FIM1014-RE	MX footprint RFI filter, 14A, 200VAC, single phase, for 0.75KW models
AX-FIM1014-RE-IT	
AX-FIM1014-RE-LL	
AX-FIM1024-DE-LL	
AX-FIM1024-RE	MX footprint RFI filter, 24A, 200VAC, single phase, for 1.5 to 2.2KW models
AX-FIM1024-RE-IT	
AX-FIM1024-RE-LL	
AX-FIM1024-SE	
AX-FIM2010-RE	MX footprint RFI filter, 10A, 200VAC, three phase, for 0.12 to 1.1KW models
AX-FIM2010-RE-IT	
AX-FIM2010-RE-LL	
AX-FIM2010-SE	
AX-FIM2020-RE	MX footprint RFI filter, 20A, 200VAC, three phase, for 1.5 to 2.2KW models
AX-FIM2020-RE-IT	
AX-FIM2020-RE-LL	
AX-FIM2020-SE	

OMRON Industrial

AX-FIM2030-RE	MX footprint RFI filter, 30A, 200VAC, three phase, for 4.0KW models
AX-FIM2030-RE-IT	
AX-FIM2030-RE-LL	
AX-FIM2030-SE	
AX-FIM2060-RE	MX footprint RFI filter, 60A, 200VAC, three phase, for 5.5 to 7.5KW models
AX-FIM2060-RE-IT	
AX-FIM2060-RE-LL	
AX-FIM2060-SE	
AX-FIM2080-RE	MX footprint RFI filter, 80A, 200VAC, three phase, for 11KW models
AX-FIM2080-RE-IT	
AX-FIM2080-RE-LL	
AX-FIM2080-SE	
AX-FIM2100-RE	MX footprint RFI filter, 100A, 200VAC, three phase, for 15KW models
AX-FIM2100-RE-IT	
AX-FIM2100-RE-LL	
AX-FIM2100-SE	
AX-FIM3005-RE	MX footprint RFI filter, 5A, 400VAC, three phase, for 0.37 to 1.1KW models
AX-FIM3005-RE-IT	
AX-FIM3005-RE-LL	
AX-FIM3005-SE	
AX-FIM3010-RE	MX footprint RFI filter, 10A, 400VAC, three phase, for 1.5 to 3.0KW models
AX-FIM3010-RE-IT	
AX-FIM3010-RE-LL	
AX-FIM3010-SE	
AX-FIM3014-RE	MX footprint RFI filter, 14A, 400VAC, three phase, 4.0KW models
AX-FIM3014-RE-IT	
AX-FIM3014-RE-LL	
AX-FIM3014-SE	Filter
AX-FIM3030-RE	MX footprint RFI filter, 30A, 400VAC, three phase, for 5.5 to 7.5KW models
AX-FIM3030-RE-IT	
AX-FIM3030-RE-LL	
AX-FIM3030-SE	Filter
AX-FIM3050-RE	MX footprint RFI filter, 50A, 400VAC, three phase, for 11 to 15KW models
AX-FIM3050-RE-IT	
AX-FIM3050-RE-LL	
AX-FIM3050-SE	Filter
AX-FIR2018-RE	RX footprint RFI filter, 18A, 200VAC, 3-phase, for 0.4 - 3.7kW models
AX-FIR2018-RE-IT	
AX-FIR2018-RE-LL	
AX-FIR2053-RE	RX footprint RFI filter, 53A, 200VAC, 3-phase, for 5.5 - 11kW models
AX-FIR2053-RE-IT	
AX-FIR2053-RE-LL	
AX-FIR2110-RE	RX footprint RFI filter, 110A, 200VAC, 3-phase, for 15 - 22kW models
AX-FIR2110-RE-IT	
AX-FIR2110-RE-LL	
AX-FIR2145-RE	RX footprint RFI filter, 145A, 200VAC, 3-phase, for 30kW models
AX-FIR2145-RE-IT	
AX-FIR2145-RE-LL	
AX-FIR3010-RE	RX footprint RFI filter, 10A, 400VAC, 3-phase, for 0.4 - 4.0kW models
AX-FIR3010-RE-IT	
AX-FIR3010-RE-LL	
AX-FIR3030-RE	RX footprint RFI filter, 30A, 400VAC, 3-phase, for 5.5 - 11kW models

AX-FIR3030-RE-IT	
AX-FIR3030-RE-LL	
AX-FIR3053-RE	RX footprint RFI filter, 53A, 400VAC, 3-phase, for 15 - 22kW models
AX-FIR3053-RE-IT	
AX-FIR3053-RE-LL	
AX-FIR3064-RE	RX footprint RFI filter, 64A, 400VAC, 3-phase, for 30kW models
AX-FIR3064-RE-IT	
AX-FIR3064-RE-LL	
AX-FIR3100-RE	RX footprint RFI filter, 100A, 400VAC, 3-phase, for 37kW models
AX-FIR3100-RE-IT	
AX-FIR3100-RE-LL	
AX-FIR3130-RE	RX footprint RFI filter, 130A, 400VAC, 3-phase, for 45 - 55kW models
AX-FIR3130-RE-IT	
AX-FIR3130-RE-LL	
AX-FIR3250-RE	RX footprint RFI filter, 250A, 200VAC, 3-phase, for 37 - 45kW models
AX-FIR3250-RE-IT	
AX-FIR3250-RE-LL	
AX-FIR3320-RE	RX footprint RFI filter, 320A, 200VAC, 3-phase, for 55kW models
AX-FIR3320-RE-IT	
AX-FIR3320-RE-LL	
AX-OP05-E	5 line LCD remote operator with copy function, cable length max. 3m
AX-RAI00042300-DE	AC input reactor, RX series, 230A, 0.04mH, for 45 to 55kW sizes, 200vac, 3 phase
AX-RAI00071550-DE	AC input reactor, RX series, 155A, 0.07mH, for 30 to 37kW sizes, 200vac, 3 phase
AX-RAI00091000-DE	AC input reactor, RX series, 100A, 0.09mH, for 18.5 to 22kW sizes, 200vac, 3 phase
AX-RAI00180670-DE	AC input reactor, MX2/ RX series, 67A, 0.18mH, for 11 and 15kW sizes, 200vac, 3 pha
AX-RAI00191150-DE	AC input reactor, RX series, 115A, 0.19mH, for 45 to 55kW sizes, 400vac, 3 phase
AX-RAI00290780-DE	AC input reactor, RX series, 78A, 0.29mH, for 30 to 37kW sizes, 400vac, 3 phase
AX-RAI00350335-DE	AC input reactor, JX/ MX2/ RX series, 33.5A, 0.35mH, for 5.5 and 7.5kW sizes, 200vac
AX-RAI00360500-DE	AC input reactor, RX series, 50A, 0.36mH, for 18.5 to 22kW sizes, 400vac, 3 phase
AX-RAI00740335-DE	AC input reactor, MX2/ RX series, 33.5A, 0.74mH, for 11 and 15kW sizes, 400vac, 3 pl
AX-RAI00880175-DE	AC input reactor, JX series, 17.5A, 0.88mH, for 1.5, 2.2 and 3.7kW sizes, 200vac, 3 ph
AX-RAI00880200-DE	AC input reactor, MX2/ RX series, 20A, 0.88mH, for 1.5, 2.2 and 3.7kW sizes, 200vac,
AX-RAI01300170-DE	AC input reactor, JX/ MX2/ RX series, 17A, 1.3mH, for 5.5 and 7.5kW sizes, 400vac, 3
AX-RAI02800080-DE	AC input reactor, JX/ MX2 series, 8A, 2.8mH, for 0.2, 0.4, 0.7 and 1.5kW sizes, 200vac,
AX-RAI02800100-DE	AC input reactor, RX series, 10A, 2.8mH, for 0.4, 0.7 and 1.5kW sizes, 200vac, 3 phas
AX-RAI03500090-DE	AC input reactor, JX series, 9A, 3.5mH, for 2.2, 3.0 and 4.0kW sizes, 400vac, 3 phase
AX-RAI03500100-DE	AC input reactor, MX2/ RX series, 10A, 3.5mH, for 2.2, 3.0 and 4.0kW sizes, 400vac, 3
AX-RAI07700042-DE	AC input reactor, JX series, 4.2A, 7.7mH, for 0.4, 0.7 and 1.5kW sizes, 400vac, 3 phas
AX-RAI07700050-DE	AC input reactor, MX2/ RX series, 5A, 7.7mH, for 0.4, 0.7 and 1.5kW sizes, 400vac, 3
AX-RAO00490640-DE	AC output reactor, MX2/ RX series, 64A, 0.49mH, for 15kW three phase, 200vac
AX-RAO00630430-DE	AC output reactor, MX2/ RX series, 43A, 0.63mH, for 11kW three phase, 200vac
AX-RAO00950320-DE	AC output reactor, JX/ MX2/ RX series, 32A, 0.95mH, for 7.5kW three phase, 200vac
AX-RAO01150220-DE	AC output reactor, JX/ MX2/ RX series, 22A, 1.15mH, for 5.5kW three phase, 200vac
AX-RAO01830160-DE	AC output reactor, JX/ MX2/ RX series, 16A, 1.83mH, for 3.7kW three phase, 200vac
AX-RAO02000320-DE	AC output reactor, MX2/ RX series, 32A, 2mH, for 15kW three phase, 400vac
AX-RAO02500220-DE	AC output reactor, MX2/ RX series, 22A, 2.5mH, for 11kW three phase, 400vac
AX-RAO03000105-DE	AC output reactor, JX/ MX2/ RX series, 10.5A, 3mH, for 2.2kW single and three phase
AX-RAO03600160-DE	AC output reactor, JX/ MX2/ RX series, 16A, 3.6mH, for 7.5kW three phase, 400vac
AX-RAO04100075-DE	AC output reactor, JX/ MX2/ RX series, 7.5A, 4.1mH, for 1.5kW single and three phas
AX-RAO04600110-DE	AC output reactor, JX/ MX2/ RX series, 11A, 4.6mH, for 5.5kW three phase, 400vac
AX-RAO07300080-DE	AC output reactor, JX/ MX2/ RX series, 8A, 7.3mH, for 3.0 and 4.0kW three phase, 40
AX-RAO07600042-DE	AC output reactor, JX/ MX2/ RX series, 4.2A, 7.6mH, for 0.7kW single and three phas

AX-RAO11500026-DE	AC output reactor, JX/ MX2/ RX series, 2.6A, 11.5mH, for 0.1, 0.2 and 0.4kW single ar
AX-RAO11D800053-E	AC output reactor, JX/ MX2/ RX series, 5.3A, 11.8mH, for 2.2kW three phase, 400vac
AX-RAO16300038-DE	AC output reactor, JX/ MX2/ RX series, 3.8A, 16.3mH, for 0.4, 0.7 and 1.5kW three ph
AX-RC00133057-DE	
AX-RC00162500-DE	
AX-RC00192015-DE	
AX-RC00231662-DE	
AX-RC00301275-DE	
AX-RC00440859-DE	DC link reactor, JX/ MX2/ RX series, 85.9A, 0.44mH, for 15kW three phase, 200vac
AX-RC00501529-DE	DC link reactor, RX series, 152.9A, 0.50mH, for 55kW three phase, 400vac
AX-RC00590614-DE	DC link reactor, JX/ MX2/ RX series, 61.4A, 0.59mH, for 11kW three phase, 200vac
AX-RC00611236-DE	DC link reactor, RX series, 123.6A, 0.61mH, for 45kW three phase, 400vac
AX-RC00741042-DE	DC link reactor, RX series, 104.2A, 0.74mH, for 37kW three phase, 400vac
AX-RC00840437-DE	DC link reactor, JX/ MX2/ RX series, 43.7A, 0.84mH, for 7.5kW three phase, 200vac
AX-RC00920797-DE	DC link reactor, RX series, 79.7A, 0.92mH, for 30kW three phase, 400vac
AX-RC01110309-DE	DC link reactor, JX/ MX2/ RX series, 30.9A, 1.11mH, for 5.5kW three phase, 200vac
AX-RC01200644-DE	DC link reactor, RX series, 64.4A, 1.2mH, for 18.5 to 22kW three phase, 400vac
AX-RC01600223-DE	DC link reactor, JX/ MX2/ RX series, 22.3A, 1.6mH, for 2.2kW single phase and 3.7kW
AX-RC01750430-DE	DC link reactor, MX2/ RX series, 43A, 1.75mH, for 15kW three phase, 400vac
AX-RC02330307-DE	DC link reactor, MX2/ RX series, 30.7A, 2.33mH, for 11kW three phase, 400vac
AX-RC02510138-DE	DC link reactor, JX/ MX2/ RX series, 13.8A, 2.51mH, for 1.5kW single phase and 2.2k
AX-RC03350219-DE	DC link reactor, JX/ MX2/ RX series, 21.9A, 3.35mH, for 7.5kW three phase, 400vac
AX-RC03510093-DE	DC link reactor, JX/ MX2/ RX series, 9.3A, 3.51mH, for 0.7kW single phase and 1.5kW
AX-RC04410167-DE	DC link reactor, JX/ MX2/ RX series, 16.7A, 4.41mH, for 5.5kW three phase, 400vac
AX-RC06400116-DE	DC link reactor, JX/ MX2/ RX series, 11.6A, 6.4mH, for 4kW three phase, 400vac
AX-RC06750061-DE	DC link reactor, JX/ MX2/ RX series, 6.1A, 6.75mH, for 0.4kW single phase and 0.7kW
AX-RC10100069-DE	DC link reactor, JX/ MX2/ RX series, 6.9A, 10.1mH, for 2.2kW three phase, 400vac
AX-RC10700032-DE	DC link reactor, JX/ MX2/ RX series, 3.3A, 10.7mH, for 0.1 and 0.2kW single phase an
AX-RC14000047-DE	DC link reactor, JX/ MX2/ RX series, 4.7A, 14mH, for 1.5kW three phase, 400vac
AX-RC21400016-DE	DC link reactor, JX/ MX2 series, 1.6A, 21.4mH, for 0.1 and 0.2kW sizes, 200vac, 3 pha
AX-RC27000030-DE	DC link reactor, JX/ MX2/ RX series, 3A, 27mH, for 0.7kW three phase, 400vac
AX-RC43000020-DE	DC link reactor, JX/ MX2/ RX series, 2A, 43mH, for 0.4kW three phase, 400vac
AX-REM00K1200-IE	Braking resistor, 200ohm, 0.1kW
AX-REM00K1400-IE	Braking resistor, 400ohm, 0.1kW
AX-REM00K2070-IE	Braking resistor, 70ohm, 0.2kW
AX-REM00K2120-IE	Braking resistor, 120ohm, 0.2kW
AX-REM00K2200-IE	Braking resistor, 200ohm, 0.2kW
AX-REM00K4035-IE	Braking resistor, 35ohm, 0.4kW
AX-REM00K4075-IE	Braking resistor, 75ohm, 0.4kW
AX-REM00K5120-IE	Braking resistor, 120ohm, 0.5kW
AX-REM00K6035-IE	Braking resistor, 35ohm, 0.6kW
AX-REM00K6100-IE	Braking resistor, 100ohm, 0.6kW
AX-REM00K9017-IE	Braking resistor, 17ohm, 0.9kW
AX-REM00K9020-IE	Braking resistor, 20ohm, 0.9kW
AX-REM00K9070-IE	Braking resistor, 70ohm, 0.9kW
AX-REM01K9017-IE	Braking resistor, 17ohm, 1.9kW
AX-REM01K9070-IE	Braking resistor, 70ohm, 1.9kW
AX-REM02K1017-IE	Braking resistor, 17ohm, 2.1kW
AX-REM02K1070-IE	Braking resistor, 70ohm, 2.1kW
AX-REM03K5010-IE	Braking resistor, 10ohm, 3.5kW
AX-REM03K5035-IE	Braking resistor, 35ohm, 3.5kW
AX-REM19K0006-IE	

AX-REM19K0008-IE
AX-REM19K0020-IE
AX-REM19K0030-IE
AX-REM38K0012-IE

Braking resistor, 8ohm, 19kW
Braking resistor, 20ohm, 19kW

B 0604062
B 0604063
B 0607074
B200-TW101
B200-TW102
B200-TW201
B200-TW202
B200-TW501
B200-TW502
B3079A-305m
B3079E-305m
B3082A-152m
B3082A-305m
B3084A-152m
B3084A-305m
B3084F-305m
B32-1000
B32-1010
B32-1020
B32-1030
B32-1040
B32-1050
B32-1060
B32-1070
B32-1080
B32-1200
B32-1210
B32-1220
B32-1230
B32-1240
B32-1250
B32-1260
B32-1270
B32-1280
B32-1300
B32-1310
B32-1320
B32-1330
B32-1340
B32-1350
B32-1360
B32-1370
B32-1380
B32-1400
B32-1600
B32-1610
B32-1620
B32-1630

B32-2000 1
B32-2010
B3D-4112 BY OMZ
B3D-5112 BY OMZ
B3DA
B3F-1000
B3F-1000C
B3F-1000S
B3F-1002
B3F-1002-G
B3F-1002S
B3F-1002S-M
B3F-1005
B3F-1006
B3F-1010
B3F-1020
B3F-1022
B3F-1025
B3F-1025S
B3F-1026
B3F-1050
B3F-1052
B3F-1052-G
B3F-1055
B3F-1055-HT
B3F-1056
B3F-1060
B3F-1062
B3F-1062-G
B3F-1070
B3F-1072-N
B3F-1075
B3F-1100
B3F-1100S
B3F-1102
B3F-1105
B3F-1110
B3F-1120
B3F-1122
B3F-1125
B3F-1150
B3F-1152
B3F-1155
B3F-3100
B3F-3102
B3F-3105
B3F-3120
B3F-3122
B3F-3122(N)
B3F-3125
B3F-3150
B3F-3152

B3F-3155
B3F-3155-HT
B3F-4000 BY OMZ
B3F-4000S
B3F-4005
B3F-4005 BY OMZ
B3F-4005S
B3F-4050 BY OMZ
B3F-4050 CKS
B3F-4050S
B3F-4055
B3F-4055 BY OMZ
B3F-4055 CHN
B3F-4055S
B3F-4100
B3F-4100S
B3F-4105
B3F-4150
B3F-4155
B3F-5000
B3F-5001
B3F-5050
B3F-5050S
B3F-5051
B3F-5100
B3F-5101
B3F-5150
B3F-5151
B3F-6000 BY OMZ
B3F-6002 BY OMZ
B3F-6005 BY OMZ
B3F-6005 BY OMZ 2
B3F-6020 BY OMZ
B3F-6022
B3F-6022 BY OMZ
B3F-6050 BY OMZ 2
B3F-6052 BY OMZ
B3F-6055 BY OMZ
B3F-6100
B3F-6102
B3F-6150
B3F-6622
B3F-8000 BY OMZ
B3FS - 1052(Q)
B3FS-1000
B3FS-1000P CHN
B3FS-1000P+
B3FS-1002
B3FS-1002P by CHN
B3FS-1002P(16)
B3FS-1002P* by JPN
B3FS-1005

B3FS-1005P
B3FS-1010
B3FS-1010P
B3FS-1012
B3FS-1012P
B3FS-1015
B3FS-1015P
B3FS-1050 BY OMZ
B3FS-1050P BY OMZ
B3FS-1050P(TEX) BY OMZ
B3FS-1052 BY OMZ
B3FS-1052P BY OMZ
B3FS-1055P(SBS) BY OMZ
B3FS-1055P(SBS)-A BY OMZ
B3J-1000
B3J-1001
B3J-1100
B3J-1200
B3J-1300
B3J-1400
B3J-2000
B3J-2100
B3J-2200
B3J-2300
B3J-2400
B3J-2600
B3J-3000
B3J-3100
B3J-3200
B3J-3300
B3J-3400
B3J-3600
B3J-4000
B3J-4100
B3J-4200
B3J-4300
B3J-4400
B3J-5000
B3J-5100
B3J-5400
B3J-6000
B3J-6100
B3J-6200
B3J-6300
B3J-6400
B3J-7000
B3J-7100
B3J-7200
B3J-7300
B3J-7400
B3M-6009 BY OMZ
B3S-1000

B3S-1000 BY OMZ
B3S-1000P BY OMZ
B3S-1002 BY OMZ
B3S-1002(Q)
B3S-1002+
B3S-1002P by CHN
B3S-1002P BY OMZ
B3S-1100 BY OMZ
B3S-1100P BY OMZ
B3S-1102 BY OMZ
B3S-1102P BY OMZ
B3SL-1002P
B3SL-1005P
B3SL-1020P
B3SL-1022P
B3SL-1025P
B3SN-3012
B3SN-3012P
B3SN-3012P-G
B3SN-3012P-L3
B3SN-3112
B3SN-3112P
B3U-1000P
B3U-1000P-B
B3U-1000PM
B3U-1000PM-B
B3U-1100P
B3U-1100P-B
B3U-3000P
B3U-3000P BY CHINA
B3U-3000P-B
B3U-3000PM
B3U-3000PM-B
B3U-3100P
B3U-3100P-B
B3U-3100PM
B3U-3100PM-B
B3W-1000
B3W-1000 BY OMZ
B3W-1002 BY OMZ
B3W-1002S
B3W-1050 BY OMZ
B3W-1052 BY OMZ
B3W-1100
B3W-1100S
B3W-1102
B3W-1150
B3W-1152
B3W-4000 BY OMZ
B3W-4000S BY OMZ
B3W-4005
B3W-4005 BY OMZ

Tactile Switch, 6 x 6 mm, flat

Tactile Switch, 6 x 6 mm, flat, high force

Tactile Switch, 6 x 6 mm, projected

B3W-4005S BY OMZ
B3W-4005S(Q)
B3W-4050
B3W-4050 BY OMZ
B3W-4050 CHN
B3W-4050S
B3W-4050S BY OMZ
B3W-4055 BY OMZ
B3W-4100 BY OMZ
B3W-4100S BY OMZ
B3W-4105 BY OMZ
B3W-4155 BY OMZ
B3W-9000-B1B BY OMZ
B3W-9000-B1C BY OMZ
B3W-9000-B1N BY OMZ
B3W-9000-B2B BY OMZ
B3W-9000-B2C BY OMZ
B3W-9000-B2N BY OMZ
B3W-9000-G1C BY OMZ
B3W-9000-G1G BY OMZ
B3W-9000-G1N BY OMZ
B3W-9000-G2C BY OMZ
B3W-9000-G2G BY OMZ
B3W-9000-G2N BY OMZ
B3W-9000-HG1C BY OMZ
B3W-9000-HG1G BY OMZ
B3W-9000-HG1N BY OMZ
B3W-9000-HG2C BY OMZ
B3W-9000-HG2G BY OMZ
B3W-9000-HG2N BY OMZ
B3W-9000-R1C BY OMZ
B3W-9000-R1N BY OMZ
B3W-9000-R1R BY OMZ
B3W-9000-R2C BY OMZ
B3W-9000-R2N BY OMZ
B3W-9000-R2R BY OMZ
B3W-9000-RG2C BY OMZ
B3W-9000-RG2N BY OMZ
B3W-9000-Y1C BY OMZ
B3W-9000-Y1N BY OMZ
B3W-9000-Y1Y BY OMZ
B3W-9000-Y2C BY OMZ
B3W-9000-Y2N BY OMZ
B3W-9000-Y2Y BY OMZ
B3W-9002-B1B BY OMZ
B3W-9002-B1C BY OMZ
B3W-9002-B1N BY OMZ
B3W-9002-B2B BY OMZ
B3W-9002-B2C BY OMZ
B3W-9002-B2N BY OMZ
B3W-9002-G1C BY OMZ
B3W-9002-G1G BY OMZ

Tactile Switch, 12 x 12 mm, projected, high force

B3W-9002-G1N BY OMZ
B3W-9002-G2C BY OMZ
B3W-9002-G2G BY OMZ
B3W-9002-G2N BY OMZ
B3W-9002-HG1C BY OMZ
B3W-9002-HG1G BY OMZ
B3W-9002-HG1N BY OMZ
B3W-9002-HG2C BY OMZ
B3W-9002-HG2G BY OMZ
B3W-9002-HG2N BY OMZ
B3W-9002-R1C BY OMZ
B3W-9002-R1N BY OMZ
B3W-9002-R1R BY OMZ
B3W-9002-R2C BY OMZ
B3W-9002-R2N BY OMZ
B3W-9002-R2R BY OMZ
B3W-9002-RG2C BY OMZ
B3W-9002-RG2N BY OMZ
B3W-9002-Y1C BY OMZ
B3W-9002-Y1N BY OMZ
B3W-9002-Y1Y BY OMZ
B3W-9002-Y2C BY OMZ
B3W-9002-Y2N BY OMZ
B3W-9002-Y2Y BY OMZ
B3W-9010-B1N BY OMZ
B3W-9012-B1N BY OMZ
B3WN
B3WN-6002
B3WN-6005
B46012-152m
B46012-305m
B46012LSOH-050m
B500-AL007-P
B500-ID001
B500-PF212
B5H-DF02SP
B5V-1422-D01-L0
B5V-1422-D01-L4
B5V-1422-D01-L4-T
B6TS-04LT DEFAULT
B6TS-04LT-000 10PCS PACK
B6TS-04LT-002 DEFAULT
B6TS-04LT-C10
B6TS-04LT-P10
B6TS-04LT-P11
B6TS-08LF DEFAULT
B6TS-08LF-004 10PCS PACK
B6TS-08LF-1TR
B6TS-08NF DEFAULT
B6TS-08NF-001
B6TS-08NF-003 DEFAULT
B6TS-16LF DEFAULT

B6TS-16LF-005 10PCS PACK

B6TS-16LF-1TR

B6TW-S04LT

B6TW-S08LF

B6TW-S08NF

B6TW-S16LF

B6TY-S04LT

B6TY-S08LF

B6TY-S08NF

B6TY-S16LF

B70006E-500m

B70007E-500m

B7AC-T10A1

B7AC-T10A1-B

B7AM-8B11

B7AM-8B31

B7AM-8B36

B7AM-8F31

B7AP-M1

B7AP-S1

B7A-R10MC

B7A-R3A13

B7A-R3A13-M

B7A-R3A18

B7A-R3A18-M

B7A-R3A33

B7A-R3A33-M

B7A-R3A38

B7A-R3A38-M

B7A-R6A13

B7A-R6A18

B7A-R6A33

B7A-R6A38

B7A-R6A52

B7A-R6A57

B7A-R6B11

B7A-R6B16OP

B7A-R6B31

Link terminal output module, 16 I/O points, NPN, 19.2 ms I/O delay, screw terminals

B7A-R6B36OP

B7A-R6C11

B7A-R6C16

B7A-R6C31

B7A-R6C36

B7A-R6F11OP

B7A-R6F16OP

Link terminal output module, 16 I/O points, PNP, 19.2 ms I/O delay, screw terminals

B7A-R6F31

B7A-R6F36

B7A-R6G11

B7A-R6G16

B7A-R6G31

B7A-R6G36

B7AS-R6B11OP

B7AS-R6B16OP	
B7AS-R6B31OP	
B7AS-R6B36OP	
B7AS-T6B1OP	
B7AS-T6B6	
B7A-T10M2	
B7A-T10S3	Link terminal, DIN rail/surface mounting, 10 x 24 VDC inputs, NPN
B7A-T3E3	
B7A-T3E3-M	
B7A-T3E8	
B7A-T3E8-M	
B7A-T6A1OP	
B7A-T6A6OP	
B7A-T6B1	Remote terminal, 16 x 24 VDC inputs, NPN
B7A-T6B6	
B7A-T6C1-A	
B7A-T6C1-CHN	Link terminal input module, 16 I/O points, PNP, 19.2 ms I/O delay, screw terminals
B7A-T6C6	
B7A-T6D2	
B7A-T6D7	
B7A-T6E3	
B7A-T6E8	
B8489-305m	
B9207-152m	
B9207-305m	
B9409-152m	
B9409-305m	
BA000518	Inverter accessory
BF-1	Electrode holder, 1 way, standard type (150°C)
BF-3	Electrode holder, 3 way, standard type (150°C)
BF-5	Electrode holder, 5 way, standard type (150°C)
BH-PM7611297	
BH-PM7611298	
BH-PM7614001	
BKS-S 48-05	
BLOCK,(A) C2U	
BOS R-7-0,25	
BRD-EZ3	
BS-1	Electrode holder, 1 way, high-pressure type (250°C)
BS-1S	
BS-1T	Electrode holder, 1 way, high-pressure corrosion resistance type (180°C) (Stainless)
BS-1T CHITAN	
BS-1T HAS B	Electrode holder, 1 way, high-pressure corrosion resistance type (180°C) (Hastelloy)
BS-1T HAS C	
BS-1T SUS316	
BT LOCK PEN(Y92S-38-001	
BTFB-266-G-3-080	
BTFB-266-G-3-115	
BTFB-266-G-3-125	
BTFB-266-G-3-150	
BTFB-266-G-3-220	
BTFB-266-G-3-260	

BTMF-S(H3DS-SL-302)		
BTTT-S(H3DS-FL-306)		
C003484		
C003485		
C1000H-APS01		
C1000H-CE001		F-shaped adapter included with Sysmac Link unit (coaxial)
C1000H-CN111		
C1000H-COV01		
C1000H-TER01		Terminating resistor, 2 required for each Sysmac Link network (coaxial)
C110-F158		
C120-F158		
C200H-AD001	-JPN-	Analogue input unit, 8x 4-20mA/1-5V/0-10V/-10-+10V inputs
C200H-AD002	-JPN-	Analogue input unit, 8x 4-20mA/1-5V/0-10V/-10-+10V inputs
C200H-AD003		Analogue input unit, 8x 4-20mA/1-5V/0-10V/-10-+10V inputs, with screw terminals
C200H-APS03		
C200H-ASC02	-JPN-	ASCII unit, 24K byte RAM / 24K byte EEPROM, 2x RS-232C ports, BASIC/Assembler
C200H-ASC11		ASCII unit, 200K byte RAM / 200K byte EEPROM, 2x RS-232C ports, BASIC program
C200H-ASC21		ASCII unit, 200K byte RAM / 200K byte EEPROM, 1x RS-232C port, 1x RS-422/485 po
C200H-ASC31		ASCII unit, 200K byte RAM / 200K byte EEPROM, 3x RS-232C ports, BASIC program
C200H-ATT01		
C200H-ATT02		
C200H-ATT03		
C200H-ATT31		
C200H-ATT33		
C200H-ATT51		
C200H-ATT53		
C200H-ATT81		
C200H-ATT83		
C200H-ATTA1		
C200H-ATTA3		
C200H-B7A02		
C200H-B7A12		
C200H-B7A21		
C200H-B7A22		
C200H-B7AI1		
C200H-B7AO1		
C200H-BAT09		Battery for CMINIH/C200H PLCs
C200H-BC031-V2	-JPN-	
C200H-BC051-V2	-JPN-	
C200H-BC081-V2	-JPN-	
C200H-BC101-V2	-JPN-	
C200H-CE001		
C200H-CE002		
C200H-CN111		
C200H-CN131 CHN		I/O connecting cable, 10m
C200H-CN211		
C200H-CN221 CHN		I/O connecting cable, 2m
C200H-CN222 CHN		Cable for C200H-PRO27E/DAC01-E consoles, 2m
C200H-CN225		Connecting cable, 2m, for C200H-DSC01 to TC or CP114 units
C200H-CN311 CHN		I/O connecting cable, 30cm
C200H-CN422 CHN		Cable for C200H-PRO27E/DAC01-E consoles, 4m
C200H-CN425		Connecting cable, 4m, for C200H-DSC01 to TC or CP114 units

C200H-CN521 CHN		I/O connecting cable, 5m
C200H-CN711 CHN		I/O connecting cable, 70cm
C200H-COV02		
C200H-COV03		
C200H-COV11		
C200H-CP114		Cam positioner unit (requires 3F88L resolver)
C200H-CT001-V1	-JPN-	High-speed counter unit, 1 axis, 50kHz, 5, 12, 24 VDC
C200H-CT002	-JPN-	High-speed counter unit, 1 axis, 75kHz, RS-422 line driver
C200H-CT021		
C200H-CT021 -NL		High-speed counter unit, 2 axis, 75kHz, RS-422 line driver
C200H-DA001		Analogue output unit, 2x 4-20mA/1-5V/0-10V outputs
C200H-DA002		Analogue output unit, 4x 4-20mA/-10-+10V outputs
C200H-DA003		Analogue output unit, 8x 1-5V, 0-10V/-10-+10V outputs, with screw terminals
C200H-DA004		Analogue output unit, 8x 4-20mA outputs, with screw terminals
C200H-DAC01		
C200H-DIN01		DIN rail mounting bracket for C200H backplane
C200H-DSC01		Data setting console for C200H-TC* or CP114 units
C200HE-CPU11-E* JPN		
C200HE-CPU11-ZE		
C200HE-CPU32-E JPN		
C200HE-CPU32-ZE		
C200HE-CPU42-E -JPN-		
C200HE-CPU42-E NL		CPU, 7.2K words program / 6K words data memory, RS-232C port
C200HE-CPU42-ZE		
C200H-F158		
C200HG-CPU33-E+		
C200HG-CPU33-ZE		
C200HG-CPU43-E NL		CPU, 15.2K words program / 12K words data memory, RS-232C port
C200HG-CPU43-E JPN		CPU, 15.2K words program / 12K words data memory, RS-232C port
C200HG-CPU43-ZE		
C200HG-CPU53-ZE		
C200HG-CPU63-E NL		CPU, 15.2K words program / 12K words data memory, RS-232C port, 1184 I/O point c
C200HG-CPU63-E JPN		
C200HG-CPU63-ZE		
C200H-IA121		Input unit, 8x 100-120 VAC inputs
C200H-IA122	-JPN-	Input unit,
C200H-IA122V		Input unit, 16x 100-120 VAC inputs
C200H-IA221	-JPN-	
C200H-IA222	-JPN-	
C200H-IA222V		Input unit, 16x 200-240 VAC inputs
C200H-ID001		
C200H-ID002		
C200H-ID111 CHN		
C200H-ID211	-JPN-	Input unit, 8x 12-24 VDC inputs
C200H-ID212 CHN		Input unit, 16x 24 VDC inputs
C200H-ID215 CHN		Input unit, 32x 24 VDC inputs, with high-speed input function
C200H-ID216 CHN		Input unit, 32x 24 VDC inputs
C200H-ID217 CHN		Input unit, 64x 24 VDC inputs
C200H-ID218 CHN		
C200H-ID219 CHN		
C200H-ID501 CHN		
C200H-IDS01-V1	-JPN-	ID sensor unit (electromagnetic type)

C200H-IM211	-JPN-	
C200H-IM212 CHN		Input unit, 16x 24 VAC/DC inputs, NPN/PNP
C200H-IP006		
C200H-IP007		
C200H-LK101-PV1	-JPN-	
C200H-LK201-V1		Host link unit, rack mounting, RS-232C
C200H-LK201-V1	-JPN-	
C200H-LK202-V1	-JPN-	Host link unit, rack mounting, RS-422
C200H-LK401		PLC Link unit, RS-485 wire
C200H-LK401	-JPN-	PLC Link unit, RS-485 wire
C200H-MAD01		Analogue input/output unit, 2x 4-20mA/1-5V/0-10V/-10-+10V inputs, 2x 4-20mA/ 1-5V/
C200H-MC221		Motion control unit, 2 axis, analogue output, circular interpolation
C200H-MD115 CHN		
C200H-MD215 CHN		Input/Output unit, 16x 24 VDC inputs, 16x transistor output NPN 0.1 A 24 VDC (useable as 1
C200H-MD501 CHN		Input/Output unit, 16x 5 VDC TTL inputs, 16x TTL outputs 35mA 5 VDC (useable as 1
C200H-MR831		
C200H-NC111		Position control unit, 1 axis, pulse string output, 100kHz
C200H-NC112	-JPN-+	
C200H-NC211		Position control unit, 2 axis, pulse string output, 250kHz
C200HNT-CN320H		
C200H-OA122-E		
C200H-OA223		Output unit, 8x triac outputs, 1.2A, 250 VAC
C200H-OA224		
C200H-OC221	-JPN-	Output unit, 8x relay outputs, 2A, 24 VDC/250 VAC
C200H-OC222	-JPN-	
C200H-OC222-N -NL		Output unit, 12x relay outputs, 2A, 24 VDC/250 VAC
C200H-OC223		
C200H-OC224	-JPN-	
C200H-OC224-N -NL		Output unit, 8x relay outputs, 2A, 24 VDC/250 VAC, independent commons
C200H-OC224V		
C200H-OC225 CHN		Output unit
C200H-OC226+		
C200H-OC226-N -NL		Output unit, 16x relay outputs, 2A, 24 VDC/250 VAC
C200H-OD211	-JPN-	Output unit, 12x transistor outputs, NPN, 0.3A, 24 VDC
C200H-OD212 CHN		Output unit, 16x transistor outputs, NPN, 0.3A, 24 VDC
C200H-OD213		Output unit, 8x transistor outputs, NPN, 2.1A, 24 VDC, with fuse blown detection
C200H-OD215 CHN		Output unit, 32 or 128x transistor outputs, NPN, 0.1 A, 24 VDC (useable as 128x dyna
C200H-OD216		Output unit, 8x transistor outputs, PNP, 0.3A, 5-24 VDC
C200H-OD217	-JPN-	
C200H-OD218 CHN		Output unit, 32x transistor outputs, NPN, 0.1 A, 24 VDC
C200H-OD219 CHN		Output unit, 64x transistor outputs, NPN, 0.1 A, 24 VDC
C200H-OD21A		Output unit, 16x transistor outputs, PNP, 1 A, 24 VDC
C200H-OD21B -NL		Output unit, 32x transistor outputs, PNP, 0.1 A, 24 VDC
C200H-OD411	-JPN-+	Output unit, 8x transistor outputs, NPN, 1 A, 12-48 VDC
C200H-OD501 CHN		
C200H-PAR-EPTC210B		
C200H-PAR-MRK1031G		
C200H-PAR-PTC219		
C200H-PFB21*		
C200H-PID01		
C200H-PID02		
C200H-PID03		

OMRON Industrial

C200H-PS211	-JPN-	
C200H-PS221+		
C200H-PS221-C	-NL	I/O Power supply unit
C200H-RM001-PV1		Remote I/O master unit, APF/PCF optical fibre
C200H-RM201	-JPN-	Remote I/O master unit, wire
C200H-RT001-P		Remote I/O slave unit, 100-120/200-240 VAC, APF/PCF optical fibre
C200H-RT002-P	-JPN-	
C200H-RT201-C		Remote I/O slave unit, 100-120/200-240 VAC, wire
C200H-RT202	-JPN-	
C200HS-CN222	CHN	
C200HS-CN320-H		
C200HS-CN422		
C200HS-INT01	-JPN-	Interrupt input unit, 8x 12-24 VDC inputs, for C200HS/ALPHA
C200HS-ME16K	-JPN-	
C200HS-MP16K	-JPN-	
C200H-SP001		Space unit for vacant I/O slots on C200H backplane
C200HS-SNT32		
C200H-TC001		Temperature control unit, J/K thermocouple inputs, transistor outputs, 2 loops
C200H-TC002		Temperature control unit, J/K thermocouple inputs, voltage outputs, 2 loops
C200H-TC003		Temperature control unit, J/K thermocouple inputs, current outputs, 2 loops
C200H-TC101		Temperature control unit, Pt100 RTD inputs, transistor outputs, 2 loops
C200H-TC102		Temperature control unit, Pt100 RTD inputs, voltage outputs, 2 loops
C200H-TC103		Temperature control unit, Pt100 RTD inputs, current outputs, 2 loops
C200H-TL001		
C200H-TM001		
C200H-TS001	-JPN-	Temperature sensor unit, 4x J/K thermocouple inputs
C200H-TS002	-JPN-	
C200H-TS101	-JPN-	Temperature sensor unit, 4x JPt100 RTD inputs
C200H-TS102	-JPN-	Temperature sensor unit, 4x Pt100 RTD inputs
C200H-TV001		Heat/cool temperature control unit, J/K thermocouple inputs, transistor outputs, 2 lo
C200H-TV002		
C200H-TV003		
C200H-TV101		Heat/cool temperature control unit, Pt100 RTD inputs, transistor outputs, 2 loops
C200H-TV102		
C200H-TV103		
C200HW-AB001		Adapter base for installing C200Halpha CPU and power supply unit on a C200H-BCx
C200HW-ATT32		
C200HW-ATT33		
C200HW-ATT34		
C200HW-ATT52		
C200HW-ATT53		
C200HW-ATT54		
C200HW-ATT82		
C200HW-ATT83		
C200HW-ATT84		
C200HW-ATTA2		
C200HW-ATTA3		
C200HW-ATTA4		
C200HW-BC031		CPU I/O backplane, 3 slots
C200HW-BC051		
C200HW-BC051	NL	CPU I/O backplane, 5 slots
C200HW-BC081-V1		

C200HW-BC081-V1 -NL	CPU I/O backplane, 8 slots
C200HW-BC101	
C200HW-BC101-V1	CPU I/O backplane, 10 slots
C200HW-BI031	
C200HW-BI051	
C200HW-BI081-V1	Expansion I/O backplane, 8 slots
C200HW-BI101-V1	Expansion I/O backplane, 10 slots
C200HW-BI101-V1 -NL	Expansion I/O backplane, 10 slots
C200HW-CE001	Connects one Sysmac Link/Controller Link/Net unit to C200H ALPHA CPU COM01/4
C200HW-CE002	Connects two Sysmac Link/Controller Link/Net unit to C200H ALPHA CPU COM01/4
C200HW-CE011	
C200HW-CE012	
C200HW-CLK21	Sysmac Controller Link unit, twisted pair cable (use only with C200H ALPHA CPUs)
C200HW-COM01+ JPN	
C200HW-COM02	
C200HW-COM02-V1+ -JPN-	Communications board with 1x RS-232C port
C200HW-COM03-V1* -JPN-	
C200HW-COM04-EV1 -NL-	Communications board with port for connecting to Sysmac Link/Controller Link/Sys
C200HW-COM04-EV1 -JPN-	
C200HW-COM05-E	
C200HW-COM05-EV1 -JPN-	
C200HW-COM05-EV1 -NL-	Communications board with 2x RS-232C ports & protocol macro function
C200HW-COM06-EV1 -NL-	Communications board with 1x RS-422/485 port, 1x RS-232C port & protocol macro f
C200HW-COM06-EV1* -JPN-	
C200HW-CORT21-K	
C200HW-CORT21-V1	
C200HW-DRM21-V1	CompoBus/D (DeviceNet) master unit
C200HW-DRT21	CompoBus/D (DeviceNet) I/O Link unit
C200HW-JRM21	
C200HW-MC402-E	Motion control unit, 4 axis, analogue output
C200HW-ME04K	
C200HW-ME08K	
C200HW-ME16K	Memory cassette, EEPROM, 16K word
C200HW-ME32K JPN	Memory cassette, EEPROM, 32K word
C200HW-NC113	Position control unit, 1 axis, pulse string output, 500kHz
C200HW-NC213	Position control unit, 2 axis, pulse string output, 500kHz
C200HW-NC413	Position control unit, 4 axis, pulse string output, 500kHz
C200HW-PA204 JPN	Power supply unit, 100-120/200-240 VAC
C200HW-PA204C	Power supply unit, 100-120/200-240 VAC, with maintenance forecast monitor
C200HW-PA204R	Power supply unit, 100-120/200-240 VAC, RUN output
C200HW-PA204S JPN	Power supply unit, 100-120/200-240 VAC, including 0.8A 24 VDC service supply
C200HW-PA209R	Power supply unit, 100-120/200-240 VAC high power, RUN output
C200HW-PCU01	
C200HW-PCS01-E	
C200HW-PD024 JPN	Power supply unit, 24 VDC
C200HW-PD024-V	
C200HW-PD025	Power supply
C200HW-PRM21	Profibus-DP master unit
C200HW-PRT21	Profibus-DP I/O Link Unit
C200HW-SLK13	
C200HW-SLK14	
C200HW-SLK23	Sysmac Link unit, optical fibre (use only with C200H-CPU31-E/ C200HS-CPU31/3/C2)

C200HW-SLK24	Sysmac Link unit, coaxial (use only with C200H-CPU31-E/C200HS-CPU31/3-E/ C200H-
C200HW-SRM21-V1	CompoBus/S master unit
C200HW-ZW3AT2-EV2	
C200HX-CPU34-ZE	
C200HX-CPU44-E -JPN-	CPU, 31.2K words program / 24K words data memory, RS-232C port
C200HX-CPU44-ZE	
C200HX-CPU54-E -JPN-	
C200HX-CPU54-ZE	
C200HX-CPU64-E JPN	CPU, 31.2K words program / 24K words data memory, RS-232C port, 1184 I/O point c
C200HX-CPU64-ZE	CPU, 31.2K words program / 24K words data memory, RS-232C port, 1184 I/O point c
C200HX-CPU65-ZE	CPU, 63.2K words program / 54K words data memory, RS-232C port, 1184 I/O point c
C200HX-CPU85-ZE	CPU, 63.2K words program / 102K words data memory, RS-232C port, 1184 I/O point
C200PC-EXP01	
C200PC-ISA03-DRM-E	
C200PC-ISA03-E	
C200PC-ISA03-SRM-E	
C200PC-ISA13-DRM-E	
C200PC-ISA13-SRM-E	
C200PC-PD024	
C20-CN122	
C2G-2022	
C2S-4J-1 BY OMI	
C2S-5G BY.OMI	
C2S-5W-2 BY OMI	
C2U	
C2U-15	
C2U-16	
C2U-22	
C2U-26	
C2U-3	
C2U-9	
C3BC-BC01J ASSY1	
C3BC-BC01J ASSY1 BY OMZ	
C3BF-2012A(U.K)	
C3BF-2012A(U.K) BY OMZ	
C3BF-2012A(U.K) CHN	
C3BF-AJ	
C3BF-AJ BY OMZ	
C3KE-8	
C3KL-1	
C3KL-2(FET)	
C3KL-2-ASSY	
C3LA-1A-1(N) BY OMZ	
C3LA-2A(N) BY OMZ	
C3LA-2A-ED(N) BY OMZ	
C3LA-2A-PLSR(N) BY OMZ	
C3NA-1-LT BY OMZ	
C3SA-1(N) BY OMZ	
C3SA-1-A(N) BY OMZ	
C3SA-1-CV-E(N) BY OMZ	
C3SA-1-E(N) BY OMZ	
C3SA-2-E(N) BY OMZ	

C3SA-3(N) BY OMZ	
C3SA-3-D-E(N) BY OMZ	
C3SA-3-E(N) BY OMZ	
C3SA-3H-E(N) BY OMZ	
C3SA-4-AE BY OMZ	
C3SA-4-A-E BY OMZ1	
C3X-15A1T	
C3X-15A1T-LC	
C3X-15B1T BY OMZ	
C3X-15B1T-LC	
C3X-15B1T-LT	
C3X-15C1T-LT BY OMZ	
C3X-15C1T-ST	
C3XT-15B1T	
C3XT-U1	
C500-AD101	Analogue input unit, 8x 0/4-20mA or 0/1-5/10 VDC inputs
C500-AD501	
C500-ASC04	ASCII unit, 24K byte RAM / 24K byte EEPROM, 2x RS-232C ports, BASIC/Assembler
C500-ASP01	
C500-ATT01	
C500-ATT05	
C500-BAT08	Battery for CQM1(NOT CQM1H),CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMIs
C500-BAT10	
C500-CE241	Fujitsu connector, 24 pin, solder type
C500-CE242	
C500-CE243	
C500-CE401	Connector, 40 pin, solder type
C500-CE402	
C500-CE403	
C500-CE404	Connector
C500-CE405	
C500-CN122N	
C500-CN124	
C500-CN221	
C500-CN222N	
C500-CN312N	
C500-CN422	
C500-CN512N	
C500-CN523	
C500-CN812N	
C500-COV11	
C500-COV12	
C500-COV13	
C500-CT001	
C500-CT012	High-speed counter unit, 1x 50kHz counter, 6-digit BCD, 8x external outputs
C500-CT021	
C500-CT041	High-speed counter, 4x 20kHz input, 6-digit BCD
C500-DA101	Analogue output unit, 4x 0/4-20mA or 0/1-5/10 VDC inputs
C500-DA103	
C500-DA501 JPN	
C500-ETL01	
C500-ID114	

C500-ID218CN	
C500-ID501CN	
C500-IDA02	
C500-IDS01-V2	
C500-IDS02-V1	
C500-LDP01-V1	
C500-LK009-V1	
C500-MCD01	
C500-NC112	
C500-NC113	
C500-NC211	
C500-NC222-E	
C500-OA223	
C500-OA225	
C500-OA226	
C500-OC224-E	Output unit, 32x relay outputs, 2A, 24 VDC/250 VAC, 8A/common
C500-OD212	Output unit, 32x transistor outputs, PNP, 0.3A, 12-24 VDC, 2.4A/common, 4.8A/unit
C500-OD213	
C500-OD217	
C500-OD218	Output unit, 32x transistor outputs, NPN, 0.3A, 12-24 VDC, 2.4A/common, 4.8A/unit
C500-OD219	
C500-OD411	Output unit, 16x transistor outputs, NPN, 1 A, 12-48 VDC, 4A/common, 5A/unit
C500-OD412	Output unit, 32x transistor outputs, NPN, 0.3A, 12-48 VDC, 2.4A/common, 4.8A/unit
C500-OD414	
C500-OD415CN	
C500-OD501CN	
C500-PAR-PTC38	
C500-PRW06	
C500-PS213-E	
C500-RM201	
C500-RT201	
C500-SF312-EV3*	
C500-SP002	
C500-ZL3AT1-E	
C500-ZL3DV1	
C500-ZL3PC1	
C5SA-1B244	
C5SA-1G244	
C5SA-1PW244	
C5SA-1R244	
C5SA-1W244	
C5SA-KT35 (10PCS)	
C5SB-1B244	
C5SB-1G244	
C5SB-1PW244	
C5SB-1R244	
C5SB-1W244	
C5SB-KT60 (10PCS)	
CAA1	
CAA1M	
CAA1M-120	
Cable gland set V7 IP65	

CAMERA AND COMMUN. SYSTEM

CASE ASSY (F) CPM1-20CDR-D

CDBR-2015B

CDBR-2022B

CDBR-2045B

CDBR-2110B

CDBR-4030B

Braking unit for 3G3FV (G5, 18.5-30 kW) and E7/F7 (22 & 30kW) (equivalent to 3G3IV

CDBR-4045B

Braking unit for 3G3FV (G5, 37 & 45kW) and E7/F7 (37 & 45kW) (equivalent to 3G3IV-

CDBR-4090B

Braking unit for 3G3FV (G5, 55 & 75kW) and E7/F7 (55-90kW) (equivalent to 3G3IV-P)

CDBR-4220B

Braking unit for 3G3FV (G5, 110-220kW) and E7/F7 (110-220kW) (equivalent to 3G3IV

CDBR-5037B

CDBR-5110B

CDBR-5300B

CE05-8A10SL-3SC-B-BAS

Right-angle brake power connector (female) for SGMGH and SGMSH

CE05-8A18-10SD-B-BAS

Right-angle motor power connector (female) for SGMGH-05/09/13 and SGMSH-10/15.

CE05-8A18-10SD-D-BAS

CE05-8A22-22SD-D-BAS

CE3057-10A-1 (D265)

CE3057-10A-2 (D265)

Motor power cable clamp for SGMGH-05/09/13 and SGMSH-10/15/20

CE3057-4A-1(D265)

CIIMR-ES2-20R-SB

CIMR F7Z41P51C-S8162

CIMR F7Z42P21C-S8162

CIMR F7Z43P71C-S8162

CIMR F7Z45P51C-S8162

CIMR-AA4A0005FAA

CIMR-AA4A0018FAA

CIMR-AA4A0023FAA

CIMR-AC2A0004FAA

CIMR-AC2A0006FAA

CIMR-AC2A0010FAA

CIMR-AC2A0012FAA

CIMR-AC2A0021FAA

CIMR-AC2A0030FAA

CIMR-AC2A0040FAA

CIMR-AC2A0056FAA

CIMR-AC2A0069FAA

CIMR-AC2A0081FAA

CIMR-AC2A0110AAA

CIMR-AC2A0138AAA

CIMR-AC2A0169AAA

CIMR-AC2A0211AAA

CIMR-AC2A0250AAA

CIMR-AC2A0312AAA

CIMR-AC2A0360AAA

CIMR-AC2A0415AAA

CIMR-AC4A0002FAA

CIMR-AC4A0002FAA GBR

CIMR-AC4A0004FAA

A1000 inverter drive, 0.75/ 1.5kW (HD/ ND), 3.4/ 4.1A (HD/ ND), 400vac, three phase ir

CIMR-AC4A0004FAA GBR

CIMR-AC4A0005FAA

CIMR-AC4A0005FAA GBR

CIMR-AC4A0007FAA
CIMR-AC4A0007FAA GBR
CIMR-AC4A0009FAA
CIMR-AC4A0011FAA
CIMR-AC4A0011FAA GBR
CIMR-AC4A0018FAA
CIMR-AC4A0018FAA GBR
CIMR-AC4A0018FAA-S5070
CIMR-AC4A0023FAA
CIMR-AC4A0023FAA GBR
CIMR-AC4A0031FAA
CIMR-AC4A0031FAA GBR
CIMR-AC4A0038FAA
CIMR-AC4A0038FAA GBR
CIMR-AC4A0044FAA
CIMR-AC4A0044FAA GBR
CIMR-AC4A0058AAA
CIMR-AC4A0058AAA GBR
CIMR-AC4A0072AAA
CIMR-AC4A0072AAA GBR
CIMR-AC4A0088AAA
CIMR-AC4A0088AAA GBR
CIMR-AC4A0103AAA
CIMR-AC4A0103AAA GBR
CIMR-AC4A0139AAA
CIMR-AC4A0139AAA GBR
CIMR-AC4A0165AAA
CIMR-AC4A0165AAA GBR
CIMR-AC4A0208AAA
CIMR-AC4A0250AAA
CIMR-AC4A0296AAA
CIMR-AC4A0362AAA
CIMR-AC4A0414AAA
CIMR-AC4A0515AAA
CIMR-AC4A0675AAA
CIMR-AC7H40110
CIMR-AC7H45P50
CIMR-ACA20220
CIMR-ACA40110
CIMR-ACA40220
CIMR-ACA45P50
CIMR-AU5A0003FAA
CIMR-AU5A0006FAA
CIMR-AU5A0009FAA
CIMR-AU5A0011FAA
CIMR-D5A40750A
CIMR-D5A41600A
CIMR-E7C40111B
CIMR-E7C41320A-0025
CIMR-E7C41320B
CIMR-E7C42200A
CIMR-E7C42P21B-0025

CIMR-E7Z20111A	
CIMR-E7Z20151A	
CIMR-E7Z20181A	
CIMR-E7Z20220B	Inverter drive, 22kW, 85A,200vac, 3-phase
CIMR-E7Z20221B	
CIMR-E7Z20300A	
CIMR-E7Z20301A	
CIMR-E7Z20370A	
CIMR-E7Z20371A	
CIMR-E7Z20450B	
CIMR-E7Z20451A	
CIMR-E7Z20550B	
CIMR-E7Z20551A	
CIMR-E7Z20750B	
CIMR-E7Z20751A	
CIMR-E7Z20900B	
CIMR-E7Z20901A	
CIMR-E7Z20P41A	Inverter drive, 0.55kW, 3.2A, 200 VAC, 3-phase
CIMR-E7Z20P71A	Inverter drive, 0.75kW, 4.1A, 200 VAC, 3-phase
CIMR-E7Z20P71B	
CIMR-E7Z21100B	
CIMR-E7Z21101B	
CIMR-E7Z21P51A	
CIMR-E7Z21P51B	Inverter drive, 1.5kW, 15A, 200 VAC, 3-phase
CIMR-E7Z22P21A	Inverter drive, 2.2kW, 9.6A, 200 VAC, 3-phase
CIMR-E7Z23P71A	Inverter drive, 3.7kW, 15A, 200 VAC, 3-phase
CIMR-E7Z23P71B	Inverter drive, 3.7kW, 15A, 200 VAC, 3-phase
CIMR-E7Z25P51A	Inverter drive, 5.5kW, 23A, 200 VAC, 3-phase
CIMR-E7Z25P51B	Inverter drive, 5.5kW, 23A, 200 VAC, 3-phase
CIMR-E7Z27P51A	
CIMR-E7Z27P51B	Inverter drive, 7.5kW, 31 A, 200 VAC, 3-phase
CIMR-E7Z40111B	Inverter drive, 11kW, 24A, 415 VAC, 3-phase
CIMR-E7Z40111-S8800	
CIMR-E7Z40111-S8801	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40112A	Inverter drive, IP54 version, 11KW, 24A, 415 VAC, 3-phase
CIMR-E7Z40112A-S8801	
CIMR-E7Z40151B+	Inverter drive, 15kW, 31 A, 415 VAC, 3-phase
CIMR-E7Z40151-S8800	
CIMR-E7Z40151-S8801	Inverter drive, 15kW, 31 A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40152A	Inverter drive, IP54 version, 15KW, 31 A, 415 VAC, 3-phase
CIMR-E7Z40152-S8801	
CIMR-E7Z40181B+	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase
CIMR-E7Z40181-S8800	
CIMR-E7Z40181-S8801	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40182A	Inverter drive, IP54 version, 18.5KW, 39A, 415 VAC, 3-phase
CIMR-E7Z40182A-S8801	
CIMR-E7Z40220A+	Inverter drive, 22kW, 45A, 415 VAC, 3-phase
CIMR-E7Z40220-S8800	
CIMR-E7Z40220-S8801	Inverter drive, 22kW, 45A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40221A	
CIMR-E7Z40222A	Inverter drive, IP54 version, 22KW, 45A, 415 VAC, 3-phase
CIMR-E7Z40222A-S8801	

OMRON Industrial

CIMR-E7Z40300A+	Inverter drive, 30kW, 60A, 415 VAC, 3-phase
CIMR-E7Z40300-S8801	Inverter drive, 30kW, 60A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40301A	
CIMR-E7Z40302A	
CIMR-E7Z40302A-S8801	Inverter drive, IP54 version, 30KW, 60A, 415 VAC, 3-phase
CIMR-E7Z40370A	
CIMR-E7Z40370A.KM	Inverter drive, 37kW, 75A, 415 VAC, 3-phase
CIMR-E7Z40370A-6005	
CIMR-E7Z40370-S8801	Inverter drive, 37kW, 75A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40371A	
CIMR-E7Z40372A	
CIMR-E7Z40372A-S8801	Inverter drive, IP54 version, 37KW, 75A, 415 VAC, 3-phase
CIMR-E7Z40450A.KM	
CIMR-E7Z40450A+	Inverter drive, 45kW, 91A, 415 VAC, 3-phase
CIMR-E7Z40450-S8801	Inverter drive, 45kW, 91A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40451A	
CIMR-E7Z40452A	
CIMR-E7Z40452-S8801	Inverter drive, IP54 version, 45KW, 91A, 415 VAC, 3-phase
CIMR-E7Z40550A+	Inverter drive, 55kW, 112A, 415 VAC, 3-phase
CIMR-E7Z40550-S8801	Inverter drive, 55kW, 112A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40551A	
CIMR-E7Z40552A	
CIMR-E7Z40552A-S8801	Inverter drive, IP54 version, 55KW, 112A, 415 VAC, 3-phase
CIMR-E7Z40750B	
CIMR-E7Z40750-S8801	Inverter drive, 75kW, 150A, 415 VAC, 3-phase
CIMR-E7Z40900B	
CIMR-E7Z40900-S8801	Inverter drive, 90kW, 180A, 415 VAC, 3-phase
CIMR-E7Z40901B	
CIMR-E7Z40P41B+	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase
CIMR-E7Z40P41-S8801	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z40P71B+	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase
CIMR-E7Z40P71-S8801	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z41100B	
CIMR-E7Z41101A	Inverter drive, 110kW, 216A, 415 VAC, 3-phase
CIMR-E7Z41320B	
CIMR-E7Z41320-S8801	Inverter drive, 132kW, 260A, 415 VAC, 3-phase
CIMR-E7Z41321A	
CIMR-E7Z41600B	
CIMR-E7Z41600-S8801	Inverter drive, 160kW, 304A, 415 VAC, 3-phase
CIMR-E7Z41601A	
CIMR-E7Z41850A	Inverter drive, 180kW, 370A, 415 VAC, 3-phase
CIMR-E7Z41P51B+	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase
CIMR-E7Z41P51-S8801	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z42200A	
CIMR-E7Z42200-S8801	Inverter drive, 220kW, 506A, 415 VAC, 3-phase
CIMR-E7Z42P21B.R	
CIMR-E7Z42P21B+	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase
CIMR-E7Z42P21B-0025R	Inverter drive, 2.2kW, 400 VAC three phase input
CIMR-E7Z42P21-S8801	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z43000A	
CIMR-E7Z43000-S8801	
CIMR-E7Z43P71B+	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase

CIMR-E7Z43P71-SS880	
CIMR-E7Z44P01B+	Inverter drive, 4.0kW, 8.7A, 415 VAC, 3-phase
CIMR-E7Z44P01-S8800	
CIMR-E7Z44P01-S8801	Inverter drive, 4.0kW, 8.7A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z45P51B+	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase
CIMR-E7Z45P51-S8800	
CIMR-E7Z45P51-S8801	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z47P51B+	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase
CIMR-E7Z47P51-S8800	
CIMR-E7Z47P51-S8801	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, Pump Sequencer Software
CIMR-E7Z47P52A	Inverter drive, IP54 version, 7.5KW, 17A, 415 VAC, 3-phase
CIMR-E7Z47P52A-S8801	
CIMR-ES1-100R-SB	
CIMR-ES1-20R-SB	
CIMR-ES1-33R-S-B	
CIMR-ES1-40R-SB	
CIMR-ES2-33R-SB	
CIMR-ES2-40R-SB	
CIMR-ES3-13R-SB	
CIMR-ES3-20R-S-B	
CIMR-ES3-30R-SB	
CIMR-ES3-40R-SB	
CIMR-ES3-68R-S-B	
CIMR-ESH-120R-S-B	
CIMR-ESH-33R-SB	
CIMR-EST-100R-SB	
CIMR-EST-20R-S-B	
CIMR-EST2-20R-SB	
CIMR-EST2-5R6-S-B	
CIMR-EST-33R-SB	
CIMR-EST-75-R-SB	
CIMR-ESTT-220R-SB	
CIMR-F7C25P51A	Inverter drive
CIMR-F7C40111F-0025	
CIMR-F7C40111F-0025-S8190	
CIMR-F7C40111F-0025-S8250	
CIMR-F7C40151F-0025-S8190	
CIMR-F7C40151F-0025-S8250	
CIMR-F7C40181F-0025	
CIMR-F7C40181F-0025-S8190	
CIMR-F7C40181F-0025-S8250	
CIMR-F7C40220E-0025	
CIMR-F7C40220F-0025-S8190	
CIMR-F7C40220F-0025-S8250	
CIMR-F7C40370E-0025	
CIMR-F7C40900A-0025	
CIMR-F7C40P41F-0025	
CIMR-F7C40P41F-0025-S8190	
CIMR-F7C40P41F-0025-S8250	
CIMR-F7C40P71F-0025	
CIMR-F7C40P71F-0025-S8190	
CIMR-F7C40P71F-0025-S8250	

CIMR-F7C41P51F-0025
CIMR-F7C41P51F-0025-S8190
CIMR-F7C41P51F-0025-S8250
CIMR-F7C42P21F-0025
CIMR-F7C42P21F-0025-S8190
CIMR-F7C42P21F-0025-S8250
CIMR-F7C43P71F-0025
CIMR-F7C43P71F-0025-S8190
CIMR-F7C43P71F-0025-S8250
CIMR-F7C44P01F-0025
CIMR-F7C44P01F-0025-S8190
CIMR-F7C44P01F-0025-S8250
CIMR-F7C45P51F-0025
CIMR-F7C45P51F-0025-S8190
CIMR-F7C45P51F-0025-S8250
CIMR-F7C47P51F-0025
CIMR-F7C47P51F-0025-S8190
CIMR-F7C47P51F-0025-S8250
CIMR-F7U20550F 1
CIMR-F7U20750C
CIMR-F7U21P51E
CIMR-F7U40111F
CIMR-F7U40151F
CIMR-F7U40221F
CIMR-F7U40750F
CIMR-F7U40900F
CIMR-F7U41100F
CIMR-F7U41600F
CIMR-F7U41P51F
CIMR-F7U42P21F
CIMR-F7U43P71F
CIMR-F7U44P01F
CIMR-F7U45P51F
CIMR-F7U47P51F
CIMR-F7Z20111C
CIMR-F7Z20111-S7061
CIMR-F7Z20151C
CIMR-F7Z20181C
CIMR-F7Z20220C
CIMR-F7Z20221A
CIMR-F7Z20300C
CIMR-F7Z20301A
CIMR-F7Z20370C
CIMR-F7Z20371B
CIMR-F7Z20450C
CIMR-F7Z20451B
CIMR-F7Z20550C
CIMR-F7Z20551B
CIMR-F7Z20750C
CIMR-F7Z20751B
CIMR-F7Z20900C
CIMR-F7Z20901B

Inverter drive, 11kW, 24A, 200 VAC, 3-phase, closed loop vector

CIMR-F7Z20P41C	
CIMR-F7Z20P41-S8162	
CIMR-F7Z20P71C	
CIMR-F7Z20P71-S8161	Inverter drive, 0.75kW, 4.1A, 200VAC, 3-phase, closed loop vector, Electronic Line Si
CIMR-F7Z21100C	
CIMR-F7Z21P51C	
CIMR-F7Z22P21C	
CIMR-F7Z23P71C	Inverter drive, 3.7kW, 15A, 200 VAC, 3-phase, closed loop vector
CIMR-F7Z25P51C	
CIMR-F7Z27P51C	
CIMR-F7Z40111B	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40111B-S7060	
CIMR-F7Z40111C	
CIMR-F7Z40111C-S8162	
CIMR-F7Z40111C-S8626	
CIMR-F7Z40111-S7061	
CIMR-F7Z40111-S7071	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, closed loop vector, Crane Application §
CIMR-F7Z40111-S8150	
CIMR-F7Z40111-S8151	
CIMR-F7Z40111-S8161	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40111-S8162	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40111-S8611	
CIMR-F7Z40111-S8795	Inverter drive, 11kW, 24A, 415 VAC, 3-phase, closed loop vector, Point to Point Posit
CIMR-F7Z40111-S8796	
CIMR-F7Z4011-S8821	
CIMR-F7Z40151B	Inverter drive, 15kW, 31 A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40151B-S7060	
CIMR-F7Z40151C	
CIMR-F7Z40151C-S8626	
CIMR-F7Z40151-S7071	Inverter drive, 15kW, 31 A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z40151-S8080	
CIMR-F7Z40151-S8150	
CIMRF7Z40151S8161	Inverter drive, 15kW, 31A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40151-S8162	Inverter drive, 15kW, 31A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40151-S8611	
CIMR-F7Z40151-S8795	Inverter drive, 15kW, 31 A, 415 VAC, 3-phase, closed loop vector, Point to Point Posi
CIMR-F7Z40151-S8796	
CIMR-F7Z4015-S8821	
CIMR-F7Z40181B	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40181B-S7060	
CIMR-F7Z40181C	
CIMR-F7Z40181C-S8626	
CIMR-F7Z40181-S7061	
CIMR-F7Z40181-S7071	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase, closed loop vector, Crane Applicator
CIMR-F7Z40181-S8150	
CIMRF7Z40181S8161	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase, closed loop vector, Electronic Line Si
CIMR-F7Z40181-S8162	Inverter drive, 18.5kW, 39A, 415 VAC, 3-phase, closed loop vector, Electronic Line Si
CIMR-F7Z40181-S8796	
CIMR-F7Z40220A	Inverter drive, 22kW, 45A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40220C	
CIMR-F7Z40220-S7061	
CIMR-F7Z40220-S8080	

CIMR-F7Z40220-S8150	
CIMR-F7Z40220-S8151	
CIMR-F7Z40220-S8161	Inverter drive, 22kW, 45A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40220-S8162	Inverter drive, 22kW, 45A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40220-S8180	
CIMR-F7Z40220-S8796	Inverter drive
CIMR-F7Z40221A	Inverter drive
CIMR-F7Z40221A-S7060	
CIMR-F7Z40300A	Inverter drive, 30kW, 60A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40300C	
CIMR-F7Z40300-S7061	
CIMR-F7Z40300-S7071	Inverter drive, 30kW, 60A, 415 VAC, 3-phase, closed loop vector, Crane Application §
CIMR-F7Z40300-S8080	
CIMR-F7Z40300-S8150	
CIMR-F7Z40300-S8162	Inverter drive, 30kW, 60A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z40300-S8796	Inverter drive
CIMR-F7Z40301A	
CIMR-F7Z40301A-S7060	
CIMR-F7Z40370A	Inverter drive, 37kW, 75A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40370C	
CIMR-F7Z40370-S7061	
CIMR-F7Z40370-S7071	Inverter drive, 37kW, 75A, 415 VAC, 3-phase, closed loop vector, Crane Application §
CIMR-F7Z40370-S8180	
CIMR-F7Z40370-S8796	
CIMR-F7Z40371A	Inverter drive, 37kW, 75A, 415 VAC, 3-phase, closed loop vector, IP20/NEMA1
CIMR-F7Z40371A-S7060	
CIMR-F7Z40450A	Inverter drive, 45kW, 91A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40450A-S8162	
CIMR-F7Z40450C	
CIMR-F7Z40450-S7071	Inverter drive, 45kW, 91A, 415 VAC, 3-phase, closed loop vector, Crane Application §
CIMR-F7Z40450-S8180	
CIMR-F7Z40451A	
CIMR-F7Z40451A-S7060	
CIMR-F7Z40550A	Inverter drive, 55kW, 112A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40550C	
CIMR-F7Z40550-S7071	Inverter drive, 55kW, 112A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z40550-S8150	
CIMR-F7Z40550-S8161	Inverter drive, 55kW, 112A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z40550-S8162	
CIMR-F7Z40551A	Inverter drive, 55kW, 112A, 415 VAC, 3-phase, closed loop vector, IP20/Nema 1
CIMR-F7Z40551A-S7060	
CIMR-F7Z40750B	Inverter drive, 75kW, 150A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40750B-M	
CIMR-F7Z40750C	
CIMR-F7Z40750-S7071	Inverter drive, 75kW, 150A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z40751B	
CIMR-F7Z40900B	Inverter drive, 90kW, 180A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40900C	
CIMR-F7Z40900-S7071	Inverter drive, 90kW, 180A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z40901B	
CIMR-F7Z40P41B	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40P41C	

CIMR-F7Z40P41-S7061	
CIMR-F7Z40P41-S8150	
CIMR-F7Z40P41-S8151	
CIMR-F7Z40P41-S8161	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z40P41-S8162	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z40P41-S8180	
CIMR-F7Z40P41-S8610	
CIMR-F7Z40P41-S8795	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, closed loop vector, Point to Point Pos
CIMR-F7Z40P41-S8796	Inverter drive, 0.4kW, 1.8A, 415 VAC, 3-phase, closed loop vector, Case software
CIMR-F7Z40P41-S8811	
CIMR-F7Z40P41-S8812	
CIMR-F7Z40P71B	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z40P71C	
CIMR-F7Z40P71-S7071	
CIMR-F7Z40P71-S8150	Inverter drive
CIMR-F7Z40P71-S8151	
CIMR-F7Z40P71-S8161	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase, closed loop vector, Electronic Line S
CIMR-F7Z40P71-S8162	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase, closed loop vector, Electronic Line S
CIMR-F7Z40P71-S8610	
CIMR-F7Z40P71-S8795	Inverter drive, 0.75kW, 2.1A, 415 VAC, 3-phase, closed loop vector, Point to Point Po
CIMR-F7Z40P71-S8796	Inverter drive
CIMR-F7Z40P71-S8811	
CIMR-F7Z40P71-S8830	
CIMR-F7Z41100B	Inverter drive, 110kW, 216A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z41100B-0095	
CIMR-F7Z41100C	
CIMR-F7Z41100-S7071	Inverter drive, 110kW, 216A, 415 VAC, 3-phase, closed loop vector, Crane Applicatio
CIMR-F7Z41100-S8161	Inverter drive, 110kW, 216A, 415 VAC, 3-phase, closed loop vector, Electronic Line S
CIMR-F7Z41100-S8620	
CIMR-F7Z41101B	
CIMR-F7Z41320B	Inverter drive, 132kW, 260A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z41320C	
CIMR-F7Z41320-S7071	Inverter drive, 132kW, 260A, 415 VAC, 3-phase, closed loop vector, Crane Applicatio
CIMR-F7Z41321B	
CIMR-F7Z41600B	Inverter drive, 160kW, 304A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z41600C	
CIMR-F7Z41600-S7071	Inverter drive, 160kW, 304A, 415 VAC, 3-phase, closed loop vector, Crane Applicatio
CIMR-F7Z41601B	
CIMR-F7Z41850C	
CIMR-F7Z41P51B	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z41P51B-S7060	
CIMR-F7Z41P51C	
CIMR-F7Z41P51-S7061	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector, 1000Hz Output Fre
CIMR-F7Z41P51-S7071	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z41P51-S8150	Inverter drive
CIMR-F7Z41P51-S8151	
CIMR-F7Z41P51-S8161	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z41P51-S8162	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z41P51-S8180	
CIMR-F7Z41P51-S8610	
CIMR-F7Z41P51-S8795	Inverter drive, 1.5kW, 3.7A, 415 VAC, 3-phase, closed loop vector, Point to Point Pos
CIMR-F7Z41P51-S8796	

CIMR-F7Z41P51-S8811	
CIMR-F7Z41P51-S8830	
CIMR-F7Z42200C	Inverter drive, 220kW, 506A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z42200-S8151	
CIMR-F7Z42P21B	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z42P21B-S7060	
CIMR-F7Z42P21C	
CIMR-F7Z42P21-S7061	
CIMR-F7Z42P21-S7071	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z42P21-S8150	
CIMR-F7Z42P21-S8151	
CIMR-F7Z42P21-S8161	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z42P21-S8162	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z42P21-S8180	
CIMR-F7Z42P21-S8795	Inverter drive, 2.2kW, 5.3A, 415 VAC, 3-phase, closed loop vector, Point to Point Pos
CIMR-F7Z42P21-S8796	Inverter drive
CIMR-F7Z42P21-S8811	
CIMR-F7Z42P21-S8812	
CIMR-F7Z43000C	
CIMR-F7Z43P71B	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z43P71B-S7060	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector, special frequency :
CIMR-F7Z43P71C	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z43P71-S7071	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z43P71-S8150	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z43P71-S8161	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z43P71-S8162	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z43P71-S8610	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z43P71-S8796	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z43P71-S8811	Inverter drive, 3.7kW, 7.6A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z44P01B	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z44P01B-0095	
CIMR-F7Z44P01B-S7060	
CIMR-F7Z44P01B-S8162	
CIMR-F7Z44P01B-S8180	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, with case software
CIMR-F7Z44P01C	
CIMR-F7Z44P01-S7050	
CIMR-F7Z44P01-S7061	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, 1000Hz Output Freq
CIMR-F7Z44P01-S7071	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, Crane Application S
CIMR-F7Z44P01-S8150	
CIMR-F7Z44P01-S8151	
CIMR-F7Z44P01-S8161	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z44P01-S8162	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sha
CIMR-F7Z44P01-S8610	
CIMR-F7Z44P01-S8795	Inverter drive, 4kW, 8.7A, 415 VAC, 3-phase, closed loop vector, Point to Point Positi
CIMR-F7Z44P01-S8796	
CIMR-F7Z44P01-S8801	
CIMR-F7Z44P01-S8811	
CIMR-F7Z44P01-S8812	
CIMR-F7Z44P01-S8830	
CIMR-F7Z45P51B	
CIMR-F7Z45P51B-S7060	
CIMR-F7Z45P51C	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, closed loop vector

CIMR-F7Z45P51-S7071	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, closed loop vector, Crane Applicatio
CIMR-F7Z45P51-S8150	Inverter drive
CIMR-F7Z45P51-S8151	
CIMR-F7Z45P51-S8161	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, closed loop vector, Electronic Line S
CIMR-F7Z45P51-S8162	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, closed loop vector, Electronic Line S
CIMR-F7Z45P51-S8610	
CIMR-F7Z45P51-S8611	
CIMR-F7Z45P51-S8795	Inverter drive, 5.5kW, 12.5A, 415 VAC, 3-phase, closed loop vector, Point to Point Po
CIMR-F7Z45P51-S8796	Inverter drive
CIMR-F7Z45P51-S8811	
CIMR-F7Z45P5-S8821	
CIMR-F7Z47P51B	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector
CIMR-F7Z47P51B-0095	
CIMR-F7Z47P51B-S	
CIMR-F7Z47P51B-S7060	
CIMR-F7Z47P51C	
CIMR-F7Z47P51C-S8162	
CIMR-F7Z47P51C-S8626	
CIMR-F7Z47P51-S7071	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Crane Application
CIMR-F7Z47P51-S8150	
CIMR-F7Z47P51-S8151	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Winder Software
CIMR-F7Z47P51-S8161	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z47P51-S8162	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Electronic Line Sh
CIMR-F7Z47P51-S8180	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Rewinding and Un
CIMR-F7Z47P51-S8610	
CIMR-F7Z47P51-S8611	
CIMR-F7Z47P51-S8795	Inverter drive, 7.5kW, 17A, 415 VAC, 3-phase, closed loop vector, Point to Point Posi
CIMR-F7Z47P51-S8796	
CIMR-F7Z47P51-S8811	
CIMR-F7Z47P5-S8821	
CIMR-FEIP20-4555-HU	
CIMR-G5C42200F	Inverter drive
CIMR-G5M50371F	
CIMR-G5M50451F	
CIMR-G5M50751F	
CIMR-G5U50111F	Inverter drive
CIMR-G5U50151F	Inverter drive
CIMR-G5U50181F	Inverter drive
CIMR-G5U50221F	Inverter drive
CIMR-G5U50301F	Inverter drive
CIMR-G5U50371F	Inverter drive
CIMR-G5U50451F	Inverter drive
CIMR-G5U50551F	Inverter drive
CIMR-G5U50751F	Inverter drive
CIMR-G5U50900F	Inverter drive
CIMR-G5U51100F	Inverter drive
CIMR-G5U51600F	Inverter drive
CIMR-G5U51P51F	Inverter drive
CIMR-G5U52P21F	Inverter drive
CIMR-G5U53P71F	Inverter drive
CIMR-G5U55P51F	Inverter drive
CIMR-G5U57P51F	Inverter drive

CIMR-G7A40220C	
CIMR-G7C20111B	
CIMR-G7C20151B	
CIMR-G7C20180C	
CIMR-G7C20220B	
CIMR-G7C20300B	
CIMR-G7C20370B	
CIMR-G7C20450B	
CIMR-G7C20550B	
CIMR-G7C20750B	
CIMR-G7C20900B	
CIMR-G7C20P41B	
CIMR-G7C20P71B	
CIMR-G7C21100B	
CIMR-G7C21P51B	Inverter drive,1.5kW,8A,200AC,3-phase
CIMR-G7C22P21B	
CIMR-G7C23P71B	
CIMR-G7C25P51B	
CIMR-G7C27P51B	
CIMR-G7C40111A	
CIMR-G7C40111B	Inverter drive,11kW,27A,415 VAC,3-phase
CIMR-G7C40151A	
CIMR-G7C40151B	Inverter drive,15kW,34A,415 VAC,3-phase
CIMR-G7C40180A	
CIMR-G7C40180B	Inverter drive,18.5kW,42A,415 VAC,3-phase
CIMR-G7C40220B	Inverter drive,22kW,52A,415 VAC,3-phase
CIMR-G7C40300B	Inverter drive,30kW,65A, 415 VAC,3-phase
CIMR-G7C40370B	Inverter drive,37kW,80A,415 VAC,3-phase
CIMR-G7C40450A	
CIMR-G7C40450B	Inverter drive,45kW,97A,415 VAC,3-phase
CIMR-G7C40550B	
CIMR-G7C40750B	
CIMR-G7C40900A	
CIMR-G7C40900B	
CIMR-G7C40P41B	Inverter drive,0.4kW,1.8A,415 VAC,3-phase
CIMR-G7C40P71B	Inverter drive,0.75kW,3.4A,415 VAC,3-phase
CIMR-G7C41100B	Inverter drive,110kW,240A,415 VAC,3-phase
CIMR-G7C41320A	
CIMR-G7C41320B	
CIMR-G7C41600B	
CIMR-G7C41850B	
CIMR-G7C41P51B	Inverter drive,1.5kW,4.8A,415 VAC,3-phase
CIMR-G7C42200B	
CIMR-G7C42P21B	Inverter drive,2.2kW,6.2A,415 VAC,3-phase
CIMR-G7C43000B	
CIMR-G7C43P71A	
CIMR-G7C43P71B	Inverter drive,3.7kW,9A,415 VAC,3-phase
CIMR-G7C44P01B	
CIMR-G7C45P51B	Inverter drive,5.5kW,15A,415 VAC,3-phase
CIMR-G7C47P51B	Inverter drive,7.5kW,21A,415 VAC,3-phase
CIMR-G7U25P51A	
CIMR-J7AZ40P20	Inverter drive, 0.37kW, 1.2A, 415 VAC, 3-phase

CIMR-J7AZ40P40	Inverter drive, 0.55kW, 1.8A, 415 VAC, 3-phase
CIMR-J7AZ40P70	Inverter drive, 1.1kW, 3.4A, 415 VAC, 3-phase
CIMR-J7AZ41P50	Inverter drive, 1.5kW, 4.8A, 415 VAC, 3-phase
CIMR-J7AZ42P20	Inverter drive, 2.2kW, 5.5A, 415 VAC, 3-phase
CIMR-J7AZ43P00	Inverter drive, 3kW, 7.2A, 415 VAC, 3-phase
CIMR-J7AZ44P00	Inverter drive, 4kW, 9.2A, 415 VAC, 3-phase
CIMR-J7AZB0P10	Inverter drive, 0.1kW, 0.8A, 240 VAC, single-phase
CIMR-J7AZB0P20	Inverter drive, 0.25kW, 1.6A, 240 VAC, single-phase
CIMR-J7AZB0P40	Inverter drive, 0.55kW, 3A, 240 VAC, single-phase
CIMR-J7AZB0P70	Inverter drive, 1.1kW, 5A, 240 VAC, single-phase
CIMR-J7AZB1P50	Inverter drive, 1.5kW, 8A, 240 VAC, single-phase
CIMR-KIT-IP54-OP-FIX	
CIMR-L7B40117A	
CIMR-L7B40117A-1074	Inverter drive
CIMR-L7B40157A	
CIMR-L7B40157A-1074	Inverter drive
CIMR-L7B40187A-1074	Inverter drive
CIMR-L7B40227A-1074	Inverter drive
CIMR-L7B40307A	Inverter drive
CIMR-L7B40377A	Inverter drive
CIMR-L7B40457A	Inverter drive
CIMR-L7B45P57A	
CIMR-L7B45P57A-1074	Inverter drive
CIMR-L7B47P57A	
CIMR-L7B47P57A-1074	Inverter drive
CIMR-L7Z20117B	
CIMR-L7Z20157B	
CIMR-L7Z20187B	
CIMR-L7Z20227A	
CIMR-L7Z20227B	
CIMR-L7Z20300B	
CIMR-L7Z20370B	
CIMR-L7Z20450B	
CIMR-L7Z20550B	
CIMR-L7Z23P77B	
CIMR-L7Z25P57B	
CIMR-L7Z27P57B	
CIMR-L7Z40117B	Lift drive, 11kW, 27A, 415 VAC, 3-phase
CIMR-L7Z40157B	Lift drive, 15kW, 34A, 415 VAC, 3-phase
CIMR-L7Z40187B	Lift drive, 18.5kW, 41 A, 415 VAC, 3-phase
CIMR-L7Z40227B	Lift drive, 22kW, 48A, 415 VAC, 3-phase
CIMR-L7Z40307B	Lift drive, 30kW, 65A, 415 VAC, 3-phase
CIMR-L7Z40377A	Lift drive, 37kW, 80A, 415 VAC, 3-phase
CIMR-L7Z40377B	Lift drive, 37kW, 80A, 415 VAC, 3-phase
CIMR-L7Z40457A	Lift drive, 45kW, 96A, 415 VAC, 3-phase
CIMR-L7Z40457B	Lift drive, 45kW, 96A, 415 VAC, 3-phase
CIMR-L7Z40557B	Lift drive, 55kW, 128A, 415 VAC, 3-phase
CIMR-L7Z44P07B	Lift drive, 4kW, 11 A, 415 VAC, 3-phase
CIMR-L7Z44P07-S8962	
CIMR-L7Z45P57B	Lift drive, 5.5kW, 14A, 415 VAC, 3-phase
CIMR-L7Z45P57-S8962	
CIMR-L7Z47P57B	Lift drive, 7.5kW, 18A, 415 VAC, 3-phase

CIMR-LC2A0018BAA
 CIMR-LC2A0025BAA
 CIMR-LC2A0033BAA
 CIMR-LC2A0047BAA
 CIMR-LC2A0060BAA
 CIMR-LC2A0075BAA
 CIMR-LC2A0085BAA
 CIMR-LC2A0115BAA
 CIMR-LC2A0145CAA
 CIMR-LC2A0180CAA
 CIMR-LC2A0215CAA
 CIMRLC2V0025FAAGBR
 CIMRLC2V0033FAAGBR
 CIMRLC2V0047FAAGBR
 CIMRLC2V0060FAAGBR
 CIMR-LC4A0009BAA
 CIMR-LC4A0015BAA
 CIMR-LC4A0018BAA
 CIMR-LC4A0024BAA
 CIMR-LC4A0031BAA
 CIMR-LC4A0039BAA
 CIMR-LC4A0045BAA
 CIMR-LC4A0060BAA
 CIMR-LC4A0075BAA
 CIMR-LC4A0091BAA
 CIMR-LC4A0112CAA
 CIMRLC4V0009BAAGBR
 CIMRLC4V0015BAAGBR
 CIMR-LC4V0018FAA GBR
 CIMRLC4V0024FAAGBR
 CIMR-LC4V0031FAA GBR
 CIMR-P5M50111F
 CIMR-P5M50551F
 CIMR-P5M55P51F
 CIMR-P5M57P51F
 CIMR-R5A40111
 CIMR-R5A40151
 CIMR-R5A40181
 CIMR-R5A40221
 CIMR-R5A40301
 CIMR-R5A40370
 CIMR-R5A40450
 CIMR-R5A40550
 CIMR-R5A40750
 CIMR-R5A43P71
 CIMR-R5A45P51
 CIMR-R5A47P51
 CIMR-V7AZ40P20
 CIMR-V7AZ40P40
 CIMR-V7AZ40P70
 CIMR-V7AZ41P50
 CIMR-V7AZ42P20

Inverter drive, 0.37kW, 1.2A, 415 VAC, 3-phase, open loop vector
 Inverter drive, 0.55kW, 1.8A, 415 VAC, 3-phase, open loop vector
 Inverter drive, 1.1kW, 3.4A, 415 VAC, 3-phase, open loop vector
 Inverter drive, 1.5kW, 4.8A, 415 VAC, 3-phase, open loop vector
 Inverter drive, 2.2kW, 5.5A, 415 VAC, 3-phase, open loop vector

CIMR-V7AZ43P00	Inverter drive, 3kW, 7.2A, 415 VAC, 3-phase, open loop vector
CIMR-V7AZ44P00	Inverter drive, 4kW, 9.2A, 415 VAC, 3-phase, open loop vector
CIMR-V7AZ45P51	Inverter drive, 5.5kW, 14.8A, 415 VAC, 3-phase, open loop vector
CIMR-V7AZ47P51	Inverter drive, 7.5kW, 18A, 415 VAC, 3-phase, open loop vector
CIMR-V7AZB0P10B	Inverter drive, 0.1kW, 0.8A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB0P20B	Inverter drive, 0.25kW, 1.6A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB0P40B	Inverter drive, 0.55kW, 3A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB0P70B	Inverter drive, 1.1kW, 5A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB1P50B	Inverter drive, 1.5kW, 8A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB2P20B	Inverter drive, 2.2kW, 11 A, 240 VAC, single-phase input, open loop vector
CIMR-V7AZB4P00	Inverter drive, 4kW, 17.5A, 240 VAC, single-phase input, open loop vector
CIMR-VC2A0001BAA-1000	
CIMR-VC2A0001HAA	V1000 Inverter drive, IP66, 0.12/0.18kW(HD/ND), 0.8/1.2A(HD/ND), 200 VAC, three ph:
CIMR-VC2A0001JAA	
CIMR-VC2A0002BAA-1000	
CIMR-VC2A0002HAA	V1000 Inverter drive, IP66, 0.25/0.37kW(HD/ND), 1.6/1.9A(HD/ND), 200 VAC, three pha
CIMR-VC2A0002JAA	
CIMR-VC2A0004BAA-1000	
CIMR-VC2A0004HAA	V1000 Inverter drive, IP66, 0.4/0.55kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, three phas
CIMR-VC2A0004JAA	
CIMR-VC2A0006BAA-1000	
CIMR-VC2A0006HAA	V1000 Inverter drive, IP66, 1.1/1.1kW(HD/ND), 5.0/6.0A(HD/ND), 200 VAC, three phase
CIMR-VC2A0006JAA	
CIMR-VC2A0010BAA-1000	
CIMR-VC2A0010HAA	V1000 Inverter drive, IP66, 1.5/2.2kW(HD/ND), 8.0/9.6A(HD/ND), 200 VAC, three phase
CIMR-VC2A0010JAA	
CIMR-VC2A0012BAA-1000	
CIMR-VC2A0012HAA	V1000 Inverter drive, IP66, 2.2/3.0kW(HD/ND), 11.0/12.00A(HD/ND), 200 VAC, three ph
CIMR-VC2A0012JAA	
CIMR-VC2A0020BAA-1000	
CIMR-VC2A0020HAA	V1000 Inverter drive, IP66, 4.0/5.5kW(HD/ND), 17.5/19.6A(HD/ND), 200 VAC, three pha
CIMR-VC2A0020JAA	
CIMR-VC2A0030BAA-1000	
CIMR-VC2A0030HAA	
CIMR-VC2A0030JAA	
CIMR-VC2A0040BAA-1000	
CIMR-VC2A0040HAA	
CIMR-VC2A0040JAA	
CIMR-VC2A0056BAA-1000	
CIMR-VC2A0056HAA	
CIMR-VC2A0056JAA	
CIMR-VC2A0069BAA-1000	
CIMR-VC4A0001BAA-1000	
CIMR-VC4A0001HAA	
CIMR-VC4A0001JAA GBR	
CIMR-VC4A0002BAA-1000	
CIMR-VC4A0002HAA	
CIMR-VC4A0002JAA GBR	
CIMR-VC4A0004BAA-1000	
CIMR-VC4A0004HAA	
CIMR-VC4A0004JAA GBR	
CIMR-VC4A0005BAA-1000	

CIMR-VC4A0005HAA	
CIMR-VC4A0005JAA GBR	
CIMR-VC4A0007BAA-1000	
CIMR-VC4A0007HAA	
CIMR-VC4A0007JAA GBR	
CIMR-VC4A0009BAA-1000	
CIMR-VC4A0009HAA	
CIMR-VC4A0009JAA GBR	
CIMR-VC4A0011BAA-1000	
CIMR-VC4A0011HAA	
CIMR-VC4A0011JAA GBR	
CIMR-VC4A0018BAA-1000	
CIMR-VC4A0018HAA	
CIMR-VC4A0018JAA GBR	
CIMR-VC4A0023BAA-1000	
CIMR-VC4A0023HAA	
CIMR-VC4A0023JAA GBR	
CIMR-VC4A0031BAA-1000	
CIMR-VC4A0031HAA	
CIMR-VC4A0031JAA GBR	
CIMR-VC4A0038BAA-1000	
CIMR-VC4A0038HAA	
CIMR-VC4A0038JAA GBR	
CIMR-VCBA0001BAA-1000	
CIMR-VCBA0001HAA	
CIMR-VCBA0001JAA	V1000 Inverter drive, Finless, 0.12KW, 0.8A, 200 VAC, single phase input, sensorless
CIMR-VCBA0002BAA-1000	
CIMR-VCBA0002HAA	
CIMR-VCBA0002JAA	V1000 Inverter drive, Finless, 0.25KW, 1.6A, 200 VAC, single phase input, sensorless
CIMR-VCBA0003BAA-1000	
CIMR-VCBA0003HAA	
CIMR-VCBA0003JAA	V1000 Inverter drive, Finless, 0.55KW, 3.0A, 200 VAC, single phase input, sensorless
CIMR-VCBA0006BAA-1000	
CIMR-VCBA0006HAA	
CIMR-VCBA0006JAA	V1000 Inverter drive, Finless, 1.1KW, 5.0A, 200 VAC, single phase input, sensorless
CIMR-VCBA0010BAA-1000	
CIMR-VCBA0010HAA	
CIMR-VCBA0010JAA	V1000 Inverter drive, Finless, 1.5KW, 8.0A, 200 VAC, single phase input, sensorless
CIMR-VCBA0012BAA-1000	
CIMR-VCBA0012HAA	
CIMR-VCBA0012JAA	V1000 Inverter drive, Finless, 2.2KW, 11 A, 200 VAC, single phase input, sensorless
CIMR-VCBA0018BAA-1000	
CIMR-XCAEA0P7	
CIMR-XCBC40P2	
CIMR-XCBC40P4	
CIMR-XCBC40P7	
CIMR-XCBC41P5	
CIMR-XCBCB0P2	
CIMR-XCBCB0P4	
CIMR-XCBCB0P7	
CIMR-XCBCB1P5	
CIMR-XCBEB0P7	

CJ1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.
CJ1G-CPU42P	
CJ1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.
CJ1G-CPU43P	CPU, Loop,20K steps program, 64K words data memory, 2 expansion racks max.
CJ1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.
CJ1G-CPU44P	CPU, Loop,30K steps program, 64K words data memory, 3 expansion racks max.
CJ1G-CPU45H	CPU, 60K steps program, 128K words data memory, 3 expansion racks max.
CJ1G-CPU45P	
CJ1G-CPU45P-GTC	
CJ1H-CPU64H-R	
CJ1H-CPU65H	CPU, 60K steps program, 128K words data memory, 3 expansion racks max.
CJ1H-CPU65H-R	
CJ1H-CPU66H	CPU, 120K steps program, 256K words data memory, 3 expansion racks max.
CJ1H-CPU66H-R	
CJ1H-CPU67H	CPU, 250K steps program, 448K words data memory, 3 expansion racks max.
CJ1H-CPU67H-R	High-speed CPU, 250K steps program, 448K words data memory, 3 expansion racks
CJ1M-CPU11 -NL	CPU, 5K steps program, 32K words data memory, 160 I/O max, serial PLC link
CJ1M-CPU11-ETN	CPU, 5K steps program, 32K words data memory, 160 I/O max, serial PLC link, Ether
CJ1M-CPU12 -NL	CPU, 10K steps program, 32K words data memory, 320 I/O max, serial PLC link
CJ1M-CPU12-ETN	CPU, 10K steps program, 32K words data memory, 320 I/O max, serial PLC link, Ethe
CJ1M-CPU13 -NL	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion ra
CJ1M-CPU13-ETN	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion ra
CJ1M-CPU21 NL	CPU, 5K steps program, 32K words data memory, 160 I/O max, serial PLC link, built-
CJ1M-CPU22 NL	CPU, 10K steps program, 32K words data memory, 320 I/O max, serial PLC link, built
CJ1M-CPU23 NL	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion ra
CJ1W-AD041-V1 NL	Analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, 1:4000/8000
CJ1W-AD041-V1(SL)	Analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, 1:4000/8000
CJ1W-AD042	Analogue input unit, 4x 1 to 5V, -5 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, 1:10,000/20,
CJ1W-AD04U -NL	Universal analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, 0 to 20mA, 4 to 20mA, the
CJ1W-AD04U(SL) -NL	Universal analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, 0 to 20mA, 4 to 20mA, the
CJ1W-AD081-V1 NL	Analogue input unit, 8x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, 1:4000/8000
CJ1W-AD081-V1(SL)	Analogue input unit, 8x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, 1:4000/8000
CJ1W-B7A04	
CJ1W-B7A14	
CJ1W-B7A22	
CJ1W-BAT01	Battery for CJ1M PLCs
CJ1W-CIF11	RS-485 adapter, 2 or 4 wire, connects directly to RS-232C 9-pin port for serial PLC li
CJ1W-CIF21	Compoway/F master adapter, converts RS-232C port of Omron PLC to RS-485 for co
CJ1W-CLK21-V1	Controller Link unit, wire type, data links and message communications
CJ1W-CLK23	
CJ1W-CORT21	User-defined CAN unit (11 and 29-bit identifiers)
CJ1W-CRM21	CompoNet CJ1 Master Unit
CJ1W-CT021	High-speed counter unit, 2 axis, 500kHz, RS-422 line driver or open collector input
CJ1W-CTL41-E	High-speed counter unit, 4x pulse input ports, 24 VDC open collector and line driver
CJ1W-CTS21-E	High speed counter unit, SSI absolute encoder 2 channels, 9 to 31 bit, Gray/Binary/T
CJ1W-DA021 NL	Analogue output unit, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, externally p
CJ1W-DA021(SL)	Analogue output unit, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, externally p
CJ1W-DA041 NL	Analogue output unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, externally p
CJ1W-DA041(SL)	Analogue output unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, externally p
CJ1W-DA042V	Analogue output unit, 4x 1 to 5V, 0 to 10V, -10 to 10V, 1:10,000/20,000/40,000 resolut
CJ1W-DA08C	Analogue output unit, 8 x 4-20mA outputs, screw terminals, 12 bit resolution
CJ1W-DA08C(SL)	Analogue output unit, 8 x 4-20mA outputs, screwless clamp terminals, 12 bit resolut

CJ1W-DA08V	Analogue output unit, 8x 1-5V/0-5V/0-10V/10V outputs, resolution 1:4000 scaleable
CJ1W-DA08V(SL)	Analogue output unit, 8x 1-5V/0-5V/0-10V/10V outputs, resolution 1:4000 scaleable
CJ1W-DCM11-E	24 VDC Motor Control Unit, 4A (10A peak), PWM control
CJ1W-DRM21	CompoBus/D (DeviceNet) master and slave unit
CJ1W-EIP21	CJ1 EtherNet/IP unit, 100Base-TX, supports CIP, FINS/UDP and FINS/TCP
CJ1W-EIP21(V1TEMP)	
CJ1W-ETN21	Ethernet unit, with RJ45 (100Base-TX and 10 Base-T) connector (TCP/IP & UDP/IP so
CJ1W-F159	Single-channel high speed weighing control unit, 4 x load cell inputs, 500 samples/s
CJ1W-FLN22	
CJ1W-IA111	Input unit, 16x 100-120 VAC inputs
CJ1W-IA201	Input unit, 8x 200-240 VAC inputs
CJ1W-IC101	Expansion I/O control unit, connects to right hand side of CPU
CJ1W-ID201	Input unit, 8x 24 VDC inputs, independent commons, screw terminal
CJ1W-ID211 CHN	Input unit, 16x 24 VDC inputs, screw terminal
CJ1W-ID211(SL)	Input unit, 16x 24 VDC inputs, screwless clamp terminal
CJ1W-ID212	Input Card
CJ1W-ID231-CHN	Input unit, 32x 24 VDC inputs, Fujitsu connector not included
CJ1W-ID232-CHN	Input unit, 32x 24 VDC inputs, MIL connector not included
CJ1W-ID233	
CJ1W-ID261-CHN	Input unit, 64x 24 VDC inputs, 2 x Fujitsu connectors not included
CJ1W-ID262-CHN	Input unit, 64x 24 VDC inputs, MIL connectors not included
CJ1W-IDP01	Quick response input unit, 16x 24 VDC inputs, single shot pulse capture 30uS minir
CJ1W-II101	Expansion I/O interface unit, connects to left hand side of expansion I/O rack, up to :
CJ1W-INT01	Interrupt unit, 16x 24 VDC inputs, 2 max per CPU
CJ1W-MAD42	Analogue I/O unit, 4x 10V 0-5V 0-10V 1-5V 4-20mA inputs, 2x 10V 0-5V 0-10V 1-5V
CJ1W-MAD42(SL)	Analogue I/O unit, 4x 10V 0-5V 0-10V 1-5V 4-20mA inputs, 2x 10V 0-5V 0-10V 1-5V
CJ1W-MCH71	Motion Control Unit, 30 Axes, Mechatrolink
CJ1W-MCH72	Trajexia CPU for CJ1
CJ1W-MD231	Mixed I/O unit, 16x 24 VDC inputs, 16x transistor outputs, NPN, 0.5A, 12 to 24 VDC, 2
CJ1W-MD232	Mixed I/O unit, 16x 24 VDC inputs, 16x transistor outputs, PNP, 0.5A, 24 VDC, 2A ma:
CJ1W-MD233	Mixed I/O unit, 16x 24 VDC inputs, 16x transistor outputs, NPN, 0.5A, 12 to 24 VDC, 2
CJ1W-MD261-Mixed I/O	Mixed I/O unit, 32x 24 VDC inputs, 32x transistor outputs, NPN, 0.5A, 12 to 24 VDC, 3
CJ1W-MD263	Mixed I/O unit, 32x 24 VDC inputs, 32x transistor outputs, NPN, 0.5A, 12 to 24 VDC, 3
CJ1W-MD563	Mixed I/O unit, 32x 5 VDC TTL inputs, 32x 5 VDC TTL outputs, MIL connectors not in
CJ1W-NC113	Position control unit, 1 axis, NPN open collector pulse string output, 500kHz
CJ1W-NC133	Position control unit, 1 axis, line driver pulse string output, 500kHz
CJ1W-NC213	Position control unit, 2 axes, NPN open collector pulse string output, 500kHz
CJ1W-NC214	
CJ1W-NC233	Position control unit, 2 axes, Line-driver output, 500kHz
CJ1W-NC234	
CJ1W-NC413	Position control unit, 4 axes, NPN open collector pulse string output, 500kHz
CJ1W-NC414	
CJ1W-NC433	Position control unit, 4 axes, line driver pulse string output, 500kHz
CJ1W-NC434	
CJ1W-NCF71	CJ1 Position Control Unit, 16 axes, over Mechatrolink II
CJ1W-OA201	Output unit, 8x triac outputs, 250 VAC, 0.6A, screw terminal
CJ1W-OC201(SL)	Output unit, 8x relay outputs, 250 VAC/24 VDC, 2A max, screwless clamp terminal, ir
CJ1W-OC201-CHN	Output unit, 8x relay outputs, 250 VAC/24 VDC, 2A max, screw terminal, independen
CJ1W-OC211 CHN	Output unit, 16x relay outputs, 250 VAC/24 VDC, 2A max, screw terminal
CJ1W-OC211(SL)	Output unit, 16x relay outputs, 250 VAC/24 VDC, 2A max, screwless clamp terminal
CJ1W-OD201	Output unit, 8x transistor outputs, NPN, 2.0A, 12 to 24 VDC, screw terminal
CJ1W-OD202	Output unit, 8x transistor outputs, PNP, 2.0A, 24 VDC, screw terminal

CJ1W-OD203	
CJ1W-OD204	Output unit, 8x transistor outputs, PNP, 0.5A, 24 VDC, screw terminal
CJ1W-OD211 CHN	Output unit, 16x transistor outputs, NPN, 0.5A, 12 to 24 VDC, screw terminal
CJ1W-OD211(SL)	Output unit, 16x transistor outputs, NPN, 0.5A, 12 to 24 VDC, screwless clamp terminal
CJ1W-OD212 CHN	Output unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, screw terminal, load short-circuit protection
CJ1W-OD212(SL)	Output unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, screwless clamp terminal, load short-circuit protection
CJ1W-OD213	
CJ1W-OD231-CHN	Output unit, 32x transistor outputs, NPN, 0.5A, 12 to 24 VDC, Fujitsu connector not included
CJ1W-OD232-CHN	Output unit, 32x transistor outputs, PNP, 0.5A, 24 VDC, MIL connector not included
CJ1W-OD233-CHN	Output unit, 32x transistor outputs, NPN, 0.5A, 24 VDC, MIL connector not included
CJ1W-OD234	
CJ1W-OD261-CHN	Output unit, 64x transistor outputs, NPN, 0.5A, 12 to 24 VDC, Fujitsu connector not included
CJ1W-OD262	Output unit, 64x transistor outputs, PNP, 0.3A, 24 VDC, MIL connectors not included
CJ1W-OD263-CHN	Output unit, 64x transistor outputs, NPN, 0.3A, 24 VDC, MIL connectors not included
CJ1W-PA202	Power supply unit, 100 to 240 VAC, output capacity: 14W
CJ1W-PA205C	Power supply unit, 100 to 240 VAC, output capacity: 25W, with maintenance forecast output
CJ1W-PA205R	Power supply unit, 100 to 240 VAC, output capacity: 25W, with RUN output
CJ1W-PD022	Power supply unit, 24 VDC, output capacity: 19.6W
CJ1W-PD025	Power supply unit, 24 VDC, output capacity: 25W
CJ1W-PDC15	Isolated DC analogue input unit, 2 x inputs (4 to 20mA, 0 to 20mA, 1 to 5V, 0 to 5V, 0 to 10V, 0 to 1.25V)
CJ1W-PH41U	Universal analogue input unit, High Resolution, 4x 1 to 5V, 0 to 5V, 0 to 10V, 0 to 1.25V
CJ1W-PNT21	PROFINET IO controller
CJ1W-PRM21	Profibus-DP Master unit
CJ1W-PRT21	Profibus-DP slave unit, up to 100 words in and out, 180 words maximum
CJ1W-PTS15	Isolated thermocouple input unit, 2 x inputs (B, E, J, K, L, N, R, S, T, U, WRe-5-26, PL)
CJ1W-PTS16	
CJ1W-PTS51	Isolated thermocouple input unit, 4 x inputs (K, J, L, R, S, T, B), 0.1°C resolution
CJ1W-PTS52	Isolated RTD input unit, 4 x inputs (Pt100 (JIS, IEC), JPt100), 0.1°C resolution
CJ1W-SCU21-V1	Serial communication unit, 2x RS-232C ports, Protocol Macro, Host Link, 1:N NT Lin
CJ1W-SCU22	Serial Comms unit
CJ1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT Lin
CJ1W-SCU32	Serial comms unit
CJ1W-SCU41-V1	Serial communication unit, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link
CJ1W-SCU42	Comms unit
CJ1W-SP001	
CJ1W-SPU01-V2	CJ1 High-speed Data Storage and Processing Unit, 1 x 10/100Base-TX port, CF Card
CJ1W-SRM21	CompoBus/S master unit
CJ1W-TB101	
CJ1W-TC001	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (NPN) output
CJ1W-TC002	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output
CJ1W-TC003	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (NPN) output
CJ1W-TC004	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output
CJ1W-TC101	
CJ1W-TC102	Temperature control unit, Pt100 RTD inputs, transistor (PNP) output, 4 loops
CJ1W-TC103	
CJ1W-TC104	Temperature control unit, Pt100 RTD inputs, transistor (PNP) output, 2 loops, heater
CJ1W-TER01	End plate for CJ1 CPU rack or expansion rack. Only required as spare part.
CJ1W-TS561	Temperature sensor unit, 6x J/K thermocouple inputs, 0.1°C resolution
CJ1W-TS561(SL)	Temperature sensor unit, 6x J/K thermocouple inputs, 0.1°C resolution, screwless clamp terminal
CJ1W-TS562	Temperature sensor unit, 6x Pt100/Pt1000 RTD inputs, 0.1°C resolution
CJ1W-TS562(SL)	Temperature sensor unit, 6x Pt100/Pt1000 RTD inputs, 0.1°C resolution, screwless clamp terminal
CJ1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series

CJ1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series
CJ1W-V680C11	V680 RFID Sensor Unit, one channel, for CJ1W PLC's
CJ1W-V680C12	V680 RFID Sensor Unit, two channel for CJ1W PLC's
CJ2H-CPU64	CPU, 50k steps program, 32K words data memory, 32K words x 4 banks EM, 2,560 I/O
CJ2H-CPU64-EIP	CPU with built-in EtherNet/IP port, 50k steps program, 32K words data memory, 32K
CJ2H-CPU65	CPU, 100k steps program, 32K words data memory, 32K words x 4 banks EM, 2,560 I/O
CJ2H-CPU65-EIP	CPU with built-in EtherNet/IP port, 100k steps program, 32K words data memory, 32K
CJ2H-CPU66	CPU, 150k steps program, 32K words data memory, 32K words x 10 banks EM, 2,560 I/O
CJ2H-CPU66-EIP	CPU with built-in EtherNet/IP port, 150k steps program, 32K words data memory, 32K
CJ2H-CPU67	CPU, 250k steps program, 32K words data memory, 32K words x 15 banks EM, 2,560 I/O
CJ2H-CPU67-EIP	CPU with built-in EtherNet/IP port, 250k steps program, 32K words data memory, 32K
CJ2H-CPU68	CPU, 400k steps program, 32K words data memory, 32K words x 25 banks EM, 2,560 I/O
CJ2H-CPU68-EIP	CPU with built-in EtherNet/IP port, 400k steps program, 32K words data memory, 32K
CJ2M-CPU11	CPU, 5K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU12	CPU, 10K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU13	CPU, 20K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU14	CPU, 30K steps program, 20K steps Function Block memory, 160K word data memo
CJ2M-CPU15	CPU, 60K steps program, 20K steps Function Block memory, 160K word data memo
CJ2M-CPU31	CPU, 5K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU32	CPU, 10K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU33	CPU, 20K steps program, 20K steps Function Block memory, 64K word data memory,
CJ2M-CPU34	CPU, 30K steps program, 20K steps Function Block memory, 160K word data memo
CJ2M-CPU35	CPU, 60K steps program, 20K steps Function Block memory, 160K word data memo
CJ-OD507-18P-5	Set of 5 screw terminal blocks (18-points) for CJ1 I/O units
CJ-WM01-18P-5	Set of 5 screwless clamp terminal blocks (18-points) for CJ1 I/O units
CLEAN-P-02(X50PCS)	
CM-090	Ethernet option card, Modbus TCP/IP interface
CM-091	
CM-092	
CM10-AP-10S-M-D-G1	
CM10-SP-10S-M-D-G1	
CM10Y-AP2S-M-D-G1	
CM300HA-24H	
CM400HA-24H	
CM-A2/P	
CMPC-PRT01	
CMPC-PRT02	
CMPC-PRT05	
CMPC-PRT06	
CMPC-PRT07	
CMPC-PRT08	
CMPD-PRT04	
CMPD-PRT05	I/O expansion ASIC, box of 240 pcs.
CMPD-PRT06	I/O expansion ASIC, box of 60 pcs.
CMPD-PRT08	
CMPD-PRT30B	
CMPS-PRT01	
CMPS-PRT02	CompoBus/S slave ASIC 8 point TF350TFB, 60 pcs
CMPS-PRT05	
CMPS-PRT06	
CMPS-PRT07	Miniature pulse transformer 95-113, driver/receiver AD51/025-0, 300 pcs
CMPS-PRT08	Miniature pulse transformer 95-113, driver/receiver AD51/025-0, 60pcs

CMPS-PRT11	CompoBus/S slave ASIC 16 point TF365TF, 200 pcs
CMPS-PRT12	CompoBus/S slave ASIC 16 point TF365TF, 40 pcs
CMPS-PRT16	
CONECTOR MINI DELTA 36-V1	Connector
CONNECTOR FOR CPM2C-10CDR	
CONNECTORS FOR NT20M	
CONTROLLER LINK KÁBEL	
CP040-MO1-010-111/SGMAH-A3	
CP040-MO1-010-111/SJME01	
CP040-MO2-100-111/SJME-01	
CP040-MO2-25-111/SJME-01	
CP060-MO1-005-111/SGMAH04	
CP060-MO1-010-111/R7M-A40030	
CP060-MO1-010-111/SJME02	
CP060-MO2-25-111/SJME-01	
CP060-MO2-25-111/SJME-02	
CP080-MO1-010-111/R7MA40030	
CP080-MO1-010-111/SJME-04	
CP080-MO2-025-111/SJME02	
CP080-MO2-050-111/R7MA40030	
CP080-MO2-050-111/SJME02	
CP080-MO2-25-111/SJME-04	
CP115-MO1-010-111/R7M-A75030	
CP115-MO2-025-111/SGMGH-09	
CP1E-E10DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x relay outputs 2A, 2K s
CP1E-E10DT-A	CP1E-E PLC CPU, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x NPN transistor output
CP1E-E10DT1-A	CP1E-E PLC CPU, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x PNP transistor output
CP1E-E10DR-D	CP1E-E PLC CPU, 24VDC supply, 6 x 24 VDC inputs, 4 x relay outputs 2A, 2K steps p
CP1E-E10DT-D	CP1E-E PLC CPU, 24VDC supply, 6 x 24 VDC inputs, 4 x NPN transistor outputs, 2K :
CP1E-E10DT1-D	CP1E-E PLC CPU, 24VDC supply, 6 x 24 VDC inputs, 4 x PNP transistor outputs, 2K :
CP1E-E14DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2A, 2K s
CP1E-N14DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2A, 2K s
CP1E-N14DT-A	CP1E-E PLC CPU, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x NPN transistor output
CP1E-N14CT1-A	CP1E-E PLC CPU, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x PNP transistor output
CP1E-N14DR-D	CP1E-E PLC CPU, 24VDC supply, 8 x 24 VDC inputs, 6 x relay outputs 2A, 2K steps p
CP1E-N14DT-D	CP1E-E PLC CPU, 24VDC supply, 8 x 24 VDC inputs, 6 x NPN transistor outputs, 2K :
CP1E-N14DT1-D	CP1E-E PLC CPU, 24VDC supply, 8 x 24 VDC inputs, 6 x PNP transistor outputs, 2K :
CP1E-E20DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2A, 2K
CP1E-E30DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2A, 2l
CP1E-E40DR-A	CP1E-E PLC CPU, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2A, 2l
CP1E-N20DR-A	CP1E-N PLC CPU, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2A, 8K
CP1E-N20DR-D	CP1E-N PLC CPU, 24VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2A, 8K steps
CP1E-N20DT1-A	CP1E-N PLC CPU, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x PNP transistor outpu
CP1E-N20DT1-D	CP1E-N PLC CPU, 24VDC supply, 12 x 24 VDC inputs, 8 x PNP transistor outputs, 8K
CP1E-N20DT-A	CP1E-N PLC CPU, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x NPN transistor outpu
CP1E-N20DT-D	CP1E-N PLC CPU, 24VDC supply, 12 x 24 VDC inputs, 8 x NPN transistor outputs, 8K
CP1E-N30DR-A	CP1E-N PLC CPU, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2A, 8l
CP1E-N30DR-D	CP1E-N PLC CPU, 24VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2A, 8K step
CP1E-N30DT1-A	CP1E-N PLC CPU, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x PNP transistor outp
CP1E-N30DT1-D	CP1E-N PLC CPU, 24VDC supply, 18 x 24 VDC inputs, 12 x PNP transistor outputs, 8
CP1E-N30DT-A	CP1E-N PLC CPU, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x NPN transistor outp
CP1E-N30DT-D	CP1E-N PLC CPU, 24VDC supply, 18 x 24 VDC inputs, 12 x NPN transistor outputs, 8

CP1E-N40DR-A	CP1E-N PLC CPU, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2A, 8I
CP1E-N40DR-D	CP1E-N PLC CPU, 24VDC supply, 24 x 24 VDC inputs, 16 x relay outputs 2A, 8K step
CP1E-N40DT1-A	CP1E-N PLC CPU, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x PNP transistor outp
CP1E-N40DT1-D	CP1E-N PLC CPU, 24VDC supply, 24 x 24 VDC inputs, 16 x PNP transistor outputs, 8
CP1E-N40DT-A	CP1E-N PLC CPU, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x NPN transistor outp
CP1E-N40DT-D	CP1E-N PLC CPU, 24VDC supply, 24 x 24 VDC inputs, 16 x NPN transistor outputs, 8
CP1E-N60DR-A	CP1E-N PLC CPU, 100-240 VAC supply, 32 x 24 VDC inputs, 24 x relay outputs 2A, 8I
CP1E-N60DT-A	CP1E-N PLC CPU, 100-240 VAC supply, 32x 24 VDC inputs, 24 x NPN transistor outp
CP1E-N60DT1-A	CP1E-N PLC CPU, 100-240 VAC supply, 32x 24 VDC inputs, 24 x PNP transistor outp
CP1E-N60DR-D	CP1E-N PLC CPU, 24VDC supply, 32 x 24 VDC inputs, 24 x relay outputs 2A, 8K step
CP1E-N60DT-T	CP1E-N PLC CPU
CP1E-N60DT1-D	CP1E-N PLC CPU, 24VDC supply, 32x 24 VDC inputs, 24 x PNP transistor outputs, 8I
CP1E-NA20DR-A	CP1E-N PLC CPU, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2A, 2 x
CP1E-NA20DT1-D	CP1E-N PLC CPU, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP transistor outputs 0.
CP1E-NA20DT-D	CP1E-N PLC CPU, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN transistor outputs 0.
CP1H-X40DR-A	PLC, 20K steps program, 32K words data memory, 100-240 VAC supply, 24x 24 VDC
CP1H-X40DT1-D	PLC, 20K steps program, 32K words data memory, 24 VDC supply, 24x 24 VDC input
CP1H-X40DT-D	PLC, 20K steps program, 32K words data memory, 24 VDC supply, 24x 24 VDC input
CP1H-XA40DR-A	PLC, 20K steps program, 32K words data memory, 100-240 VAC supply, 24x 24 VDC
CP1H-XA40DT1-D	PLC, 20K steps program, 32K words data memory, 24 VDC supply, 24x 24 VDC input
CP1H-XA40DT-D	PLC, 20K steps program, 32K words data memory, 24 VDC supply, 24x 24 VDC input
CP1H-Y20DT-D	PLC, 20K steps program, 32K words data memory, 24 VDC supply, 12x 24 VDC + 2x
CP1L-J14DR-A	CP1L PLC CPU, 100-240 VAC supply, 8x 24 VDC inputs, 6x relay outputs 2A, 1KStep
CP1L-J14DR-D	CP1L PLC CPU, 24 VDC supply, 8x 24 VDC inputs, 6x relay outputs 2A, 1KSteps pro
CP1L-J14DT1-D	CP1L PLC CPU, 24 VDC supply, 8x 24 VDC inputs, 6x PNP outputs 0.3A, 1KSteps pr
CP1L-J20DR-A	CP1L PLC CPU, 100-240 VAC supply, 12x 24 VDC inputs, 8x relay outputs 2A, 1KSte
CP1L-J20DR-D	CP1L PLC CPU, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2A, 1KSteps pr
CP1L-J20DT1-D	CP1L PLC CPU, 24 VDC supply, 12x 24 VDC inputs, 8x PNP outputs 0.3A, 1KSteps p
CP1L-L10DR-A	CP1L PLC CPU, 100-240 VAC supply, 6x 24 VDC inputs, 4-x relay outputs 2A, 5KSte
CP1L-L10DR-D	CP1L PLC CPU, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2A, 5KSteps pro
CP1L-L10DT1-D	CP1L PLC CPU, 24 VDC supply, 6x 24 VDC inputs, 4x PNP outputs 0.3A, 5KSteps pr
CP1L-L10DT-A	
CP1L-L10DT-D	CP1L PLC CPU, 24 VDC supply, 6x 24 VDC inputs, 4x NPN outputs 0.3A, 5KSteps pr
CP1L-L14DR-A	CP1L PLC CPU, 100-240 VAC supply, 8x 24 VDC inputs, 6x relay outputs 2A, 5KStep
CP1L-L14DR-D	CP1L PLC CPU, 24 VDC supply, 8x 24 VDC inputs, 6x relay outputs 2A, 5KSteps pro
CP1L-L14DT1-D	CP1L PLC CPU, 24 VDC supply, 8x 24 VDC inputs, 6x PNP outputs 0.3A, 5KSteps pr
CP1L-L14DT-A	
CP1L-L14DT-D	CP1L PLC CPU, 24 VDC supply, 8x 24 VDC inputs, 6x NPN outputs 0.3A, 5KSteps pr
CP1L-L20DR-A	CP1L PLC CPU, 100-240 VAC supply, 12x 24 VDC inputs, 8x relay outputs 2A, 5KSte
CP1L-L20DR-D	CP1L PLC CPU, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2A, 5KSteps pr
CP1L-L20DT1-D	CP1L PLC CPU, 24 VDC supply, 12x 24 VDC inputs, 8x PNP outputs 0.3A, 5KSteps p
CP1L-L20DT-A	CP1L PLC CPU, 100-240 VAC supply, 12x 24 VDC inputs, 8x NPN outputs 0.3A, 5KSt
CP1L-L20DT-D	CP1L PLC CPU, 24 VDC supply, 12x 24 VDC inputs, 8x NPN outputs 0.3A, 5KSteps p
CP1L-M30DR-A	CP1L PLC CPU, 100-240 VAC supply, 18x 24 VDC inputs, 12x relay outputs 2A, 10KS
CP1L-M30DR-D	CP1L PLC CPU, 24 VDC supply, 18x 24 VDC inputs, 12x relay outputs 2A, 10KSteps
CP1L-M30DT1-D	CP1L PLC CPU, 24 VDC supply, 18x 24 VDC inputs, 12x PNP outputs 0.3A, 10KSteps
CP1L-M30DT-A	
CP1L-M30DT-D	CP1L PLC CPU, 24 VDC supply, 18x 24 VDC inputs, 12x NPN outputs 0.3A, 10KSteps
CP1L-M40DR-A	CP1L PLC CPU, 100-240 VAC supply, 24x 24 VDC inputs, 16x relay outputs 2A, 10KS
CP1L-M40DR-D	CP1L PLC CPU, 24 VDC supply, 24x 24 VDC inputs, 16x relay outputs 2A, 10KSteps
CP1L-M40DT1-D	CP1L PLC CPU, 24 VDC supply, 24x 24 VDC inputs, 16x PNP outputs 0.3A, 10KSteps
CP1L-M40DT-A	

CP1L-M40DT-D	CP1L PLC CPU, 24 VDC supply, 24x 24 VDC inputs, 16x NPN outputs 0.3A, 10KSteps
CP1L-M60DR-A	CP1L PLC CPU, 100-240 VAC supply, 36x 24 VDC inputs, 24x relay outputs 2A, 10KS
CP1L-M60DR-D	CP1L PLC CPU, 24 VDC supply, 36x 24 VDC inputs, 24x relay outputs 2A, 10KSteps
CP1L-M60DT1-D	CP1L PLC CPU, 24 VDC supply, 36x 24 VDC inputs, 24x PNP outputs 0.3A, 10KSteps
CP1L-M60DT-A	
CP1L-M60DT-D	CP1L PLC CPU, 24 VDC supply, 36x 24 VDC inputs, 24x NPN outputs 0.3A, 10KSteps
CP1LSTARTEDUAC	
CP1LSTARTEDUDC	
CP1LSTARTERKITAC	CP1L Starter kit, AC Version, CP1L-L14DR-A,RS-232 Option Port,CX-One Lite Softwa
CP1LSTARTERKITDC	CP1L Starter kit, DC Version, CP1L-L14DT1-D,RS-232 Option Port,CX-One Lite Softw
CP1W-16ER	CP1 Expansion unit, 16x relay outputs 2A
CP1W-16ET	CP1 Expansion unit, 16x NPN outputs 0.3A
CP1W-16ET1	CP1 Expansion unit, 16x PNP outputs 0.3A
CP1W-20EDR1	CP1 Expansion unit, 12x 24 VDC inputs, 8x relay outputs 2A
CP1W-20EDT	CP1 Expansion unit, 12x 24 VDC inputs, 8x NPN outputs 0.3A
CP1W-20EDT1	CP1 Expansion unit, 12x 24 VDC inputs, 8x PNP outputs 0.3A
CP1W-32ER	CP1 Expansion unit, 32x relay outputs 2A
CP1W-32ET	CP1 Expansion unit, 32x NPN outputs 0.3A
CP1W-32ET1	CP1 Expansion unit, 32x PNP outputs 0.3A
CP1W-40EDR	CP1 Expansion unit, 24x 24 VDC inputs, 16x relay outputs 2A
CP1W-40EDT	CP1 Expansion unit, 24x 24 VDC inputs, 16x NPN outputs 0.3A
CP1W-40EDT1	CP1 Expansion unit, 24x 24 VDC inputs, 16x PNP outputs 0.3A
CP1W-8ED	CP1 Expansion unit, 8x 24 VDC inputs
CP1W-8ER	CP1 Expansion unit, 8x relay outputs 2A
CP1W-8ET	CP1 Expansion unit, 8x NPN outputs 0.3A
CP1W-8ET1	CP1 Expansion unit, 8x PNP outputs 0.3A
CP1W-AD041	CP1 Expansion analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 0 to 20m
CP1W-BAT01	Battery for CP1E/CP1L/CP1H
CP1W-CIF01	CP1 RS-232C serial communications option
CP1W-CIF11	CP1 RS-422/485 serial communications option
CP1W-CIF12	CP1 RS-422/485 (isolated) serial communications option
CP1W-CIF41	CP1 Ethernet option board
CP1W-CN221	USB cable, A-type male to B-type male, 1.8 m
CP1W-CN811	CP1 to CP1 Expansion units cable, 80cm
CP1W-DA041	CP1 Expansion analogue output unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 0 to 20
CP1W-DAM01	LCD option unit
CP1W-EXT01	CP1H to CJ1W unit adapter
CP1W-MAD11	CP1 Expansion analogue input/output unit, 2x 0-20mA/4-20mA/0-5V/1-5V/0-10V/-10- -
CP1W-ME05M	CP1 memory cassette (for upload/download of user program)
CP1W-SRT21	CP1 Compobus/S I/O link unit
CP1W-SWB06	Input switchboard
CP1W-TS001	CP1 Expansion Temperature sensor unit, 2x J/K thermocouple inputs
CP1W-TS002	CP1 Expansion Temperature sensor unit, 4x J/K thermocouple inputs
CP1W-TS101	CP1 Expansion Temperature sensor unit, 2x Pt100 inputs
CP1W-TS102	CP1 Expansion Temperature sensor unit, 4x Pt100 inputs
CPM1-10CDR-A BY OKA*	
CPM1-20CDR-A BY OKA	
CPM1-30CDR-A BY OKA	
CPM1A OUTPUT RELAY (2047617-0)	
CPM1A-10CDR-A-V1 NL	PLC, 100-240 VAC supply, 6x 24 VDC inputs, 4x relay outputs 2A
CPM1A-10CDR-D-V1 NL	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2A
CPM1A-10CDT1-A-V1 NL	PLC, 100-240 VAC supply, 6x 24 VDC inputs, 4x transistor outputs PNP 0.3A

CPM1A-10CDT1-D-V1 NL	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs PNP 0.3A
CPM1A-10CDT-A-V1 NL	PLC, 100-240 VAC supply, 6x 24 VDC inputs, 4x transistor outputs NPN 0.3A
CPM1A-10CDT-D-V1 NL	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs NPN 0.3A
CPM1A-20CDR-A-V1 NL	PLC, 100-240 VAC supply, 12x 24 VDC inputs, 8x relay outputs 2A
CPM1A-20CDT1-A-V1 NL	PLC, 100-240 VAC supply, 12x 24 VDC inputs, 8x transistor outputs PNP 0.3A
CPM1A-20CDT1-D-V1 NL	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs PNP 0.3A
CPM1A-20CDT-A-V1 NL	
CPM1A-20CDT-D-V1 NL	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs NPN 0.3A
CPM1A-20EDR1	
CPM1A-20EDR1 -NL-	Expansion unit, 12x 24 VDC inputs, 8x relay outputs 2A
CPM1A-20EDT	
CPM1A-20EDT -NL-	Expansion unit, 12x 24 VDC inputs, 8x transistor outputs NPN 0.3A
CPM1A-20EDT1	
CPM1A-20EDT1 -NL-	Expansion unit, 12x 24 VDC inputs, 8x transistor outputs PNP 0.3A
CPM1A-30CDR-A-V1 NL	PLC, 100-240 VAC supply, 18x 24 VDC inputs, 12x relay outputs 2A
CPM1A-30CDR-D-V1 NL	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x relay outputs 2A
CPM1A-30CDT1-A-V1 NL	PLC, 100-240 VAC supply, 18x 24 VDC inputs, 12x transistor outputs PNP 0.3A
CPM1A-30CDT1-D-V1 NL	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x transistor outputs PNP 0.3A
CPM1A-30CDT-A-V1 NL	
CPM1A-30CDT-D-V1 NL	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x transistor outputs NPN 0.3A
CPM1A-40CDR-A-V1 NL	PLC, 100-240 VAC supply, 24x 24 VDC inputs, 16x relay outputs 2A
CPM1A-40CDR-D-V1 NL	PLC, 24 VDC supply, 24x 24 VDC inputs, 16x relay outputs 2A
CPM1A-40CDT1-A-V1 NL	
CPM1A-40CDT1-D-V1 NL	PLC, 24VDC supply, 24x 24VDC inputs, 16x transistor outputs PNP 0.3A
CPM1A-40CDT-A-V1 NL	
CPM1A-40CDT-D-V1 NL	PLC, 24 VDC supply, 24x 24 VDC inputs, 16x transistor outputs NPN 0.3A
CPM1A-40EDR	Expansion unit, 24x 24 VDC inputs, 16x relay outputs 2A
CPM1A-40EDT	Expansion unit, 24x 24 VDC inputs, 16x transistor outputs, 4.5 to 30 VDC, NPN 0.3A
CPM1A-40EDT1	Expansion unit, 24x 24 VDC inputs, 16x transistor outputs, 4.5 to 30 VDC, PNP 0.3A
CPM1A-8ED	Expansion unit, 8x 24 VDC inputs
CPM1A-8ED -NL-	Expansion unit, 8x 24 VDC inputs
CPM1A-8ER	
CPM1A-8ER -NL-	Expansion unit, 8x relay outputs 2A
CPM1A-8ET	Expansion unit, 8x transistor outputs NPN 0.3A
CPM1A-8ET1	Expansion unit, 8x transistor outputs PNP 0.3A
CPM1A-AD041	Analogue input unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, 1
CPM1A-DA041	Analogue output unit, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, 1
CPM1A-DRT21	DeviceNet slave unit, 2 words in / 2 words out
CPM1A-MAD01 -NL	Analogue input/output unit, 2x 4-20mA/1-5V/0-10V inputs, 1x 4-20mA/0-10V/ -10-+10V
CPM1A-MAD11	Analogue input/output unit, 2x 0-20mA/4-20mA/0-5V/1-5V/0-10V/-10- +10V inputs, 1x
CPM1A-NT11 KIT	
CPM1A-PRT21	
CPM1A-SRT21	Profibus-DP slave unit, 1 word in / 1 word out
CPM1A-TS001	Temperature sensor unit, 2x J/K thermocouple inputs
CPM1A-TS002	Temperature sensor unit, 4x J/K thermocouple inputs
CPM1A-TS101	Temperature sensor unit, 2x Pt100 inputs
CPM1A-TS101-DA	Temperature sensor unit, 2x Pt100 inputs, 1x 4-20mA/0-10V/-10- +10V output
CPM1A-TS102	Temperature sensor unit, 4x Pt100 inputs
CPM1-CIF01	
CPM1-CIF01 BY OKA	
CPM1-CIF01 NL	
CPM1-CIF11	RS-232C adapter unit for SRM/CPM/CQM/C200HS/C200H ALPHA, converts periphera

CPM1-CIF11 NL	RS-422 adapter unit for SRM/CPM/CQM/C200HS/C200H ALPHA, converts peripheral
CPM1-EMU01-V1 -NL	Program & PC set up memory copy unit for SRM, CPM, CQM (requires EEPROM)
CPM2A 24DC RELÉ	
CPM2A-20CDR-A-GSMSW	
CPM2A-20CDR-D-NL	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2A, RS-232C port, RTC
CPM2A-20CDT1-D-NL	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs PNP 0.3A, RS-232C port, RTC
CPM2A-20CDT-D-NL	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs NPN 0.3A, RS-232C port, RTC
CPM2A-30CDR-A	PLC, 100-240 VAC supply, 18x 24 VDC inputs, 12x relay outputs 2A, RS-232C port, RTC
CPM2A-30CDR-D -NL-	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x relay outputs 2A, RS-232C port, RTC
CPM2A-30CDT1-D -NL-	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x transistor outputs PNP 0.3A, RS-232C port, RTC
CPM2A-30CDT-D-NL	PLC, 24 VDC supply, 18x 24 VDC inputs, 12x transistor outputs NPN 0.3A, RS-232C port, RTC
CPM2A-40CDR-A	PLC, 100-240 VAC supply, 24x 24 VDC inputs, 16x relay outputs 2A, RS-232C port, RTC
CPM2A-40CDR-D -NL-	PLC, 24 VDC supply, 24x 24 VDC inputs, 16x relay outputs 2A, RS-232C port, RTC
CPM2A-40CDR-D1	
CPM2A-40CDT1-D NL	PLC, 24 VDC supply, 24x 24 VDC inputs, 16x transistor outputs PNP 0.3A, RS-232C port, RTC
CPM2A-40CDT-D-NL	PLC, 24 VDC supply, 24x 24 VDC inputs, 16x transistor outputs NPN 0.3A, RS-232C port, RTC
CPM2A-60CDR-D -NL-	PLC, 24 VDC supply, 36x 24 VDC inputs, 24x relay outputs 2A, RS-232C port, RTC
CPM2A-60CDT1-D -NL-	PLC, 24 VDC supply, 36x 24 VDC inputs, 24x transistor outputs PNP 0.3A, RS-232C port, RTC
CPM2A-60CDT-D -NL-	PLC, 24 VDC supply, 36x 24 VDC inputs, 24x transistor outputs NPN 0.3A, RS-232C port, RTC
CPM2A-BAT01	Battery for CPM2A/CQM1H/CJ1G/CJ1H PLCs
CPM2A-CPU41	CPU 8I/4O 2 analog in, 1 analog out, 1 PT100
CPM2B-32C1D1T-D12	
CPM2B-32C1DR-D	
CPM2B-32C1DT-D	
CPM2B-32C2D1T-D12	
CPM2B-32C2DR-D	
CPM2B-32C2DT-D	
CPM2B-32ED1T	
CPM2B-32EDT	
CPM2B-40C2DR-D	
CPM2B-40EDR	
CPM2B-64EDT	
CPM2B-ATT01	
CPM2B-MAD21	
CPM2B-MAD42	
CPM2B-MAD63	
CPM2B-S001M-DRT-V1	
CPM2B-S001M-ENR	
CPM2C-10C1DR-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2A, RTC
CPM2C-10C1DT1C-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A, RTC
CPM2C-10C1DT1C-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A, RTC
CPM2C-10C1DT1M-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A, RTC
CPM2C-10C1DTC-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, NPN 0.3A, RTC
CPM2C-10C1DTM-D	
CPM2C-10CDR-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2A
CPM2C-10CDT1C-D	
CPM2C-10CDT1M-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A
CPM2C-10CDTC-D	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, NPN 0.3A
CPM2C-10CDTM-D	
CPM2C-10EDR	Expansion unit, 6x 24 VDC inputs, 4x relay outputs 2A
CPM2C-16EDC	Expansion unit, 16x 24 VDC inputs, Fujitsu Connector
CPM2C-16EDM	Expansion unit, 16x 24 VDC inputs, MIL Connector

CPM2C-16ET1C	Expansion unit, 16x transistor outputs PNP 0.3A
CPM2C-16ET1M	Expansion unit, 16x transistor outputs PNP 0.3A, MIL Connectors
CPM2C-16ETC	Expansion unit, 16x transistor outputs NPN 0.3A
CPM2C-16ETM	Expansion unit, 16x transistor outputs NPN 0.3A, MIL connectors
CPM2C-20C1DR-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2A, RTC
CPM2C-20C1DT1C-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A, RTC
CPM2C-20C1DT1M-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A, RTC
CPM2C-20C1DTC-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, NPN 0.3A, RTC
CPM2C-20C1DTM-D	
CPM2C-20CDR-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2A
CPM2C-20CDT1C-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A
CPM2C-20CDT1M-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A
CPM2C-20CDTC-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, NPN 0.3A
CPM2C-20CDTM-D	PLC, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, NPN 0.3A, MIL connec
CPM2C-20EDR	Expansion unit, 12x 24 VDC inputs, 8x relay outputs 2A
CPM2C-24EDT1C	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs PNP 0.3A
CPM2C-24EDT1C	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs PNP 0.3A
CPM2C-24EDT1M	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs PNP 0.3A, MIL Connectors
CPM2C-24EDTC	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs NPN 0.3A
CPM2C-24EDTM	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs NPN 0.3A, MIL connectors
CPM2C-32CDT1C-D	PLC, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, PNP 0.3A
CPM2C-32CDT1M-D	PLC, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, PNP 0.3A, MIL conn
CPM2C-32CDTC-D	PLC, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, NPN 0.3A
CPM2C-32CDTM-D	PLC, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, NPN 0.3A, MIL conn
CPM2C-32EDT1C	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs PNP 0.3A
CPM2C-32EDT1M	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs PNP 0.3A, MIL connectors
CPM2C-32EDTC	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs NPN 0.3A
CPM2C-32EDTM	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs NPN 0.3A, MIL connectors
CPM2C-8EDC	Expansion unit, 8x 24 VDC inputs, Fujitsu Connector
CPM2C-8EDM	Expansion unit, 8x 24 VDC inputs, MIL Connector
CPM2C-8ER	Expansion unit, 8x relay outputs
CPM2C-8ET1C	Expansion unit, 8x transistor outputs PNP 0.3A
CPM2C-8ET1C	Expansion unit, 8x transistor outputs PNP 0.3A
CPM2C-8ET1M	Expansion unit, 8x transistor outputs PNP 0.3A, MIL Connectors
CPM2C-8ETC	Expansion unit, 8x transistor outputs NPN 0.3A
CPM2C-8ETM	Expansion unit, 8x transistor outputs NPN 0.3A, MIL Connectors
CPM2C-BAT01	Battery for CPM2C PLCs
CPM2C-CIF01-V1	RS-232C adapter unit, converts peripheral port to RS-232C and peripheral port, DIN 1
CPM2C-CIF11	RS-422 adapter unit, converts peripheral port to RS422 and RS-232C port, DIN rail m
CPM2C-CIF21	RS-485 adapter unit, converts peripheral port into RS-422/485 port and a RS-232C pc
CPM2C-CN111 CHN	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral poi
CPM2C-MAD11	Analogue input/output unit, 2x 0-20mA/4-20mA/0-5V/1-5V/0-10V/-10- +10V inputs, 1x
CPM2C-PA201	Power supply unit, 100/240 VAC input, 24 VDC/600mA output
CPM2C-S100C	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, NPN 0.3A, Compobus/
CPM2C-S100C-DRT	PLC, programmable slave, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, I
CPM2C-S110C	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A, Compobus/
CPM2C-S110C-DRT	PLC, programmable slave, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, I
CPM2C-SRT21	CompoBus/S I/O link unit
CPM2C-TS001	Temperature sensor unit, 2x J/K thermocouple inputs
CPM2C-TS101	Temperature sensor unit, 2x Pt100 inputs
CPMC-MPA700	
CPMC-MPE720	

CPMC-MPE770		
CPMC-MPL700		
CPMC-MPL700C		
CPMC-MPL700C-10		
CPT6281		
CQM1-AD041	-JPN-	Analogue input unit, 4x 4-20mA/1-5V/0-10V/-10-+10V inputs (requires CQM1-IPS01/2
CQM1-AD042		Analogue input unit, 4x 0-20mA/0-5V/0-10V/-10-+10V inputs
CQM1-ARM21		AS-i master unit
CQM1-B7A02		
CQM1-B7A03		
CQM1-B7A12		
CQM1-B7A13		
CQM1-B7A21		
CQM1-CIF01		
CQM1-CIF02	-JPN-	Cable, 3m, with in-line converter, for connecting SRM/CPM/CQM/ C200HS/C200H ALI
CQM1-DA021	-JPN-	Analogue output unit, 2x 0-20mA/-10-+10V outputs (requires CQM1-IPS**)
CQM1-DA022		Analogue output unit, 2x 0-20mA/-10-+10V outputs
CQM1-DRT21		CompoBus/D (DeviceNet) I/O Link unit
CQM1-ENDPLT		
CQM1-G7M21		
CQM1-G7N01		
CQM1-G7N11		
CQM1H-ABB21		Encoder board, 2x absolute encoder interface, inner board equivalent to CQM1-CPU.
CQM1H-AVB41	-JPN-*	
CQM1H-AVB41	-NL-	Analogue setting board, 4x analogue setting potentiometers, inner board equivalent
CQM1H-CIF12		RS-422 adapter unit for CQM1H, converts peripheral port to RS-422, DIN rail mountin
CQM1H-CLK21	-JPN-*	
CQM1H-CLK21	-NL-	Sysmac Controller Link unit, twisted pair cable (use only with CQM1H-CPU51/61)
CQM1H-CPU11	-JPN-*	
CQM1H-CPU11	-NL-	CPU with 16x 24 VDC inputs, 3.2K words program / 3K words data memory, 256 I/O p
CQM1H-CPU21	-JPN-	
CQM1H-CPU21	-NL-	CPU with 16x 24 VDC inputs, 3.2K words program / 3K words data memory, RS-232C
CQM1H-CPU51	-NL-	CPU with 16x 24 VDC inputs, 7.2K words program / 6K words data memory, RS-232C
CQM1H-CPU61	-JPN-	
CQM1H-CPU61	-NL-	CPU with 16x 24 VDC inputs, 15.2K words program / 12K words data memory, RS-23
CQM1H-CTB41	-NL-	High-speed counter board, 4x pulse input ports, 50/500Khz single phase or 25/250Kf
CQM1H-CTB41	-JPN-*	
CQM1H-IC101		Expansion I/O control unit, connects to right hand side of CPU block, 5 I/O units ma
CQM1H-II101		Expansion I/O interface unit, connects to left hand side of expansion I/O block, 11 I/C
CQM1H-MAB42		Analogue I/O board, 4x 0-20mA/0-5V/0-10V/-10-+10V inputs, 2x 4-20mA/-10-+10V outp
CQM1H-ME16K	-JPN-*	
CQM1H-ME16K	-NL-	Memory cassette, flash ROM, 16K word, for CQM1H-CPU61
CQM1H-ME16R	-JPN-*	
CQM1H-ME16R	-NL-	Memory cassette, flash ROM, 16K word, with RTC, for CQM1H-CPU61
CQM1H-PLB21-CE		Pulse I/O board, 2x pulse I/O ports, inner board equivalent to CQM1-CPU43, right slo
CQM1H-PRO01-E		Programming console for CPM2C/CQM1H/CJ1/CS1 (CJ1/CS1 requires CS1W-KS001E
CQM1H-SCB41	-JPN-	
CQM1H-SCB41	-NL-	Serial communications board, 1x RS-422/485 port, 1x RS-232C port & protocol macr
CQM1H-TER01	-JPN	
CQM1-IA121	-JPN-	Input unit, 8x 100-120 VAC inputs
CQM1-IA221	-JPN-	Input unit, 8x 200-240 VAC inputs
CQM1-ID111		

CQM1-ID112		
CQM1-ID112		
CQM1-ID211		Input unit, 8x 12-24 VDC inputs, independent commons
CQM1-ID212		Input unit, 16x 24 VDC inputs
CQM1-ID213		Input unit, 32x 24 VDC inputs
CQM1-ID214		
CQM1-IPS01	-JPN-	Power supply unit for one AD041 or DA021 unit
CQM1-IPS02	-JPN-	Power supply unit for two AD041 or one AD041/one DA021 unit
CQM1-LK501	-JPN-	
CQM1-ME04K	-JPN-	
CQM1-ME04R		Memory cassette, EEPROM, 4K word, with RTC
CQM1-ME04R	-JPN-	
CQM1-ME08K		Memory cassette, EEPROM, 8K word
CQM1-ME08K	-JPN-	
CQM1-ME08R		Memory cassette, EEPROM, 8K word, with RTC
CQM1-MP08K	-JPN-	
CQM1-MP08R	-JPN-	
CQM1-OA221	-JPN-	Output unit, 8x triac outputs, 0.4A, 100-240 VAC
CQM1-OA222		
CQM1-OC221	CHN	Output unit,
CQM1-OC222		Output unit, 16x relay outputs, 2A, 24 VDC/250 VAC
CQM1-OC224	-NL	Output unit, 8x relay outputs, 2A, 24 VDC/250 VAC, independent commons
CQM1-OD211		Output unit, 8x transistor outputs, NPN, 2A, 24 VDC
CQM1-OD212		Output unit, 16x transistor outputs, NPN, 0.3A, 24 VDC
CQM1-OD213		Output unit, 32x transistor outputs, NPN, 0.1 A, 24 VDC
CQM1-OD214	-CHN	Output unit, 16x transistor outputs, PNP, 0.3A, 24 VDC
CQM1-OD215	JPN	Output unit, 8x transistor outputs, PNP, 1.0A, 24 VDC
CQM1-OD216	-NL	Output unit, 32x transistor outputs, PNP, 0.1 A, 24 VDC
CQM1-PA203	CHN	Power supply unit, 100 to 240 VAC
CQM1-PA206	-JPN-	Power supply unit, 100 to 240 VAC, including 0.5A 24 VDC service supply
CQM1-PA216		Power supply unit, 100/240 VAC, including 0.5A 24 VDC service supply
CQM1-PD026	-JPN-	Power supply unit, 24 VDC
CQM1-PRO01-E	-JPN-	
CQM1-PRT21		Profibus I/O link unit, 2/4/6 or 8 words in/out
CQM1-SF200		
CQM1-SRM21-V1		CompoBus/S master unit
CQM1-TC001		Temperature control unit, 2x J/K thermocouple inputs, NPN outputs
CQM1-TC002		Temperature control unit, 2x J/K thermocouple inputs, PNP outputs
CQM1-TC101		Temperature control unit, 2x Pt100 RTD inputs, NPN outputs
CQM1-TC102		Temperature control unit, 2x Pt100 RTD inputs, PNP outputs
CQM1-TC201		
CQM1-TC202		Temperature control unit, 4x R/S/K/J/T/L/B thermocouple inputs, PNP outputs
CQM1-TC203		
CQM1-TC204		
CQM1-TC301		
CQM1-TC302		
CQM1-TC303		
CQM1-TC304		
CR6L-300/UL		
CRS1-RPT01		CompoNet IP20 Repeater Unit
CRT1-AD04		CompoNet IP20 word slave unit, 4 points analogue input, 1 to 5V, 0 to 5V, 0 to 10V, -'
CRT1B-ID02S		CompoNet IP20 bit slave unit, 2x 24 VDC inputs, NPN, e-CON connectors

CRT1B-ID02S-1	CompoNet IP20 bit slave unit, 2x 24 VDC inputs, PNP, e-CON connectors
CRT1B-ID02SP	CompoNet IP54 bit slave unit, 2x 24 VDC inputs, NPN, e-CON connectors
CRT1B-ID02SP-1	CompoNet IP54 bit slave unit, 2x 24 VDC inputs, PNP, e-CON connectors
CRT1B-ID04SP	CompoNet IP54 bit slave unit, 4x 24 VDC inputs, NPN, e-CON connectors
CRT1B-ID04SP-1	CompoNet IP54 bit slave unit, 4x 24 VDC inputs, PNP, e-CON connectors
CRT1B-MD04SLP	CompoNet IP54 bit slave unit, 2x 24 VDC inputs NPN, 2x transistor outputs NPN 0.2A
CRT1B-MD04SLP-1	CompoNet IP54 bit slave unit, 2x 24 VDC inputs PNP, 2x transistor outputs PNP 0.2A
CRT1B-OD02S	CompoNet IP20 bit slave unit, 2x transistor outputs, NPN, 0.2A, 24 VDC, e-CON conn
CRT1B-OD02S-1	CompoNet IP20 bit slave unit, 2x transistor outputs, PNP, 0.2A, 24 VDC, e-CON conn
CRT1B-OD02SP	CompoNet IP54 bit slave unit, 2x transistor outputs, NPN, 0.2A, 24 VDC, e-CON conn
CRT1B-OD02SP-1	CompoNet IP54 bit slave unit, 2x transistor outputs, PNP, 0.2A, 24 VDC, e-CON conn
CRT1-DA02	CompoNet IP20 word slave unit, 2 points analogue output, 1 to 5V, 0 to 5V, 0 to 10V,
CRT1-ID08	CompoNet IP20 word slave unit, 8x 24 VDC inputs, NPN, screw terminals
CRT1-ID08-1	CompoNet IP20 word slave unit, 8x 24 VDC inputs, PNP, screw terminals
CRT1-ID08SL	CompoNet IP20 slave unit, 8x 24 VDC inputs, NPN, screwless connectors
CRT1-ID08SL-1	CompoNet IP20 slave unit, 8x 24 VDC inputs, PNP, screwless connectors
CRT1-ID08TA	CompoNet IP20 slave unit, 8x 24 VDC inputs, NPN, 3-tier screw terminals
CRT1-ID08TA-1	CompoNet IP20 slave unit, 8x 24 VDC inputs, PNP, 3-tier screw terminals
CRT1-ID08TAH	CompoNet IP20 slave unit, High Functionality, 8x 24 VDC inputs, NPN, 3-tier screw te
CRT1-ID08TAH-1	CompoNet IP20 slave unit, High Functionality, 8x 24 VDC inputs, PNP, 3-tier screw te
CRT1-ID16	CompoNet IP20 word slave unit, 16x 24 VDC inputs, NPN, screw terminals
CRT1-ID16-1	CompoNet IP20 word slave unit, 16x 24 VDC inputs, PNP, screw terminals
CRT1-ID16SL	CompoNet IP20 slave unit, 16x 24 VDC inputs, NPN, screwless connectors
CRT1-ID16SL-1	CompoNet IP20 slave unit, 16x 24 VDC inputs, PNP, screwless connectors
CRT1-ID16TA	CompoNet IP20 slave unit, 16x 24 VDC inputs, NPN, 3-tier screw terminals
CRT1-ID16TA-1	CompoNet IP20 slave unit, 16x 24 VDC inputs, PNP, 3-tier screw terminals
CRT1-ID16TAH	CompoNet IP20 slave unit, High Functionality, 16x 24 VDC inputs, NPN, 3-tier screw
CRT1-ID16TAH-1	CompoNet IP20 slave unit, High Functionality, 16x 24 VDC inputs, PNP, 3-tier screw
CRT1-MD16	CompoNet IP20 slave unit, 8x 24 VDC inputs NPN & 8x transistor outputs NPN 0.5A,
CRT1-MD16-1	CompoNet IP20 slave unit, 8x 24 VDC inputs PNP & 8x transistor outputs PNP 0.5A,
CRT1-MD16SL	CompoNet IP20 slave unit, 8x 24 VDC inputs NPN & 8x transistor outputs NPN 0.5A,
CRT1-MD16SL-1	CompoNet IP20 slave unit, 8x 24 VDC inputs PNP & 8x transistor outputs PNP, 0.5A,
CRT1-MD16TA	CompoNet IP20 slave unit, 8x 24 VDC inputs NPN & 8x transistor outputs NPN 0.5A,
CRT1-MD16TA-1	CompoNet IP20 slave unit, 8x 24 VDC inputs PNP & 8x transistor outputs PNP 0.5A,
CRT1-MD16TAH	CompoNet IP20 slave unit, High Functionality, 8x 24 VDC inputs NPN & 8x transistor
CRT1-MD16TAH-1	CompoNet IP20 slave unit, High Functionality, 8x 24 VDC inputs PNP & 8x transistor
CRT1-OD08	CompoNet IP20 word slave unit, 8x transistor outputs, NPN, 0.5A, 24 VDC, screw ter
CRT1-OD08-1	CompoNet IP20 word slave unit, 8x transistor outputs, PNP, 0.5A, 24 VDC, screw ter
CRT1-OD08SL	CompoNet IP20 slave unit, 8x transistor outputs, NPN, 0.5A, 24 VDC, screwless con
CRT1-OD08SL-1	CompoNet IP20 slave unit, 8x transistor outputs, PNP, 0.5A, 24 VDC, screwless con
CRT1-OD08TA	CompoNet IP20 slave unit, 8x transistor outputs, NPN, 0.5A, 24 VDC, 3-tier screw ter
CRT1-OD08TA-1	CompoNet IP20 slave unit, 8x transistor outputs, PNP, 0.5A, 24 VDC, 3-tier screw ter
CRT1-OD08TAH	CompoNet IP20 slave unit, High Functionality, 8x transistor outputs, NPN, 0.5A, 24 V
CRT1-OD08TAH-1	CompoNet IP20 slave unit, High Functionality, 8x transistor outputs, PNP, 0.5A, 24 V
CRT1-OD16	CompoNet IP20 word slave unit, 16x transistor outputs, NPN, 0.5A, 24 VDC, screw te
CRT1-OD16-1	CompoNet IP20 word slave unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, screw te
CRT1-OD16SL	CompoNet IP20 slave unit, 16x transistor outputs, NPN, 0.5A, 24 VDC, screwless co
CRT1-OD16SL-1	CompoNet IP20 slave unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, screwless co
CRT1-OD16TA	CompoNet IP20 slave unit, 16x transistor outputs, NPN, 0.5A, 24 VDC, 3-tier screw te
CRT1-OD16TA-1	CompoNet IP20 slave unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, 3-tier screw te
CRT1-OD16TAH	CompoNet IP20 slave unit, High Functionality, 16x transistor outputs, NPN, 0.5A, 24
CRT1-OD16TAH-1	CompoNet IP20 slave unit, High Functionality, 16x transistor outputs, PNP, 0.5A, 24

CRT1-ROF08	CompoNet IP20 slave unit, 8x SSR Outputs,
CRT1-ROF16	CompoNet IP20 slave unit, 16x SSR Outputs
CRT1-ROS08	CompoNet IP20 slave unit, 8x relay outputs, screw-terminals
CRT1-ROS16	CompoNet IP20 slave unit, 16x relay outputs, screw-terminals
CRT1-TS04P	CompoNet IP20 Temperature input, 4 x Pt100 RTD
CRT1-TS04T	CompoNet IP20 Temperature input, 4 x Thermocouple
CRT1-VID16ML	CompoNet IP20 vertical slave unit, 16x 24 VDC inputs, NPN, MIL Connector
CRT1-VID16ML-1	CompoNet IP20 vertical slave unit, 16x 24 VDC inputs, PNP, MIL Connector
CRT1-VID32ML	CompoNet IP20 vertical slave unit, 32x 24 VDC inputs, NPN, MIL Connector
CRT1-VID32ML-1	CompoNet IP20 vertical slave unit, 32x 24 VDC inputs, PNP, MIL Connector
CRT1-VMD32ML	CompoNet IP20 vertical slave unit, 16x 24 VDC inputs NPN & 16x transistor outputs
CRT1-VMD32ML-1	CompoNet IP20 vertical slave unit, 16x 24 VDC inputs PNP & 16x transistor outputs
CRT1-VOD16ML	CompoNet IP20 vertical slave unit, 16x transistor outputs, NPN, 0.5A, 24 VDC, MIL C
CRT1-VOD16ML-1	CompoNet IP20 vertical slave unit, 16x transistor outputs, PNP, 0.5A, 24 VDC, MIL C
CRT1-VOD32ML	CompoNet IP20 vertical slave unit, 32x transistor outputs, NPN, 0.5A, 24 VDC, MIL C
CRT1-VOD32ML-1	CompoNet IP20 vertical slave unit, 32x transistor outputs, PNP, 0.5A, 24 VDC, MIL C
CV1000-CPU01-EV1	CPU, ladder & SFC, 62K words program / 24K words data memory, RS-232C/422 port
CV1000-DM151	
CV1000-DM251	
CV2000-CPU01-EV1	CPU, ladder & SFC, 62K words program / 24K words data memory, RS-232C/422 port
CV500-BC031	
CV500-BC051	CPU I/O backplane, 5 slots
CV500-BC101	CPU I/O backplane, 10 slots
CV500-BI042	
CV500-BI062	
CV500-BI111	
CV500-BI112	Expansion I/O backplane, 11 slots
CV500-BSC11	
CV500-BSC21	Intelligent co-processor unit, 63K byte RAM / 63K byte EEPROM, 2x RS-232C, 1x RS-
CV500-BSC31	
CV500-BSC41	
CV500-BSC51	
CV500-CIF01	Cable, 6m, with in-line converter, for connecting CV PLC peripheral port to a PC (RS
CV500-CIF11	
CV500-CIF21	
CV500-CN122	I/O connecting cable, 1m, for use with CV500-IC201/II201 or CS1W-IC102/II102
CV500-CN127	
CV500-CN132	
CV500-CN222	
CV500-CN224	
CV500-CN225 CHN	
CV500-CN228	
CV500-CN22A	
CV500-CN232	
CV500-CN311	
CV500-CN312	
CV500-CN322	
CV500-CN332	
CV500-CN413	
CV500-CN424	
CV500-CN42A	
CV500-CN432	

CV500-CN522	
CV500-CN525	
CV500-CN532	I/O connecting cable, 50m, for use with CV500-IC201/II201 or CS1W-IC102/II102
CV500-CN611	
CV500-CN612	
CV500-CN613	
CV500-CN624	
CV500-CN62A	
CV500-COV01	Back plane Connector CPU
CV500-COV02	
CV500-COV03	
CV500-COV04	
CV500-ETN01	Ethernet unit
CV500-IC101	I/O control unit, to connect expansion CPU and I/O backplanes
CV500-IC201	I/O control unit, to connect expansion I/O backplanes
CV500-IC301	I/O control unit, to connect C500 expansion I/O backplanes
CV500-II101	I/O interface unit, for expansion CPU I/O backplane
CV500-II201	I/O interface unit for expansion I/O backplanes
CV500-IPS01	
CV500-LK201	Host link unit, 1 x RS-232C, 1 x RS-232C/422 selectable ports
CV500-MC221	Motion control unit, 2 axis, analogue output, circular interpolation
CV500-MC421	
CV500-PS211	Power supply unit, 24 VDC input, 12A output
CV500-PS221	Power supply unit, 100-120/200-240 VAC input, 12A output
CV500-RM211	
CV500-RM221	Sysmac Bus/2 remote I/O master unit, wire
CV500-RT211	Sysmac Bus/2 remote I/O slave unit, optical fibre
CV500-RT221	Sysmac Bus/2 remote I/O slave unit, wire
CV500-SLK11	Sysmac Link unit, optical fibre
CV500-SLK21	Sysmac Link unit, coaxial
CV500-TDL21	
CV500-TER01	Termination resistance unit for expansion I/O, 2x resistance units are provided with
CV500-ZS3AT1-EV2	
CV500-ZS3PC1-V2	
CVCTKS-V10M	
CVM1-BC053	CPU I/O backplane, 5 slots (3 CPU bus unit slots), only supports one CVM1 expansion
CVM1-BC103	CPU I/O backplane, 10 slots (6 CPU bus unit slots), only supports one CVM1 expansion
CVM1-BI064	
CVM1-BI114	Expansion I/O backplane, 11 slots (must be connected directly to CVM1 CPU backplane)
CVM1-CLK12	Controller Link unit, fibre optic cable, optical ring or BUS, H-PCF cable
CVM1-CLK21	Sysmac Controller Link unit, twisted pair cable
CVM1-CLK52	
CVM1-CPU01-EV2	CPU, ladder only, 30K words program / 8K words data memory, RS-232C/422 port, 5V
CVM1-CPU11-EV2	CPU, ladder only, 30K words program / 24K words data memory, RS-232C/422 port, 5V
CVM1-CPU21-EV2	CPU, ladder only, 62K words program / 24K words data memory, RS-232C/422 port, 5V
CVM1D-BC051	Duplex CPU I/O backplane, 5 slots
CVM1D-BI101	
CVM1D-BI102	Duplex expansion I/O backplane, 10 slots
CVM1D-CPU21	Duplex CPU, ladder only, 62K words program / 24K words data memory, RS-232C/422
CVM1D-DPL01	Duplex unit
CVM1D-PA208	Duplex power supply unit, 100-120/200-240 VAC input, 8A output (2 required per backplane)
CVM1D-PA212	

CVM1-DRM21-V1	CompoBus/D (DeviceNet) master unit
CVM1-MP702-V1	
CVM1-PA208	Power supply unit, 100-120/200-240 VAC input, 8A output
CVM1-PRO01-V1	
CVM1-PRS21-EV2	
CVQT31153-2	
CVST31059	
CVST31060	
CX-DRIVE 1.9	CX-Drive configuration software for Inverters and Servos, for Windows 95/98/NT/200
CX-LITE-EV2	CX-Server Lite software package, (single licence) supports serial, Ethernet, Controll
CX-LITE-EV2-XX	CX-Server Lite software package, (annual runtime site Licence)supports serial, Ethe
CX-ONE TANFOLYAM	
CX-ONE-AL01C-E-SP-D01	
CXONE-AL01-EV4	Single-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Wind
CXONE-AL01-EV4-UP	Single-user licence only, upgrade version, for CX-One V4.x software, for Windows 21
CXONE-AL03-EV4	3-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows
CXONE-AL03-EV4-UP	3-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/X
CXONE-AL10-EV4	10-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows
CXONE-AL10-EV4-UP	10-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/.
CXONE-AL30-EV4	30-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows
CXONE-AL30-EV4-UP	30-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/.
CXONE-AL50-EV4	50-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows
CXONE-AL50-EV4-UP	50-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/.
CXONE-ALXX-EV4	Site licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (
CXONE-ALXX-EV4-UP	Site licence only, upgrade version, for CX-One V4.x software, for Windows 2000/XP/
CXONE-CD-EV4	CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), supplied
CXONE-DVD-EV4	CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), supplied
CXONE-ED-V3	CXOne Educational
CXONE-LT01-EV4	CX-One Lite V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), singl
CXONE-LTCD-EV4	CX-One Lite V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), supp
CX-OPC1.2(Server1.7.5.10)	
CX-OPC-EV2	CX-Server OPC software(Single Licence), for Windows 2000/XP/Vista, single-user lic
CX-SUPERVISOR-HL-V1.3	CX-Supervisor runtime parallel dongle (for Development version)
CX-SUPERVISOR-RUN-ME-V2.1	CX-Supervisor Machine Edition Runtime package (with USB dongle)
CX-SUPERVISOR-RUN-ME-V3	CX-Supervisor V3 Machine Edition Runtime package (with USB dongle)
CX-SUPERVISOR-RUN-PLUS-V2.1	CX-Supervisor PLUS Runtime package (with USB dongle)
CX-SUPERVISOR-RUN-PLUS-V3	CX-Supervisor V3 PLUS Runtime package (with USB dongle)
CX-SUPERVISOR-RUN-UPGR-V3	CX-Supervisor V2 to V3 Runtime upgrade
CX-SUPERVISOR-TRIAL-V3	CX-Supervisor trial version (PLUS functionality for 30-days)
CX-SUPERVISOR-UPGR-V3	CX-Supervisor V2 to V3 Developer upgrade
CX-SUPERVISOR-USB-V1.3	CX-Supervisor runtime USB dongle (for Development version)
CX-SUPERVISOR-V3	CX-Supervisor V3 Developer package (requires CX-SUPERVISOR-RUN-ME-V3 or CX-
CS1D-ATT01	
CS1D-ATT02	
CS1D-BC042D	Duplex CPU & Dual Expansion backplane, 5 I/O slots, use CS1D-PA207R power supp
CS1D-BC052	Duplex CPU backplane, 5 I/O slots, use CS1D-PA207R power supplies only
CS1D-BC082S	
CS1D-BI082D	Duplex CPU & Dual Expansion backplane, 8 I/O slots, use CS1D-PA207R power supp
CS1D-BI092	Duplex expansion backplane, 9 I/O slots, use CS1D-PA207R power supplies only
CS1D-CN051	
CS1D-CPU42S	
CS1D-CPU44S	

CS1D-CPU65H	Duplex CPU, 60K steps program / 128K words data memory, 7 duplex expansion racks
CS1D-CPU65P	CS1D-CPU65H plus CS1D-LCB05D Loop Control Board
CS1D-CPU65S	
CS1D-CPU67H	
CS1D-CPU67P	
CS1D-CPU67S	
CS1D-DPL01	Duplex unit
CS1D-DPL02D	DPL Unit for Duplex CPU & Dual Expansion system
CS1D-ETN21D	CS1D dual-redundant Ethernet Unit
CS1D-IC102D	Duplex I/O Control Unit for Duplex CPU & Dual Expansion system
CS1D-II102D	I/O Interface Unit for Duplex CPU & Dual Expansion system
CS1D-PA207R	Duplex Power supply unit, 100-120/200-240 VAC high power, RUN output, CS1 duplex
CS1D-PD024	Duplex/Simplex Power supply unit, 24 VDC, CS1 duplex/simplex backplanes only
CS1D-PD025	
CS1D-SP001	
CS1D-SP002	Spacer unit for unused power supply slot spaces (same shape as PA207R)
CS1G-CPU42H	CPU, 10K steps program / 32K words data memory, 2 expansion racks max.
CS1G-CPU43H	CPU, 20K steps program / 32K words data memory, 2 expansion racks max.
CS1G-CPU44H	CPU, 30K steps program / 64K words data memory, 3 expansion racks max.
CS1G-CPU45H	CPU, 60K steps program / 128K words data memory, 7 expansion racks max.
CS1H-CPU63H	CPU, 20K steps program / 32K words data memory, 7 expansion racks max.
CS1H-CPU64H	CPU, 30K steps program / 64K words data memory, 7 expansion racks max.
CS1H-CPU65H	CPU, 60K steps program / 128K words data memory, 7 expansion racks max.
CS1H-CPU66H	CPU, 120K steps program / 256K words data memory, 7 expansion racks max.
CS1H-CPU67H	CPU, 250K steps program / 448K words data memory, 7 expansion racks max.
CS1PC-EIC01	CS1 Board PLC Expansion I/O option, PCI, connects to CS1 or C200H expansion I/O
CS1PC-PC101H-DRM	CS1 Board PLC, PCI, 60K steps program / 128K words data memory, 7 expansion racks
CS1PC-SET01	
CS1W-AD041-V1	Analogue input unit, 4 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA inputs, 1:4
CS1W-AD081-V1	Analogue input unit, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA inputs, 1:4
CS1W-AD161	Analogue input unit, 16 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA inputs, 1:4
CS1W-AT031	
CS1W-AT032	
CS1W-AT033	
CS1W-AT061	
CS1W-AT131	
CS1W-AT132	
CS1W-AT133	
CS1W-AT134	
CS1W-BAT01	Battery for CS1 PLCs
CS1W-BC022 CHN	CPU backplane, CS1 I/O units only, 2 I/O slots
CS1W-BC023 CHN	
CS1W-BC032 CHN	CPU backplane, CS1 I/O units only, 3 I/O slots
CS1W-BC033 CHN	CPU backplane with C200H I/O BUS, 3 I/O slots
CS1W-BC052 CHN	CPU backplane, CS1 I/O units only, 5 I/O slots
CS1W-BC053 CHN	CPU backplane with C200H I/O BUS, 5 I/O slots
CS1W-BC082 CHN	CPU backplane, CS1 I/O units only, 8 I/O slots
CS1W-BC083 CHN	CPU backplane with C200H I/O BUS, 8 I/O slots
CS1W-BC102 CHN	CPU backplane, CS1 I/O units only, 10 I/O slots
CS1W-BC103 CHN	CPU backplane with C200H I/O BUS, 10 I/O slots
CS1W-BI032 CHN	
CS1W-BI033 CHN	CS1 expansion backplane with C200H I/O BUS, 3 I/O slots

CS1W-BI052 CHN	
CS1W-BI053 CHN	CS1 expansion backplane with C200H I/O BUS, 5 I/O slots
CS1W-BI082 CHN	CS1 expansion backplane, CS1 I/O units only, 8 I/O slots
CS1W-BI083 CHN	CS1 expansion backplane with C200H I/O BUS, 8 I/O slots
CS1W-BI102 CHN	CS1 expansion backplane, CS1 I/O units only, 10 I/O slots
CS1W-BI103 CHN	CS1 expansion backplane with C200H I/O BUS, 10 I/O slots
CS1W-CE561	
CS1W-CE562	
CS1W-CE563	
CS1W-CIF31	Cable, PC USB to RS232C converter cable, for Windows 98/ME/2000/XP, drivers incl
CS1W-CLK12-V1	Controller Link unit, fibre optic cable, optical ring or BUS, H-PCF cable
CS1W-CLK13	
CS1W-CLK21-V1	Controller Link unit, twisted-pair cable
CS1W-CLK23	
CS1W-CLK52-V1	Controller Link unit, fibre optic cable, optical ring or BUS, GI cable
CS1W-CLK53	
CS1W-CN114 CHN	Cable, 5cm, for connecting CQM1-PRO01 to CS1/CQM1H/CPM2C
CS1W-CN118 CHN	Cable, 10cm, for connecting CS1/CQM1H/CPM2C peripheral port to 9-pin receptacle
CS1W-CN131 CHN	CS1-C200H backplane connecting cable, 10m
CS1W-CN131-B2	CS1-C200H backplane connecting cable, 12m
CS1W-CN133 CHN	CS1/CJ1 connecting cable, 10m
CS1W-CN133-B2 CHN	CS1/CJ1 connecting cable, 12m
CS1W-CN221 CHN	CS1-C200H backplane connecting cable, 2m
CS1W-CN223 CHN	CS1/CJ1 connecting cable, 2m
CS1W-CN224 CHN	
CS1W-CN225 CHN	
CS1W-CN226 CHN	Cable, 2m, for connecting CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS232 po
CS1W-CN227 CHN	
CS1W-CN311 CHN	CS1-C200H backplane connecting cable, 30cm
CS1W-CN313 CHN	CS1/CJ1 connecting cable, 30cm
CS1W-CN321 CHN	CS1-C200H backplane connecting cable, 3m
CS1W-CN323 CHN	CS1/CJ1 connecting cable, 3m
CS1W-CN521 CHN	CS1-C200H backplane connecting cable, 5m
CS1W-CN523 CHN	CS1/CJ1 connecting cable, 5m
CS1W-CN624 CHN	Cable, 6m, for connecting C200H-PRO027 to CS1/CQM1H/CPM2C
CS1W-CN625 CHN	Cable, 6m, for connecting CS1/CQM1H/CPM2C peripheral port to PC(Japan)
CS1W-CN626 CHN	Cable, 6m, for connecting CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS232 po
CS1W-CN627 CHN	
CS1W-CN711 CHN	CS1-C200H backplane connecting cable, 70cm
CS1W-CN713 CHN	CS1/CJ1 connecting cable, 70cm
CS1W-CORT21	
CS1W-CRM21	CompoNet CS1 Master Unit
CS1W-CT021	High speed counter unit, 2 channels, 500kHz, open collector (5/12/24 VDC) & line dri
CS1W-CT041	High speed counter unit, 4 channels, 500kHz, open collector (5/12/24 VDC) & line dri
CS1W-CTS21	High speed counter unit, SSI absolute encoder 2 channels, 9 to 31 bit, Gray_ Binary_
CS1W-DA041	Analogue output unit, 4 x 4-20mA/1-5V/0-5V/0-10V/-10-+10V outputs, screw terminals
CS1W-DA08C	Analogue output unit, 8 x 4-20mA outputs, screw terminals, 12 bit resolution
CS1W-DA08V	Analogue output unit, 8 x 1-5V/0-5V/0-10V/-10-+10V outputs, screw terminals, 12 bit r
CS1W-DRM21-V1	CompoBus/D (Devicenet) master unit or slave unit
CS1W-EIP21	CS1 EtherNet/IP unit, 100Base-TX, supports CIP, FINS/UDP and FINS/TCP
CS1W-ETN01	
CS1W-ETN21	Ethernet unit with RJ-45 (100Base-TX and 10BaseT) connector (TPC/IP & UDP/IP soc

CS1W-FLN02	
CS1W-GPI01	
CS1W-HCA12-V1	
CS1W-HCA22-V1	
CS1W-HCP22-V1	
CS1W-IA111	Input unit, 16 x 100-120 VAC inputs
CS1W-IA211	Input unit, 16 x 200-240 VAC inputs
CS1W-IC102	Expansion I/O control unit, to connect CS1 CPU Rack to Long-Distance Expansion R
CS1W-ID211-CHN	Input unit, 16 x 24 VDC inputs, NPN/PNP
CS1W-ID231-CHN	Input unit, 32 x 24 VDC inputs, NPN/PNP
CS1W-ID261-CHN	Input unit, 64 x 24 VDC inputs, NPN/PNP
CS1W-ID291-CHN	Input unit, 96 x 24 VDC, NPN/PNP
CS1W-IDP01	
CS1W-II102	Expansion I/O interface unit, to connect Long-Distance Expansion Racks (CS1W-BI)
CS1W-INT01	Interrupt input unit, 16 x 24 VDC inputs, NPN/PNP
CS1W-KS001	
CS1W-KS001-E	CS1 English keyboard sheet for C200H-PRO27/CQM1-PRO01
CS1W-LC001	
CS1W-LCB01	CS1 Loop Control Option Board, 300 Control Blocks Max
CS1W-LCB05	CS1 Loop Control Option Board, 50 Control Blocks Max
CS1W-LCB05-GTC	
CS1W-MAD44	Analogue input/output unit, 4 x 4-20mA/1-5V/0-5V/0-10V/-10-+10V inputs, 4 x 1-5V/0-5
CS1W-MC221-V1	Motion control unit, 2 axis
CS1W-MC421-V1	4 axis motion control unit
CS1W-MCH71	Motion Control Unit, Electronic cam profiles, axis synchronisation
CS1W-MD261-CHN	
CS1W-MD262	Input/output unit, 32 x 24 VDC inputs NPN/PNP, 32 x transistor outputs PNP 0.3A 12-
CS1W-MD291-CHN	
CS1W-MD292	Input/output unit, 48 x 24 VDC inputs, 48 x transistor outputs, PNP, 0.1 A, 12-24 VDC
CS1W-NC113	Position control unit, 1 axis, NPN open collector pulse string output, 500kHz
CS1W-NC133	Position control unit, 1 axis, line-driver pulse string output, 500kHz
CS1W-NC213	Position control unit, 2 axes, NPN open collector pulse string output, 500kHz
CS1W-NC233	Position control unit, 2 axes, line-driver pulse string output, 500kHz
CS1W-NC271	Position control unit, 2 axes, over MECHATROLINK-II
CS1W-NC413	Position control unit, 4 axes, NPN open collector pulse string output, 500kHz
CS1W-NC433	Position control unit, 4 axes, line-driver pulse string output, 500kHz
CS1W-NC471	Position control unit, 4 axes, over MECHATROLINK-II
CS1W-NCF71	Position control unit, 16 axes, over MECHATROLINK-II
CS1W-OA201	
CS1W-OA211	
CS1W-OC201	Output unit, 8x relay outputs, 2A, 24 VDC/250 VAC, independent commons
CS1W-OC211-CHN	Output unit, 16x relay outputs, 2A, 24 VDC/250 VAC, 2 commons
CS1W-OD211-CHN	Output unit, 16 x transistor outputs, NPN, 0.5A, 12-24 VDC
CS1W-OD212-CHN	Output unit, 16 x transistor outputs, PNP with short circuit protection, 0.5A, 24 VDC
CS1W-OD231-CHN	Output unit, 32 x transistor outputs, NPN, 0.5A, 12-24 VDC
CS1W-OD232-CHN	Output unit, 32 x transistor outputs, PNP with short circuit protection, 0.5A, 24 VDC
CS1W-OD261-CHN	Output unit, 64 x transistor outputs, NPN, 0.3A, 12-24 VDC
CS1W-OD262	Output unit, 64 x transistor outputs, PNP with short circuit protection, 0.3A, 24 VDC
CS1W-OD291-CHN	
CS1W-OD292	Output unit, 96 x transistor outputs, PNP, 0.1 A, 12-24 VDC
CS1W-PDC11	Isolated DC analogue input unit, 4 x inputs (4 to 20mA, 0 to 20mA, 0 to 10V, -10 to +1
CS1W-PDC55	Isolated DC analogue input unit, 8 x inputs (4 to 20mA, 0 to 10V, 0 to 5V, 1 to 5V) 1/1t

CS1W-PMV01	Isolated analogue output unit, 4 x inputs (4 to 20mA, 1 to 5V) 1/4,000 resolution
CS1W-PMV02	
CS1W-PPS01	Isolated pulse input unit, 4 x inputs (voltage input, no-voltage semiconductor input, Profibus-DP Master unit
CS1W-PRM21	
CS1W-PTR02	
CS1W-PTS01-V1*	
CS1W-PTS03	
CS1W-PTS11	Isolated thermocouple input unit, 4 x inputs (B, E, J, K, L, N, R, S, T, U, WRe5-26, PL
CS1W-PTS12	Isolated RTD input unit, 4 x inputs (Pt100 (JIS, IEC), JPt100, Pt50, Ni508.4), 1/64,000
CS1W-PTS51	
CS1W-PTS52	Isolated RTD input unit, 4 x inputs (Pt100 (JIS, IEC), JPt100), 0.1°C resolution
CS1W-PTS55	Isolated thermocouple input unit, 8 x inputs (K, J, L, R, S, T, B), 0.1°C resolution
CS1W-PTS56	Isolated RTD input unit, 8 x inputs (Pt100 (JIS, IEC), JPt100), 0.1°C resolution
CS1W-PTW01	Isolated 2-wire Transmitter input unit, 4 x inputs (4-20mA, 1-5V), 1/4,096 resolution
CS1W-RPT01	
CS1W-RPT02	
CS1W-RPT03	
CS1W-SCB21-V1	Serial communications board, 2 x RS232 ports, supports protocol macro backup fro
CS1W-SCB41-V1	Serial communications board, 1 x RS232 port, 1 x RS422/485 port, supports protocol
CS1W-SCU21-V1	Serial communications unit, 2 x RS232 ports, Protocol Macro, Host Link, 1:N NT Link
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT L
CS1W-SF200	
CS1W-SLK11	
CS1W-SLK21	Systemac Link unit, coaxial cable
CS1W-SP001	Space unit for vacant I/O slots on CS1 backplane
CS1W-SPU01-V2	CS1 High-speed Data Storage and Processing Unit, 1 x 10/100Base-TX port, CF Card
CS1W-SPU02-V2	
CS1W-SRM21	
CS1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series
CS1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series
CS1W-V680C11	
CS1W-V680C12	
CSK4-YKW 110AC	
CSK4-YKW 220AC	
CSK4-YKW 24DC	
CSK4-YW 220AC	
CSK6-K 24DC	
CSK6-Y 110AC	
CSK6-YK 110AC	
CSK6-YK 220AC	
CSK6-YK 24DC	
CSK6-YKW 110AC	
CSK6-YKW 220AC	
CSK6-YKW 24DC	
CSK6-YLW 24DC	
CSK6-YW 220AC	
CSK6-YW 24DC	
CSK-B5*100GIS2000	
CSKE-6F AC24	
CSKE-6R 24DC	
CSKE-6Y 24DC	
CSP-B 6X300 GLS2000	

CSP-B5*50GIS1000
 CSSK-B8*150GIS2000

D2A-1120

D2A-1210

D2D-1000

Door interlock switch, screw mounting, SPDB-NO/NC

D2D-1001 -CHN-

Door interlock switch, screw mounting, SPDB-NO

D2D-1002

Door interlock switch, screw mounting, SPDB-NC

D2D-1002(WP)

D2D-1100

D2D-1101

D2D-1102

D2D-2000

Door interlock switch, screw mounting, SPDB-NO/NC, pull-on lock

D2D-2000+

D2D-2100

Door interlock switch, panel snap fit mounting, SPDB-NO/NC, pull-on lock

D2D-3103

D2D-3104

D2D-3104-2

D2D-3104-3

D2D-3104-3(S)

D2D-3104-3(S) JPN

D2F

D2F (EU1)

D2F(O)

D2F-01

Ultra subminiature basic switch, pin plunger

D2F-01-A

D2F-01-A1

D2F-01D

D2F-01-D3

D2F-01F

D2F-01F-A

D2F-01F-A1

D2F-01F-D

D2F-01F-D3

D2F-01FL JPN

D2F-01FL168

D2F-01FL2

D2F-01FL2-A

D2F-01FL3

D2F-01FL3-A

D2F-01FL3-D

D2F-01FL3-D3

D2F-01FL505

D2F-01FL57

D2F-01FL-A

D2F-01FL-A1

D2F-01FLD

D2F-01FL-D3

D2F-01FL-T

D2F-01F-T

D2F-01-K(SPT)

D2F-01L

Ultra subminiature basic switch, hinge lever

D2F-01L (EU6)

D2F-01L (EU8)
D2F-01L(STICK)
D2F-01L-1(PHI)
D2F-01L135
D2F-01L2
D2F-01L26
D2F-01L2-A
D2F-01L2-A1.
D2F-01L2-D
D2F-01L3 SIMULATED ROLLER LEVE
D2F-01L-3 STRAIGHT LEVER
D2F-01L-3(OP)
D2F-01L3-A
D2F-01L3-A1
D2F-01L3-D
D2F-01L3-D3
D2F-01L57
D2F-01L86
D2F-01L-A
D2F-01L-A1
D2F-01LD
D2F-01L-D3
D2F-01L-T
D2F-01-T
D2F-3
D2F-7
D2F-A
D2F-A1
D2FC-FL-N(ELEK)
D2F-D
D2F-F
D2F-F-A
D2F-F-A1
D2F-F-D
D2F-FL
D2F-FL2
D2F-FL20
D2F-FL2-A
D2F-FL2-A1
D2F-FL3
D2F-FL3-A
D2F-FL3-A1
D2F-FL3-D
D2F-FL3-T
D2F-FL-A
D2F-FL-A1
D2F-FLD
D2F-FL-T
D2F-F-T
D2F-L
D2F-L (OEE-E)
D2F-L(MAR)

Sub miniature snap action switch, SPDT, PCB mount, hinge lever, 3 A

D2F-L111
D2F-L151
D2F-L2
D2F-L20
D2F-L20-A
D2F-L2-A
D2F-L2-D
D2F-L-3 HINGE LEVER
D2F-L3 SIM ROLLER LEVER
D2F-L3-A
D2F-L3-A1
D2F-L3-D
D2F-L3-D3
D2F-L505
D2F-L54
D2F-L57
D2F-L59
D2F-L605-AQ
D2F-L606-E-AQ
D2F-L607-A3-AQ
D2F-L703
D2F-L76
D2F-L86
D2F-L-A
D2F-L-A1
D2F-L-D
D2F-L-D3
D2F-L-T
D2FN LEVER FOR L20
D2F-T
D2FW-G073M
D2FW-G271M
D2FW-G273M
D2HW-A201D
D2HW-A201D-A199-AQ
D2HW-A201D-A300-AQ
D2HW-A201D-A510
D2HW-A201D-A553-AQ
D2HW-A201D-D02
D2HW-A211D
D2HW-A211DL
D2HW-A221D
D2HW-A231D
D2HW-A231DS
D2HW-A261D
D2HW-A291D-A131
D2HW-BL201DL
D2HW-BL201H
D2HW-BL201H-A301-AQ
D2HW-BL201M
D2HW-BL202M
D2HW-BL202ML

D2HW-BL202MR
D2HW-BL203M
D2HW-BL203ML
D2HW-BL203MR
D2HW-BL211DL
D2HW-BL211H
D2HW-BL211H-AQ1
D2HW-BL211M
D2HW-BL212M
D2HW-BL212ML
D2HW-BL212MR
D2HW-BL213M
D2HW-BL213ML
D2HW-BL213MR
D2HW-BL221DL
D2HW-BL221H
D2HW-BL221M
D2HW-BL222M
D2HW-BL222ML
D2HW-BL222MR
D2HW-BL223M
D2HW-BL223ML
D2HW-BL223MR
D2HW-BL231DL
D2HW-BL231H
D2HW-BL231M
D2HW-BL232M
D2HW-BL232ML
D2HW-BL232MR
D2HW-BL233M
D2HW-BL233ML
D2HW-BL233MR
D2HW-BL241M
D2HW-BL261D
D2HW-BL261H
D2HW-BL261M
D2HW-BL262M
D2HW-BL262ML
D2HW-BL262MR
D2HW-BL263M
D2HW-BL263ML
D2HW-BL263MR
D2HW-BL271D
D2HW-BL271H
D2HW-BL271M
D2HW-BL272M
D2HW-BL272ML
D2HW-BL272MR
D2HW-BL273M
D2HW-BL273ML
D2HW-BL273MR
D2HW-BL281M

D2HW-BL282M
D2HW-BL283M
D2HW-BR201D-A302-AQ
D2HW-BR201DR
D2HW-BR201H
D2HW-BR201M
D2HW-BR201Y-A327-AQ
D2HW-BR202M
D2HW-BR202ML
D2HW-BR202MR
D2HW-BR203M
D2HW-BR203ML
D2HW-BR203MLS
D2HW-BR203MR
D2HW-BR211DR
D2HW-BR211H
D2HW-BR211M
D2HW-BR211M-A569-AQ
D2HW-BR212M
D2HW-BR212ML
D2HW-BR212MR
D2HW-BR213M
D2HW-BR213ML
D2HW-BR213MR
D2HW-BR221DR
D2HW-BR221H
D2HW-BR221M
D2HW-BR222M
D2HW-BR222ML
D2HW-BR222MR
D2HW-BR223M
D2HW-BR223ML
D2HW-BR223MR
D2HW-BR231DR
D2HW-BR231H
D2HW-BR231M
D2HW-BR232M
D2HW-BR232ML
D2HW-BR232MR
D2HW-BR233M
D2HW-BR233ML
D2HW-BR233MR
D2HW-BR241M
D2HW-BR261H
D2HW-BR261M
D2HW-BR262M
D2HW-BR262ML
D2HW-BR262MR
D2HW-BR263M
D2HW-BR263ML
D2HW-BR263ML-100
D2HW-BR263MR

D2HW-BR271D
D2HW-BR271H
D2HW-BR271M
D2HW-BR272M
D2HW-BR272ML
D2HW-BR272MR
D2HW-BR273M
D2HW-BR273ML
D2HW-BR273MR
D2HW-BR281M
D2HW-BR282M
D2HW-BR283M
D2HW-BR291M-A189
D2HW-C201H
D2HW-C201M
D2HW-C202M
D2HW-C202MR
D2HW-C202MRS
D2HW-C203M
D2HW-C203MR
D2HW-C203MRS
D2HW-C203MS
D2HW-C211H
D2HW-C211M
D2HW-C212M
D2HW-C212MR
D2HW-C213M
D2HW-C213MR
D2HW-C221H
D2HW-C221M
D2HW-C222M
D2HW-C222MR
D2HW-C223M
D2HW-C223MR
D2HW-C223MS
D2HW-C231H
D2HW-C231M
D2HW-C232M
D2HW-C232MR
D2HW-C233M
D2HW-C233MR
D2HW-C241M
D2HW-C261H
D2HW-C261M
D2HW-C262M
D2HW-C262MR
D2HW-C262MRS
D2HW-C263M
D2HW-C263MR
D2HW-C263MRS
D2HW-C271H
D2HW-C271M

D2HW-C272M
D2HW-C272MR
D2HW-C273M
D2HW-C273MR
D2HW-C273MRS
D2HW-C281M
D2HW-C282M
D2HW-C282M-AQ1
D2HW-C282MR
D2HW-C283M
D2HW-C283MR
D2HW-EB201D-A300-AQ
D2HW-EL291D-A155-AQ
D2HW-ER211M-A382
D2HW-ER213M-A390
D2HW-ER232M-A175
D2HW-ER232MS-A175
D2HW-ER291D-A154-AQ
D2HW-FL201D-A134
D2HW-FL291D-A120
D2HW-FL291D-A159-AQ1
D2HW-FR201D-A121
D2HW-FR291D-A118
D2HW-FR291D-A119
D2HW-FR291D-A133
D2HW-SL293MR-A150-AQ1(CHN)
D2HW-SL293MR-A315-AQ
D2HW-SR293MR-A151-AQ1(CHN)
D2HW-SR293MR-A316-AQ
D2JW-011
D2JW-011-MD
D2JW-013-MAD215
D2JW-013-MAD90(N)
D2JW-01K11
D2JW-01K11-MD
D2JW-01K1A1
D2JW-01K1A1-F
D2JW-01K1A1-MD
D2JW-01K21
D2JW-01K21-MD
D2JW-01K31
D2JW-01K31-MD
D2JW-01K33-MAD90(N)
D2MC-01E
D2MC-01E CAA1M
D2MC-01EL
D2MC-01F
D2MC-01FL
D2MC-01H
D2MC-5E
D2MC-5EL
D2MC-5F

D2MC-5F1
D2MC-5FL
D2MC-5H
D2MC-5HL
D2MQ-1
D2MQ-1-105
D2MQ-1-105-TR
D2MQ-1L
D2MQ-1L-105
D2MQ-1L-105-TL
D2MQ-1L-105-TR
D2MQ-1L-TL
D2MQ-1L-TR
D2MQ-1-TL-V2
D2MQ-1-TR
D2MQ-4L-1
D2MQ-4L-105-1
D2MQ-4L-105-1-L
D2MQ-4L-105-1-R
D2MQ-4L-1-L
D2MQ-4L-1-R
D2MS-4
D2MSL
D2MSL111
D2MSL13
D2MSL2
D2MSL2-C
D2MSL-C
D2MV-01-1C1
D2MV-01-1C2
D2MV-01-1C3
D2MV-01-2C3,ASSY60
D2MV-01-2C3,ASSY62
D2MV-01L111-1C2
D2MV-01L111-1C3
D2MV-01L11-1C1
D2MV-01L13-1C2
D2MV-01L13-1C3
D2MV-01L-1C2
D2MV-01L-1C3
D2MV-01L2-1C2
D2MV-01L2-1C3
D2MV-01L22-1C1
D2MV-01L22-1C2
D2MV-01L22-1C3
D2MV-1-1C1
D2MV-1-1C3
D2MV-1-1C4
D2MV-1L111-1C2
D2MV-1L-1C4
D2MV-1L2-1C3
D2MV-1L2-1C4

D2MV-1L22-1C2
D2MV-1L22-1C3
D2MV-1L22-1C4
D2RV
D2RV-04-L11B-12
D2RV-E
D2RV-G
D2RV-G3
D2RV-L
D2RV-L11
D2RV-L11E
D2RV-L11G
D2RV-L13
D2RV-L13E
D2RV-L13G
D2RV-L2
D2RV-L22
D2RV-L22E
D2RV-L2G
D2RV-L909G
D2S-10
D2S-10D CHI
D2S-5D CHI
D2S-5L13
D2SW TERMINAL COVER
D2SW-01-3M-4
D2SW-01D
D2SW-01H
D2SW-01HS
D2SW-01L1D
D2SW-01L1D(A)
D2SW-01L1DS
D2SW-01L1H
D2SW-01L1M
D2SW-01L1M-0
D2SW-01L1T
D2SW-01L2-3M
D2SW-01L2D
D2SW-01L2H
D2SW-01L2M
D2SW-01L2T
D2SW-01L3-2M
D2SW-01L3D
D2SW-01L3H
D2SW-01L3HS
D2SW-01L3M
D2SW-01L3T
D2SW-01M
D2SW-01MS
D2SW-01MS-132
D2SW-01T
D2SW-3-2M

Switch

D2SW-3-3M
D2SW-3-3M-27
D2SW-3-3MS
D2SW-3D
D2SW-3D (EU30)
D2SW-3DS
D2SW-3H
D2SW-3H(1)
D2SW-3L14M
D2SW-3L1D
D2SW-3L1H
D2SW-3L1M
D2SW-3L1M-27
D2SW-3L1MS
D2SW-3L1T
D2SW-3L2-2M
D2SW-3L2-3M
D2SW-3L2D
D2SW-3L2H
D2SW-3L2M
D2SW-3L2M-79
D2SW-3L2T
D2SW-3L3-2M
D2SW-3L3-2M-93
D2SW-3L3-2M-94
D2SW-3L3-3M
D2SW-3L3D
D2SW-3L3H
D2SW-3L3M
D2SW-3L3T
D2SW-3M
D2SW-3M-27
D2SW-3T
D2SW-P01B
D2SW-P01D
D2SW-P01H
D2SW-P01L1-2M
D2SW-P01L1B
D2SW-P01L1D
D2SW-P01L1H
D2SW-P01L1M
D2SW-P01L1T
D2SW-P01L2B
D2SW-P01L2D
D2SW-P01L2H
D2SW-P01L2M
D2SW-P01L2T
D2SW-P01L3-2M
D2SW-P01L3B
D2SW-P01L3D
D2SW-P01L3H
D2SW-P01L3M

Miniture basic switch, watertight

Sealed subminiature basic switch, hinge roller lever, moulded lead wires

D2SW-P01L3T
D2SW-P01M
D2SW-P01T
D2SW-P2B
D2SW-P2D
D2SW-P2H
D2SW-P2L1B
D2SW-P2L1D
D2SW-P2L1H
D2SW-P2L1M
D2SW-P2L1T
D2SW-P2L2B
D2SW-P2L2D
D2SW-P2L2H
D2SW-P2L2M
D2SW-P2L2T
D2SW-P2L3B
D2SW-P2L3D
D2SW-P2L3H
D2SW-P2L3M
D2SW-P2L3T
D2SW-P2M
D2SW-P2T
D2T-LT1
D2T-LT1-C1
D2T-LT1S
D2T-T1
D2T-T1S
D2VW-01-1(CHN)
D2VW-01-1HS
D2VW-01-1HS(CHN)
D2VW-01-1M(CHN)
D2VW-01-1MS(CHN)
D2VW-01-1MS(VDE)
D2VW-01-1MS-117
D2VW-01-1MS-64
D2VW-01-2M(CHN)
D2VW-01-2MS(CHN)
D2VW-01-3M(CHN)
D2VW-01L1-1(CHN)
D2VW-01L1-1MS(CHN)
D2VW-01L1A-1
D2VW-01L1A-1(CHN)
D2VW-01L1A-1M(CHN)
D2VW-01L1B-1
D2VW-01L1B-1(CHN)
D2VW-01L1B-1M(CHN)
D2VW-01L2-1(CHN)
D2VW-01L2-1M(CHN)
D2VW-01L2-1MS
D2VW-01L2-1MS(CHN)
D2VW-01L2-1MS(FAAC)

Sealed miniature basic switch, hinge roller lever, 0.1 A, moulded lead wires

D2VW-01L2A-1(CHN)	
D2VW-01L2A-1M	
D2VW-01L2A-1M(CHN)	
D2VW-01L2A-1M-20	
D2VW-01L2A-1MS	
D2VW-01L2A-1MS(CHN)	
D2VW-01L3-1	
D2VW-01L3-1(CHN)	
D2VW-01L3-1M	
D2VW-01L3-1M(CHN)	
D2VW-01L3-3HS(CHN)	
D2VW-5-1(CHN)	
D2VW-5-1HS	
D2VW-5-1HS(CHN)	
D2VW-5-1M(CHN)	Sealed miniature basic switch, 5 A, moulded lead wires
D2VW-5-1M-0(CHN)	
D2VW-5-1M-20	
D2VW-5-1M-37	
D2VW-5-1MS	
D2VW-5-1MS(CHN)	
D2VW-5-1MS(VDE)	
D2VW-5-2	
D2VW-5-2(CHN)	
D2VW-5-2M	
D2VW-5-2M(CHN)	
D2VW-5-2M-0(CHN)	
D2VW-5-2M-20	
D2VW-5-2MS(CHN)	
D2VW-5-3(CHN)	
D2VW-5-3M-20	
D2VW-5-3MS(CHN)	
D2VW-5K1A-1M	
D2VW-5K1A-1M(CHN)	
D2VW-5K1B-1	
D2VW-5K1B-1(CHN)	
D2VW-5K1B-1M-48	
D2VW-5K3-1M	
D2VW-5K3-1M(CHN)	Sealed miniature basic switch, 5 A, moulded lead wires
D2VW-5L1-1(CHN)	
D2VW-5L1-1M	Sealed miniature basic switch, 5 A, moulded lead wires
D2VW-5L1-1M(CHN)	Sealed miniature basic switch, 5 A, moulded lead wires
D2VW-5L1-1M-0(CHN)	
D2VW-5L1-1M-20	Sealed miniature basic switch, hinge lever, 5 A, moulded lead wires
D2VW-5L1-1MS(CHN)	
D2VW-5L1-1MS(MTP)	
D2VW-5L1-2M	
D2VW-5L1-2M-26	
D2VW-5L1-3M-24	
D2VW-5L1A-1(CHN)	
D2VW-5L1A-1M(CHN)	
D2VW-5L1A-2M-20	
D2VW-5L1B-1(CHN)	Sealed miniature basic switch, long hinge lever, 0.1 A, solder/ quick connect termin

D2VW-5L1B-1M	
D2VW-5L1B-1M(CHN)	Sealed miniature basic switch, long hinge lever, 0.1 A, moulded lead wires
D2VW-5L1B-1M-20(A)	
D2VW-5L1B-1M-26	
D2VW-5L1B-1M-37	
D2VW-5L1B-1M-48	
D2VW-5L1B-1M-48(A) (EU13)	
D2VW-5L1B-1M-49	
D2VW-5L1B-1M-49(A) (EU14)	
D2VW-5L1B-1M-50	
D2VW-5L1B-1M-51	
D2VW-5L1B-1M-88	
D2VW-5L1B-1MS(CHN)	
D2VW-5L1B-2M(CHN)	Sealed miniature basic switch
D2VW-5L2-1(CHN)	
D2VW-5L2-1M(CHN)	Sealed miniature basic switch, hinge roller lever, 0.1 A, moulded lead wires
D2VW-5L2-1M-0	
D2VW-5L2-1M-0(CHN)	
D2VW-5L2-1M-20	
D2VW-5L2-1M-37	
D2VW-5L2-1M-37 (EU15)	
D2VW-5L2-1M-70	
D2VW-5L2-2M-158	
D2VW-5L2A-1	
D2VW-5L2A-1(CHN)	
D2VW-5L2A-1M	Sealed miniature basic switch, short hinge roller lever, 0.1 A, moulded lead wires
D2VW-5L2A-1M(CHN)	
D2VW-5L2A-1M-0	
D2VW-5L2A-1M-0(CHN)	
D2VW-5L2A-1M-20	
D2VW-5L2A-1M-52	
D2VW-5L2A-1M-70	
D2VW-5L2A-1MS(CHN)	
D2VW-5L2A-2M-70	
D2VW-5L2A-3M(CHN)	
D2VW-5L3-1	
D2VW-5L3-1(CHN)	Sealed miniature basic switch
D2VW-5L3-1HS(CHN)	
D2VW-5L3-1M	
D2VW-5L3-1M(CHN)	Sealed miniature basic switch, simulated roller lever, 5 A, SPDT
D2VW-5L3-1M-20	
D2VW-5L3-1M-49	
D2VW-5L3-1M-50	
D2VW-5L3-1M-50 (EU16)	
D2VW-5L3-1M-88	
D2VW-5L3-1M-88 (EU17)	
D2VW-5L3-1MS	
D2VW-5L3-1MS(CHN)	
D2VW-5L3-3M	
D2X	
D2X-C	
D2X-G	

D2X-MD
D3C-1210
D3C-1220
D3C-2210
D3C-2220
D3D-111 BY OMI
D3D-113 BY OMI
D3D-121 BY OMI
D3D-131 BY OMI
D3D-131-A02 BY OMI
D3D-211 BY OMI
D3D-221 BY OMI
D3D-231 BY OMI
D3M-01
D3M-01 BY OMI
D3M-01-3
D3M-01-3-5
D3M-01K1
D3M-01K1 BY OMI
D3M-01K1-3
D3M-01K2
D3M-01K2-3
D3M-01K3
D3M-01K3-3
D3M-01L1
D3M-01L1 BY OMI
D3M-01L1-3
D3M-01L2
D3M-01L2-3
D3M-01L3
D3M-01L3-3
D3SH-A0L
D3SH-A0L1
D3SH-A0R
D3SH-A0R1
D3SH-A1L
D3SH-A1L1
D3SH-A1R
D3SH-A1R1
D3SH-A1R-6
D3SH-B0L
D3SH-B0L1
D3SH-B0R
D3SH-B0R1
D3SH-B1L
D3SH-B1L1
D3SH-B1R
D3SH-B1R1
D3SK-A0L
D3SK-A0L-6
D3SK-A0R
D3SK-A0R-6

D3SK-A1L
D3SK-A1L-6
D3SK-A1R
D3SK-A1R-6
D3V-011-1A3 BY OMI
D3V-011-1C23 BY OMI
D3V-011-1C23-T BY OMI
D3V-011-2A3 BY OMI
D3V-011-2C23 BY OMI
D3V-011-3A3 BY OMI
D3V-011-3C23 BY OMI
D3V-01-1A2 BY OMI
D3V-01-1A3 BY OMI
D3V-01-1A3-T BY OMI
D3V-01-1C22 BY OMI
D3V-01-1C23 BY OMI
D3V-011M-1A3 BY OMI
D3V-012-1A3 BY OMI
D3V-012-1A3-T BY OMI
D3V-012-1C23 BY OMI
D3V-012-2A3 BY OMI
D3V-012-2C23 BY OMI
D3V-012-3A3 BY OMI
D3V-012-3C23 BY OMI
D3V-01-2A2 BY OMI
D3V-01-2A3 BY OMI
D3V-01-2C2 BY OMI
D3V-01-2C22 BY OMI
D3V-01-2C23 BY OMI
D3V-01-2C4 BY OMI
D3V-013-1A3 BY OMI
D3V-013-1C23 BY OMI
D3V-013-2A3 BY OMI
D3V-013-2C23 BY OMI
D3V-013-3A3 BY OMI
D3V-013-3C23 BY OMI
D3V-01-3A2 BY OMI
D3V-01-3A3 BY OMI
D3V-01-3C22 BY OMI
D3V-01-3C23 BY OMI
D3V-01-3C4 BY OMI
D3V-013K-1A3 BY OMI
D3V-013M-1A3 BY OMI
D3V-014-1A3 BY OMI
D3V-014-1A3-T BY OMI
D3V-014-1C23 BY OMI
D3V-014-2A3 BY OMI
D3V-014-2C23 BY OMI
D3V-014-3A3 BY OMI
D3V-014-3C23 BY OMI
D3V-014M-1A3 BY OMI
D3V-014M-1C23 BY OMI

D3V-015-1A3 BY OMI
D3V-015-1C23 BY OMI
D3V-01521-1A3-T BY OMI
D3V-015-2A3 BY OMI
D3V-015-2C23 BY OMI
D3V-015-3A3 BY OMI
D3V-015-3C23 BY OMI
D3V-016-1A3 BY OMI
D3V-016-1C23 BY OMI
D3V-016-2A3 BY OMI
D3V-016-2C23 BY OMI
D3V-016-2C3 BY OMI
D3V-016-3A3 BY OMI
D3V-016-3C23 BY OMI
D3V-018020-1C24-T BY OMI
D3V-018020-3C4-T BY OMI
D3V-018021-3C24-T BY OMI
D3V-018027-3C63 BY OMI
D3V-111-1C5 BY OMI
D3V-111-1C5-T BY OMI
D3V-111-3C4
D3V-11-1A4
D3V-11-1A5
D3V-11-1A5-H BY OMI
D3V-11-1C24
D3V-11-1C25
D3V-11-1C4
D3V-11-1C4-T BY OMI
D3V-11-1C5
D3V-11-1C5-T BY OMI
D3V-111M-1C5
D3V-112-1C4
D3V-112-1C5 BY OMI
D3V-11-2A4
D3V-11-2A5
D3V-11-2C24
D3V-11-2C25
D3V-11-2C4
D3V-11-2C5
D3V-112K-1C24 BY OMI
D3V-112M-1C24 BY OMI
D3V-112M-1C25 BY OMI
D3V-112M-1C4 BY OMI
D3V-112M-1C5 BY OMI
D3V-112M-2C4 BY OMI
D3V-113-1A4
D3V-113-1C24
D3V-113-1C4
D3V-113-1C5 BY OMI
D3V-113-1C5-T BY OMI
D3V-113-3A5 BY OMI
D3V-11-3A4

D3V-11-3A5
D3V-11-3C24
D3V-11-3C25
D3V-11-3C4
D3V-11-3C5
D3V-113M-1C24 BY OMI
D3V-113M-3A5 BY OMI
D3V-114-1A4
D3V-114-1C4
D3V-114-1C5
D3V-114-1C5-T BY OMI
D3V-115-1A5 BY OMI
D3V-115-1C4
D3V-115-1C5 BY OMI
D3V-115-1C5-T BY OMI
D3V-115M-1A5
D3V-115M-1C24
D3V-115M-2C24
D3V-116-1C4
D3V-116-1C5
D3V-116-1C5-T BY OMI
D3V-116M-1C5 BY OMI
D3V-11G-1C3 BY OMI
D3V-11G-1C4 BY OMI
D3V-11G-3F25-1
D3V-11G52-1F25-K2 BY OMI
D3V-161-1A5
D3V-161-1C24
D3V-161-1C25
D3V-161-1C5
D3V-161-3C25
D3V-161-3C5
D3V-16-1A4
D3V-16-1A5
D3V-16-1A5-H
D3V-16-1A5-H FOR MWO
D3V-16-1C24
D3V-16-1C25
D3V-16-1C25-H
D3V-16-1C25-H FOR MWO
D3V-16-1C25-W BY OMI
D3V-16-1C4
D3V-16-1C5
D3V-16-1C5-8 BY OMI
D3V-16-1C5-H
D3V-16-1C5-H FOR MWO
D3V-16-1D55 BY OMI
D3V-16-1D65 BY OMI
D3V-16-1E6 BY OMI
D3V-161M-1C24
D3V-161M-1C5
D3V-161M-2C5

Miniature basic switch, pin plunger, 16 A, SPDT, quick connect terminals

D3V-161M-3C5
D3V-162-1A4
D3V-162-1A5
D3V-162-1C24
D3V-162-1C25
D3V-162-1C4 BY OMI
D3V-162-1C5
D3V-162-1D55 BY OMI
D3V-162-1D65 BY OMI
D3V-162-2C5 BY OMI
D3V-16-2A5
D3V-16-2A5-H
D3V-16-2A5-H FOR MWO
D3V-16-2C25
D3V-16-2C25-H
D3V-16-2C25-H FOR MWO
D3V-16-2C25-W BY OMI
D3V-16-2C4 BY OMI
D3V-16-2C4-H BY OMI
D3V-16-2C5
D3V-16-2C5-H BY OMI
D3V-16-2C5-W BY OMI
D3V-16-2D54 BY OMI
D3V-162K-1A5 BY OMI
D3V-162M-1A4
D3V-162M-1A5
D3V-162M-1C24
D3V-162M-3C5
D3V-163-1A4
D3V-163-1A5
D3V-163-1C25 BY OMI
D3V-163-1C26 BY OMI
D3V-163-1C4
D3V-163-1C5
D3V-16327-2C5 BY OMI
D3V-163-3A5
D3V-163-3C5
D3V-16388-1C5
D3V-16388-2A5 BY OMI
D3V-16388-2D55 BY OMI
D3V-16388-2D65 BY OMI
D3V-16-3A4 BY OMI
D3V-16-3A5
D3V-16-3A5-H
D3V-16-3C24 BY OMI
D3V-16-3C25
D3V-16-3C25-W BY OMI
D3V-16-3C4 BY OMI
D3V-16-3C5
D3V-16-3C5-H
D3V-16-3C5-H FOR MWO
D3V-16-3C6 BY OMI

Miniature basic switch, hinge lever, 16 A, SPDT, quick connect terminals

D3V-16-3D55 BY OMI
D3V-16-3D65 BY OMI
D3V-163M-1A4
D3V-163M-1C4
D3V-163M-1C5
D3V-163M-3C5
D3V-164-1A4
D3V-164-1A5
D3V-164-1C25 BY OMI
D3V-164-1C5
D3V-164-2A5 BY OMI
D3V-164-2C25 BY OMI
D3V-164-2D55 BY OMI
D3V-164-2D65 BY OMI
D3V-16443-2D56 BY OMI
D3V-16443-2D66 BY OMI
D3V-164K-1A4 BY OMI
D3V-164K-1C24 BY OMI
D3V-164K-1C4 BY OMI
D3V-164M-1A4
D3V-164M-2A5 BY OMI
D3V-164M-2C25 BY OMI
D3V-164M-3C5
D3V-165-1A5
D3V-165-1C25
D3V-165-1C5
D3V-165-2C4 BY OMI
D3V-165K-3C5 BY OMI
D3V-165M-1C5
D3V-165M-2A5 BY OMI
D3V-165M-2C25 BY OMI
D3V-165M-3C5
D3V-166-1A5
D3V-166-1C25
D3V-166-1C5
D3V-166-1D54 BY OMI
D3V-166-1D64 BY OMI
D3V-166-2C5
D3V-166M-1C25
D3V-166M-1C5
D3V-166M-3C5
D3V-1671-3A5
D3V-1671-3A5 BY OMI
D3V-1672-3A5 BY OMI
D3V-1672-3A5 BY OMI/EU82
D3V-168033W-2D65-30 BY OMI
D3V-16G10-1C5 BY OMI
D3V-16G1-1C64A BY OMI
D3V-16G-1C24A-W BY OMI
D3V-16G-1C25
D3V-16G-1C5
D3V-16G-2C25

D3V-16G-2C25 FOR MWO
D3V-16G3-1C4A-W BY OMI
D3V-16G3-1C6-W1 BY OMI
D3V-16G-3C24A-W BY OMI
D3V-16G-3C25
D3V-16G-3C4B-W1 BY OMI
D3V-16G-3C5
D3V-16G-3C6-W1 BY OMI
D3V-16G-3F7-W1-45 BY OMI
D3V-16G8027-1C64A BY OMI
D3V-21-3C5B-E BY OMI
D3V-21G1-1C4A BY OMI
D3V-21G-1C4A BY OMI
D3V-21G-1C4A-E BY OMI
D3V-21G-1C5B BY OMI
D3V-21G-1F4A-E BY OMI
D3V-21G21M-1C4A BY OMI
D3V-21G25-1C4A BY OMI
D3V-21G-2A24A-E-14 BY OMI
D3V-21G-2A4A-E-14 BY OMI
D3V-21G-2C4A BY OMI
D3V-21G-2C5B BY OMI
D3V-21G2K-1F4A-E BY OMI
D3V-21G2M-1C4A-E BY OMI
D3V-21G33K-1F4A-E-11 BY OMI
D3V-21G367-1C4A-E BY OMI
D3V-21G-3C4A BY OMI
D3V-21G-3C4A-E BY OMI
D3V-21G-3C5B BY OMI
D3V-21G-3C5B-43 BY OMI
D3V-21G-3F4A-12 BY OMI
D3V-21G-3F4A-33 BY OMI
D3V-21G3M-1A24A BY OMI
D3V-21G4K-1C4A-E BY OMI
D3V-21G51-1C4A BY OMI
D3V-25G-1C5B BY OMI
D3V-61-1C5 BY OMI
D3V-61-1C5-T BY OMI
D3V-6-1A4
D3V-6-1C24
D3V-6-1C4
D3V-6-1C5-T BY OMI
D3V-61M-1A4
D3V-61M-1C24
D3V-61M-1C4
D3V-61M-2A4
D3V-61M-2C24
D3V-61M-2C4
D3V-61M-3A4
D3V-61M-3C24
D3V-61M-3C4
D3V-62-1C4 BY OMI

D3V-6-2A4
D3V-6-2C24
D3V-6-2C4
D3V-62M-1A4
D3V-62M-1C24
D3V-62M-1C4
D3V-62M-2A4
D3V-62M-2C24
D3V-62M-2C4
D3V-62M-3A4
D3V-62M-3C24
D3V-62M-3C4
D3V-63-1C5 BY OMI
D3V-63-1C5-T BY OMI
D3V-6-3A4
D3V-6-3C24
D3V-6-3C4
D3V-63K-1C4 BY OMI
D3V-63M-1A4
D3V-63M-1A5-T BY OMI
D3V-63M-1C24
D3V-63M-1C4
D3V-63M-2A4
D3V-63M-2C24
D3V-63M-2C4
D3V-63M-3A4
D3V-63M-3C24
D3V-63M-3C4
D3V-64-1A4 BY OMI
D3V-64-1C5 BY OMI
D3V-64-1C5-T BY OMI
D3V-64-3C4 BY OMI
D3V-64M-1A4
D3V-64M-1C24
D3V-64M-1C4
D3V-64M-2A4
D3V-64M-2C24
D3V-64M-2C4
D3V-64M-3A4
D3V-64M-3C24
D3V-64M-3C4
D3V-65-1C4
D3V-65-1C5 BY OMI
D3V-65-1C5-T BY OMI
D3V-65M-1A4
D3V-65M-1C24
D3V-65M-1C4
D3V-65M-2A4
D3V-65M-2C24
D3V-65M-2C4
D3V-65M-3A4
D3V-65M-3C24

D3V-65M-3C4	
D3V-66-1C5 BY OMI	
D3V-66-1C5-T BY OMI	
D3V-66M-1A4	
D3V-66M-1C24	
D3V-66M-1C4	
D3V-66M-2A4	
D3V-66M-2C24	
D3V-66M-2C4	
D3V-66M-3A4	
D3V-66M-3C24	
D3V-66M-3C4	
D3V-6G-1C23 BY OMI	
D3V-6G-2C3 BY OMI	
D3V-6G3-1A3 BY OMI	
D3V-6G-3C63-W1 BY OMI	
D3V-6G5-3C23 BY OMI	
D3V-6G6M-3A4 BY OMI	
D3V-6G8027-1C64A BY OMI	
D3V-6G8027-3C64A BY OMI	
D40A-1C004-F	
D40A-1C2	
D40A-1C5	
D40B-1B10	
D40B-1B3	Non-contact door switch, standard sensor 3m, requires controller for Category 3
D40B-1D10	
D40B-1D3	
D40B-2B10	non-contact door switch, elongated sensor 10m, requires controller for Category 3
D40B-2B3	non-contact door switch, elongated sensor 3m, requires controller for Category 3
D40B-2B3-PC01 BY OMG	
D40B-2D10	non-contact door switch, elongated sensor 10m, 1NC aux. requires controller for Ca
D40B-2D3	
D40B-3D5C	non-contact door switch, high temperature sensor connector type with 5m cable inc
D40B-3E5C	non-contact door switch, high temperature sensor connector type with 5m cable inc
D40B-A1	
D40B-A2	
D40B-A3	
D40B-J1	Controller for D40B switches for category 3, 1NO main contact (4A/230ac) + 1NC aux
D40B-J2	Controller for D40B switches for category 3, 2NO main contact (4A/230ac) + 1NC aux
D43M24-02AFAN - FAN001043	
D4A-0001N	Limit switch replacement head, standard roller lever type
D4A-0002N	
D4A-0003N	
D4A-0005N	
D4A-0006N	
D4A-0007-HN	
D4A-0007-VN	
D4A-0008N	
D4A-0009N	
D4A-0010N	
D4A-0011N	
D4A-0012N	

D4A-0014N	
D4A-0015N	
D4A-0016N	
D4A-0017N	
D4A-0018N	
D4A-0100N	Limit switch replacement switch box, SPDT double-break
D4A-0300N	
D4A-0500N	
D4A-0700N	
D4A-0900N	
D4A-0C00N	
D4A-0P00N	
D4A-1000N	Limit switch replacement receptacle, SPDT double-break
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever
D4A-1101N-F	
D4A-1102N	
D4A-1103N	
D4A-1104N	
D4A-1105N	
D4A-1106N	
D4A-1107-HN	
D4A-1107-VN	
D4A-1109N	
D4A-1110N	Limit switch, double-pole, double-break, without indicator, top roller plunger
D4A-1111N	
D4A-1112N	Limit switch, double-pole, double-break, without indicator, flexible rod, spring wire
D4A-1114N	
D4A-1115N	
D4A-1116N	
D4A-1201N	
D4A-1301N	
D4A-1E01N	
D4A-2000N	
D4A-2501N	Limit switch, four-pole, double-break, without indicator, top roller plunger
D4A-2505N	
D4A-2507-VN	
D4A-2509N	
D4A-2510N	
D4A-2511N	
D4A-2516N	
D4A-2717N	
D4A-2918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever
D4A-2P01N	
D4A-3000N	
D4A-3101N	Limit switch, double-pole, double-break, without indicator, standard roller lever
D4A-3101N-GM	
D4A-3102N	
D4A-3105N-GM	
D4A-3106N	
D4A-3110N-GM	General Motors Special
D4A-3301N	
D4A-3315N	

D4A-3E01N-GM	
D4A-3E05N-GM	
D4A-3E10N-GM	
D4A-3E12N	
D4A-4000N	
D4A-4501N	Limit switch
D4A-4502N	
D4A-4504N	
D4A-4505N	
D4A-4510N	
D4A-4918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever
D4A-4N18N	
D4A-4P01N	
D4A-4R18N	
D4A-5000N	
D4A-5101N	
D4A-5109N	
D4A-5110N	
D4A-5115N	
D4A-A00	Replacement lever, roller lever type
D4A-A10	Replacement lever, roller lever type
D4A-A20	
D4A-A30	
D4A-B06	
D4A-C00	
D4A-D00	
D4A-E10	
D4A-E20	
D4A-E30	
D4A-F00	
D4B-0001	
D4B-0001N	General purpose limit switch, replacement roller lever actuator
D4B-0002N	General purpose limit switch, replacement 50mm rubber roller lever actuator
D4B-0003N	General purpose limit switch, replacement adjustable 50mm rubber roller lever actuator
D4B-0004N	General purpose limit switch, replacement 50mm rubber roller long lever actuator
D4B-0005N	General purpose limit switch, replacement stainless steel roller lever actuator
D4B-0006N	General purpose limit switch, replacement adjustable roller lever actuator
D4B-0007N	General purpose limit switch, replacement adjustable rod lever actuator
D4B-0009N	
D4B-000RN	
D4B-0010N	General purpose limit switch, replacement side rotary operating head
D4B-0070N	
D4B-0071N	General purpose limit switch, replacement top plunger roller operating head
D4B-0081N	General purpose limit switch, replacement coil spring wobble lever operating head
D4B-0087N	General purpose limit switch, replacement plastic rod wobble lever operating head
D4B-0100N	General purpose limit switch, replacement contact block SPBD-NO/NC (snap action)
D4B-0300N	
D4B-0500N	
D4B-0600N	
D4B-0A00N	
D4B-1100N	Safety Limit Switch, PG 13.5, 1NC/1NO (snap-action), switch box actuator (without h
D4B-1111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A

D4B-1111N OEE	
D4B-1111N-FK	
D4B-1111N-LD NSUK	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A (special)
D4B-1111N-LE	
D4B-1112N	Limit switch, 50mm dia rubber roller lever, SPDB NO/NC, snap action, 10 A
D4B-1113N	Limit switch, adjustable large roller lever, SPDB NO/NC, snap action, 10 A
D4B-1114N	Limit switch, large roller lever, SPDB NO/NC, snap action, 10 A
D4B-1115N	Limit switch, stainless steel roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A
D4B-1116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A
D4B-1117N	Limit switch, adjustable rod lever, SPDB NO/NC, snap action, 10 A
D4B-1119N	
D4B-111EN	
D4B-111RN	
D4B-1170N	Limit switch, plain plunger, SPDB NO/NC, snap action, 10 A
D4B-1170N BY JPN	
D4B-1171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A
D4B-1171N BY JPN	
D4B-1171N-LD-NSUK	
D4B-1171N-LE	
D4B-1181N	Limit switch, spring rod lever, SPDB NO/NC, snap action, 10 A
D4B-1181N BY JPN	
D4B-1181N-LD	
D4B-1187N	Limit switch, plain spring rod lever, SPDB NO/NC, snap action, 10 A
D4B-1316N	
D4B-1317N	
D4B-131RN	
D4B-1370N	
D4B-1381N	
D4B-1387N	
D4B-1500N	
D4B-1511N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, slow action, 10 A
D4B-1512N	
D4B-1513N	
D4B-1515N	
D4B-1516N	
D4B-1517N	
D4B-1570N	
D4B-1571N	
D4B-1A00N	
D4B-1A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A
D4B-1A13N	
D4B-1A15N	
D4B-1A16N	Limit switch, adjustable roller lever, DPDB 2-NC, slow action, 10 A
D4B-1A17N	Limit switch, adjustable rod lever, DPDB 2-NC, slow action, 10 A
D4B-1A70N	Limit switch, plain plunger, DPDB 2-NC, slow action, 10 A
D4B-1A71N	Limit switch, roller plunger, DPDB 2-NC, slow action, 10 A
D4B-1A81N	Limit switch, spring rod lever, DPDB 2NC, slow action, 10A, PG13.5 entry
D4B-1A87N	
D4B-2100N	
D4B-2111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A
D4B-2111N-KLA	
D4B-2115N-KGM	

D4B-2115N-KGM1	
D4B-2116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A
D4B-2116N BY JPN	
D4B-2170N BY CHINA	
D4B-2171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A
D4B-2171N BY JPN	
D4B-2171N-KGM	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A (special)
D4B-2171N-KGM1	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A (special)
D4B-2181N	
D4B-2187N BY CHINA	
D4B-2311N	Limit switch
D4B-2316N	
D4B-2371N	
D4B-2511N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, slow action, 10 A
D4B-2515N	
D4B-2571N	
D4B-2A00N	
D4B-2A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A
D4B-2A15N	
D4B-2A71N	
D4B-2B71N	Limit switch, roller plunger, SPDB 2NC, slow action, gold contacts, 10 A
D4B-3111N	
D4B-3112N	
D4B-3116N	
D4B-3171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A
D4B-3181N	
D4B-3187N	
D4B-3500N	
D4B-3A00N	
D4B-4100N-LD	
D4B-4111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A
D4B-4113N	
D4B-4116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A
D4B-4117N	
D4B-4170N	
D4B-4171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A
D4B-4181N	Limit switch, spring rod lever, SPDB NO/NC, snap action, 10 A
D4B-4187N	Limit switch, plain spring rod lever, SPDB NO/NC, snap action, 10 A
D4B-4511N	
D4B-4516N	
D4B-4517N	
D4B-4570N	
D4B-4571N	
D4B-4A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A
D4B-4A16N	
D4B-4A17N	Limit switch, adjustable rod lever, DPDB 2-NC, slow action, 10 A
D4B-4A70N	
D4B-4A71N	Limit switch, roller plunger, DPDB 2-NC, slow action, 10 A, 3 conduit entry
D4B-5100N	Limit switch, switch box, SPDB NO/NC, snap action, 3 conduit entry
D4B-5111N	Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5112N	
D4B-5114N	

D4B-5115N	
D4B-5116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5117N	Limit switch, adjustable rod lever, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5170N	Limit switch, plain plunger, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5181N	Limit switch, spring rod lever, SPDB NO/NC, snap action, 10 A, 3 conduit entry
D4B-5187N	
D4B-5311N	
D4B-5316N	
D4B-5370N	
D4B-5371N	
D4B-5381N	
D4B-5387N	
D4B-5500N.	
D4B-5511N	
D4B-5512N	
D4B-5513N	
D4B-5515N	
D4B-5516N	
D4B-5517N	
D4B-5570N	
D4B-5571N	
D4B-5A00N	
D4B-5A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A, 3 conduit entry
D4B-5A12N	
D4B-5A13N	
D4B-5A15N	
D4B-5A16N	Limit switch, adjustable roller lever, DPDB 2-NC, slow action, 10 A, 3 conduit entry
D4B-5A17N	
D4B-5A70N	Limit switch, plain plunger, DPDB 2-NC, slow action, 10 A, 3 conduit entry
D4B-5A71N	Limit switch, roller plunger, DPDB 2-NC, slow action, 10 A, 3 conduit entry
D4B-5A81N	
D4B-5A87N	
D4B-7500N	
D4B-8111N	Limit switch, M20, roller lever, SPDB NO/NC, snap action, 10 A
D4B-8116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A
D4B-8117N	
D4B-8171N	
D4B-8A71N	
D4B9A11N by OMG	
D4BL RELEASE KEY	
D4BL-1CRA	
D4BL-1CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A
D4BL-1CRA-D	
D4BL-1CRB	
D4BL-1CRB-A	Safety door-lock switch, mechanical lock, 110 VAC, 1NC/1NO+1NC, 10 A
D4BL-1CRB-D	
D4BL-1CRC	
D4BL-1CRG	
D4BL-1CRG-A	Limit switch
D4BL-1DRA	
D4BL-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A

D4BL-1DRB	
D4BL-1DRB-A	
D4BL-1DRB-D	
D4BL-1DRC	
D4BL-1DRG	Limit switch
D4BL-1DRG-A	
D4BL-2CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A
D4BL-2CRA-A	
D4BL-2CRG	
D4BL-2CRG-A	
D4BL-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A
D4BL-2DRB	
D4BL-2DRG	
D4BL-2DRG-A	
D4BL-2GRD-AT	
D4BL-3CRA-A	
D4BL-3CRG-A	
D4BL-3DRB	
D4BL-3DRG-A	
D4BL-4CRA	
D4BL-4CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A
D4BL-4CRB	
D4BL-4CRB-A	
D4BL-4DRA	
D4BL-4DRA-A	
D4BL-4DRB-A	
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting
D4BL-K2	Slide operation key for D4BL switch, vertical mounting
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)
D4B-NLD	
D4B-NLE	Limit switch
D4BS-00F0	
D4BS-15FS	Safety interlock switch, DPDB NO/NC, 10 A
D4BS-1AFS	Safety interlock switch, DPDB 2-NC, 10 A
D4BS-25FS	Limit switch
D4BS-2AFS	Safety interlock switch, DPDB 2-NC, 10 A
D4BS-2AFS-LDR	
D4BS-2BFS	Safety interlock switch, DPDB 2-NC slow acting, gold contact, 10 A
D4BS-35FS	
D4BS-45FS	Limit switch
D4BS-4AFS	Safety interlock switch, DPDB 2-NC, 10 A
D4BS-55FS	Safety interlock switch, DPDB NO/NC, 10 A, 3 conduit entry
D4BS-5AFS	Safety interlock switch, DPDB 2-NC, 10 A, 3 conduit entry
D4BS-65FS	
D4BS-85FS	
D4BS-8AFS	
D4BS-K1	Slide operation key for D4BS switch, horizontal mounting
D4BS-K2	Slide operation key for D4BS switch, vertical mounting
D4BS-K3	Hinge operation key for D4BS switch, vertical mounting (adjustable)
D4C-0001	
D4C-0002	
D4C-0003	

D4C-0020	
D4C-0032	
D4C-0050	
D4C-1002-DK1EJ10	
D4C-1201	Compact enclosed limit switch, pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-r
D4C-1202	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oi
D4C-1202-C	
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m V
D4C-1203-M	
D4C-1210	Compact enclosed limit switch, bevel plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oi
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-ri
D4C-1220-A1	
D4C-1220-C	
D4C-1220-P	Limit switch
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VC
D4C-1229-P	
D4C-1231	
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m \
D4C-1232-C	
D4C-1233	
D4C-1241	
D4C-1242	
D4C-1243	
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-ri
D4C-1260	
D4C-1301	
D4C-1302	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oi
D4C-1302-F 5M	
D4C-1303	
D4C-1310	Compact enclosed limit switch, bevel plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oi
D4C-1320	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-ri
D4C-1324	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VC
D4C-1329-P	
D4C-1331	
D4C-1332 5M	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m \
D4C-1333	
D4C-1341	
D4C-1342	
D4C-1343	
D4C-1350	
D4C-1401	
D4C-1402	
D4C-1410	
D4C-1431	
D4C-1432	
D4C-1441	
D4C-1442	Compact enclosed limit switch, panel mount roller plunger, 5 A 250 VAC, 4 A 30 VDC
D4C-1450	
D4C-1501	
D4C-1502	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF ca
D4C-1503	
D4C-1510	

D4C-1520	
D4C-1531	
D4C-1533	
D4C-1541	
D4C-1601	Compact enclosed limit switch, pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m SJT(O) ca
D4C-1602	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m SJT(O) ca
D4C-1603	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m S
D4C-1610	
D4C-1620	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m SJT(O) ca
D4C-1631	
D4C-1632	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m S
D4C-1633	Compact enclosed limit switch, sealed cross roller plunger, 5 A 250 VAC, 4 A 30 VDC
D4C-1641	
D4C-1650	
D4C-1701	
D4C-1702	
D4C-1703	
D4C-1720	
D4C-1731	
D4C-1732	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m S
D4C-1733	
D4C-1750	
D4C-1824-C	
D4C-1901	
D4C-1902	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 2m VCTF ca
D4C-1903	
D4C-1910	
D4C-1920	Limit switch
D4C-1931	
D4C-1932	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC
D4C-1933 1	
D4C-1941	
D4C-1942	
D4C-1943	
D4C-1950	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 2m VCTF cabl
D4C-1D02 11M	
D4C-1G01 1M	Limit switch
D4C-1G02 1M	
D4C-1G03 1M	
D4C-1G20	
D4C-1G31	
D4C-1G32	
D4C-1G33 1M	
D4C-2201	
D4C-2202	
D4C-2203	Compact enclosed limit switch, cross roller plunger, 5 A 125 VAC, 3m VCTF oil-resis
D4C-2210	
D4C-2220	
D4C-2224-P	
D4C-2231	
D4C-2232	
D4C-2301-B	

D4C-2302	
D4C-2303.	
D4C-2310	
D4C-2320	
D4C-2333	
D4C-2401	
D4C-2402	
D4C-2403	
D4C-2410	
D4C-2420	
D4C-2431	
D4C-2501	
D4C-2502	
D4C-2503	
D4C-2520	
D4C-2620	
D4C-3002-DK1EJ03	Limit switch
D4C-3002-M1GJ 0.5M	Limit switch
D4C-3024-DK1EJ03	
D4C-3024-M1GJ 1.0M	Limit switch
D4C-3024-M1J 0.5M	
D4C-3032-DK1EJ05	
D4C-3201.	
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3203.	Compact enclosed limit switch, cross roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3210	
D4C-3220	
D4C-3224	Compact enclosed limit switch, roller lever (high sensitivity), 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3227-P	
D4C-3231	Compact enclosed limit switch, sealed pin plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3232	Compact enclosed limit switch, sealed roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3233	
D4C-3241	
D4C-3242	
D4C-3243	
D4C-3250	
D4C-3260	Compact enclosed limit switch, centre roller lever plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable
D4C-3301	Compact enclosed limit switch, pin plunger, 4 A 30 VDC, 5m VCTF oil-resistant cable
D4C-3302	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 5m VCTF oil-resistant cable
D4C-3303	
D4C-3310.	
D4C-3320	Compact enclosed limit switch, roller lever, 4 A 30 VDC, 5m VCTF oil-resistant cable
D4C-3332	
D4C-3342	
D4C-3350	
D4C-3401	
D4C-3402	
D4C-3403	
D4C-3410	
D4C-3420	
D4C-3450	
D4C-3501	

D4C-3502	
D4C-3503	Compact enclosed limit switch, cross roller plunger, 4 A 30 VDC, 5m VCTF cable
D4C-3520	
D4C-3532	
D4C-3901	
D4C-3902	
D4C-3903	
D4C-4201	
D4C-4202	Compact enclosed limit switch, roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCT
D4C-4203	
D4C-4210.	
D4C-4220	
D4C-4224	
D4C-4232	
D4C-4233	
D4C-4250	
D4C-4301.	Compact enclosed limit switch, pin plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF
D4C-4302	Compact enclosed limit switch, roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCT
D4C-4303.	
D4C-4310.	
D4C-4320	
D4C-4327-P	
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5
D4C-4401	
D4C-4402	
D4C-4403	
D4C-4420	
D4C-4424	Compact enclosed limit switch, roller lever (high sensitivity), 0.1 A 125 VAC, 0.1 A 30
D4C-4501	
D4C-4502	
D4C-4520	
D4C-4532	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5
D4C-4533	
D4C-4902	
D4C-5201.	
D4C-5202.	
D4C-5203.	
D4C-5220	
D4C-5232	
D4C-5302.	
D4C-5303.	
D4C-5320	
D4C-5403	
D4C-5420	
D4C-5502	
D4C-6201	
D4C-6202.	
D4C-6203.	
D4C-6210.	
D4C-6220	
D4C-6232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 30 VDC, 3m VCTF oil-res
D4C-6233	

D4C-6242
D4C-6301.
D4C-6302
D4C-6303
D4C-6310.
D4C-6320
D4C-6401
D4C-6402
D4C-6403
D4C-6420
D4C-6432
D4C-6502
D4C-6810
D4C-6931
D4CC-1001
D4CC-1002
D4CC-1003
D4CC-1010
D4CC-1024
D4CC-1031
D4CC-1032
D4CC-1033
D4CC-1041
D4CC-1042
D4CC-1043
D4CC-1050
D4CC-1060
D4CC-2001
D4CC-2002
D4CC-2003
D4CC-2010
D4CC-2024
D4CC-2031
D4CC-2032
D4CC-2050
D4CC-2060
D4CC-3001
D4CC-3002
D4CC-3003
D4CC-3010
D4CC-3024
D4CC-3031
D4CC-3032
D4CC-3033
D4CC-3041
D4CC-3042
D4CC-3050
D4CC-3060
D4CC-4001
D4CC-4002
D4CC-4003
D4CC-4010

Compact limit switch, connector type, 1 A 125 VAC, roller plunger

Compact limit switch, connector type, 1 A 30 VDC, roller plunger

Compact limit switch, connector type, 1 A 30 VDC, cross roller plunger

Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever

Compact limit switch, connector type, 1 A 30 VDC, sealed pin plunger

Compact limit switch, connector type, 1 A 30 VDC, roller plunger

D4CC-4024	
D4CC-4031	
D4CC-4032	
D4CC-4033	
D4CC-4041	
D4CC-4042	
D4CC-4043	
D4CC-4050	
D4CC-4060	Compact limit switch, connector type, 1 A 30 VDC, centre roller level
D4CC-4102	
D4CC-4124	
D4C-P020	
D4D-1172N .	
D4DL-1DFA	
D4DS-K1	Slide operation key for D4NL/DS switch, horizontal mounting
D4DS-K2	Slide operation key for D4NL/DS switch, vertical mounting
D4DS-K3	Hinge operation key for D4NL/DS switch, vertical mounting (horiz. adjust.)
D4DS-K5	Hinge operation key for D4NL/DS switch, vertical mounting (horiz. & vert. adjust.)
D4E-1A00N	
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger
D4E-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, pre-cable
D4E-1A23L2N	
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger
D4E-1C00N	Limit switch, slim sealed, connector type, general purpose, plunger
D4E-1C10N	
D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger
D4E-1C21N	
D4E-1C23N 5M	
D4E-1D00N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger
D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger
D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger
D4E-1E10N	
D4E-1E20N	Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger
D4E-1F10N	
D4E-1F20N	Limit switch, slim sealed, screw terminal, general purpose, sealed plunger
D4E-1G00N	Limit switch, slim sealed, connector type, general purpose, roller lever
D4E-1G10N	Limit switch, slim sealed, connector type, general purpose, roller lever
D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever
D4E-1G21N	
D4E-1G21N-M1J	
D4E-1G23L2N	
D4E-1G24L2N	
D4E-1H20N	Limit switch, slim sealed, screw terminal, general purpose, one way roller lever
D4E-2A20N	
D4E-2A21N	
D4E-2B20N	
D4E-2C10N	Limit switch, slim sealed, connector type, micro-load, plunger
D4E-2C20N	
D4E-2C21N	
D4E-2D20N	Limit switch, slim sealed, screw terminal, micro-load, sealed roller plunger

D4E-2D21N	Limit switch, slim sealed, screw terminal, micro-load, sealed roller plunger, pre-cabl
D4E-2E20N	Limit switch, slim sealed, screw terminal, micro-load, sealed croSSRoller plunger
D4E-2E21N	
D4E-2F20N	
D4E-2F21N	
D4E-2G10N	
D4E-2G20N	Limit switch, slim sealed, screw terminal, micro-load, roller lever
D4E-2G21N	
D4E-3A20N	
D4F-102-1D	
D4F-102-1R	
D4F-102-3D	Limit switch
D4F-102-3R	Limit switch
D4F-102-5D	
D4F-102-5R	
D4F-120-1D	
D4F-120-1R	
D4F-120-3D	Limit switch
D4F-120-3R	Limit switch
D4F-120-5D	
D4F-120-5R	
D4F-202-1D	
D4F-202-1R	
D4F-202-3D	
D4F-202-3R	
D4F-202-5D	
D4F-202-5R	
D4F-220-1D	
D4F-220-1R	
D4F-220-3D	
D4F-220-3R	
D4F-220-5R	
D4F-302-1D	
D4F-302-1R	Limit switch
D4F-302-3D	
D4F-302-3R	
D4F-302-5D	
D4F-302-5R	
D4F-320-10D	
D4F-320-1D	
D4F-320-1R	
D4F-320-3D	
D4F-320-3R	
D4F-320-5D	
D4F-320-5R	
D4F-402-1D	
D4F-402-1R	
D4F-402-3D	
D4F-402-3R	
D4F-402-5D	
D4F-402-5R	
D4F-420-1D	

D4F-420-1R	
D4F-420-3D	
D4F-420-3R	
D4F-420-5D	
D4F-420-5R	
D4GL-1AFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 1NC/
D4GL-1AFA-A4	
D4GL-1AFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release 1NC/1
D4GL-1AFG-A4	
D4GL-1BFA-A	
D4GL-1BFA-A4	
D4GL-1BFG-A	
D4GL-1BFG-A4	
D4GL-1CFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 2NC ·
D4GL-1CFA-A4	
D4GL-1CFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 2NC ·
D4GL-1CFG-A4	
D4GL-1DFA-A	
D4GL-1DFG-A	
D4GL-1DFG-A4	
D4GL-1EFA-A	
D4GL-1EFA-A4	
D4GL-1EFG-A	
D4GL-1EFG-A4	
D4GL-1FFA-A	
D4GL-1FFA-A4	
D4GL-1FFG-A	
D4GL-1FFG-A4	
D4GL-1GFA-A	
D4GL-1GFA-A4	
D4GL-1GFG-A	
D4GL-1GFG-A4	
D4GL-1HFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 3NC ·
D4GL-1HFA-A4	
D4GL-1HFG-A	
D4GL-1HFG-A4	
D4GL-2AFA-A	
D4GL-2AFA-A4	
D4GL-2AFG-A	
D4GL-2AFG-A4	
D4GL-2BFA-A	
D4GL-2BFA-A4	
D4GL-2BFG-A	
D4GL-2BFG-A4	
D4GL-2CFA-A	
D4GL-2CFA-A4	
D4GL-2CFG-A	
D4GL-2CFG-A4	
D4GL-2DFA-A	
D4GL-2DFA-A4	
D4GL-2DFG-A	
D4GL-2DFG-A4	

D4GL-2EFA-A	Safety limit switch	
D4GL-2EFA-A4		
D4GL-2EFG-A		
D4GL-2EFG-A4		
D4GL-2FFA-A		
D4GL-2FFA-A4		
D4GL-2FFG-A		
D4GL-2FFG-A4		
D4GL-2GFA-A		
D4GL-2GFA-A4		
D4GL-2GFG-A	Limit Switch	
D4GL-2GFG-A4		
D4GL-2HFA-A		
D4GL-2HFA-A4		
D4GL-2HFG-A		
D4GL-2HFG-A4		
D4GL-4AFA-A		Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 1NC/
D4GL-4AFA-A4		
D4GL-4AFG-A		Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 1NC/
D4GL-4AFG-A4		
D4GL-4BFA-A		
D4GL-4BFA-A4		
D4GL-4BFG-A		
D4GL-4BFG-A4		
D4GL-4CFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 2NC ·	
D4GL-4CFA-A4		
D4GL-4CFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 2NC ·	
D4GL-4CFG-A4		
D4GL-4DFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 2NC ·	
D4GL-4DFA-A4		
D4GL-4DFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 2NC ·	
D4GL-4DFG-A4		
D4GL-4EFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 2NC/	
D4GL-4EFA-A4		
D4GL-4EFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 2NC/	
D4GL-4EFG-A4		
D4GL-4FFA-A		
D4GL-4FFA-A4		
D4GL-4FFG-A		
D4GL-4FFG-A4		
D4GL-4GFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 3NC ·	
D4GL-4GFA-A4		
D4GL-4GFG-A	Safety door-lock switch, slim body, 24 VDC solenoid lock, mechanical release, 3NC ·	
D4GL-4GFG-A4		
D4GL-4HFA-A	Safety door-lock switch, slim body, mechanical lock, 24 VDC solenoid release, 3NC ·	
D4GL-4HFA-A4		
D4GL-4HFG-A		
D4GL-4HFG-A4		
D4GL-SK10-LK	Safety Switch	
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	
D4GS-N1R-3	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 3m cable	
D4GS-N1R-5	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 5m cable	

D4GS-N1T	
D4GS-N1T-3	
D4GS-N1T-5	
D4GS-N2R	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable
D4GS-N2R-3	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 3m cable
D4GS-N2R-5	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 5m cable
D4GS-N2T	
D4GS-N2T-3	
D4GS-N2T-5	
D4GS-N3R	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable
D4GS-N3R-3	
D4GS-N3R-5	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 5m cable
D4GS-N3T	Safety door switch, IP67, 2NC/1NO (slow-action), vertical key insertion, 1m cable
D4GS-N3T-3	Safety door switch, IP67, 2NC/1NO (slow-action), vertical key insertion, 3m cable
D4GS-N3T-5	
D4GS-N4R	Safety door switch, IP67, 3NC (slow-action), horizontal key insertion, 1m cable
D4GS-N4R-3	
D4GS-N4R-5	Safety door switch, IP67, 3NC (slow-action), horizontal key insertion, 5m cable
D4GS-N4T	
D4GS-N4T-3	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 3m cable
D4GS-N4T-5	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 5m cable
D4GS-NK1	Operation Key, horizontal mounting
D4GS-NK2	Operation Key, vertical mounting
D4GS-NK4	Operation Key, adjustable
D4JL-2NFA-C6	Safety switch
D4JL-2NFA-C7-01	
D4JL-2NFA-D6	
D4JL-2RFA-C5	
D4JL-2RFA-C5N-T	
D4JL-4NFA-C5	
D4JL-4NFA-C6	
D4JL-K1	
D4JL-K2	
D4JL-SK40	Door lock assembly mechanism for D4JL-**F*-*6
D4M-5111	Limit switch
D4M-5113	Limit switch
D4M-5116	Limit switch
D4M-5117	Limit switch
D4M-5162	Limit switch
D4M-5170	Limit switch
D4M-5171	Limit switch
D4M-5181	Limit switch
D4M-5511	
D4M-5513	
D4M-5516	
D4M-5517	
D4M-5562	Limit switch
D4M-5570	
D4M-5571	
D4MB-541G	
D4MC-1000	Enclosed switch, hinge lever, SPDT, 10 A
D4MC-1020	Enclosed switch, short hinge lever, SPDT, 10 A

D4MC-2000	Enclosed switch, hinge roller lever, SPDT, 10 A
D4MC-2020	Enclosed switch, short hinge roller lever, SPDT, 10 A
D4MC-2023 VCT 3M	
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A
D4MC-5000	Enclosed switch, panel mount plunger, SPDT, 10 A
D4MC-5001 VCT 3M	
D4MC-5001 VCT 5M	
D4MC-5002 VCT 3M	
D4MC-5003 VCT 3M	
D4MC-5020	Enclosed switch, panel mount roller plunger, SPDT, 10 A
D4MC-5021 VCT 3M	
D4MC-5026 AV	
D4MC-5040	Enclosed switch, panel mount cross roller plunger, SPDT, 10 A
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-1125	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (snap-action), 1NC/1NC
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1I
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg1
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NC
D4N-1172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (s
D4N-1220	
D4N-1222	
D4N-1225	
D4N-1226	
D4N-122G	
D4N-122H	
D4N-1231	
D4N-1232	
D4N-1262	
D4N-1272	
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-1A20R	
D4N-1A22	
D4N-1A25	
D4N-1A26	
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-1A2GR	
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-1A2H(MAC)	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-1A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-
D4N-1A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg1
D4N-1A32R	
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-1A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-1A72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-1A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti

D4N-1B20R
D4N-1B22
D4N-1B25
D4N-1B26
D4N-1B2G
D4N-1B2GR
D4N-1B2H
D4N-1B2HR
D4N-1B31
D4N-1B31R
D4N-1B32
D4N-1B32R
D4N-1B62
D4N-1B62R
D4N-1B72
D4N-1B72R
D4N-1C20
D4N-1C20R
D4N-1C22
D4N-1C25
D4N-1C26
D4N-1C2G
D4N-1C2GR
D4N-1C2H
D4N-1C2HR
D4N-1C31
D4N-1C31R
D4N-1C32
D4N-1C32R
D4N-1C62
D4N-1C62R
D4N-1C72
D4N-1C72R
D4N-1D20
D4N-1D20R
D4N-1D22
D4N-1D25
D4N-1D26
D4N-1D2G
D4N-1D2GR
D4N-1D2H
D4N-1D2HR
D4N-1D31
D4N-1D31R
D4N-1D32
D4N-1D32R
D4N-1D62
D4N-1D62R
D4N-1D72
D4N-1D72R
D4N-1E20
D4N-1E22

Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-con

D4N-1E25	
D4N-1E26	
D4N-1E2G	
D4N-1E2H	
D4N-1E31	
D4N-1E32	
D4N-1E62	
D4N-1E72	
D4N-1F20	
D4N-1F22	
D4N-1F25	
D4N-1F26	
D4N-1F2G	
D4N-1F2H	
D4N-1F31	
D4N-1F32	
D4N-1F62	
D4N-1F72	
D4N-2120	
D4N-2122	
D4N-2125	
D4N-2126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-212G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-212H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2131	
D4N-2132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)
D4N-2220	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2222	Limit switch, Roller lever (metal lever, resin roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2225	Limit switch, Roller lever (metal lever, metal roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2226	Limit switch, Roller lever (metal lever, bearing roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-222G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-222H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2231	Limit switch, Top plunger, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2272	Limit switch, One-way roller arm lever (vertical), 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)
D4N-2A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A20R	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A25	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A26	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)
D4N-2A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)

D4N-2A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-cc
D4N-2A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2
D4N-2A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2
D4N-2A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-2A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-2A72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-2A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-2ALE	Limit switch, Fork lever lock (left operation), 1NC/1NO (slow-action), 1NC/1NO (slow-
D4N-2ARE	Limit switch, Fork lever lock (right operation), 1NC/1NO (slow-action), 1NC/1NO (slow-
D4N-2B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-2B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-2B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-act
D4N-2B25	Limit switch, Roller lever (metal lever, metal roller), 2NC (slow-action), 2NC (slow-act
D4N-2B26	Limit switch, Roller lever (metal lever, bearing roller), 2NC (slow-action), 2NC (slow-act
D4N-2B2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-2B2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-2B2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-2B2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-2B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)
D4N-2B31R	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)Rot
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-condu
D4N-2B32R	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-condu
D4N-2B62	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-2B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-2B72	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actior
D4N-2B72R	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actior
D4N-2B80	Limit switch, Cat whisker, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)
D4N-2B87	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)
D4N-2BLE	Limit switch, Fork lever lock (left operation), 2NC (slow-action), 2NC (slow-action), G
D4N-2BRE	Limit switch, Fork lever lock (right operation), 2NC (slow-action), 2NC (slow-action),
D4N-2C20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-2C20R	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-2C22	Limit switch, Roller lever (metal lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-2C25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (slow-action), 2NC/1NC
D4N-2C26	Limit switch, Roller lever (metal lever, bearing roller), 2NC/1NO (slow-action), 2NC/1N
D4N-2C2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (s
D4N-2C2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (s
D4N-2C2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-2C2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-2C31	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-cc
D4N-2C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-cc
D4N-2C32	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2
D4N-2C32R	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2
D4N-2C62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-2C62R	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-2C72	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (slow-action), 2NC/1NO (s
D4N-2C72R	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (slow-action), 2NC/1NO (s
D4N-2CLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (slow-action), 2NC/1NO (slow-
D4N-2CRE	Limit switch, Fork lever lock (right operation), 2NC/1NO (slow-action), 2NC/1NO (slow-
D4N-2D20	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-acti
D4N-2D20R	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-acti
D4N-2D22	Limit switch, Roller lever (metal lever, resin roller), 3NC (slow-action), 3NC (slow-act

D4N-2D25	Limit switch, Roller lever (metal lever, metal roller), 3NC (slow-action), 3NC (slow-act
D4N-2D26	Limit switch, Roller lever (metal lever, bearing roller), 3NC (slow-action), 3NC (slow-act
D4N-2D2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 3NC (slow-a
D4N-2D2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 3NC (slow-a
D4N-2D2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 3NC (slow
D4N-2D2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 3NC (slow
D4N-2D31	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)
D4N-2D31R	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)Rot
D4N-2D32	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (1-condu
D4N-2D32R	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (1-condu
D4N-2D62	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-act
D4N-2D62R	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-act
D4N-2D72	Limit switch, One-way roller arm lever (vertical), 3NC (slow-action), 3NC (slow-actior
D4N-2D72R	Limit switch, One-way roller arm lever (vertical), 3NC (slow-action), 3NC (slow-actior
D4N-2D80	Limit switch, Cat whisker, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)
D4N-2D87	Limit switch, Plastic rod, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)
D4N-2DLE	Limit switch, Fork lever lock (left operation), 3NC (slow-action), 3NC (slow-action), G
D4N-2DRE	Limit switch, Fork lever lock (right operation), 3NC (slow-action), 3NC (slow-action),
D4N-2E20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (MBB contact-/slow-act
D4N-2E22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (MBB contact-/slow-ac
D4N-2E25	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (MBB contact-/slow-ac
D4N-2E26	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (MBB contact-/slow-
D4N-2E2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (M
D4N-2E2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-2E31	Limit switch, Top plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (MBB coi
D4N-2E32	Limit switch, Top roller plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (ME
D4N-2E62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (MBB contact-/slow-ac
D4N-2E72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (MBB contact-/slow-actio
D4N-2ELE	Limit switch, Fork lever lock (left operation), 1NC/1NO (MBB contact-/slow-action), 1
D4N-2ERE	Limit switch, Fork lever lock (right operation), 1NC/1NO (MBB contact-/slow-action),
D4N-2F20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (MBB contact-/slow-act
D4N-2F22	Limit switch, Roller lever (metal lever, resin roller), 2NC/1NO (MBB contact-/slow-ac
D4N-2F25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (MBB contact-/slow-ac
D4N-2F26	Limit switch, Roller lever (metal lever, bearing roller), 2NC/1NO (MBB contact-/slow-
D4N-2F2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (M
D4N-2F2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-2F31	Limit switch, Top plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB coi
D4N-2F32	Limit switch, Top roller plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (ME
D4N-2F62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (MBB contact-/slow-ac
D4N-2F72	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (MBB contact-/slow-actio
D4N-2FLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (MBB contact-/slow-action), 2
D4N-2FRE	Limit switch, Fork lever lock (right operation), 2NC/1NO (MBB contact-/slow-action),
D4N-3120	
D4N-3122	
D4N-3125	
D4N-3126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/11
D4N-312G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-312H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-3131	
D4N-3132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), 1/2-
D4N-3162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO
D4N-3172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (s

D4N-3180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), 1/2-14NPT
D4N-3187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), 1/2-14NPT
D4N-3220	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap-act
D4N-3222	Limit switch, Roller lever (metal lever, resin roller), 2NC (snap-action), 2NC (snap-act
D4N-3225	Limit switch, Roller lever (metal lever, metal roller), 2NC (snap-action), 2NC (snap-ac
D4N-3226	Limit switch, Roller lever (metal lever, bearing roller), 2NC (snap-action), 2NC (snap-
D4N-322G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (snap- -
D4N-322H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap
D4N-3231	Limit switch, Top plunger, 2NC (snap-action), 2NC (snap-action), 1/2-14NPT (1-condu
D4N-3232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), 1/2-14NPT (1-
D4N-3262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-act
D4N-3272	Limit switch, One-way roller arm lever (vertical), 2NC (snap-action), 2NC (snap-actio
D4N-3280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), 1/2-14NPT (1-condu
D4N-3287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), 1/2-14NPT (1-condui
D4N-3A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-3A20R	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-3A22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-3A25	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (slow-action), 1NC/1NC
D4N-3A26	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (slow-action), 1NC/1N
D4N-3A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-3A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-3A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-3A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-3A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-14NPT
D4N-3A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-14NPT
D4N-3A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-
D4N-3A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-
D4N-3A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-3A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-3A72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-3A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-3ALE	Limit switch, Fork lever lock (left operation), 1NC/1NO (slow-action), 1NC/1NO (slow-
D4N-3ARE	Limit switch, Fork lever lock (right operation), 1NC/1NO (slow-action), 1NC/1NO (slo
D4N-3B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-3B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-3B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-act
D4N-3B25	Limit switch, Roller lever (metal lever, metal roller), 2NC (slow-action), 2NC (slow-act
D4N-3B26	Limit switch, Roller lever (metal lever, bearing roller), 2NC (slow-action), 2NC (slow- -
D4N-3B2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-3B2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-3B2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-3B2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-3B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-condu
D4N-3B31R	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-condu
D4N-3B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-
D4N-3B32R	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-
D4N-3B62	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-3B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-3B72	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actio
D4N-3B72R	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actio
D4N-3B80	Limit switch, Cat whisker, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-condu
D4N-3B87	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (1-conduit

D4N-3ELE	Limit switch, Fork lever lock (left operation), 1NC/1NO (MBB contact-/slow-action), 1
D4N-3ERE	Limit switch, Fork lever lock (right operation), 1NC/1NO (MBB contact-/slow-action), 1
D4N-3F20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (MBB contact-/slow-act
D4N-3F22	Limit switch, Roller lever (metal lever, resin roller), 2NC/1NO (MBB contact-/slow-ac
D4N-3F25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (MBB contact-/slow-ac
D4N-3F26	Limit switch, Roller lever (metal lever, bearing roller), 2NC/1NO (MBB contact-/slow-
D4N-3F2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (M
D4N-3F2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-3F31	Limit switch, Top plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB coi
D4N-3F32	Limit switch, Top roller plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (ME
D4N-3F62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (MBB contact-/slow-ac
D4N-3F72	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (MBB contact-/slow-actio
D4N-3FLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (MBB contact-/slow-action), 2
D4N-3FRE	Limit switch, Fork lever lock (right operation), 2NC/1NO (MBB contact-/slow-action), 2
D4N-4120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-4122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-4125	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (snap-action), 1NC/1NC
D4N-4126	
D4N-412G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-412H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-4131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-cc
D4N-4131-ST	
D4N-4132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20
D4N-4162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO
D4N-4172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (s
D4N-4180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-co
D4N-4187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-cor
D4N-4220	
D4N-4222	
D4N-4225	
D4N-4226	
D4N-422G	
D4N-422H	
D4N-4231	
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-condu
D4N-4262	
D4N-4272	
D4N-4280	
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)
D4N-4A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-4A20R	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-4A22	
D4N-4A25	
D4N-4A26	
D4N-4A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-4A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-4A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-4A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-4A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-co
D4N-4A31-MQ	
D4N-4A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-co
D4N-4A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20

D4N-4A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20
D4N-4A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-4A62R	
D4N-4A72	
D4N-4A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-4ALE	
D4N-4ARE	
D4N-4B20	
D4N-4B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-4B22	
D4N-4B25	
D4N-4B26	
D4N-4B2G	
D4N-4B2GR	
D4N-4B2H	
D4N-4B2HR	
D4N-4B31	
D4N-4B31R	
D4N-4B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), M20 (1-condu
D4N-4B32R	
D4N-4B62	
D4N-4B62R	
D4N-4B72	
D4N-4B72R	
D4N-4B80	
D4N-4B87	
D4N-4BLE	
D4N-4BRE	
D4N-4C20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-4C20R	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-4C22	
D4N-4C25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (slow-action), 2NC/1NC
D4N-4C26	
D4N-4C2G	
D4N-4C2GR	
D4N-4C2H	
D4N-4C2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-4C31	
D4N-4C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), M20 (1-co
D4N-4C32	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), M20
D4N-4C32R	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), M20
D4N-4C62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-4C62R	
D4N-4C72	
D4N-4C72R	
D4N-4CLE	
D4N-4CRE	
D4N-4D20	
D4N-4D20R	
D4N-4D22	
D4N-4D25	
D4N-4D26	

D4N-4D2G	
D4N-4D2GR	
D4N-4D2H	
D4N-4D2HR	
D4N-4D31	
D4N-4D31R	
D4N-4D32	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), M20 (1-condu
D4N-4D32R	
D4N-4D62	
D4N-4D62R	
D4N-4D72	
D4N-4D72R	
D4N-4D80	
D4N-4D87	
D4N-4DLE	
D4N-4DRE	
D4N-4E20	
D4N-4E22	
D4N-4E25	
D4N-4E26	
D4N-4E2G	
D4N-4E2H	
D4N-4E31	
D4N-4E32	
D4N-4E62	
D4N-4E72	
D4N-4ELE	
D4N-4ERE	
D4N-4F20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (MBB contact-/slow-act
D4N-4F22	
D4N-4F25	
D4N-4F26	
D4N-4F2G	
D4N-4F2H	
D4N-4F31	
D4N-4F32	Limit switch, Top roller plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (ME
D4N-4F62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (MBB contact-/slow-ac
D4N-4F72	
D4N-4FLE	
D4N-4FRE	
D4N-5120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-5122	
D4N-5131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (2
D4N-5132	
D4N-5162	
D4N-5172	
D4N-5220	
D4N-5222	
D4N-5231	
D4N-5232	
D4N-5262	
D4N-5272	

D4N-5A20
D4N-5A20R
D4N-5A22
D4N-5A2GR
D4N-5A2HR
D4N-5A31
D4N-5A31R
D4N-5A32
D4N-5A32R
D4N-5A62
D4N-5A62R
D4N-5A72
D4N-5A72R
D4N-5B20
D4N-5B20R
D4N-5B22
D4N-5B2GR
D4N-5B2HR
D4N-5B31
D4N-5B31R
D4N-5B32
D4N-5B32R
D4N-5B62
D4N-5B62R
D4N-5B72
D4N-5B72R
D4N-5C20
D4N-5C20R
D4N-5C22
D4N-5C2GR
D4N-5C2HR
D4N-5C31
D4N-5C31R
D4N-5C32
D4N-5C32R
D4N-5C62
D4N-5C62R
D4N-5C72
D4N-5C72R
D4N-5D20
D4N-5D20R
D4N-5D22
D4N-5D2GR
D4N-5D2HR
D4N-5D31
D4N-5D31R
D4N-5D32
D4N-5D32R
D4N-5D62
D4N-5D62R
D4N-5D72
D4N-5D72R

Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg1

Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO

D4N-5E20	
D4N-5E22	
D4N-5E31	
D4N-5E32	
D4N-5E62	
D4N-5E72	
D4N-5F20	
D4N-5F22	
D4N-5F31	
D4N-5F32	
D4N-5F62	
D4N-5F72	
D4N-6120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-6122	
D4N-612G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-612H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-6131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-c
D4N-6132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/
D4N-6162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO
D4N-6172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (s
D4N-6180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-cc
D4N-6187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-co
D4N-6220	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap-act
D4N-6222	Limit switch, Roller lever (metal lever, resin roller), 2NC (snap-action), 2NC (snap-act
D4N-622G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (snap- \bar{c}
D4N-622H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap
D4N-6231	Limit switch, Top plunger, 2NC (snap-action), 2NC (snap-action), G1/2 (2-conduit)
D4N-6232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), G1/2 (2-condi
D4N-6262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-act
D4N-6272	Limit switch, One-way roller arm lever (vertical), 2NC (snap-action), 2NC (snap-actio
D4N-6280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (2-conduit)
D4N-6287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), G1/2 (2-conduit)
D4N-6A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-6A20R	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-6A22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-6A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-6A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-6A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-6A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-6A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (2-cc
D4N-6A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (2-cc
D4N-6A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/
D4N-6A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/
D4N-6A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-6A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-6A72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-6A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-6ALE	Limit switch, Fork lever lock (left operation), 1NC/1NO (slow-action), 1NC/1NO (slow
D4N-6ARE	Limit switch, Fork lever lock (right operation), 1NC/1NO (slow-action), 1NC/1NO (slo
D4N-6B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-6B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-6B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-act

D4N-6B2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-6B2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-6B2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-6B2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-6B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)
D4N-6B31R	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)Rot
D4N-6B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-condu
D4N-6B32R	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-condu
D4N-6B62	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-6B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-6B72	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actior
D4N-6B72R	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actior
D4N-6B80	Limit switch, Cat whisker, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)
D4N-6B87	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)
D4N-6BLE	Limit switch, Fork lever lock (left operation), 2NC (slow-action), 2NC (slow-action), G
D4N-6BRE	Limit switch, Fork lever lock (right operation), 2NC (slow-action), 2NC (slow-action),
D4N-6C20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-6C20R	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-6C22	Limit switch, Roller lever (metal lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-6C2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (s
D4N-6C2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (s
D4N-6C2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-6C2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-6C31	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (2-cc
D4N-6C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (2-cc
D4N-6C32	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/
D4N-6C32R	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/
D4N-6C62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-6C62R	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-6C72	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (slow-action), 2NC/1NO (s
D4N-6C72R	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (slow-action), 2NC/1NO (s
D4N-6CLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (slow-action), 2NC/1NO (slow-
D4N-6CRE	Limit switch, Fork lever lock (right operation), 2NC/1NO (slow-action), 2NC/1NO (slow
D4N-6D20	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-acti
D4N-6D20R	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-acti
D4N-6D22	Limit switch, Roller lever (metal lever, resin roller), 3NC (slow-action), 3NC (slow-act
D4N-6D2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 3NC (slow-a
D4N-6D2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 3NC (slow-a
D4N-6D2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 3NC (slow
D4N-6D2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 3NC (slow
D4N-6D31	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (2-conduit)
D4N-6D31R	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (2-conduit)Rot
D4N-6D32	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (2-condu
D4N-6D32R	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (2-condu
D4N-6D62	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-act
D4N-6D62R	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-act
D4N-6D72	Limit switch, One-way roller arm lever (vertical), 3NC (slow-action), 3NC (slow-actior
D4N-6D72R	Limit switch, One-way roller arm lever (vertical), 3NC (slow-action), 3NC (slow-actior
D4N-6D80	Limit switch, Cat whisker, 3NC (slow-action), 3NC (slow-action), G1/2 (2-conduit)
D4N-6D87	Limit switch, Plastic rod, 3NC (slow-action), 3NC (slow-action), G1/2 (2-conduit)
D4N-6DLE	Limit switch, Fork lever lock (left operation), 3NC (slow-action), 3NC (slow-action), G
D4N-6DRE	Limit switch, Fork lever lock (right operation), 3NC (slow-action), 3NC (slow-action),

D4N-6E20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (MBB contact-/slow-act
D4N-6E22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (MBB contact-/slow-ac
D4N-6E2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (M
D4N-6E2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-6E31	Limit switch, Top plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (MBB coi
D4N-6E32	Limit switch, Top roller plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (M
D4N-6E62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (MBB contact-/slow-ac
D4N-6E72	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (MBB contact-/slow-actio
D4N-6ELE	Limit switch, Fork lever lock (left operation), 1NC/1NO (MBB contact-/slow-action), 1
D4N-6ERE	Limit switch, Fork lever lock (right operation), 1NC/1NO (MBB contact-/slow-action),
D4N-6F20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (MBB contact-/slow-act
D4N-6F22	Limit switch, Roller lever (metal lever, resin roller), 2NC/1NO (MBB contact-/slow-ac
D4N-6F2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (M
D4N-6F2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-6F31	Limit switch, Top plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB coi
D4N-6F32	Limit switch, Top roller plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (M
D4N-6F62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (MBB contact-/slow-ac
D4N-6F72	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (MBB contact-/slow-actio
D4N-6FLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (MBB contact-/slow-action), 2
D4N-6FRE	Limit switch, Fork lever lock (right operation), 2NC/1NO (MBB contact-/slow-action),
D4N-7A20R	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-7A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-7A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-7A31R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-14NPT
D4N-7A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), 1/2-
D4N-7A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-7A72R	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1NO (s
D4N-7B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti
D4N-7B2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-a
D4N-7B2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (slow
D4N-7B31R	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (2-condu
D4N-7B32R	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), 1/2-14NPT (2-
D4N-7B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-act
D4N-7B72R	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-actior
D4N-7C20R	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-7C2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (s
D4N-7C2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1NO (
D4N-7C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), 1/2-14NPT
D4N-7C32R	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), 1/2-
D4N-7C62R	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-7C72R	Limit switch, One-way roller arm lever (vertical), 2NC/1NO (slow-action), 2NC/1NO (s
D4N-7D20R	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-acti
D4N-7D2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 3NC (slow-a
D4N-7D2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 3NC (slow
D4N-7D31R	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), 1/2-14NPT (2-condu
D4N-7D32R	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), 1/2-14NPT (2-
D4N-7D62R	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-act
D4N-7D72R	Limit switch, One-way roller arm lever (vertical), 3NC (slow-action), 3NC (slow-actior
D4N-8120	
D4N-8122	
D4N-812G	
D4N-812H	

D4N-8131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-cc
D4N-8132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20
D4N-8162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO
D4N-8172	
D4N-8180	
D4N-8187	
D4N-8220	
D4N-8222	
D4N-822G	
D4N-822H	
D4N-8231	
D4N-8232	
D4N-8262	
D4N-8272	
D4N-8280	
D4N-8287	
D4N-8A20	
D4N-8A20R	
D4N-8A22	
D4N-8A2G	
D4N-8A2GR	
D4N-8A2H	
D4N-8A2HR	
D4N-8A31	
D4N-8A31R	
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20
D4N-8A32R	
D4N-8A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-8A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-8A72	
D4N-8A72R	
D4N-8ALE	
D4N-8ARE	
D4N-8B20	
D4N-8B20R	
D4N-8B22	
D4N-8B2G	
D4N-8B2GR	
D4N-8B2H	
D4N-8B2HR	
D4N-8B31	
D4N-8B31R	
D4N-8B32	
D4N-8B32R	
D4N-8B62	
D4N-8B62R	
D4N-8B72	
D4N-8B72R	
D4N-8B80	
D4N-8B87	
D4N-8BLE	
D4N-8BRE	

D4N-8C20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO
D4N-8C20R	
D4N-8C22	
D4N-8C2G	
D4N-8C2GR	
D4N-8C2H	
D4N-8C2HR	
D4N-8C31	
D4N-8C31R	
D4N-8C32	
D4N-8C32R	
D4N-8C62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO
D4N-8C62R	
D4N-8C72	
D4N-8C72R	
D4N-8CLE	
D4N-8CRE	
D4N-8D20	
D4N-8D20R	
D4N-8D22	
D4N-8D2G	
D4N-8D2GR	
D4N-8D2H	
D4N-8D2HR	
D4N-8D31	
D4N-8D31R	
D4N-8D32	
D4N-8D32R	
D4N-8D62	
D4N-8D62R	
D4N-8D72	
D4N-8D72R	
D4N-8D80	
D4N-8D87	
D4N-8DLE	
D4N-8DRE	
D4N-8E20	
D4N-8E22	
D4N-8E2G	
D4N-8E2H	
D4N-8E31	
D4N-8E32	
D4N-8E62	
D4N-8E72	
D4N-8ELE	
D4N-8ERE	
D4N-8F20	
D4N-8F22	
D4N-8F2G	
D4N-8F2H	
D4N-8F31	Limit switch, Top roller plunger, 2NC/1NO (MBB contact/-slow-action), 2NC/1NO (ME
D4N-8F32	

D4N-8F62	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (MBB contact-/slow-ac
D4N-8F72	
D4N-8FLE	
D4N-8FRE	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO
D4N-9120	
D4N-9122	
D4N-9125	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-9126	
D4N-912G	
D4N-912H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-9131	
D4N-9132	
D4N-9162	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M12 conr
D4N-9172	
D4N-9220	
D4N-9222	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), M1:
D4N-9225	
D4N-9226	
D4N-922G	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO
D4N-922H	
D4N-9231	
D4N-9232	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (snap-ε
D4N-9262	
D4N-9272	
D4N-9A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-9A20R	
D4N-9A22	
D4N-9A25	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO
D4N-9A26	
D4N-9A2G	
D4N-9A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (s
D4N-9A2H	
D4N-9A2HR	
D4N-9A31	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (
D4N-9A31R	
D4N-9A32	
D4N-9A32R	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M12 conn
D4N-9A62	
D4N-9A62R	
D4N-9A72	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M12 conn
D4N-9A72R	
D4N-9B20	
D4N-9B20R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M12
D4N-9B22	
D4N-9B25	
D4N-9B26	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M12
D4N-9B2G	
D4N-9B2GR	
D4N-9B2H	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO
D4N-9B2HR	
D4N-9B31	
D4N-9B31R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-acti

D4N-9B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), M12 connect
D4N-9B32R	
D4N-9B62	
D4N-9B62R	
D4N-9B72	
D4N-9B72R	
D4N-9E20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (MBB contact/-slow-act
D4N-9E22	
D4N-9E25	
D4N-9E26	
D4N-9E2G	
D4N-9E2H	
D4N-9E31	
D4N-9E32	
D4N-9E62	
D4N-9E72	
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)
D4NH-1ABC	
D4NH-1BAS	
D4NH-1BBC	
D4NH-1CAS	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)
D4NH-1CBC	
D4NH-1DAS	
D4NH-1DBC	
D4NH-1EAS	
D4NH-1EBC	
D4NH-1FAS	
D4NH-1FBC	
D4NH-2AAS	
D4NH-2ABC	
D4NH-2BAS	Safety door-hinge switch, Shaft Actuator, G1/2 Conduit, 1NC/1NO (slow-action)
D4NH-2BBC	
D4NH-2CAS	
D4NH-2CBC	
D4NH-2DAS	
D4NH-2DBC	
D4NH-2EAS	
D4NH-2EBC	
D4NH-2FAS	
D4NH-2FBC	
D4NH-3AAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT Conduit, 1NC/1NO (slow-action)
D4NH-3ABC	
D4NH-3BAS	
D4NH-3BBC	
D4NH-3CAS	
D4NH-3CBC	
D4NH-3DAS	
D4NH-3DBC	
D4NH-3EAS	
D4NH-3EBC	
D4NH-3FAS	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT Conduit, 1NC/1NO (MBB co
D4NH-3FBC	

OMRON Industrial

D4NH-4AAS	Safety door-hinge switch, Shaft Actuator, M20 Conduit, 1NC/1NO (slow-action)
D4NH-4ABC	Safety door-hinge switch, Arm lever actuator, M20 Conduit, 1NC/1NO (slow-action)
D4NH-4BAS	Safety door-hinge switch, Shaft Actuator, M20 Conduit, 2NC (slow-action)
D4NH-4BBC	Safety door-hinge switch, Arm lever actuator, M20 Conduit, 2NC (slow-action)
D4NH-4CAS	Safety door-hinge switch, Shaft Actuator, M20 Conduit, 2NC/1NO (slow-action)
D4NH-4CBC	Safety door-hinge switch, Arm lever actuator, M20 Conduit, 2NC/1NO (slow-action)
D4NH-4DAS	
D4NH-4DBC	
D4NH-4EAS	Safety door-hinge switch, Shaft Actuator, M20 Conduit, 1NC/1NO (MBB contact) (slo
D4NH-4EBC	Safety door-hinge switch, Arm lever actuator, M20 Conduit, 1NC/1NO (MBB contact)
D4NH-4FAS	Safety door-hinge switch, Shaft Actuator, M20 Conduit, 2NC/1NO (MBB contact) (slo
D4NH-4FBC	Safety door-hinge switch, Arm lever actuator, M20 Conduit, 2NC/1NO (MBB contact)
D4NH-5AAS	
D4NH-5ABC	
D4NH-5BAS	
D4NH-5BBC	
D4NH-5CAS	
D4NH-5CBC	
D4NH-5DAS	
D4NH-5DBC	
D4NH-5EAS	
D4NH-5EBC	
D4NH-5FAS	
D4NH-5FBC	
D4NH-6AAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 1NC/1NO (slow-action)
D4NH-6ABC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 1NC/1NO (slow-acti
D4NH-6BAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 2NC (slow-action)
D4NH-6BBC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 2NC (slow-action)
D4NH-6CAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 2NC/1NO (slow-action)
D4NH-6CBC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 2NC/1NO (slow-acti
D4NH-6DAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 3NC (slow-action)
D4NH-6DBC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 3NC (slow-action)
D4NH-6EAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 1NC/1NO (MBB contact)
D4NH-6EBC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 1NC/1NO (MBB cont
D4NH-6FAS	Safety door-hinge switch, Shaft Actuator, G1/2 2 x Conduit, 2NC/1NO (MBB contact)
D4NH-6FBC	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 2NC/1NO (MBB cont
D4NH-7AAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 1NC/1NO (slow-act
D4NH-7ABC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 1NC/1NO (slow
D4NH-7BAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 2NC (slow-action)
D4NH-7BBC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 2NC (slow-acti
D4NH-7CAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 2NC/1NO (slow-act
D4NH-7CBC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 2NC/1NO (slow
D4NH-7DAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 3NC (slow-action)
D4NH-7DBC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 3NC (slow-acti
D4NH-7EAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 1NC/1NO (MBB cor
D4NH-7EBC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 1NC/1NO (MBE
D4NH-7FAS	Safety door-hinge switch, Shaft Actuator, 1/2-14NPT 2 x Conduit, 2NC/1NO (MBB cor
D4NH-7FBC	Safety door-hinge switch, Arm lever actuator, 1/2-14NPT 2 x Conduit, 2NC/1NO (MBE
D4NH-8AAS	
D4NH-8ABC	
D4NH-8BAS	
D4NH-8BBC	

D4NH-8CAS	Safety door-hinge switch, Shaft Actuator, M20 2 x Conduit, 2NC/1NO (slow-action)
D4NH-8CBC	Safety door-hinge switch, Arm lever actuator, M20 2 x Conduit, 2NC/1NO (slow-action)
D4NH-8DAS	
D4NH-8DBC	
D4NH-8EAS	
D4NH-8EBC	
D4NH-8FAS	
D4NH-8FBC	
D4NH-9AAS	Safety door-hinge switch, Shaft Actuator, M12 2 x Conduit, 1NC/1NO (slow-action)
D4NH-9ABC	Safety door-hinge switch, Arm lever actuator, M12 2 x Conduit, 1NC/1NO (slow-action)
D4NH-9BAS	Safety door-hinge switch, Shaft Actuator, M12 2 x Conduit, 2NC (slow-action)
D4NH-9BBC	Safety door-hinge switch, Arm lever actuator, M12 2 x Conduit, 2NC (slow-action)
D4NH-9EAS	Safety door-hinge switch, Shaft Actuator, M12 2 x Conduit, 1NC/1NO (MBB contact)
D4NH-9EBC	Safety door-hinge switch, Arm lever actuator, M12 2 x Conduit, 1NC/1NO (MBB contact)
D4NL-1ADA-B	
D4NL-1ADJ-E	
D4NL-1AFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5
D4NL-1AFA-B4	
D4NL-1AFB-B	
D4NL-1AFC-E	
D4NL-1AFG-B+	Safety door-lock switch, solenoid lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5
D4NL-1AFG-B4	
D4NL-1AFH-B	
D4NL-1AFJ-E	
D4NL-1BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry
D4NL-1BFA-B4	
D4NL-1BFG-B	
D4NL-1BFG-B4	
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry
D4NL-1CFA-B4	
D4NL-1CFB-B	
D4NL-1CFC-E	
D4NL-1CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry
D4NL-1CFG-B4	
D4NL-1CFH-B	
D4NL-1CFJ-E	
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry
D4NL-1DFA-B4	
D4NL-1DFA-BS	
D4NL-1DFG-B	
D4NL-1DFG-B4	
D4NL-1EFA-B	
D4NL-1EFA-B4	
D4NL-1EFG-B	
D4NL-1EFG-B4	
D4NL-1FFA-B	
D4NL-1FFA-B4	
D4NL-1FFB-B	
D4NL-1FFC-E	
D4NL-1FFG-B	
D4NL-1FFG-B4	
D4NL-1FFH-B	

D4NL-1FFJ-E	
D4NL-1GFA-B	
D4NL-1GFA-B4	
D4NL-1GFG-B	
D4NL-1GFG-B4	
D4NL-1HFA-B	
D4NL-1HFA-B4	
D4NL-1HFG-B	
D4NL-1HFG-B4	
D4NL-2AFA-B	
D4NL-2AFA-B4	
D4NL-2AFG-B	
D4NL-2AFG-B4	
D4NL-2BFA-B	
D4NL-2BFA-B4	
D4NL-2BFG-B	
D4NL-2BFG-B4	
D4NL-2CFA-B	
D4NL-2CFA-B4	
D4NL-2CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A G1/2 entry
D4NL-2CFG-B4	
D4NL-2CFG-Z-F-R	
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry
D4NL-2DFA-B4	
D4NL-2DFG-B	Limit switch
D4NL-2DFG-B4	
D4NL-2EFA-B	
D4NL-2EFA-B4	
D4NL-2EFG-B	
D4NL-2EFG-B4	
D4NL-2FDG-B	
D4NL-2FFA-B	
D4NL-2FFA-B4	
D4NL-2FFG-B	
D4NL-2FFG-B4	
D4NL-2GFA-B	
D4NL-2GFA-B4	
D4NL-2GFG-B	
D4NL-2GFG-B4	
D4NL-2HDA-B4	
D4NL-2HFA-B	
D4NL-2HFA-B4	
D4NL-2HFG-B	
D4NL-2HFG-B4	
D4NL-4ADA-B	
D4NL-4AFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, M20 e
D4NL-4AFA-B4	
D4NL-4AFA-B4S	
D4NL-4AFA-BS	
D4NL-4AFB-B	
D4NL-4AFC-E	
D4NL-4AFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, M20 ent

D4NL-4AFG-B4	
D4NL-4AFH-B	
D4NL-4AFJ-E	
D4NL-4BFA-B	
D4NL-4BFA-B4	
D4NL-4BFG-B	
D4NL-4BFG-B4	
D4NL-4CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, M20 entry
D4NL-4CFA-B4	
D4NL-4CFB-B	
D4NL-4CFC-E	
D4NL-4CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, M20 entry
D4NL-4CFG-B4	
D4NL-4CFH-B	
D4NL-4CFJ-E	
D4NL-4DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, M20 entry
D4NL-4DFA-B4	
D4NL-4DFB-B	
D4NL-4DFG-B	
D4NL-4DFG-B4	
D4NL-4EFA-B	Limit switch
D4NL-4EFA-B4	
D4NL-4EFG-B	Limit switch
D4NL-4EFG-B4	
D4NL-4FFA-B	Limit switch
D4NL-4FFA-B4	
D4NL-4FFB-B	
D4NL-4FFC-E	
D4NL-4FFG-B	
D4NL-4FFG-B4	
D4NL-4FFH-B	
D4NL-4FFJ-E	
D4NL-4GDA-B4	
D4NL-4GFA-B	
D4NL-4GFA-B4	Limit switch
D4NL-4GFG-B	
D4NL-4GFG-B4	
D4NL-4HFA-B	Safety door switch
D4NL-4HFA-B4	
D4NL-4HFA-BS	
D4NL-4HFG-B	
D4NL-4HFG-B4	
D4NS-1AF+	Safety interlock switch, 1NO/1NC, 10 A, single PG 13.5 conduit
D4NS-1BF+	Limit switch
D4NS-1CF	Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit
D4NS-1DF	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit
D4NS-1EF	
D4NS-1FF	
D4NS-2AF	
D4NS-2BF	
D4NS-2CF	Safety-door switch, 2NC/1NO (slow action)
D4NS-2DF	

D4NS-2EF	
D4NS-2FF	
D4NS-3AF	
D4NS-3BF	
D4NS-3CF	
D4NS-3DF	
D4NS-3EF	
D4NS-3FF	
D4NS-4AF+	Safety interlock switch, 1NO/1NC, 10 A, single M20 conduit
D4NS-4BF+	Limit switch
D4NS-4CF	Safety interlock switch, 2NC+1NO, 10 A, single M20 conduit
D4NS-4DF	Safety interlock switch, 3NC, 10 A, single M20 conduit
D4NS-4EF	Limit switch
D4NS-4FF	Limit switch
D4NS-5AF	Limit switch
D4NS-5BF+	Limit switch
D4NS-5CF	
D4NS-5DF	
D4NS-5EF	
D4NS-5FF	
D4NS-6AF	
D4NS-6BF	
D4NS-6CF	
D4NS-6DF	
D4NS-6EF	
D4NS-6FF	
D4NS-7AF	
D4NS-7BF	
D4NS-7CF	
D4NS-7DF	
D4NS-7EF	
D4NS-7FF	
D4NS-8AF	Safety interlock switch, 1NO/1NC, 10 A, 2x M20 conduit
D4NS-8BF+	Limit switch
D4NS-8CF	Safety interlock switch, 2NC+1NO, 10 A, 2x M20 conduit
D4NS-8DF	
D4NS-8EF	
D4NS-8FF	
D4NS-9AF	Safety interlock switch, 1NO/1NC, 10 A, M12 connector
D4NS-9BF	Limit switch
D4NS-9EF	Limit switch
D4NS-SK01	Limit switch
D4NS-SK30	
D5A-1100	Limit switch
D5A-1200	
D5A-2100	Limit switch
D5A-2200	Limit switch
D5A-3200	Limit switch
D5A-3210	Limit switch
D5A-3212	
D5A-3300.	High-precision switch
D5A-3310	

D5A-5210	Limit switch
D5A-5310	
D5A-5371	
D5A-7400	High-precision switch, plunger, SPST-NO, 10 mA
D5A-7403	
D5A-7410	
D5A-7413	Limit switch
D5A-8511	
D5A-8512	Limit switch
D5A-8514	Limit switch
D5A-8515	Limit switch
D5A-9511	
D5A-9512	
D5A-9514	
D5A-9515	
D5B-1011	
D5B-1013	Limit switch
D5B-1015	
D5B-1021	
D5B-1023	Limit switch
D5B-1025	
D5B-1511	
D5B-1513	Limit switch
D5B-1515	
D5B-1531	
D5B-1533	
D5B-1535	
D5B-5011	Limit switch
D5B-5013	
D5B-5015	
D5B-5021	
D5B-5023	Limit switch
D5B-5025	
D5B-5511	
D5B-5513	
D5B-5515	
D5B-8011	
D5B-8013	Limit switch
D5B-8015	
D5B-8021	Limit switch
D5B-8023	
D5B-8025	
D5B-8511	
D5B-8513	Limit switch
D5B-8515	
D5C-00S0	Limit switch
D5C-1AA0	
D5C-1AP0	Limit switch
D5C-1AS0	
D5C-1DA0	Touch switch, free-attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3m cable
D5C-1DP0	Limit switch
D5C-1DS0	Limit switch

D5F-2B10	High Precision switch
D5F-2B30	
D5F-2B34C	
D5F-3C10	
D5F-3C30	
D5F-H001	High precision switch
D5F-H002	High precision limit switch
D5F-H004	
D5F-H005	
D5F-H006	
D5F-H007	
D5SN-A01	
D5SN-M05	
D5SN-M10	
D5SN-S01	
D5SN-S04	
D5SN-S04-L	
D5SN-TA	Conversion adaptor
D5SN-TB1	Steel ball (fitted as standard to sensor heads), general purpose, flat surfaces
D5SN-TB2	Steel ball, measuring carbide steel or softer materials
D5SN-TB3	Ruby ball, measuring carbide steel or softer materials
D5VA-3B1	
D5VA-3F1	
D5VA-3P1	
D5VM-3B1	
D5VM-3F1	
D6BN-1(100)	
D6BN-1(P)	
D6F-01A1-110	Airflow sensor
D6F-01N2-000	
D6F-02A1-110	
D6F-02L2-000	
D6F-03A3-000	
D6F-05N2-000	
D6F-10A5-000	
D6F-10A6-000	
D6F-20A5-000	
D6F-20A6-000	
D6F-50A5-000	
D6F-50A6-000	
D6F-CABLE1	
D6F-CABLE2	
D6F-P0002A1-P	
D6F-P0010A1	
D6F-P0010A2	
D6F-P0010AM2	
D6F-PS0505A3	
D6F-PS0505A4	
D6F-SAMPLE-EU	
D6F-SAMPLE-EU2	
D6F-V03A1	
D6F-W CABLE	

D6F-W01A1
D6F-W04A1
D6F-W10A1
D7A-1 C&C
D7A-2 C&C
D7A-3-1 C&C
D7E-1
D7E-2
D7E-3
D7F-C01
D7F-S01-05
D7F-S01-10
D7H-A1
D7H-B1
D7H-B2
D8B-2 SWITCH
D8M-D1
D8M-D82
D8M-D82(UK)
D8M-R1
DACT32174-AD
DACT32174BD
DACT32174-CD
DACT32183-AD
DACT32183-BD
DACT32321-EJ
DACT32321-EK
DACT32321-EL
DACT32321-EM
DACT32321-EN
DACT32321-EP
DACT32321-EQ
DACT32321-ER
DACT32321-ES
DACT33324-20221D
DACT33324-20301D
DACT33324-20371D
DBR12-20R-6000
DBR12-40R-6000
DBR1-40R-500
DBR3-20R-1500
DBR3-40R-1000
DBR3-40R-1500
DBR36-20R-1800
DBR4-40R-2000
DBR6-20R-3000
DBR8-20R-4000
DCA1-5CN01F1
DCA1-5CN01F1-R
DCA1-5CN01H1
DCA1-5CN01H1-R
DCA1-5CN01W1

DeviceNet thin communication cable for environment resistive terminal, straight M1:

DeviceNet thin communication cable for environment resistive terminal, straight M1:

DCA1-5CN01W1-R	DeviceNet vibration-resistant communication cable for environment resistive termin
DCA1-5CN01W5	
DCA1-5CN02F1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN02F1-R	
DCA1-5CN02H1	
DCA1-5CN02H1-R	
DCA1-5CN02W1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN02W1-R	DeviceNet vibration-resistant communication cable for environment resistive termin
DCA1-5CN02W5	
DCA1-5CN03F1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN03H1	
DCA1-5CN03W1	CompoBus/D (DeviceNet) communication cable for environment resistive terminal ,
DCA1-5CN05F1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN05F1-R	
DCA1-5CN05H1	
DCA1-5CN05H1-R	
DCA1-5CN05W1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN05W1-R	DeviceNet vibration-resistant communication cable for environment resistive termin
DCA1-5CN05W5	
DCA1-5CN10F1	DeviceNet thin communication cable for environment resistive terminal, straight M1:
DCA1-5CN10F1-R	
DCA1-5CN10H1	
DCA1-5CN10H1-R	
DCA1-5CN10W1	CompoBus/D (DeviceNet) communication cable for environment resistive terminal ,
DCA1-5CN10W1-R	
DCA1-5CN10W5	
DCA1-5CN15F1-R	
DCA1-5CN15H1-R	
DCA1-5CN15W1-R	
DCA1-5CNC5F1	
DCA1-5CNC5H1	
DCA1-5CNC5W1	CompoBus/D (DeviceNet) communication cable for environment resistive terminal ,
DCA2-5CN01F1	
DCA2-5CN01H1	
DCA2-5CN01W1	
DCA2-5CN02F1	
DCA2-5CN02H1	
DCA2-5CN02W1	
DCA2-5CN03W1	
DCA2-5CN05F1	
DCA2-5CN05H1	
DCA2-5CN05W1	
DCA2-5CN10F1	
DCA2-5CN10H1	
DCA2-5CN10W1	
DCA2-5CN15W1	
DCA2-5CNC5M1	
DCA2-5CNC5P1	
DCA4-4F10	CompoNet standard flat cable, 4-wire, 100m
DCA5-4F10	CompoNet sheathed flat cable (IP54S), 4-wire, 100m
DCN1-1	
DCN1-1C	CompoBus/D (DeviceNet) T-branch tap for 1 branch line

DCN1-1NC	DeviceNet T-Branch tap for 1 branch lines
DCN1-1P	DeviceNet power supply tap
DCN1-2C	
DCN1-2R	
DCN1-3	
DCN1-3C	CompoBus/D (DeviceNet) T-branch tap for 3 branch lines
DCN1-3NC	DeviceNet T-Branch tap for 3 branch lines
DCN1-4C	
DCN1-4R	
DCN2-1	DeviceNet environment resistive terminal T-junction communications connector (2x
DCN3-11	
DCN3-12	
DCN4-BR4	CompoNet standard flat cable branch line connector
DCN4-BR4D	
DCN4-MD4	CompoNet standard flat cable multidrop connector
DCN4-SF4D	
DCN4-TB4	CompoNet screw terminal connector, M3
DCN4-TM4	CompoNet standard flat cable terminating resistor
DCN4-TP4D	
DCN4-TR4	CompoNet standard flat cable main line connector
DCN5-BR4	CompoNet sheathed flat cable branch line connector
DCN5-TM4	CompoNet sheathed flat cable terminating resistor
DCN5-TR4	CompoNet sheathed flat cable main line connector
DD60KB160	
DDK-CN4XX	Cable NT2S CQM1H
DE9404859	
DF100AA160	
DF60AA160	
DF75AA160	
DI-08	
DI16G	
DI-16H2	Digital speed set card for 3G3FV (G5) (equivalent to 3G3FV-PDI16H2)
DO-02C	
DO-08	
DO-A3	
DP9321754-2G	
DP9420007	
DP9420010	
DP9463127-1	
DPIG 132SA/2	
DPIG80B0 MOTOR	
DRS1-T	DeviceNet / CompoNet terminal block terminator
DRS2-1	DeviceNet environment resistive terminal communications terminating resistor (mal
DRS2-2	CompoBus/D (DeviceNet) environment resistive terminal communications terminatir
DRS3-1	
DRS3-2	
DRT1-232C2	CompoBus/D (DeviceNet) RS-232C unit, 2 ports
DRT1-ARM21	
DRT1-COM	CompoBus/D (DeviceNet) communications unit, connects 8x GT1 MULTIPLE I/O unit
DRT1-ID16 DC24	CompoBus/D (DeviceNet) remote adapter, 16x 24 VDC inputs, NPN
DRT1-ID16-1-CHN	CompoBus/D (DeviceNet) remote adapter, 16x 24 VDC inputs, PNP
DRT1-OD16 DC24	CompoBus/D (DeviceNet) remote terminal, 16x transistor outputs, NPN, 0.3A, 24 VDC

DRT1-OD16-1-CHN	CompoBus/D (DeviceNet) remote terminal, 16x transistor outputs, PNP, 0.3A, 24 VDC
DRT2-AD04	DeviceNet analogue input terminal, 4x 0/4-20mA/ 0/1-5V/0-10V/-10-+10V inputs, 1:6,0
DRT2-AD04H	DeviceNet analogue input terminal, 4x 0/4-20mA/ 0/1-5V/0-10V/inputs, isolated, 1:30,0
DRT2-DA02	DeviceNet analogue output terminal, 2x 0/4-20mA/ 0/1-5V/0-10V/-10-+10V outputs, 1:1
DRT2-HD16C	DeviceNet remote terminal, 16x 24 VDC inputs, NPN, environment-resistive (requires
DRT2-HD16C-1	DeviceNet remote terminal, 16x 24 VDC inputs, PNP, environment-resistive (requires
DRT2-HD16CL	DeviceNet remote terminal, 16x 24 VDC inputs, NPN, environment-resistive (requires
DRT2-HD16CL-1	DeviceNet remote terminal, 16x 24 VDC inputs, PNP, environment-resistive (requires
DRT2-ID04CL	DeviceNet remote terminal, 4x 24 VDC inputs, NPN, environment-resistive (requires :
DRT2-ID04CL-1	DeviceNet remote terminal, 4x 24 VDC inputs, PNP, environment-resistive (requires :
DRT2-ID08	DeviceNet remote terminal, 8x 24 VDC inputs, NPN
DRT2-ID08-1	DeviceNet remote terminal, 8x 24 VDC inputs, PNP
DRT2-ID08C	DeviceNet remote terminal, 8x 24 VDC inputs, NPN, environment-resistive (requires :
DRT2-ID08C-1	DeviceNet remote terminal, 8x 24 VDC inputs, PNP, environment-resistive (requires :
DRT2-ID08CL	DeviceNet remote terminal, 8x 24 VDC inputs, NPN, environment-resistive (requires :
DRT2-ID08CL-1	DeviceNet remote terminal, 8x 24 VDC inputs, PNP, environment-resistive (requires :
DRT2-ID16 CHN	DeviceNet remote terminal, 16x 24 VDC inputs, NPN
DRT2-ID16-1 CHN	DeviceNet remote terminal, 16x 24 VDC inputs, PNP
DRT2-ID16MLX	
DRT2-ID16MLX-1	
DRT2-ID16S CHN	DeviceNet remote terminal, 16x 24 VDC inputs, NPN, sensor connector terminals
DRT2-ID16S-1 CHN	DeviceNet remote terminal, 16x 24 VDC inputs, PNP, sensor connector terminals
DRT2-ID16TA	
DRT2-ID16TA-1	DeviceNet remote terminal with 3-tier terminal block, 16x 24 VDC PNP inputs
DRT2-ID32B	
DRT2-ID32B-1	
DRT2-ID32BV	
DRT2-ID32BV-1	
DRT2-ID32ML	
DRT2-ID32ML-1	DeviceNet remote terminal, 32x 24 VDC inputs, PNP, MIL connector
DRT2-ID32SLH	
DRT2-ID32SLH-1	
DRT2-MD16	DeviceNet remote terminal, 8x 24 VDC NPN inputs & 8x 24 VDC NPN 0.5A outputs
DRT2-MD16-1	DeviceNet remote terminal, 8x 24 VDC PNP inputs & 8x 24 VDC PNP 0.5A outputs
DRT2-MD16CL	DeviceNet remote terminal, 8x 24 VDC NPN inputs & 8x 24 VDC NPN 0.5A outputs, ei
DRT2-MD16CL-1	DeviceNet remote terminal, 8x 24 VDC PNP inputs & 8x 24 VDC PNP 0.5A outputs, er
DRT2-MD16S CHN	DeviceNet remote terminal, 8x 24 VDC NPN inputs & 8x 24 VDC NPN 0.3A outputs, se
DRT2-MD16S-1 CHN	DeviceNet remote terminal, 8x 24 VDC PNP inputs & 8x 24 VDC PNP 0.3A outputs, se
DRT2-MD16TA	DeviceNet remote terminal with 3-tier terminal block, 8x 24 VDC NPN inputs & 8x 24
DRT2-MD16TA-1	DeviceNet remote terminal with 3-tier terminal block, 8x 24 VDC PNP inputs & 8x 24
DRT2-MD32B	
DRT2-MD32B-1	
DRT2-MD32BV	
DRT2-MD32BV-1	
DRT2-MD32ML	
DRT2-MD32ML-1	DeviceNet remote terminal, 16x 24 VDC PNP inputs, 16x 24 VDC outputs, PNP, 0.3A,
DRT2-MD32SLH	
DRT2-MD32SLH-1	
DRT2-OD04CL	DeviceNet remote terminal, 4x transistor outputs, NPN, 1.5A, 24 VDC, environment-r
DRT2-OD04CL-1	DeviceNet remote terminal, 4x transistor outputs, PNP, 1.5A, 24 VDC, environment-r
DRT2-OD08	DeviceNet remote terminal, 8x transistor outputs, NPN, 0.5A, 24 VDC
DRT2-OD08-1	DeviceNet remote terminal, 8x transistor outputs, PNP, 0.5A, 24 VDC

DRT2-OD08C	DeviceNet remote terminal, 8x transistor outputs, NPN, 1.5A, 24 VDC, environment-r
DRT2-OD08C-1	DeviceNet remote terminal, 8x transistor outputs, PNP, 1.5A, 24 VDC, environment-r
DRT2-OD08CL	DeviceNet remote terminal, 8x transistor outputs, NPN, 1.5A, 24 VDC, environment-r
DRT2-OD08CL-1	DeviceNet remote terminal, 8x transistor outputs, PNP, 1.5A, 24 VDC, environment-r
DRT2-OD16 CHN	DeviceNet remote terminal, 16x transistor outputs, NPN, 0.5A, 24 VDC
DRT2-OD16-1 CHN	DeviceNet remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC
DRT2-OD16MLX	
DRT2-OD16MLX-1	
DRT2-OD16TA	
DRT2-OD16TA-1	DeviceNet remote terminal with 3-tier terminal block, 16x 24 VDC PNP 0.5A outputs
DRT2-OD32B	
DRT2-OD32B-1	
DRT2-OD32BV	
DRT2-OD32BV-1	
DRT2-OD32ML	DeviceNet remote terminal, 32x 24 VDC outputs, NPN, 0.3A, MIL connector
DRT2-OD32ML-1	DeviceNet remote terminal, 32x 24 VDC outputs, PNP, 0.3A, MIL connector
DRT2-OD32SLH	
DRT2-OD32SLH-1	
DRT2-ROS16 CHN	DeviceNet remote terminal, 16x relay outputs, 3A (use 1 max with DRT2-*D08(-1)/D1
DRT2-TS04P	DeviceNet platinum resistance thermometer temperature sensor terminal, 4x PT, JP*
DRT2-TS04T	DeviceNet thermocouple temperature sensor terminal, 4x R, S, K1, K2, J1, J2, T, B, L
DRT2-WD16CL	DeviceNet remote terminal, 16x transistor outputs, NPN, 0.5A, 24 VDC, environment-
DRT2-WD16CL-1	DeviceNet remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC, environment-
DRTA-NY5W-K	Relay 5A, 5 VDC 30 VDC/250 VAC
DS080	
DST1-ID12SL-1	Remote I/O terminal, 12x PNP inputs, 4x test outputs
DST1-MD16SL-1	Remote I/O terminal, 8x PNP inputs, 8x PNP outputs, 4x test outputs
DST1-MRD08SL-1	Remote I/O terminal, 4x PNP inputs, 4x relay outputs, 4x test outputs
DST1-MRD08SL-1Y-BH	
DST1-XD0808SL-1	
DWT-A01	CompoNet standard flat cable connector crimp tool
DWT-A02	CompoNet sheathed flat cable connector crimp tool
DZ-10G-1A	Basic switch, pin plunger, 10 A, DPDT, solder terminals
DZ-10G-1A-105	Basic switch, pin plunger, 10 A, DPDT, solder terminals
DZ-10G-1B	Basic switch, pin plunger, 10 A, DPDT, screw terminals
DZ-10G2-1B6	
DZ-10GV-1A	
DZ-10GV-1B	
DZ-10GV2-1A	
DZ-10GV2-1B	Basic switch, hinge roller lever, 10 A, DPDT, screw terminals
DZ-10GV22-1A	
DZ-10GV22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals
DZ-10GW-1A	
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals
DZ-10GW2-1A	Basic switch, hinge roller lever, 10 A, DPDT, solder terminals
DZ-10GW2-1B	Basic switch, hinge roller lever, 10 A, DPDT, screw terminals
DZ-10GW2-1B6	
DZ-10GW22-1A	Basic switch, short hinge roller lever, 10 A, DPDT, solder terminals
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals
DZ-10GW22-1B2	
DZ-10GW55-1B	
DZE-N-2G	

E22-01 1M	
E29-FM12 5M	
E2A-08.02368 OMS	
E2A3-M12KS06-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6mm, DC, 3-wi
E2A3-M12KS06-M1-B2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M12, shielded,
E2A3-M12KS06-M1-C1 OMC	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6mm, DC, 3-wi
E2A3-M12KS06-M1-C2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M12, shielded,
E2A3-M12KS06-WP-B1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6mm, DC, 3-wi
E2A3-M12KS06-WP-B2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M12, shielded,
E2A3-M12KS06-WP-C1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6mm, DC, 3-wi
E2A3-M12KS06-WP-C2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M12, shielded,
E2A3-M18KS11-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 11mm, DC, 3-v
E2A3-M18KS11-M1-B2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M18, shielded,
E2A3-M18KS11-M1-C1 OMC	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 11mm, DC, 3-v
E2A3-M18KS11-M1-C2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M18, shielded,
E2A3-M18KS11-WP-B1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 11mm, DC, 3-v
E2A3-M18KS11-WP-B1 5M OMC	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 11mm, DC, 3-v
E2A3-M18KS11-WP-B2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M18, shielded,
E2A3-M18KS11-WP-B2 5M OMC	
E2A3-M18KS11-WP-C1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 11mm, DC, 3-v
E2A3-M18KS11-WP-C2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M18, shielded,
E2A3-M18KS11-WP-C2 5M OMC	
E2A3-M30KS20-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 20mm, DC, 3-v
E2A3-M30KS20-M1-B2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M30, shielded,
E2A3-M30KS20-M1-C1 OMC	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 20mm, DC, 3-v
E2A3-M30KS20-M1-C2 OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M30, shielded,
E2A3-M30KS20-WP-B1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 20mm, DC, 3-v
E2A3-M30KS20-WP-B2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M30, shielded,
E2A3-M30KS20-WP-C1 2M OMC	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 20mm, DC, 3-v
E2A3-M30KS20-WP-C2 2M OMC	Proximity sensor, inductive, triple distance, nickel-brass, short body, M30, shielded,
E2A3-S08KS03-M1-B1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 3mm, DC, 3-w
E2A3-S08KS03-M1-B2 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-M1-C1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 3mm, DC, 3-w
E2A3-S08KS03-M1-C2 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-M5-B1 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-M5-B2 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-M5-C1 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-M5-C2 OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-WP-B1 2M.OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 3mm, DC, 3-w
E2A3-S08KS03-WP-B1 5M OMC	
E2A3-S08KS03-WP-B2 2M.OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A3-S08KS03-WP-C1 2M.OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 3mm, DC, 3-w
E2A3-S08KS03-WP-C2 2M.OMC	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded
E2A-7621700 BY OMG	
E2A-7621705 BY OMG	
E2A-7621800 OMS	
E2A-7621830 BY OMG	
E2A-7621850 BY OMG	
E2A-979944 OMS	
E2A-979946 OMS	
E2A-979947 OMS	
E2AG-M12KN05-WP-B1 2M OMS	

E2AG-M12KN05-WP-B2 2M OMS	
E2AG-M12KS02-WP-B1 2M OMS	
E2AG-M12KS02-WP-B2 2M OMS	
E2AG-M18KN10-WS-B1 2M OMS	
E2AG-M18KN10-WS-B2 2M OMS	
E2AG-M18KS05-WS-B1 2M OMS	
E2AG-M18KS05-WS-B2 2M OMS	
E2AG-M30KN18-WS-B1 2M OMS	
E2AG-M30KN18-WS-B2 2M OMS	
E2AG-M30KS10-WS-B1 2M OMS	
E2AG-M30KS10-WS-B2 2M OMS	
E2AG-S08KN02-WP-B1 2M OMS	
E2AG-S08KN02-WP-B2 2M OMS	
E2AG-S08KS01-WP-B1 2M OMS	
E2AG-S08KS01-WP-B2 2M OMS	
E2A-M08KN04-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, short body, M8, unshielded, 4mm, DC, 3-w
E2A-M08KN04-M1-B2 BY OMG	
E2A-M08KN04-M1-C1 OMC	
E2A-M08KN04-M1-C2 BY OMG	
E2A-M08KS02-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, short body, M8, shielded, 2mm, DC, 3-wire
E2A-M08KS02-M1-B2 OMC	Proximity sensor
E2A-M08KS02-M1-C1 OMC	Proximity sensor, inductive, nickel-brass, short body, M8, shielded, 2mm, DC, 3-wire
E2A-M08KS02-M1-C2 BY OMG	
E2A-M08LN04-M1-B1 OMC	
E2A-M08LN04-M1-B2 BY OMG	
E2A-M08LN04-M1-C1 BY OMG	
E2A-M08LN04-M1-C2 BY OMG	
E2A-M08LS02-M1-B1 OMC	Proximity sensor, inductive, nickel-brass, long body, M8, shielded, 2mm, DC, 3-wire,
E2A-M08LS02-M1-B2 BY OMG	
E2A-M08LS02-M1-C1 BY OMG	
E2A-M08LS02-M1-C2 BY OMG	
E2A-M12KN05-M1-B1 OMS	
E2A-M12KN05-M1-B1-TP OMS	
E2A-M12KN05-M1-B2 BY OMG	
E2A-M12KN05-M1-B3 BY OMG	
E2A-M12KN05-M1-C1 BY OMG	
E2A-M12KN05-WP-B1 2M OMS	Proximity sensor, inductive
E2A-M12KN05-WP-B1 5M BY OMG	
E2A-M12KN05-WP-B1 5M OMC	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5mm, DC, 3-
E2A-M12KN05-WP-B1-TP 5M OMS	
E2A-M12KN05-WP-B2 2M BY OMG	
E2A-M12KN05-WP-C1 2M BY OMG	
E2A-M12KN05-WP-C3 2M BY OMG	
E2A-M12KN08-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1-B3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M1G-D1 BY OMG	
E2A-M12KN08-M1G-D2 BY OMG	
E2A-M12KN08-M3-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-

E2A-M12KN08-M3-B2 BY OMG	
E2A-M12KN08-M3-C1 BY OMG	
E2A-M12KN08-M3-C2 BY OMG	
E2A-M12KN08-M5-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-M5-B2 BY OMG	
E2A-M12KN08-M5-C1 BY OMG	
E2A-M12KN08-M5-C2 BY OMG	
E2A-M12KN08-WP-B1 10M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-B2 5M BY OMG	Proximity sensor, inductive, nickel-brass, M12, unshielded, 8mm, DC, PNP/NC
E2A-M12KN08-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-B3 5M BY OMG	
E2A-M12KN08-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-C2 5M BY OMG	
E2A-M12KN08-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-
E2A-M12KN08-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, M12, unshielded, 8mm, DC, 2 wire, 2m pre
E2A-M12KN08-WP-D2 2M BY OMG	
E2A-M12KN08-WR-B1 2M BY OMG	
E2A-M12KS02-M1-B1 OMS	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS02-M1-B2 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2mm, DC, 3-wir
E2A-M12KS02-M1-B3 BY OMG	
E2A-M12KS02-M1-C1 BY OMG	
E2A-M12KS02-M3-B1 BY OMG	
E2A-M12KS02-WP-B1 2M OMS	
E2A-M12KS02-WP-B1 5M OMS	
E2A-M12KS02-WP-B1-TP 5M OMS	
E2A-M12KS02-WP-B2 2M BY OMG	
E2A-M12KS02-WP-B2 5M BY OMG	
E2A-M12KS02-WP-C1 2M OMS	
E2A-M12KS02-WP-C1 5M OMS	
E2A-M12KS02-WP-C2 2M BY OMG	
E2A-M12KS04-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1-B3 OMS	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M1G-D1 BY OMG	Proximity sensor, inductive, nickel-brass, M12, 4MM shielded
E2A-M12KS04-M1G-D2 BY OMG	Proximity sensor, inductive, nickel-brass, M12, 4MM shielded
E2A-M12KS04-M3-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-M3-B2 BY OMG	
E2A-M12KS04-M3-C1 BY OMG	
E2A-M12KS04-M3-C2 BY OMG	
E2A-M12KS04-M5-B1 BY OMG	
E2A-M12KS04-M5-B2 BY OMG	
E2A-M12KS04-M5-C1 BY OMG	
E2A-M12KS04-M5-C2 BY OMG	
E2A-M12KS04-WP-B1 10M BY OMG	
E2A-M12KS04-WP-B1 12M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir

E2A-M12KS04-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-B1 2M BY OMG	
E2A-M12KS04-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-B1 6M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-B1-A 2M BY OMG	
E2A-M12KS04-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-B2 3M OMS	
E2A-M12KS04-WP-B2 6M OMS	
E2A-M12KS04-WP-B2 8M BY OMG	
E2A-M12KS04-WP-B2-A 2M BY OMG	
E2A-M12KS04-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-B3 5M BY OMG	
E2A-M12KS04-WP-B3 6M BY OMG	
E2A-M12KS04-WP-B3 8M BY OMG	
E2A-M12KS04-WP-C1 10M BY OMG	
E2A-M12KS04-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-C1 5M	Proximity sensor, inductive
E2A-M12KS04-WP-C1-A 2M BY OMG	
E2A-M12KS04-WP-C1-BM 5M OMS	
E2A-M12KS04-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-C2 5M BY OMG	
E2A-M12KS04-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 4mm, DC, 3-wir
E2A-M12KS04-WP-D1 2M OMC	Proximity sensor, inductive, nickel-brass, M12, shielded, 4mm, DC, 2 wire, 2m prewii
E2A-M12KS04-WP-D2 2M BY OMG	Proximity sensor, inductive, M12, 4mm, 2 wire DC, 2m
E2A-M12KS04-WR-B1 2M BY OMG	
E2A-M12KS04-WS-B1-A 2M BY OMG	
E2A-M12KS04-WS-B2-A 2M BY OMG	
E2A-M12KS04-WS-B3 2M BY OMG	
E2A-M12KS04-WS-C1-A 2M BY OMG	
E2A-M12LN05-M1-B1 OMS	
E2A-M12LN05-M1-B1-TP BY OMG	
E2A-M12LN05-M1-C2 BY OMG	
E2A-M12LN05-WP-B1 5M BY OMG	
E2A-M12LN05-WP-B1 5M OMC	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5mm, DC, 3-v
E2A-M12LN05-WP-B1-TP 5M OMS	Proximity sensor, inductive
E2A-M12LN05-WP-C1 5M BY OMG	
E2A-M12LN08-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-M1-B3 BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12,unshielded, 8mm, DC, 3-v
E2A-M12LN08-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-M1-C2 BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-M1-C3 BY OMG	
E2A-M12LN08-M3-B1 BY OMG	
E2A-M12LN08-M3-B2 BY OMG	
E2A-M12LN08-M3-B3 BY OMG	
E2A-M12LN08-M3-C1 BY OMG	
E2A-M12LN08-M3-C2 BY OMG	
E2A-M12LN08-M3-C3 BY OMG	
E2A-M12LN08-M5-B1 BY OMG	
E2A-M12LN08-M5-B2 BY OMG	
E2A-M12LN08-M5-C1 BY OMG	
E2A-M12LN08-M5-C2 BY OMG	

OMRON Industrial

E2A-M12LN08-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-w
E2A-M12LN08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-wi
E2A-M12LN08-WP-B2 2M BY OMG	
E2A-M12LN08-WP-B2 5M BY OMG	
E2A-M12LN08-WP-B3 2M BY OMG	
E2A-M12LN08-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-WP-C1 5M BY OMG	
E2A-M12LN08-WP-C2 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-v
E2A-M12LN08-WP-C2 5M BY OMG	
E2A-M12LN08-WP-C3 2M BY OMG	
E2A-M12LN08-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 2 w
E2A-M12LN08-WP-D2 2M BY OMG	
E2A-M12LS02-M1-B1 OMS	
E2A-M12LS02-M1-C3 BY OMG	
E2A-M12LS02-WP-B1 5M OMS	
E2A-M12LS02-WP-B1-TP 5M OMS	
E2A-M12LS04-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-M1-B1-FE OMS	
E2A-M12LS04-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-M1-B3 OMS	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wir
E2A-M12LS04-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-M1-C2 BY OMG	
E2A-M12LS04-M1-C3 BY OMG	
E2A-M12LS04-M3-B1 BY OMG	
E2A-M12LS04-M3-B2 BY OMG	
E2A-M12LS04-M3-B3 BY OMG	
E2A-M12LS04-M3-C1 BY OMG	
E2A-M12LS04-M3-C2 BY OMG	
E2A-M12LS04-M3-C3 BY OMG	
E2A-M12LS04-M5-B1 BY OMG	
E2A-M12LS04-M5-B2 BY OMG	
E2A-M12LS04-M5-C1 BY OMG	
E2A-M12LS04-M5-C2 BY OMG	
E2A-M12LS04-WP-B1 10M BY OMG	
E2A-M12LS04-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-WP-B1 7M BY OMG	
E2A-M12LS04-WP-B2 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-WP-B2 5M BY OMG	
E2A-M12LS04-WP-B3 2M BY OMG	Proximity sensor, M12 long body, 4mm range, PNP NO/NC
E2A-M12LS04-WP-B3 5M BY OMG	
E2A-M12LS04-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-WP-C1 5M	
E2A-M12LS04-WP-C2 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire
E2A-M12LS04-WP-C2 5M BY OMG	
E2A-M12LS04-WP-C3 2M BY OMG	Proximity sensor, M12 long body, 4mm range, NPN NO/NC
E2A-M12LS04-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 2 wire
E2A-M12LS04-WP-D2 2M BY OMG	
E2A-M12LS04-WS-B1 2M OMS	
E2A-M18KN10-M1-B1 OMS	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10mm, DC, 3-
E2A-M18KN10-M1-C1 BY OMG	
E2A-M18KN10-WP-B1 10M OMS	

E2A-M18KN10-WP-B1 2M BY OMG	
E2A-M18KN10-WP-B1 5M OMS	
E2A-M18KN10-WP-B1-TP 5M OMS	
E2A-M18KN10-WP-B2 2M BY OMG	
E2A-M18KN10-WP-C1 2M BY OMG	
E2A-M18KN10-WP-C1-1 0.8M OMG	
E2A-M18KN10-WP-C2 2M BY OMG	
E2A-M18KN16-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-M1-B2-GP50 BY OMG	
E2A-M18KN16-M1-B3 OMS	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-M1-C2 BY OMG	
E2A-M18KN16-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-M1G-D1 BY OMG	
E2A-M18KN16-M1G-D2 BY OMG	
E2A-M18KN16-M3-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-M3-B2 BY OMG	
E2A-M18KN16-M3-C1 BY OMG	
E2A-M18KN16-M3-C2 BY OMG	
E2A-M18KN16-M5-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-M5-B2 BY OMG	
E2A-M18KN16-M5-C1 BY OMG	
E2A-M18KN16-M5-C2 BY OMG	
E2A-M18KN16-WP-B1 10M OMS	
E2A-M18KN16-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-WP-B2 5M BY OMG	
E2A-M18KN16-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3
E2A-M18KN16-WP-C1 5M BY OMG	
E2A-M18KN16-WP-C1-B 2M BY OMG	
E2A-M18KN16-WP-C2 2M BY OMG	
E2A-M18KN16-WP-C2 5M BY OMG	
E2A-M18KN16-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16mm, DC, 3-v
E2A-M18KN16-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, M18, unshielded, 16mm, DC, 2 wire, 2m pr
E2A-M18KN16-WP-D2 2M BY OMG	
E2A-M18KS05-M1-B1 OMS	
E2A-M18KS05-M1-B1-S BY OMG	
E2A-M18KS05-M1-B2 BY OMG	
E2A-M18KS05-M1-B3-Z1 OMS	Proximity sensor, inductive
E2A-M18KS05-M1-C1 BY OMG	
E2A-M18KS05-WP-B1 2M OMS	Proximity sensor, inductive
E2A-M18KS05-WP-B1 6M OMS	
E2A-M18KS05-WP-B1-TP 6M OMS	
E2A-M18KS05-WP-B2 2M BY OMG	
E2A-M18KS05-WP-C1 2M BY OMG	
E2A-M18KS08-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-M1-B1-GP50 OMS	
E2A-M18KS08-M1-B1-S OMS	
E2A-M18KS08-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire

E2A-M18KS08-M1-B3 OMS	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-M1-C2	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-M1G-D1 BY OMG	
E2A-M18KS08-M1G-D2 BY OMG	
E2A-M18KS08-M1J-B1 0.5M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-M3-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-M3-B2 BY OMG	
E2A-M18KS08-M3-C1 BY OMG	
E2A-M18KS08-M3-C2 BY OMG	
E2A-M18KS08-M5-B1 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-M5-B2 BY OMG	
E2A-M18KS08-M5-C1 BY OMG	
E2A-M18KS08-M5-C2 BY OMG	
E2A-M18KS08-WP-B1 10M	
E2A-M18KS08-WP-B1 10M BY OMG	Proximity sensor, M18 8mm range PNP NO, 10m cable
E2A-M18KS08-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-B1 3.5M BY OMG	
E2A-M18KS08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-B2 10M BY OMG	
E2A-M18KS08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-B2 5M	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-B3 5M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-B3 OMS	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-C1 10M BY OMG	
E2A-M18KS08-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-C1-1 5M	
E2A-M18KS08-WP-C2 10M BY OMG	
E2A-M18KS08-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-C2 5M BY OMG	
E2A-M18KS08-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body,M18,shielded, 8mm, DC, 3-wire
E2A-M18KS08-WP-D1 2M OMC	Proximity sensor, inductive, nickel-brass, M18, shielded, 8mm, DC, 2 wire, 2m prewired
E2A-M18KS08-WP-D1 5M OMC	
E2A-M18KS08-WP-D2 2M BY OMG	Proximity sensor, inductive, nickel-brass
E2A-M18KS08-WS-B1 5M BY OMG	
E2A-M18KS08-WS-B1-3 2M	
E2A-M18KS08-WS-B1-G2S 0.5M OMG	
E2A-M18KS08-WS-B1-G3S 1.5M OMG	
E2A-M18KS08-WS-B2 2M BY OMG	
E2A-M18KS08-WS-B3-G2S 0.5M OMG	
E2A-M18LN10-WP-B1 5M BY OMG	
E2A-M18LN10-WP-B1-TP 5M BY OMG	
E2A-M18LN16-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-M1-B2	Proximity sensor, inductive, nickel-brass, long body,M18,unshielded,16mm, DC, 3-w
E2A-M18LN16-M1-B3 BY OMG	Proximity sensor, inductive, nickel-brass,
E2A-M18LN16-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-M1-C2 BY OMG	
E2A-M18LN16-M1-C3 BY OMG	
E2A-M18LN16-M3-B1 BY OMG	
E2A-M18LN16-M3-B2 BY OMG	
E2A-M18LN16-M3-B3 BY OMG	

E2A-M18LN16-M3-C1 BY OMG	
E2A-M18LN16-M3-C2 BY OMG	
E2A-M18LN16-M3-C3 BY OMG	
E2A-M18LN16-M5-B1 BY OMG	
E2A-M18LN16-M5-B2 BY OMG	
E2A-M18LN16-M5-C1 BY OMG	
E2A-M18LN16-M5-C2 BY OMG	
E2A-M18LN16-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-WP-B1 5M BY OMG	Proximity sensor, inductive
E2A-M18LN16-WP-B2 2M BY OMG	
E2A-M18LN16-WP-B2 5M BY OMG	
E2A-M18LN16-WP-B2-2 2M OMS	
E2A-M18LN16-WP-B3 2M BY OMG	
E2A-M18LN16-WP-C1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-WP-C2 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 3-
E2A-M18LN16-WP-C2 5M BY OMG	
E2A-M18LN16-WP-C3 2M BY OMG	
E2A-M18LN16-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16mm, DC, 2
E2A-M18LN16-WP-D2 2M BY OMG	
E2A-M18LN16-WS-B1-1 0.2M BYOMG	
E2A-M18LS05-M1-B1 OMS	
E2A-M18LS08-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire,
E2A-M18LS08-M1-B3 OMS	Proximity sensor, inductive
E2A-M18LS08-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-M1-C2 BY OMG	
E2A-M18LS08-M1-C3 BY OMG	
E2A-M18LS08-M3-B1 BY OMG	
E2A-M18LS08-M3-B2 BY OMG	
E2A-M18LS08-M3-B3 BY OMG	
E2A-M18LS08-M3-C1 BY OMG	
E2A-M18LS08-M3-C2 BY OMG	
E2A-M18LS08-M3-C3 BY OMG	
E2A-M18LS08-M5-B1 BY OMG	
E2A-M18LS08-M5-B2 BY OMG	
E2A-M18LS08-M5-C1 BY OMG	
E2A-M18LS08-M5-C2 BY OMG	
E2A-M18LS08-WP-B1 10M BY OMG	
E2A-M18LS08-WP-B1 15M BY OMG	
E2A-M18LS08-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-B1 8M OMS	
E2A-M18LS08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-B2 5M BY OMG	
E2A-M18LS08-WP-B3 10M BY OMG	
E2A-M18LS08-WP-B3 15M OMS	
E2A-M18LS08-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-C1 5M BY OMG	
E2A-M18LS08-WP-C2 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire
E2A-M18LS08-WP-C2 5M BY OMG	

E2A-M18LS08-WP-C3 2M BY OMG	Proximity sensor, M188 mm range NPN NO/NC
E2A-M18LS08-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 2 wire
E2A-M18LS08-WP-D2 2M BY OMG	
E2A-M18LS08-WS-B1-A 2M BY OMG	
E2A-M30KN18-M1-B1 BY OMG	
E2A-M30KN18-WP-B1 10M BY OMG	
E2A-M30KN18-WP-B1 5M BY OMG	
E2A-M30KN18-WP-B1 BY OMG	
E2A-M30KN18-WP-B1-TP 5M BY OMG	
E2A-M30KN18-WP-B2 10M BY OMG	
E2A-M30KN18-WP-B2 2M BY OMG	
E2A-M30KN18-WP-C1 2M BY OMG	
E2A-M30KN18-WP-C2 2M BY OMG	
E2A-M30KN20-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, :
E2A-M30KN20-M1-B2 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-M1-B3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, :
E2A-M30KN20-M1-C2 BY OMG	
E2A-M30KN20-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-M1G-D1 BY OMG	Proximity sensor 2 wire DC
E2A-M30KN20-M1G-D2 BY OMG	
E2A-M30KN20-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, :
E2A-M30KN20-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-WP-B2 10M BY OMG	M30 Proximity sensor
E2A-M30KN20-WP-B2 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, :
E2A-M30KN20-WP-B2 5M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, :
E2A-M30KN20-WP-C1 5M BY OMG	
E2A-M30KN20-WP-C2 2M BY OMG	
E2A-M30KN20-WP-C2 5M BY OMG	
E2A-M30KN20-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20mm, DC, 3-v
E2A-M30KN20-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, M30, unshielded, 20mm, DC, 2 wire, 2m pr
E2A-M30KN20-WP-D2 2M BY OMG	
E2A-M30KS10-M1-B1 BY OMG	
E2A-M30KS10-M5-B1 BY OMG	
E2A-M30KS10-M5-B2 BY OMG	
E2A-M30KS10-M5-C1 BY OMG	
E2A-M30KS10-M5-C2 BY OMG	
E2A-M30KS10-WP-B1 5M BY OMG	
E2A-M30KS10-WP-B1 BY OMG	
E2A-M30KS10-WP-B1-TP 5M BY OMG	
E2A-M30KS10-WP-B2 2M BY OMG	
E2A-M30KS10-WP-B3 10M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10mm, DC, 3-w
E2A-M30KS10-WP-B3 15M BY OMG	
E2A-M30KS10-WP-C2 2M BY OMG	
E2A-M30KS10-WP-C3 15M BY OMG	Proximity sensor
E2A-M30KS10-WP-C3 20M BY OMG	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10mm, DC, 3-wir
E2A-M30KS15-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-w
E2A-M30KS15-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-wir
E2A-M30KS15-M1-B3 OMS	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, PNP-an
E2A-M30KS15-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-w

E2A-M30KS15-M1-C2 BY OMG	
E2A-M30KS15-M1-C3 BY OMG	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wi
E2A-M30KS15-M1G-D1 BY OMG	
E2A-M30KS15-M1G-D2 BY OMG	
E2A-M30KS15-WP-B1 10M BY OMG	
E2A-M30KS15-WP-B1 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-v
E2A-M30KS15-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-B2 10M OMS	
E2A-M30KS15-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-B2 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-B2 5M BY OMG	Proximity sensor, sheilded 15mm PNP N/C 5m
E2A-M30KS15-WP-B2-1 2M BY OMG	
E2A-M30KS15-WP-B3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-C1 10M BY OMG	
E2A-M30KS15-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-w
E2A-M30KS15-WP-C1 5M BY OMG	
E2A-M30KS15-WP-C2 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-C2 5M BY OMG	
E2A-M30KS15-WP-C3 2M BY OMG	Proximity sensor, inductive, nickel-brass, short body,M30,shielded, 15mm, DC, 3-wir
E2A-M30KS15-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, M30, shielded, 15mm, DC, 2 wire, 2m prew
E2A-M30KS15-WP-D2 2M BY OMG	
E2A-M30KS15-WS-C1 2M BY OMG	
E2A-M30LN18-WP-C1 2M BY OMG	
E2A-M30LN18-WP-C2 2M BY OMG	
E2A-M30LN30-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 3-
E2A-M30LN30-M1-B1-B BY OMG	Proximity sensor, inductive, nickel-brass, long body,M30,unshielded,30mm, DC, 3-w
E2A-M30LN30-M1-B2 BY OMG	Proximity sensor, inductive, nickel-brass, long body,M30,unshielded,30mm, DC, 3-w
E2A-M30LN30-M1-B3 BY OMG	
E2A-M30LN30-M1-C1 BY OMG	Proximity sensor, inductive, nickel-brass, long body,M30,unshielded,30mm, DC, 3-w
E2A-M30LN30-M1-C2 BY OMG	
E2A-M30LN30-M1-C3 BY OMG	
E2A-M30LN30-WP-B1 10M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 3-
E2A-M30LN30-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 3-
E2A-M30LN30-WP-B1 5M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 3-
E2A-M30LN30-WP-B1 6M BY OMG	
E2A-M30LN30-WP-B2 2M BY OMG	
E2A-M30LN30-WP-B2 5M BY OMG	
E2A-M30LN30-WP-B3 2M BY OMG	
E2A-M30LN30-WP-C1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body,M30,unshielded,30mm, DC, 3-w
E2A-M30LN30-WP-C1 5M BY OMG	
E2A-M30LN30-WP-C2 2M BY OMG	
E2A-M30LN30-WP-C2 5M BY OMG	
E2A-M30LN30-WP-C3 2M BY OMG	
E2A-M30LN30-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 2
E2A-M30LN30-WP-D2 2M BY OMG	
E2A-M30LS10-M1-C1 BY OMG	
E2A-M30LS10-WP-B1 2M BY OMG	
E2A-M30LS15-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-M1-B2	Proximity sensor, inductive, nickel-brass, long body,M30,shielded, 15mm, DC, 3-wir
E2A-M30LS15-M1-B3 OMS	Proximity sensor, inductive
E2A-M30LS15-M1-C1 BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-M1-C2 BY OMG	

E2A-M30LS15-M1-C3 BY OMG	
E2A-M30LS15-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-WP-B1 6M OMS	
E2A-M30LS15-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wir
E2A-M30LS15-WP-B2 5M BY OMG	
E2A-M30LS15-WP-B3 2M BY OMG	Proximity sensor M30 long body, 15mm range, PNP NO/NC
E2A-M30LS15-WP-B3 5M OMS	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-WP-C1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wi
E2A-M30LS15-WP-C1 5M BY OMG	
E2A-M30LS15-WP-C2 2M BY OMG	
E2A-M30LS15-WP-C2 5M BY OMG	
E2A-M30LS15-WP-C3 2M BY OMG	Proximity sensor, M30 long body, 15mm range, NPN NO/NC
E2A-M30LS15-WP-D1 2M BY OMG	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 2 wi
E2A-M30LS15-WP-D2 2M BY OMG	
E2A-P08KS02-M5T1-B2 BY OMG	
E2A-P08KS02-M5T2-B1 BY OMG	
E2A-P08KS02-M5T3-B1 BY OMG	
E2A-P08LS02-M5-B1 BY OMG	
E2A-P08LS02-M5-B2 BY OMG	
E2A-P08LS02-M5T2-B1 BY OMG	
E2A-S08KN02-M1-B1 BY OMG	
E2A-S08KN02-WP-B1 2M BY OMG	
E2A-S08KN02-WP-B2 2M BY OMG	
E2A-S08KN02-WP-C2 2M BY OMG	
E2A-S08KN04-M1-B1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M1-B2 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M1-C1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M1-C2 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M1G-D1 BY OMG	
E2A-S08KN04-M1G-D2 BY OMG	
E2A-S08KN04-M3-B1 BY OMG	
E2A-S08KN04-M3-B2 BY OMG	
E2A-S08KN04-M3-C1 BY OMG	
E2A-S08KN04-M3-C2 BY OMG	
E2A-S08KN04-M5-B1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M5-B2 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M5-C1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-M5-C2 BY OMG	
E2A-S08KN04-WP-B1 10M BY OMG	
E2A-S08KN04-WP-B1 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-WP-B1 5M BY OMG	
E2A-S08KN04-WP-B2 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-WP-B2 5M BY OMG	
E2A-S08KN04-WP-C1 10M OMS	
E2A-S08KN04-WP-C1 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-WP-C1 5M BY OMG	
E2A-S08KN04-WP-C2 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3
E2A-S08KN04-WP-C2 5M BY OMG	
E2A-S08KN04-WP-D1 2M BY OMG	Proximity sensor, inductive, stainless steel, M8, unshielded, 4mm, DC, 2 wire, 2m pr
E2A-S08KN04-WP-D2 2M BY OMG	
E2A-S08KS01-M1-B1 OMS	

E2A-S08KS01-M1-B2 BY OMG	
E2A-S08KS01-M1-C1 BY OMG	
E2A-S08KS01-M3-B1 OMS	
E2A-S08KS01-M3-B1-TP OMS	
E2A-S08KS01-M5-B1 BY OMG	
E2A-S08KS01-M5-C1 BY OMG	
E2A-S08KS01-M5J-B1 0.3M BY OMG	
E2A-S08KS01-WP-B1 2M BY OMG	Proximity sensor, inductive
E2A-S08KS01-WP-B1 5M BY OMG	
E2A-S08KS01-WP-B1 5M OMC	Proximity switch, inductive, stainless steel, short body, M8, shielded, 1mm, DC, 3-w
E2A-S08KS01-WP-B1 6M OMS	
E2A-S08KS01-WP-B1-TP 5M OMS	Proximity sensor, inductive
E2A-S08KS01-WP-B2 2M BY OMG	
E2A-S08KS01-WP-B2 5M BY OMG	
E2A-S08KS01-WP-C1 2M BY OMG	
E2A-S08KS01-WP-C1 5M BY OMG	
E2A-S08KS01-WP-C2 2M BY OMG	
E2A-S08KS02-M1-B1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M1-B2 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M1-C1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M1-C2 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M1G-D1 BY OMG	
E2A-S08KS02-M1G-D2 BY OMG	
E2A-S08KS02-M3-B1 OMS	Proximity switch, inductive, stainless steel, short body, M8, shielded, 2mm, DC, PNP
E2A-S08KS02-M3-B2 OMS	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M3-C1 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M3-C2 BY OMG	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M5-B1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M5-B2 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M5-C1 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-M5-C2 OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WA-B2 2M BY OMG	
E2A-S08KS02-WP-B1 10M OMS	
E2A-S08KS02-WP-B1 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-B1 3M OMS	
E2A-S08KS02-WP-B1 5M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-B1-1 0.05M OMS	
E2A-S08KS02-WP-B2 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-B2 5M BY OMG	
E2A-S08KS02-WP-C1 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-C1 3M OMC	Proximity switch, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wi
E2A-S08KS02-WP-C1 5M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-C2 2M OMC	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-w
E2A-S08KS02-WP-C2 5M BY OMG	
E2A-S08KS02-WP-D1 2M BY OMG	Proximity sensor, inductive, stainless steel, M8, shielded, 2mm, DC, 2 wire, 2m prew
E2A-S08KS02-WP-D1-J0201 BY OMG	
E2A-S08KS02-WP-D2 2M BY OMG	Proximity sensor
E2A-S08LN04-M1-B1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M1-B2 BY OMG	
E2A-S08LN04-M1-C1 BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M1-C2 BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M3-B1 BY OMG	

E2A-S08LN04-M5-B1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M5-B2 OMC	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M5-C1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-M5-C2 BY OMG	
E2A-S08LN04-M5J-B1 0.3M BY OMG	
E2A-S08LN04-M5J-B1 0.6M BY OMG	
E2A-S08LN04-WP-B1 2M OMC	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-WP-B1 5M OMC	
E2A-S08LN04-WP-B2 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-WP-B2 5M OMC	
E2A-S08LN04-WP-C1 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-WP-C1 5M BY OMG	
E2A-S08LN04-WP-C2 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4mm, DC, 3-
E2A-S08LN04-WP-C2 5M BY OMG	
E2A-S08LS01-M1-B1 BY OMG	
E2A-S08LS01-M3-B1 BY OMG	
E2A-S08LS01-M5-B1 BY OMG	
E2A-S08LS01-M5-C1 BY OMG	
E2A-S08LS01-WP-B1 2M BY OMG	
E2A-S08LS01-WP-B1 5M BY OMG	
E2A-S08LS02-M1-B1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M1-B2 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M1-C1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M1-C2 BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M3-B1 OMS	
E2A-S08LS02-M5-B1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M5-B1-S BY OMG	
E2A-S08LS02-M5-B2 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M5-B2-S OMC	
E2A-S08LS02-M5-C1 OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-M5-C2 BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-WP-B1 2M OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-WP-B1 5M BY OMG	
E2A-S08LS02-WP-B2 2M OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-WP-B2 5M BY OMG	
E2A-S08LS02-WP-C1 2M OMC	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-WP-C1 5M BY OMG	
E2A-S08LS02-WP-C2 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wii
E2A-S08LS02-WP-C2 5M BY OMG	
E2A-S08LS03-M5-B1-01 BY OMG	
E2A-S08LS03-M5-C1-01 BY OMG	
E2A-S12KN05-M1-B1 OMS	
E2A-S12KN05-M1-B2 BY OMG	
E2A-S12KN08-M1-B1 BY OMG	
E2A-S12KN08-WP-B1 20M BY OMG	
E2A-S12KN08-WP-B1 2M OMS	Proximity switch, inductive, stainless steel, short body, M12, unshielded, 8mm, DC, ;
E2A-S12KS04-M1-B1 BY OMG	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-v
E2A-S12KS04-M1-B2 BY OMG	
E2A-S12KS04-M1-C1 BY OMG	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-v
E2A-S12KS04-M1-C2 BY OMG	Proximity sensor M12
E2A-S12KS04-M5-B1 BY OMG	Proximity switch, inductive, stainless steel, short body, M12, shielded, 4mm, DC, PN
E2A-S12KS04-M5-B2 BY OMG	

E2A-S12KS04-WA-B1 2M BY OMG	
E2A-S12KS04-WA-B1 5M BY OMG	
E2A-S12KS04-WP-B1 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-w
E2A-S12KS04-WP-B1 5M BY OMG	Proximity sensor, inductive, stainless steel,
E2A-S12KS04-WP-B2 2M BY OMG	
E2A-S12KS04-WP-C1 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-w
E2A-S12KS04-WS-C1 7.5M BY OMG	
E2A-S12LS04-M1-B1 BY OMG	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-w
E2A-S12LS04-M1-C1 BY OMG	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-w
E2A-S12LS04-M1J-C1 0.5M BY OMG	
E2A-S12LS04-WP-B1 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-w
E2A-S12LS04-WP-B2 2M BY OMG	
E2A-S12LS04-WP-C1 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-w
E2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, unshielded, 16mm, DC
E2A-S18KN16-WP-B1 2M BY OMG	
E2A-S18KN16-WP-B1 5M BY OMG	
E2A-S18KN16-WP-B2 10M BY OMG	
E2A-S18KN16-WP-B2 5M BY OMG	
E2A-S18KS08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-w
E2A-S18KS08-M1-C1 BY OMG	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-w
E2A-S18KS08-M5-B1 BY OMG	
E2A-S18KS08-M5-B2 BY OMG	
E2A-S18KS08-WP-B1 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-w
E2A-S18KS08-WP-B1 5M BY OMG	Proximity sensor s/steel body 5m
E2A-S18KS08-WP-B2 5M BY OMG	
E2A-S18KS08-WP-B3 10M BY OMG	
E2A-S18KS08-WP-C1 2M BY OMG	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-w
E2A-S18KS08-WP-D1 2M BY OMG	Proximity sensor, inductive, stainless steel, M18, shielded, 8mm, DC, 2 wire, 2m prev
E2A-S18LN16-M1-B3 BY OMG	
E2A-S18LN16-WP-B1 2M BY OMG	
E2A-S18LS08-M1-B1 BY OMG	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8mm, DC, 3-w
E2A-S18LS08-M1-B3 BY OMG	
E2A-S18LS08-M1-C1 BY OMG	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8mm, DC, 3-w
E2A-S18LS08-WP-B1 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8mm, DC, 3-w
E2A-S18LS08-WP-C1 2M BY OMG	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8mm, DC, 3-w
E2A-S18LS08-WP-C2 2M BY OMG	
E2A-S18LS08-WS-C1 2M BY OMG	
E2A-S30KN20-M1-B1 BY OMG	
E2A-S30KS15-M1-B1 BY OMG	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-w
E2A-S30KS15-M5-B1 BY OMG	
E2A-S30KS15-M5-B2 BY OMG	
E2A-S30KS15-WP-B1 1.3M BY OMG	
E2A-S30KS15-WP-B1 2M BY OMG	
E2A-S30KS15-WP-B1 5M BY OMG	
E2A-S30KS15-WP-C1 5M BY OMG	
E2A-S30LS15-M1-B3 BY OMG	
E2A-S30LS15-WP-B1 2M BY OMG	
E2AU-M12KS04-M1-B1 BY OMG	Proximity sensor, inductive,
E2AU-M12KS04-WP-B1 2M BY OMG	Proximity sensor IP69K, e1 type approval
E2AU-M12LS04-M1-B1 BY OMG	
E2AU-M12LS04-WP-B1 2M BY OMG	
E2AU-M18KS08-M1-B1 BY OMG	Proximity sensor, inductive, M18, 8mm, M12 plug-in, PNP-NO

E2AU-M18KS08-WP-B1 2M BY OMG	Proximity sensor, mobile usage, inductive, nickel-brass, short body, M18, shielded, i
E2AU-M18LS08-M1-B1 BY OMG	
E2AU-M18LS08-WP-B1 2M BY OMG	
E2AU-M30KS15-M1-B1 BY OMG	
E2AU-M30KS15-WP-B1 2M BY OMG	Proximity sensor, inductive, mobile usage, nickel-brass, short body, M30, shielded,
E2AU-M30LS15-M1-B1 BY OMG	
E2AU-M30LS15-WP-B1 2M BY OMG	
E2AX-M12KN08-M1-B1 BY OMG	Proximity switch, inductive, nickel-brass, ATEX 3D certified, M12, short body, 8mm,
E2AX-M12KN08-M1-B2 BY OMG	Proximity sensor, inductive,M12
E2AX-M12KN08-M1-B3 BY OMG	
E2AX-M12KN08-M1-C1 BY OMG	
E2AX-M12KN08-M1-C2 BY OMG	
E2AX-M12KN08-M1-C3 BY OMG	
E2AX-M12KS04-M1-B1 BY OMG	
E2AX-M12KS04-M1-B2 BY OMG	Proximity sensor, inductive, nickel-brass, ATEX,short body, M12,shielded, 4mm, DC
E2AX-M12KS04-M1-B3 BY OMG	
E2AX-M12KS04-M1-C1 BY OMG	Proximity sensor, inductive
E2AX-M12KS04-M1-C2 BY OMG	
E2AX-M12KS04-M1-C3 BY OMG	
E2AX-M12KS04-M1G-D2 BY OMG	
E2AX-M12LN08-M1-B1 BY OMG	
E2AX-M12LN08-M1-B3 BY OMG	
E2AX-M12LS04-M1-B1 BY OMG	Proximity sensor, inductive, Explosion hazardous environments, nickel-brass, long
E2AX-M12LS04-M1-B3 BY OMG	
E2AX-M18KN16-M1-B1 BY OMG	
E2AX-M18KN16-M1-B2 BY OMG	
E2AX-M18KN16-M1-B3 BY OMG	
E2AX-M18KN16-M1-C1 BY OMG	
E2AX-M18KN16-M1-C2 BY OMG	
E2AX-M18KS08-M1-B1 BY OMG	Inductive sensor, Explosive type, M18, sheilded 8mm, M12 plug in, PNP NO
E2AX-M18KS08-M1-B2 BY OMG	
E2AX-M18KS08-M1-B3 BY OMG	
E2AX-M18KS08-M1-C1 BY OMG	
E2AX-M18KS08-M1-C2 BY OMG	
E2AX-M18KS08-M1G-D1 BY OMG	
E2AX-M18LN16-M1-B1 BY OMG	
E2AX-M18LN16-M1-B3 BY OMG	
E2AX-M18LS08-M1-B1 BY OMG	
E2AX-M18LS08-M1-B3 BY OMG	
E2AX-M18LS08-M1-C1 BY OMG	
E2AX-M30KN20-M1-B3 BY OMG	
E2AX-M30KS15-M1-B1 BY OMG	Proximity sensor, Explosive type, M30 sheilded, 15mm, M12 plug in, PNP NO
E2AX-M30KS15-M1-B2 BY OMG	
E2AX-M30KS15-M1-B3 BY OMG	
E2AX-M30KS15-M1-C1 BY OMG	
E2AX-M30KS15-M1-C2 BY OMG	
E2AX-M30LN30-M1-B1 BY OMG	
E2AX-M30LN30-M1-B2 BY OMG	
E2AX-M30LN30-M1-B3 BY OMG	
E2AX-M30LN30-M1-C1 BY OMG	
E2AX-M30LN30-M1-C2 BY OMG	
E2AX-M30LS15-M1-B1 BY OMG	

E2AX-M30LS15-M1-B3 BY OMG

E2CA-AL4C	Proximity sensor
E2CA-AL4D	Proximity sensor, Linear output
E2CA-AL4E	Proximity sensor, Linear
E2CA-AL4F	
E2CA-AN4C	
E2CA-AN4D	Proximity sensor amplifier
E2CA-AN4E	
E2CA-AN4F	Proximity sensor
E2C-AK4A	
E2C-AM4A	Proximity sensor
E2CA-X10A	Proximity sensor
E2CA-X10A 5M	
E2CA-X1R5A	Proximity sensor
E2CA-X2A	Proximity sensor
E2CA-X2A 5M	
E2CA-X5A 3M	
E2CA-X5A 5M	
E2C-C1A	Proximity sensor
E2C-C1A 5M	
E2C-C20MA	
E2C-CR8A	Proximity sensor
E2C-CR8B	Proximity sensor
E2C-CR8B 5M	
E2C-ED01	Proximity sensor, inductive, 5.4mm diameter head, 1mm (requires E2C Amplifier)
E2C-ED01-F	
E2C-ED01-S	
E2C-ED02	High precision positioning inductive proximity sensor head, 8 dia. x 22mm, shielded
E2C-ED02-F	High Precision postioning
E2C-ED02-S	High precision positioning inductive
E2C-EDA11 2M	High precision positioning inductive proximity sensor amplifier, DC, twin output mo
E2C-EDA21 2M	
E2C-EDA41 2M	High precision positioning inductive proximity sensor amplifier, DC, twin output mo
E2C-EDA51 2M	
E2C-EDA6	
E2C-EDA7	
E2C-EDA8	High precision positioning inductive proximity sensor amplifier, DC, twin output mo
E2C-EDA9	High precision positioning inductive proximity sensor amplifier, DC, external input n
E2C-EDR6-F	High precision positioning inductive proximity sensor head, 3 dia. x 18mm, 0.6mm s
E2C-EM02	High precision positioning inductive proximity sensor head, M10 x 22mm, 2mm sens
E2C-EM02-F	
E2C-EM02H	High precision positioning inductive proximity sensor head, heat resistant, M12 x 2:
E2C-EM02-S	
E2C-EM07M	
E2C-EM07M-F	
E2C-EM07M-S	
E2C-EV05	High precision positioning inductive proximity sensor head, 30x14x4.8mm, shielded
E2C-EV05-F	
E2C-EV05-S	
E2C-GE4A	
E2C-GE4B	
E2C-GF4A	Proximity sensor

E2C-GF4B	
E2C-JC4A	Proximity sensor
E2C-JC4AP	Proximity sensor
E2C-JC4CH	Proximity sensor
E2C-JC4DH	
E2C-JC4EH	Proximity sensor
E2C-WH4A	
E2C-WH4AF	
E2C-X10A	
E2C-X10A 5M	
E2C-X1A	Proximity sensor
E2C-X1A-5 1.5M	
E2C-X1R5A	Proximity sensor
E2C-X1R5A 5M	
E2C-X1R5A-2 1.5M	
E2C-X1R5A-3 3M	Proximity sensor
E2C-X1R5A-4 3M	Proximity sensor
E2C-X1R5A-5 1.5M	Proximity sensor
E2C-X1R5A-5 3M	Proximity sensor
E2C-X1R5A-6 3M	
E2C-X1R5AH	
E2C-X1R5AH 5M	
E2C-X1R5AH-1 3M	Proximity sensor
E2C-X2A	Proximity sensor
E2C-X2A 5M	
E2C-X2AH	
E2C-X2AH 5M	
E2C-X5A	Proximity sensor
E2C-X5A 5M	
E2C-X5AH 3M	Proximity sensor
E2C-X5AH 5M	
E2CY-C2A 3M	
E2CY-T11 2M	Proximity sensor
E2CY-V3A 3M	
E2CY-X1R5A 3M	Proximity sensor
E2E2-X10B1 2M OMS	
E2E2-X10B1 5M OMS	
E2E2-X10B1-M1 OMS	Proximity sensor, long body, inductive, M30, shielded, 10mm, DC, 3-wire, PNP-NO, N
E2E2-X10B2 2M OMS	
E2E2-X10B2-M1 OMS	
E2E2-X10C1 2M OMS	
E2E2-X10C1 5M OMS	
E2E2-X10C1-M1 OMS	
E2E2-X10C2 2M OMS	
E2E2-X10C2-M1 OMS	
E2E2-X10D1 2M OMS	
E2E2-X10D1 5M OMS	
E2E2-X10D15 2M OMS	
E2E2-X10D2 2M OMS	
E2E2-X10D2 5M OMS	
E2E2-X10MB1 10M OMS	
E2E2-X10MB1 2M OMS	

E2E2-X10MB1 5M OMS	Proximity sensor, long body, inductive, M18, unshielded, 10mm, DC, 3-wire, PNP-NC
E2E2-X10MB1-M1 OMS	
E2E2-X10MB2 2M OMS	
E2E2-X10MB2-M1 OMS	
E2E2-X10MC1 2M OMS	Proximity sensor, long body, inductive, M18, unshielded, 10mm, DC, 3-wire, NPN-NC
E2E2-X10MC1 5M OMS	
E2E2-X10MC1-M1 OMS	Proximity sensor, long body, inductive, M18, unshielded, 10mm, DC, 3-wire, NPN-NC
E2E2-X10MC2 2M OMS	
E2E2-X10MC2-M1 OMS	
E2E2-X10MY1 10M OMS	
E2E2-X10MY1 2M OMS	Long barrell inductive prox, M18, unshielded, 10mm, NO, AC, 2 wire
E2E2-X10MY1 5M OMS	
E2E2-X10MY1-M4 OMS	
E2E2-X10MY1-US 2M OMS	
E2E2-X10MY1-US 5M OMS	
E2E2-X10MY2 2M OMS	
E2E2-X10MY2-M4 OMS	
E2E2-X10MY2-US 2M OMS	
E2E2-X10MY2-US 5M OMS	
E2E2-X10Y1 2M OMS	Proximity sensor
E2E2-X10Y1 5M OMS	
E2E2-X10Y1-M4 OMS	
E2E2-X10Y1-US 2M OMS	
E2E2-X10Y1-US 5M OMS	
E2E2-X10Y2 2M OMS	
E2E2-X10Y2-M4 OMS	
E2E2-X10Y2-US 2M OMS	
E2E2-X14MD1 2M OMS	
E2E2-X14MD1 5M OMS	
E2E2-X14MD15 2M OMS	
E2E2-X14MD2 2M OMS	
E2E2-X18MB1 2M OMS	
E2E2-X18MB1 5M OMS	
E2E2-X18MB1-M1 OMS	
E2E2-X18MB2 2M OMS	
E2E2-X18MB2-M1 OMS	
E2E2-X18MC1 2M OMS	
E2E2-X18MC1 5M OMS	
E2E2-X18MC1-M1 OMS	
E2E2-X18MC2 2M OMS	
E2E2-X18MC2-M1 OMS	
E2E2-X18MY1 10M OMS	
E2E2-X18MY1 2M OMS	
E2E2-X18MY1 5M OMS	
E2E2-X18MY1-M4 OMS	
E2E2-X18MY1-US 2M OMS	
E2E2-X18MY2 2M OMS	
E2E2-X18MY2-M4 OMS	
E2E2-X18MY2-US 2M OMS	
E2E2-X20MD1 2M OMS	
E2E2-X20MD1 5M OMS	
E2E2-X20MD15 2M OMS	

E2E2-X20MD2 2M OMS	
E2E2-X2B1 2M OMS	
E2E2-X2B1 5M OMS	
E2E2-X2B1-M1 OMS	Proximity sensor, inductive, long body
E2E2-X2B2 2M OMS	
E2E2-X2B2 5M OMS	
E2E2-X2B2-M1 OMS	
E2E2-X2C1 2M OMS	
E2E2-X2C1 5M OMS	
E2E2-X2C1-M1 OMS	
E2E2-X2C2 2M OMS	
E2E2-X2C2-M1 OMS	
E2E2-X2Y1 2M OMS	Proximity sensor, 2 wire AC
E2E2-X2Y1 5M OMS	
E2E2-X2Y1-M4 OMS	
E2E2-X2Y1-US 2M OMS	
E2E2-X2Y1-US 5M OMS	
E2E2-X2Y2 2M OMS	
E2E2-X2Y2-M4 OMS	
E2E2-X2Y2-US 2M OMS	
E2E2-X3D1 2M OMS	
E2E2-X3D1 5M OMS	
E2E2-X3D15 2M OMS	
E2E2-X3D2 2M OMS	Proximity sensor
E2E2-X5B1 2M OMS	
E2E2-X5B1 5M OMS	
E2E2-X5B1-10 2M OMS	
E2E2-X5B1-M1 OMS	Long barrell inductive prox, shielded, M18, 5mm, DC, 3-wire, PNP-NO, M12 connecto
E2E2-X5B2 2M OMS	
E2E2-X5B2 5M OMS	
E2E2-X5B2-M1 OMS	
E2E2-X5C1 2M OMS	
E2E2-X5C1 5M OMS	
E2E2-X5C1-M1 OMS	
E2E2-X5C2 2M OMS	Proximity sensor, long body, inductive
E2E2-X5C2-M1 OMS	
E2E2-X5MB1 2M OMS	Proximity sensor, long body, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO,
E2E2-X5MB1 5M OMS	Proximity sensor, long body, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO,
E2E2-X5MB1-M1 OMS	Proximity sensor, long body, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO,
E2E2-X5MB2 2M OMS	
E2E2-X5MB2 5M OMS	
E2E2-X5MB2-M1 OMS	
E2E2-X5MC1 2M OMS	
E2E2-X5MC1 5M OMS	
E2E2-X5MC1-M1 OMS	Long barrell inductive prox, un-shielded, M12, 5mm, DC, 3-wire, NPN-NO, M12 conne
E2E2-X5MC2 2M OMS	
E2E2-X5MC2-M1 OMS	
E2E2-X5MY1 2M OMS	
E2E2-X5MY1 5M OMS	
E2E2-X5MY1-M4 OMS	
E2E2-X5MY1-US 2M OMS	
E2E2-X5MY2 2M OMS	

E2E2-X5MY2-M4 OMS	
E2E2-X5MY2-US 2M OMS	
E2E2-X5Y1 2M OMS	Long barrell inductive prox, M18, shielded, 5mm, NO, AC, 2-wire
E2E2-X5Y1 5M OMS	
E2E2-X5Y1-M4 OMS	
E2E2-X5Y1-US 2M OMS	
E2E2-X5Y1-US 5M OMS	
E2E2-X5Y2 2M OMS	
E2E2-X5Y2-M4 OMS	
E2E2-X5Y2-US 2M OMS	
E2E2-X5Y2-US 5M OMS	
E2E2-X7D1 2M OMS	
E2E2-X7D1 5M OMS	
E2E2-X7D15 2M OMS	
E2E2-X7D2 2M OMS	
E2E2-X8MD1 2M OMS	
E2E2-X8MD1 5M OMS	
E2E2-X8MD15 2M OMS	
E2E2-X8MD2 2M OMS	
E2E-C1B1	Proximity sensor, inductive, 5.4mm dia, shielded, 1mm, DC, 3-wire, PNP-NO, 2m cab
E2E-C1B1 5M	
E2E-C1B2 2M	
E2E-C1C1	Proximity sensor, inductive, 5.4mm dia, shielded, 1mm, DC, 3-wire, NPN-NO, 2m cab
E2E-C1C1 5M	
E2E-C1C1-R	
E2E-C1C2 2M+	
E2E-C1C2 5M	
E2EC-C1R5D1	Proximity sensor
E2EC-C1R5D1-M1GJ 0.5M	Proximity sensor
E2EC-C1R5D1-M1J 0.5M	
E2EC-C1R5D1-M1TGJ 0.5M	Proximity sensor, inductive
E2EC-C1R5D2 2M	
E2EC-C2R5B1	
E2EC-C2R5C1	Proximity sensor
E2EC-C2R5C1 5M	
E2EC-C2R5C1-R	Proximity sensor
E2EC-C3D1	Proximity sensor
E2EC-C3D1-M1GJ 0.5M	Proximity sensor
E2EC-C3D1-M1GJ-1	Proximity sensor
E2EC-C3D1-M1J 0.5M	Proximity sensor
E2EC-C3D1-M1J-1	Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable
E2EC-C3D2 2M	
E2EC-CR5B1	Proximity sensor
E2EC-CR5B2	
E2EC-CR5C1	Proximity sensor
E2EC-CR5C1-R	Proximity sensor
E2EC-CR8D1	Proximity sensor
E2EC-CR8D1-M1GJ 0.5M	Proximity sensor
E2EC-CR8D2 2M	
E2EC-MC2B1 2M	
E2EC-MC2D1 2M	
E2EC-QC2D1-M1GJ-T 0.3M	Proximity sensor

E2EC-QC2D1-M1GJ-T-1 0.3M	Proximity sensor
E2E-CR6B1 2M	Proximity sensor, miniature M3,
E2E-CR6B2 2M	
E2E-CR6C1 2M	
E2E-CR6C2 2M	
E2E-CR8B1	Proximity sensor, inductive, 4mm dia, shielded, 0.8mm, DC, 3-wire, PNP-NO, 2m cab
E2E-CR8B1 5M	
E2E-CR8B1-M5	roximity sensor, inductive, 4mm dia, shielded, 0.8mm, DC, 3-wire, PNP-NO, M8 conn
E2E-CR8B1-R 5M	
E2E-CR8B2	
E2E-CR8B2 5M	
E2E-CR8B2-M5	Proximity sensor
E2E-CR8C1	Proximity sensor, inductive, 4mm dia, shielded, 0.8mm, DC, 3-wire, NPN-NO, 2m cab
E2E-CR8C1-M5	
E2E-CR8C1-R 2M	
E2E-CR8C2	
E2E-CR8C2 5M	
E2E-CR8C2-M5	
E2EC-X4D1	
E2EC-X4D2 2M	
E2EH-X12B1 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12B1 5M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12B1-M1 OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12B2 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12B2-M1 OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12C1 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12C1 5M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12C1-M1 OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12C2 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12C2-M1 OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D1 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D1 5M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D1-M1G OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D1-T 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D2 2M OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X12D2-M1G OMS	Proximity sensor M30, high temperature (120 C) stainless steel, 12mm sensing range
E2EH-X3B1 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3B1 5M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3B1-M1 OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3B2 2M OMS	Proximity sensor M12, high temperature (120oC) stainless steel, 3mm sensing range
E2EH-X3B2-M1 OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3C1 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3C1 5M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3C1-M1 OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3C2 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3C2-M1 OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3D1 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3D1 5M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3D1-M1G OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3D1-T 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range
E2EH-X3D1-T 5M OMS	
E2EH-X3D2 2M OMS	Proximity sensor M12, high temperature (120 C) stainless steel, 3mm sensing range

E2EH-X3D2-M1G OMS	
E2EH-X7B1 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7B1 5M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7B1-M1 OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7B2 15M	
E2EH-X7B2 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7B2 5M	
E2EH-X7B2-M1 OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7C1 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7C1 5M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7C1-M1 OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7C2 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7C2 5M OMS	
E2EH-X7C2-M1 OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D1 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D1 5M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D1-M1G OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D1-T 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D1-T 5M OMS	
E2EH-X7D2 2M OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EH-X7D2-M1G OMS	Proximity sensor M18, high temperature (120 °C) stainless steel, 7mm sensing range
E2EM-C30X15-M1GJ-1 0.3M	
E2EM-C30X1-M1GJ-1 0.3M	
E2EM-X15B1 2M OMS	
E2EM-X15B1-M1 OMS	
E2EM-X15B2 2M OMS	
E2EM-X15B2-M1 OMS	
E2EM-X15C1 2M OMS	
E2EM-X15C1-M1 OMS	
E2EM-X15C2 2M OMS	
E2EM-X15C2-M1 OMS	
E2EM-X15X1 2M OMS	
E2EM-X15X1-M1J 0.3M OMS	
E2EM-X15X1-M1TJ 0.3M OMS	
E2EM-X15X2 2M OMS	
E2EM-X16MX1 2M OMS	
E2EM-X16MX2 2M OMS	
E2EM-X2B1 2M OMS	
E2EM-X2B1-M1 OMS	
E2EM-X2B2 2M OMS	
E2EM-X2B2-M1 OMS	
E2EM-X2C1 2M OMS	
E2EM-X2C1-M1 OMS	
E2EM-X2C2 2M OMS	
E2EM-X2C2-M1 OMS	
E2EM-X30MX1 2M OMS	
E2EM-X30MX1-M1J 0.3M OMS	
E2EM-X30MX2 2M OMS	
E2EM-X4B1 2M OMS	
E2EM-X4B1-M1 OMS	
E2EM-X4B2 2M OMS	
E2EM-X4B2-M1 OMS	

E2EM-X4C1 2M OMS	Proximity sensor, inductive
E2EM-X4C1-M1 OMS	
E2EM-X4C2 2M OMS	
E2EM-X4C2-M1 OMS	
E2EM-X4X1 2M OMS	
E2EM-X4X1-M1J 0.3M OMS	
E2EM-X4X2 2M OMS	
E2EM-X8B1 2M OMS	
E2EM-X8B1-M1 OMS	
E2EM-X8B2 2M OMS	
E2EM-X8B2-M1 OMS	
E2EM-X8C1 2M OMS	
E2EM-X8C1-M1 OMS	
E2EM-X8C2 2M OMS	
E2EM-X8C2-M1 OMS	
E2EM-X8X1 2M OMS	
E2EM-X8X1-M1GJ-1 0.3M OMS	
E2EM-X8X1-M1J 0.3M OMS	
E2EM-X8X2 2M OMS	
E2EQ-X10D1	Proximity sensor
E2EQ-X10D1 5M	
E2EQ-X10D1G-M1GJ-T 0.3M OMS	
E2EQ-X10D1-M1GJ 0.3M	Proximity Sensor
E2EQ-X10D1-M1GJ 0.5M	
E2EQ-X10D1-M1GJ 1M	Proximity sensor
E2EQ-X10D1-M1J 0.3M	
E2EQ-X10D2R-M1GJ-T4 0.3M OMS	
E2EQ-X15X1 2M OMS	
E2EQ-X15X1 5M OMS	
E2EQ-X15X1-M1J 0.3M OMS	
E2EQ-X15X1-M1TJ 0.3M OMS	
E2EQ-X3D1	Proximity sensor
E2EQ-X3D1 5M	
E2EQ-X3D1G-M1GJ-T 0.3M OMS	
E2EQ-X3D1-M1GJ 0.3M	Proximity sensor
E2EQ-X3D1-M1GJ 0.5M	
E2EQ-X3D1-M1GJ 1M	Proximity sensor
E2EQ-X3D1-M1J 0.3M	
E2EQ-X4X1 2M OMS	
E2EQ-X4X1-M1J 0.3M OMS	
E2EQ-X4X1-M1TJ 0.3M OMS	
E2EQ-X7D1	Proximity sensor
E2EQ-X7D1 5M	
E2EQ-X7D1G-M1GJ-T 0.3M OMS	
E2EQ-X7D1-M1GJ 0.3M	Proximity sensor
E2EQ-X7D1-M1GJ 0.5M	
E2EQ-X7D1-M1GJ 1M	Proximity sensor
E2EQ-X7D1-M1J 0.3M	
E2EQ-X8X1 2M OMS	
E2EQ-X8X1-M1J 0.3M OMS	
E2EQ-X8X1-M1TJ 0.3M OMS	
E2EV-X10B1	

E2EV-X10B2	
E2EV-X10C1	
E2EV-X10C2	
E2EV-X2B1	Proximity sensor, inductive
E2EV-X2B2	
E2EV-X2C1	Proximity sensor
E2EV-X2C2	
E2EV-X5B1	Proximity sensor
E2EV-X5B2	
E2EV-X5C1	Proximity sensor
E2EV-X5C2	
E2E-X10D15-M1 OMS	
E2E-X10D15-M1G OMS	
E2E-X10D15-N 2M OMS	
E2E-X10D15-N 5M OMS	
E2E-X10D15S 5M OMS	
E2E-X10D15S DC12-24 2M OMS	
E2E-X10D1-M1 OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, M12 Connector
E2E-X10D1-M1G OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, M12 Connector
E2E-X10D1-M1GJ 0.3M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, pigtail connector
E2E-X10D1-M1GJ 0.5M OMS	
E2E-X10D1-M1GJ 1M OMS	
E2E-X10D1-M1GJ-T 0.3M OMS	
E2E-X10D1-M1GJ-T 0.5M OMS	
E2E-X10D1-M1GJ-T 1M OMS	
E2E-X10D1-M1G-T OMS	
E2E-X10D1-M1G-T1	Proximity sensor
E2E-X10D1-M1J 0.3M OMS	
E2E-X10D1-M1J-T 0.3M OMS	Proximity sensor, inductive
E2E-X10D1-M1J-T 0.5M OMS	
E2E-X10D1-M1J-T 1M OMS	
E2E-X10D1-M1J-T1 0.3M	
E2E-X10D1-M1J-T1N 0.3M	Proximity sensor
E2E-X10D1-M1TGJ-U 0.3M OMS	
E2E-X10D1-N 10M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 10m cable
E2E-X10D1-N 2M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 2m cable
E2E-X10D1-N 5M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 5m cable
E2E-X10D1-R 2M OMS	
E2E-X10D1-R 5M OMS	
E2E-X10D1S 5M OMS	
E2E-X10D1S DC12-24 2M OMS	
E2E-X10D1S-M1 OMS	
E2E-X10D1-U 2M OMS	
E2E-X10D1-U 5M OMS	
E2E-X10D25-N 2M OMS	
E2E-X10D2-M1 OMS	
E2E-X10D2-M1G OMS	
E2E-X10D2-M1G-T1	
E2E-X10D2-M1G-T3	
E2E-X10D2-M1J-T4N 0.3M	Proximity sensor
E2E-X10D2-M1TGJ-U 0.3M OMS	
E2E-X10D2-N 2M OMS	

E2E-X10D2-N 5M OMS	
E2E-X10D2-U 2M OMS	
E2E-X10D2-U 5M OMS	
E2E-X10E1 10M OMS	Proximity sensor, inductive
E2E-X10E1 2M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 3-wire, NPN-NO, 2m cable
E2E-X10E1 5M OMS	
E2E-X10E15 2M OMS	
E2E-X10E15 5M OMS	
E2E-X10E1-M1 OMS	
E2E-X10E1-R 2M OMS	
E2E-X10E2 10M OMS	
E2E-X10E2 2M OMS	
E2E-X10E2 5M OMS	
E2E-X10E25 2M OMS	
E2E-X10E2-M1 OMS	
E2E-X10F1 2M OMS	Proximity sensor, inductive, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X10F1 5M OMS	
E2E-X10F1-M1 OMS	
E2E-X10F1-M1J 0.3M	
E2E-X10F1-M1J 0.3M OMS	Proximity sensor, inductive
E2E-X10F1-R 2M OMS	
E2E-X10F2 2M OMS	
E2E-X10F2 5M OMS	
E2E-X10F2-M1 OMS	
E2E-X10ME1 10M OMS	
E2E-X10ME1 2M OMS	
E2E-X10ME1 5M OMS	
E2E-X10ME15 2M OMS	
E2E-X10ME15 5M OMS	
E2E-X10ME1-M1 OMS	
E2E-X10ME1-R 2M OMS	
E2E-X10ME2 2M OMS	
E2E-X10ME2 5M OMS	
E2E-X10ME25 2M OMS	
E2E-X10ME25 5M OMS	
E2E-X10ME2-M1 OMS	
E2E-X10MF1 2M OMS	Proximity sensor, inductive, M18, unshielded, 10mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X10MF1 5M OMS	
E2E-X10MF1-M1 OMS	
E2E-X10MF1-R 2M OMS	
E2E-X10MF2 2M OMS	
E2E-X10MF2 5M OMS	
E2E-X10MF2-M1 OMS	
E2E-X10MY1 10M OMS	
E2E-X10MY1 2M OMS	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NO, 2m cable
E2E-X10MY1 5M OMS	
E2E-X10MY15 2M OMS	
E2E-X10MY15 5M OMS	
E2E-X10MY1-53	
E2E-X10MY1-M1 OMS	Proximity sensor, inductive
E2E-X10MY2 2M OMS	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NC, 2m cable
E2E-X10MY2 5M OMS	

E2E-X10MY2-53	
E2E-X10MY2-M1 OMS	
E2E-X10T1 2M OMS	
E2E-X10T1 5M OMS	
E2E-X10Y1 10M OMS	
E2E-X10Y1 2M OMS	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 2m cable
E2E-X10Y1 5M OMS	
E2E-X10Y15 10M OMS	
E2E-X10Y15 2M OMS	
E2E-X10Y15 5M OMS	
E2E-X10Y1-53	
E2E-X10Y1-M1 OMS	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NO, M12 Connector
E2E-X10Y1-US 2M OMS	
E2E-X10Y2 10M OMS	
E2E-X10Y2 2M OMS	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NC, 2m cable
E2E-X10Y2 5M OMS	
E2E-X10Y2-M1 OMS	
E2E-X14MD1 10M OMS	
E2E-X14MD1 2M OMS	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, 2m cable
E2E-X14MD1 5M OMS	
E2E-X14MD1 6M OMS	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, 6m cable
E2E-X14MD15 2M OMS	
E2E-X14MD15 5M OMS	
E2E-X14MD15-M1 OMS	
E2E-X14MD15-M1G OMS	
E2E-X14MD15S 5M OMS	
E2E-X14MD15S DC12-24 2M OMS	
E2E-X14MD1-M1 OMS	
E2E-X14MD1-M1G OMS	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, M12 Connector
E2E-X14MD1-M1GJ 0.3M OMS	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, Pig tail connec
E2E-X14MD1-M1GJ 0.5M OMS	
E2E-X14MD1-M1GJ 1M OMS	
E2E-X14MD1-M1J 0.3M OMS	
E2E-X14MD1-R 2M OMS	
E2E-X14MD1S 5M OMS	
E2E-X14MD1S DC12-24 2M OMS	
E2E-X14MD1S-M1 OMS	
E2E-X14MD2 2M OMS	
E2E-X14MD2 5M OMS	
E2E-X14MD25 2M OMS	
E2E-X14MD2-M1 OMS	
E2E-X14MD2-M1G OMS	
E2E-X18ME1 10M OMS	
E2E-X18ME1 2M OMS	
E2E-X18ME1 5M OMS	
E2E-X18ME15 2M OMS	
E2E-X18ME15 5M OMS	
E2E-X18ME1-M1 OMS	
E2E-X18ME1-M1J 0.3M OMS	
E2E-X18ME1-R 2M OMS	
E2E-X18ME2 2M OMS	
E2E-X18ME2 5M OMS	

E2E-X18ME25 2M OMS	
E2E-X18ME2-M1 OMS	
E2E-X18MF1 10M OMS	
E2E-X18MF1 2M OMS	
E2E-X18MF1 5M OMS	
E2E-X18MF1-M1 OMS	
E2E-X18MF1-R 2M OMS	
E2E-X18MF2 2M OMS	
E2E-X18MF2 5M OMS	
E2E-X18MF2-M1 OMS	
E2E-X18MY1 10M OMS	
E2E-X18MY1 2M OMS	Proximity sensor, inductive, M30, unshielded, 18mm, AC, 2-wire, NO, 2m cable
E2E-X18MY1 5M OMS	
E2E-X18MY15 2M OMS	
E2E-X18MY15 5M OMS	
E2E-X18MY1-53	
E2E-X18MY1-53 5M	
E2E-X18MY1-M1 OMS	Proximity sensor, inductive
E2E-X18MY1-M1J 1M OMS	
E2E-X18MY2 10M OMS	
E2E-X18MY2 2M OMS	Proximity sensor, inductive, M30, unshielded, 18mm, AC, 2-wire, NC, 2m cable
E2E-X18MY2 5M OMS	
E2E-X18MY2-M1 OMS	
E2E-X1B1	Proximity sensor, inductive, M5, shielded, 1mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X1B1 5M	
E2E-X1B1-G1	
E2E-X1B1-M1J 0.3M	Proximity sensor, inductive, M5, shielded, 1mm, DC, 3-wire, PNP-NO, pre-wired with
E2E-X1B1-M5	Proximity sensor, inductive, M5, shielded, 1mm, DC, 3-wire, PNP-NO, M8 connector (
E2E-X1B2	Proximity sensor
E2E-X1B2-M5	
E2E-X1C1	Proximity sensor, inductive, M5, shielded, 1mm, DC, 3-wire, NPN-NO, 2m cable
E2E-X1C1 5M	
E2E-X1C1-3	
E2E-X1C1-M5	Proximity sensor, inductive, M5, shielded, 1mm, DC, 3-wire, NPN-NO, M8 connector (
E2E-X1C1-R 2M	Proximity sensor
E2E-X1C2	Proximity sensor
E2E-X1C2-M5	Proximity sensor, inductive
E2E-X1C2-R 2M	
E2E-X1R5E1 2M OMS	Proximity sensor, inductive, M8, shielded, NPN-NO
E2E-X1R5E1 5M OMS	
E2E-X1R5E1-M1 OMS	
E2E-X1R5E1-M3 OMS	
E2E-X1R5E1-R 2M OMS	
E2E-X1R5E2 2M OMS	
E2E-X1R5E2 5M OMS	
E2E-X1R5E2-M1 OMS	
E2E-X1R5E2-M3 OMS	
E2E-X1R5F1 2M OMS	Proximity sensor, inductive, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X1R5F1 5M OMS	
E2E-X1R5F1-M1 OMS	Proximity sensor, inductive, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, M12 Connect
E2E-X1R5F1-M3 OMS	
E2E-X1R5F1-R 2M OMS	

E2E-X1R5F1-R 5M OMS	
E2E-X1R5F2 2M OMS	Proximity sensor, inductive
E2E-X1R5F2 5M OMS	
E2E-X1R5F2-M1 OMS	
E2E-X1R5F2-M3 OMS	
E2E-X1R5F2-R 5M OMS	
E2E-X1R5Y1 2M OMS	Proximity sensor, inductive, M8, shielded, 1.5mm, AC, 2-wire, NO, 2m cable
E2E-X1R5Y1 5M OMS	
E2E-X1R5Y1-G-7	
E2E-X1R5Y1-G7 10M	
E2E-X1R5Y2 10M OMS	
E2E-X1R5Y2 2M OMS	Proximity sensor, inductive, M8, shielded, 1.5mm, AC, 2-wire, NC, 2m cable
E2E-X1R5Y2 5M OMS	
E2E-X1R5Y2G-7	
E2E-X20MD1 10M OMS	
E2E-X20MD1 2M OMS	Proximity sensor, inductive, M30, unshielded, 20mm, DC, 2-wire, NO, 2m cable
E2E-X20MD1 5M OMS	
E2E-X20MD15 2M OMS	
E2E-X20MD15 5M OMS	
E2E-X20MD15-M1 OMS	
E2E-X20MD15-M1G OMS	
E2E-X20MD15S DC12-24 2M OMS	
E2E-X20MD1G-M1J-T 0.3M(E-PROX)	
E2E-X20MD1-M1 OMS	
E2E-X20MD1-M1G OMS	
E2E-X20MD1-M1GJ 0.3M OMS	
E2E-X20MD1-M1GJ 0.5M OMS	
E2E-X20MD1-M1GJ 1M OMS	
E2E-X20MD1-M1GJ-T 0.3M OMS	
E2E-X20MD1-M1J 0.3M OMS	
E2E-X20MD1-R 2M OMS	
E2E-X20MD1S 5M OMS	
E2E-X20MD1S DC12-24 2M OMS	
E2E-X20MD1S-M1 OMS	
E2E-X20MD2 2M OMS	Proximity sensor
E2E-X20MD2 5M OMS	
E2E-X20MD25 2M OMS	
E2E-X20MD2-M1 OMS	
E2E-X20MD2-M1G OMS	
E2E-X2D1-M1 OMS	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M12 Connector
E2E-X2D1-M1G OMS	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M12 Connector
E2E-X2D1-M1GJ 0.3M OMS	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, n
E2E-X2D1-M1J 0.3M OMS	
E2E-X2D1-M1TGJ-U 0.3M OMS	
E2E-X2D1-M3G OMS	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M8 Connector
E2E-X2D1-N 2M OMS	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 2m cable
E2E-X2D1-N 5M OMS	
E2E-X2D1-R 2M OMS	
E2E-X2D1-R 5M OMS	
E2E-X2D1-U 2M OMS	
E2E-X2D1-U 5M OMS	
E2E-X2D2-M1 OMS	

E2E-X2D2-M1G OMS	
E2E-X2D2-M1GJ 0.3M OMS	
E2E-X2D2-M1TGJ-U 0.3M OMS	
E2E-X2D2-M3G OMS	Proximity sensor, inductive
E2E-X2D2-N 2M OMS	Proximity sensor. N/c 2 wire dc
E2E-X2D2-N 5M OMS	Proximity sensor, inductive M8, N/C
E2E-X2D2-U 2M OMS	
E2E-X2D2-U 5M OMS	
E2E-X2E1 10M OMS	
E2E-X2E1 2M OMS	
E2E-X2E1 5M OMS	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, NPN-NO, 2m cable
E2E-X2E15 2M OMS	
E2E-X2E15 5M OMS	
E2E-X2E1-M1 OMS	
E2E-X2E1-M1J 0.3M OMS	
E2E-X2E1-R 2M OMS	
E2E-X2E2 2M OMS	
E2E-X2E2 5M OMS	
E2E-X2E25 2M OMS	
E2E-X2E25 5M OMS	
E2E-X2E2-M1 OMS	
E2E-X2F1 10M OMS	
E2E-X2F1 2M OMS	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X2F1 5M OMS	
E2E-X2F1-M1 OMS	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, M12 Connect
E2E-X2F1-M1J 0.3M OMS	
E2E-X2F1-R 2M OMS	
E2E-X2F2 2M OMS	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NC, 2m cable
E2E-X2F2 5M OMS	
E2E-X2F2-M1 OMS	
E2E-X2F2-M1J 0.3M OMS	
E2E-X2ME1 2M OMS	
E2E-X2ME1 5M OMS	
E2E-X2ME1-M1 OMS	
E2E-X2ME1-M3 OMS	
E2E-X2ME1-R 2M OMS	
E2E-X2ME2 2M OMS	
E2E-X2ME2 5M OMS	
E2E-X2ME2-M1 OMS	
E2E-X2ME2-M3 OMS	
E2E-X2MF1 2M OMS	
E2E-X2MF1 5M OMS	
E2E-X2MF1-M1 OMS	Proximity sensor, inductive, M8, unshielded, 2mm, DC, 3-wire, PNP-NO, M12 Connec
E2E-X2MF1-M3 OMS	
E2E-X2MF1-R 2M OMS	
E2E-X2MF2 2M OMS	
E2E-X2MF2 5M OMS	
E2E-X2MF2-M1 OMS	
E2E-X2MF2-M3 OMS	
E2E-X2MY1 2M OMS	Proximity sensor, inductive, 2 wire AC
E2E-X2MY1 5M OMS	
E2E-X2MY2 2M OMS	

E2E-X2MY2 5M OMS	
E2E-X2Y1 10M OMS	
E2E-X2Y1 2M OMS	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NO, 2m cable
E2E-X2Y1 5M OMS	
E2E-X2Y15 2M OMS	
E2E-X2Y15 5M OMS	
E2E-X2Y1-M1 OMS	
E2E-X2Y2 10M OMS	
E2E-X2Y2 2M OMS	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NC, 2m cable
E2E-X2Y2 5M OMS	
E2E-X2Y2-M1 OMS	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NC, M12 Connector
E2E-X3D15-M1 OMS	
E2E-X3D15-M1G OMS	
E2E-X3D15-N 2M OMS	
E2E-X3D15-N 5M OMS	
E2E-X3D15S 5M OMS	
E2E-X3D15S DC12-24 2M OMS	
E2E-X3D1-M1 OMS	
E2E-X3D1-M1G OMS	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, M12 Connector
E2E-X3D1-M1GJ 0.3M OMS	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector,
E2E-X3D1-M1GJ 0.5M OMS	
E2E-X3D1-M1GJ 1M OMS	
E2E-X3D1-M1GJ-T 0.3M OMS	Proximity sensor, M12, shielded, 3mm, DC, 2-wire, NO
E2E-X3D1-M1GJ-T 0.5M OMS	
E2E-X3D1-M1GJ-T 1M OMS	
E2E-X3D1-M1G-T OMS	
E2E-X3D1-M1G-T1	
E2E-X3D1-M1J 0.3M OMS	
E2E-X3D1-M1J-T 0.3M OMS	
E2E-X3D1-M1J-T 0.5M OMS	
E2E-X3D1-M1J-T 1M OMS	
E2E-X3D1-M1J-T1N 0.3M	Proximity sensor
E2E-X3D1-M1TGJ-U 0.3M OMS	
E2E-X3D1-N 10M OMS	
E2E-X3D1-N 2M OMS	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 2m cable
E2E-X3D1-N 5M OMS	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 5m cable
E2E-X3D1-R 2M OMS	
E2E-X3D1-R 5M OMS	
E2E-X3D1S 5M OMS	
E2E-X3D1S DC12-24 2M OMS	Proximity sensor
E2E-X3D1S-M1 OMS	
E2E-X3D1-U 2M OMS	
E2E-X3D1-U 5M OMS	
E2E-X3D25-N 2M OMS	
E2E-X3D25-N 5M OMS	
E2E-X3D2-M1 OMS	
E2E-X3D2-M1G OMS	Proximity sensor, M12, shielded, 3mm, DC, 2-wire, NC, M12 connector
E2E-X3D2-M1GJ 0.3M OMS	
E2E-X3D2-M1TGJ-U 0.3M OMS	Proximity sensor, inductive, halogen free cable with high oil resistance for harsh co
E2E-X3D2-N 2M OMS	Proximity sensor, M12, shielded, 3mm, DC, 2-wire, NC, pre-wired, 2m cable
E2E-X3D2-N 5M OMS	
E2E-X3D2-U 2M OMS	Proximity sensor, inductive, halogen free cable with high oil resistance

E2E-X3D2-U 5M OMS	
E2E-X3T1 2M OMS	
E2E-X3T1 5M OMS	
E2E-X4MD1 5M OMS	
E2E-X4MD1 DC12-24 2M OMS	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, 2m cable
E2E-X4MD1-M1 OMS	
E2E-X4MD1-M1G OMS	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connecto
E2E-X4MD1-M3G OMS	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connecto
E2E-X4MD1-R 2M OMS	
E2E-X4MD2 5M OMS	
E2E-X4MD2 DC12-24 2M OMS	
E2E-X4MD2-M1 OMS	
E2E-X4MD2-M1G OMS	
E2E-X4MD2-M3G OMS	
E2E-X5E1 10M OMS	
E2E-X5E1 2M OMS	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO, 2m cable
E2E-X5E1 5M OMS	
E2E-X5E1-40 5M OMS	
E2E-X5E15 2M OMS	
E2E-X5E15 5M OMS	
E2E-X5E1-M1 OMS	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO M12 connecto
E2E-X5E1-R 2M OMS	
E2E-X5E2 2M OMS	
E2E-X5E2 5M OMS	
E2E-X5E25 2M OMS	
E2E-X5E25 5M OMS	
E2E-X5E2-M1 OMS	
E2E-X5F1 10M OMS	
E2E-X5F1 2M OMS	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X5F1 5M OMS	
E2E-X5F1-M1 OMS	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO, M12 Connecto
E2E-X5F1-M1J 0.3M OMS	
E2E-X5F1-R 2M OMS	
E2E-X5F2 2M OMS	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X5F2 5M OMS	
E2E-X5F2-M1 OMS	
E2E-X5F2-M1J 0.3M OMS	
E2E-X5ME1 10M OMS	
E2E-X5ME1 2M OMS	Proximity sensor, inductive, M12, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable
E2E-X5ME1 5M OMS	
E2E-X5ME15 2M OMS	
E2E-X5ME15 5M OMS	
E2E-X5ME1-M1 OMS	
E2E-X5ME1-R 2M OMS	
E2E-X5ME2 2M OMS	
E2E-X5ME2 5M OMS	
E2E-X5ME25 2M OMS	
E2E-X5ME25 5M OMS	
E2E-X5ME2-M1 OMS	
E2E-X5MF1 10M OMS	
E2E-X5MF1 2M OMS	Proximity sensor, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO, 2m cable
E2E-X5MF1 5M OMS	

E2E-X5MF1-M1 OMS	
E2E-X5MF1-R 2M OMS	
E2E-X5MF2 2M OMS	
E2E-X5MF2 5M OMS	
E2E-X5MF2-M1 OMS	
E2E-X5MY1 10M OMS	
E2E-X5MY1 2M OMS	Proximity sensor, inductive, M12, unshielded, 5mm, AC, 2-wire, NO, 2m cable
E2E-X5MY1 5M OMS	
E2E-X5MY15 2M OMS	
E2E-X5MY1-M1 OMS	Proximity sensor, inductive
E2E-X5MY2 2M OMS	Proximity sensor, inductive, M12, unshielded, 5mm, AC, 2-wire, NC, 2m cable
E2E-X5MY2 5M OMS	
E2E-X5MY2-M1 OMS	
E2E-X5Y1 10M OMS	
E2E-X5Y1 2M OMS	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, 2m cable
E2E-X5Y1 5M OMS	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, 5m cable
E2E-X5Y15 2M OMS	
E2E-X5Y15 5M OMS	
E2E-X5Y1-53	
E2E-X5Y1-M1 OMS	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, M12 Connector
E2E-X5Y1-M4 OMS	
E2E-X5Y1-US 2M OMS	
E2E-X5Y2 10M OMS	
E2E-X5Y2 2M OMS	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NC, 2m cable
E2E-X5Y2 5M OMS	
E2E-X5Y2-53	
E2E-X5Y2-M1 OMS	Proximity Switch, AC
E2E-X5Y2-US 2M OMS	
E2E-X7D15-M1 OMS	
E2E-X7D15-M1G OMS	
E2E-X7D15-N 2M OMS	
E2E-X7D15-N 5M OMS	
E2E-X7D15S 5M OMS	
E2E-X7D15S DC12-24 2M OMS	
E2E-X7D1-M1 OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, M12 Connector
E2E-X7D1-M1G OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, Pig tail Connector
E2E-X7D1-M1GJ 0.3M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1GJ 0.5M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1GJ 1M OMS	
E2E-X7D1-M1GJ-T 0.3M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1GJ-T 0.5M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1GJ-T 1M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1G-T OMS	
E2E-X7D1-M1G-T1	Proximity sensor
E2E-X7D1-M1J 0.3M OMS	
E2E-X7D1-M1J-T 0.3M OMS	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NO
E2E-X7D1-M1J-T 0.5M OMS	
E2E-X7D1-M1J-T 1M OMS	
E2E-X7D1-M1J-T1 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1J-T1N 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector,
E2E-X7D1-M1TGJ-U 0.3M OMS	
E2E-X7D1-N 10M OMS	

E2E-X7D1-N 2M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 2m cable
E2E-X7D1-N 5M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable
E2E-X7D1-N40 2M OMS	
E2E-X7D1-R 2M OMS	
E2E-X7D1-R 5M OMS	
E2E-X7D1S 5M OMS	
E2E-X7D1S DC12-24 2M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 2m cable
E2E-X7D1S-M1 OMS	
E2E-X7D1-U 2M OMS	
E2E-X7D1-U 5M OMS	
E2E-X7D25-N 2M OMS	
E2E-X7D25-N 5M OMS	
E2E-X7D2-M1 OMS	
E2E-X7D2-M1G OMS	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NC
E2E-X7D2-M1GJ 0.3M OMS	
E2E-X7D2-M1G-T OMS	
E2E-X7D2-M1G-T1	
E2E-X7D2-M1TGJ-U 0.3M OMS	
E2E-X7D2-N 10M OMS	
E2E-X7D2-N 2M OMS	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 2m cable
E2E-X7D2-N 5M OMS	
E2E-X7D2-U 2M OMS	
E2E-X7D2-U 5M OMS	
E2E-X7T1 2M OMS	Proximity sensor, inductive, nickel brass, M18, shielded, 7mm. AC/DC 2-wire-NO
E2E-X7T1 5M OMS	
E2E-X8MD1 2M OMS	Proximity sensor, inductive, M12, unshielded, 8mm, DC, 2-wire, NO, 2m cable
E2E-X8MD1 5M OMS	
E2E-X8MD15 2M OMS	
E2E-X8MD15 5M OMS	
E2E-X8MD15-M1 OMS	
E2E-X8MD15-M1G OMS	
E2E-X8MD15S 5M OMS	
E2E-X8MD15S DC12-24 2M OMS	
E2E-X8MD1-M1 OMS	Proximity sensor, inductive, M12, unshielded, 8mm, DC, 2-wire, NO, M12 Connector
E2E-X8MD1-M1G OMS	Proximity sensor, inductive, M12, unshielded, 8mm, DC, 2-wire, NO, Pig tail Connect
E2E-X8MD1-M1GJ 0.3M OMS	
E2E-X8MD1-M1GJ 0.5M OMS	
E2E-X8MD1-M1GJ 1M OMS	
E2E-X8MD1-R 2M OMS	
E2E-X8MD1S 5M OMS	
E2E-X8MD1S DC12-24 2M OMS	
E2E-X8MD1S-M1 OMS	
E2E-X8MD2 2M OMS	
E2E-X8MD2 5M OMS	
E2E-X8MD25 2M OMS	
E2E-X8MD25 5M OMS	
E2E-X8MD2-M1 OMS	
E2E-X8MD2-M1G OMS	
E2EY-X4B1-M1J 0.3M	
E2EY-X4C1	Proximity sensor, aluminium detection, M18, shielded, 4mm, DC, 3-wire, NPN-NO, 2m
E2EY-X8B1-M1J 1M	Proximity sensor, aluminium detection, M30, shielded, 8mm, DC, 3-wire, NPN-NO, 1m
E2EY-X8C1	Proximity sensor, aluminium detection, M30, shielded, 8mm, DC, 3-wire, NPN-NO, 2m

E2EY-X8C1-M1J 0.3M	
E2EZ-X2D1-M1GJ 0.3M OMS	
E2EZ-X2D1-M1J 0.3M OMS	
E2EZ-X2D1-M1TGJ 0.3M OMS	
E2EZ-X2D1-M1TJ 0.3M OMS	
E2EZ-X2D1-N 2M OMS	
E2EZ-X2D2-N 2M OMS	
E2EZ-X4B1	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, shield
E2EZ-X4C1	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, shield
E2EZ-X4C1 5M	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, shield
E2EZ-X4D1-M1GJ 0.3M(NEW) OMS	
E2EZ-X4D1-M1TGJ 0.3M OMS	
E2EZ-X4D1-M1TGJ 1M OMS	
E2EZ-X4D1-M1TGJ 2M OMS	
E2EZ-X4D1-M1TJ 0.3M OMS	
E2EZ-X4D1-N 2M(NEW) OMS	
E2EZ-X4D1-N 5M(NEW) OMS	
E2EZ-X4D2-M1GJ 0.3M OMS	
E2EZ-X4D2-N 2M(NEW) OMS	
E2EZ-X4Y1	
E2EZ-X4Y1 5M	
E2EZ-X8B1	
E2EZ-X8C1	Proximity Sensor inductive
E2EZ-X8C1 5M	
E2EZ-X8D1-M1GJ 0.3M(NEW) OMS	
E2EZ-X8D1-M1TGJ 0.3M OMS	
E2EZ-X8D1-M1TJ 0.3M OMS	
E2EZ-X8D1-N 2M(NEW) OMS	
E2EZ-X8D1-N 5M(NEW) OMS	
E2EZ-X8D2-N 5M(NEW) OMS	
E2EZ-X8Y1	
E2EZ-X8Y1 5M	
E2F-C10MF1-KL 10M BY OMG	Proximity sensor
E2F-C10MF1-KL 5M BY OMG	Proximity sensor
E2FM-X10B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 1
E2FM-X10B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 1
E2FM-X10C1 2M	
E2FM-X10C1-M1	
E2FM-X10D1 2M	
E2FM-X10D1-M1GJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 1
E2FM-X10D1-M1GJ-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 1
E2FM-X1R5B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.!
E2FM-X1R5B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.!
E2FM-X1R5C1 2M	
E2FM-X1R5C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.!
E2FM-X1R5D1 2M	Proximity sensor inductive
E2FM-X1R5D1-M1GJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.!
E2FM-X1R5D1-M1J 0.3M	
E2FM-X2B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2
E2FM-X2B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2
E2FM-X2C1 2M	
E2FM-X2C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2

E2FM-X2D1 2M	
E2FM-X2D1-M1GJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2
E2FM-X2D1-M1GJ-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2
E2FM-X5B1 2M	
E2FM-X5B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5
E2FM-X5C1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5
E2FM-X5C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5
E2FM-X5D1 2M	
E2FM-X5D1-M1GJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5
E2FM-X5D1-M1GJ-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5
E2FQ-X10D1	
E2FQ-X10D1 5M	
E2FQ-X10D1-6T	
E2FQ-X10D2-6T	
E2FQ-X10E1	Proximity sensor, inductive, PTFE body, short, M30, shielded, 10mm, DC, NPN, 2m c
E2FQ-X10E1 5M	
E2FQ-X10F1	
E2FQ-X10Y1	
E2FQ-X10Y1 5M	
E2FQ-X2D1	Proximity sensor, inductive, PTFE body, short, M12, shielded, 2mm, 2 wire DC, 2m c
E2FQ-X2D1 5M	
E2FQ-X2E1	
E2FQ-X2E1 5M	
E2FQ-X2F1	
E2FQ-X5D1	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 2 wire DC, 2m c
E2FQ-X5D1 5M	
E2FQ-X5E1	
E2FQ-X5E1 5M	
E2FQ-X5F1	
E2FQ-X5Y1	
E2FQ-X5Y1 5M	
E2FQ-X7D1-6T	
E2F-X10E1 10M OMS	
E2F-X10E1 2M OMS	Proximity sensor, plastic body, inductive, M30, shielded, 10mm, DC, 3-wire, NPN-NO
E2F-X10E1 5M OMS	
E2F-X10E2 2M OMS	
E2F-X10E2 5M OMS	
E2F-X10F1 10M OMS	Proximity sensor, inductive, plastic body M30, PNP output 10mm range
E2F-X10F1 2M OMS	Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC, 3-wire, NPN-NO
E2F-X10F1 5M OMS	
E2F-X10F1-G 2M	
E2F-X10F2 2M OMS	
E2F-X10ME1 2M OMS	
E2F-X10MF1 2M OMS	
E2F-X10Y1 10M OMS	
E2F-X10Y1 2M OMS	Proximity sensor, plastic body, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 2m c
E2F-X10Y1 5M OMS	
E2F-X10Y1-53 2M OMS	
E2F-X10Y1-53 5M OMS	
E2F-X10Y2 2M OMS	
E2F-X10Y2 5M OMS	
E2F-X10Y2-53 2M OMS	

OMRON Industrial

E2F-X1R5E1 2M OMS	Proximity sensor, plastic body, inductive, M8, shielded, 1.5mm, DC, 3-wire, NPN-NO,
E2F-X1R5E1 5M OMS	
E2F-X1R5E2 2M	
E2F-X1R5E2 5M	
E2F-X1R5F1 2M OMS	Proximity sensor, plastic body, inductive, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO,
E2F-X1R5F1 5M OMS	
E2F-X1R5F2 2M	
E2F-X1R5F2 5M	
E2F-X1R5Y1 15M OMS	
E2F-X1R5Y1 2M OMS	
E2F-X1R5Y1 5M OMS	
E2F-X1R5Y2 2M OMS	
E2F-X2E1 2M OMS	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, NPN-NO,
E2F-X2E1 5M OMS	
E2F-X2E2 15M OMS	
E2F-X2E2 2M OMS	
E2F-X2E2 5M OMS	
E2F-X2F1 2M OMS	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO,
E2F-X2F2 2M OMS	
E2F-X2F2 5M OMS	
E2F-X2Y1 15M OMS	
E2F-X2Y1 2M OMS	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, AC, 2-wire, NO, 2m c
E2F-X2Y1 5M OMS	
E2F-X2Y2 2M OMS	
E2F-X2Y2 5M OMS	
E2F-X5E1 2M OMS	Proximity sensor, plastic body, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO,
E2F-X5E1 5M OMS	
E2F-X5E2 2M OMS	
E2F-X5E2 5M OMS	
E2F-X5F1 10M OMS	Proximity sensor, inductive plastic body, 5mm range, PNP N/O, M18
E2F-X5F1 2M OMS	Proximity sensor, plastic body, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO,
E2F-X5F1 5M OMS	Proximity sensor, plastic body, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO,
E2F-X5F2 2M OMS	
E2F-X5F2 5M OMS	
E2F-X5ME1 2M OMS	Proximity sensor, plastic body, inductive, unshielded, 5mm, DC, 3-wire, NPN-NO 2m
E2F-X5MF1 2M OMS	
E2F-X5Y1 10M OMS	
E2F-X5Y1 2M OMS	Proximity sensor, plastic body, inductive, M18, shielded, 5mm, AC, 2-wire, NO, 2m c
E2F-X5Y1 5M OMS	
E2F-X5Y1-53 2M OMS	
E2F-X5Y1-53 5M OMS	
E2F-X5Y2 10M OMS	
E2F-X5Y2 2M OMS	Proximity sensor
E2F-X5Y2 5M OMS	
E2F-X5Y2-53 2M OMS	
E2F-X5Y2-53 5M OMS	
E2J-A01 2M	
E2J-B01	
E2J-JC4A 2M	Sensor amplifier, NPN (requires E2J head)
E2J-W10MA 1M	Sensor head, 4-10mm range (requires E2J amplifier)
E2J-W20MA 1M	
E2K-C20MC1 2M	

E2K-C20MC2 2M	
E2K-C20MT1 2M	
E2K-C20MT2 2M	
E2K-C25ME1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, NPN-NO, 2m
E2K-C25ME1 5M	
E2K-C25ME1-P1	
E2K-C25ME2	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, NPN-NC, 2m
E2K-C25ME2 5M	
E2K-C25MF1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, PNP-NO, 2m
E2K-C25MF1 10M	
E2K-C25MF1 5M	Capacitive sensor
E2K-C25MF2	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, PNP-NC, 2m
E2K-C25MF2 5M	
E2K-C25MY1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, AC, 2-wire, NO, 2m cable
E2K-C25MY1 5M	
E2K-C25MY2	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, AC, 2-wire, NC, 2m cable
E2K-C25MY2 5M	
E2K-F10MC1	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable
E2K-F10MC1 5M	
E2K-F10MC1-A 2M	
E2K-F10MC2	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NC, 2m cable
E2K-F10MC2-A 2M	
E2K-L13MC1 2M	
E2K-L26MC1 2M	Capacitive, Liquid level sensing, 12 to 26mm tube, NPN
E2K-L26MC1 5M	
E2KQ-X10ME1 2M	Proximity sensor, inductive, PTFE body, short, M18, shielded, 6-10mm adjustable, N
E2KQ-X10ME1 5M	
E2KQ-X10ME2 2M	
E2K-X15ME1	Proximity sensor, capacitive, M30, unshielded, 15mm, DC, 3-wire, NPN-NO, 2m cable
E2K-X15ME1 5M	
E2K-X15ME2	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, NPN-NC, 2m cable
E2K-X15ME2 5M	
E2K-X15MF1	Proximity sensor, capacitive, M30, unshielded, 15mm, DC, 3-wire, PNP-NO, 2m cable
E2K-X15MF1 5M	
E2K-X15MF2	
E2K-X15MF2 5M	
E2K-X15MY1	Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NO, 2m cable
E2K-X15MY1 5M	
E2K-X15MY2	
E2K-X4ME1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, NPN-NO, 2m cable
E2K-X4ME1 5M	
E2K-X4ME2	
E2K-X4MF1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, PNP-NO, 2m cable
E2K-X4MF1 10M	
E2K-X4MF2	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, PNP-NC, 2m cable
E2K-X4MY1	
E2K-X4MY2	
E2K-X8ME1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, NPN-NO, 2m cable
E2K-X8ME2	
E2K-X8MF1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, PNP-NO, 2m cable
E2K-X8MF1 5M	
E2K-X8MF2	Proximity sensor

E2K-X8MF2 5M	
E2K-X8MY1	Proximity sensor, capacitive, M18, unshielded, 8mm, AC, 2-wire, NO, 2m cable
E2K-X8MY1 5M	
E2K-X8MY2	
E2M-NY10 AC100/110	
E2M-NY10 AC200/220	
E2MP-CA1	
E2MP-CA2	
E2MP-CA3	
E2MP-CB1 2M	
E2MP-CB1-M1	
E2MP-CC1 2M	
E2MP-CC1-M1	
E2MP-CT1 2M	
E2MP-SA1	
E2MP-SA2	
E2MP-SA3	
E2MP-SB1 2M	
E2MP-SB1-M1	
E2MP-SC1 2M	
E2MP-SC1-M1	
E2MP-ST1 2M	
E2Q2-N15F1-51	
E2Q2-N15Y4-51	
E2Q2-N15Y4-H BY OMG	Proximity sensor, inductive, square body, shielded, 15mm, AC, NO+NC, M20
E2Q2-N15Y4-U	Cube Proximity sensor
E2Q2-N20E1-H BY OMG	
E2Q2-N20E3-H BY OMG	Proximity sensor, inductive, square body, shielded, 20mm, NPN-NO+NC, M20
E2Q2-N20E3-U	
E2Q2-N20F1-H BY OMG	Proximity sensor, inductive, square body, shielded, 20mm, PNP-NO, M20
E2Q2-N20F3-H BY OMG	Proximity sensor, inductive, square body, shielded, 20mm, PNP-NO+NC, M20
E2Q2-N20F3-U	Inductive sensor, Long distance 20mm, NO + NC, PNP
E2Q2-N30ME3-H BY OMG	
E2Q2-N30ME3-U	
E2Q2-N30MF3-H BY OMG	Proximity sensor, inductive, square body, unshielded, 30mm, PNP-NO/NC, M20
E2Q2-N30MF3-U	Inductive sensor, Long distance 30mm NO+NC, PNP
E2Q2-N30MY4-H BY OMG	Proximity sensor, inductive, square body, unshielded, 30mm, AC, NO+NC, M20
E2Q2-N30MY4-U	Proximity sensor
E2Q2-N40ME3-H BY OMG	
E2Q2-N40MF3-H BY OMG	
E2Q5-N20E1-M1 BY OMG	Long distance square inductive proximity sensor, 20mm, shielded, NPN, NO
E2Q5-N20E3-M1 BY OMGG	Long distance square inductive proximity sensor, 20mm, shielded, NPN, NO & NC
E2Q5-N20F1-M1 BY OMG	Long distance square inductive proximity sensor, 20mm, shielded, PNP, NO
E2Q5-N20F3-M1 BY OMGG	Long distance square inductive proximity sensor, 20mm, shielded, PNP, NO & NC
E2Q5-N40ME1-M1 BY OMG	Long distance square inductive proximity sensor, 40mm, unshielded, NPN, NO
E2Q5-N40ME3-M1 BY OMG	Long distance square inductive proximity sensor, 40mm, unshielded, NPN, NO & NC
E2Q5-N40MF1-M1 BY OMG	Long distance square inductive proximity sensor, 40mm, unshielded, PNP, NO
E2Q5-N40MF3-M1 BY OMG	Long distance square inductive proximity sensor, 40mm, unshielded, PNP, NO & NC
E2R-A01	Inductive proximity switch, low profile, 5mm sensing distance, NPN/NO, 5kHz
E2S-Q11 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC, NC
E2S-Q11B 1M OMS	
E2S-Q12 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC, NC

OMRON Industrial

E2S-Q13 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, NPN, NO, 1M
E2S-Q13B 1M OMS	
E2S-Q14 1M OMS	
E2S-Q14 2M OMS	
E2S-Q15 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, PNP, NO, 1M
E2S-Q15B 1M OMS	
E2S-Q16 1M OMS	
E2S-Q21 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC, NC
E2S-Q21B 1M OMS	
E2S-Q22B 1M OMS	
E2S-Q23 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, NPN, NO, 1m
E2S-Q23B 1M OMS	
E2S-Q24 1M OMS	
E2S-Q25 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NO, 1M
E2S-Q25 2M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NO, 2M
E2S-Q25B 1M OMS	
E2S-Q26 1M OMS	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NC, 1m
E2SS-MB1 2M	
E2SS-MB1-M1J 0.3M	
E2SS-MC1 2M	
E2SS-MC1-M1J 0.3M	
E2SS-MR1	
E2SS-MR2	
E2SS-MT1	
E2SS-MT2	
E2SS-MT3	
E2SS-MT4	
E2SS-MV1	
E2SS-MV2	
E2SS-MV3	
E2SS-MV4	
E2SS-WB1-P1	
E2SS-WC1-P1	
E2SS-WV1	
E2S-W11 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 1.6mm, 2 wire DC, N
E2S-W11B 1M OMS	
E2S-W12 1M OMS	
E2S-W13 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 1.6mm, NPN, NO, 1M
E2S-W13B 1M OMS	
E2S-W14 1M OMS	
E2S-W14 2M OMS	
E2S-W15 1M OMS	
E2S-W15B 1M OMS	
E2S-W16 1M OMS	
E2S-W21 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, N
E2S-W21B 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, N
E2S-W22 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, N
E2S-W22B 1M OMS	
E2S-W23 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 1M
E2S-W23B 1M OMS	
E2S-W25 1M OMS	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, PNP, NO, 1m
E2S-W25B 1M OMS	

E2S-W26 1M OMS

E2S-W26 2M OMS

E2S-W26 5M OMS

E2V-X10B1 2M

E2V-X10B1 5M

E2V-X10B2 2M

E2V-X10B2 5M

E2V-X10C1 2M

E2V-X10C1 5M

E2V-X10C2 2M

E2V-X10C2 5M

E2V-X15B1 2M

E2V-X15B1 5M

E2V-X15B1-M1

E2V-X15B1-M1TJ 0.3M

E2V-X15B2 2M

E2V-X15B2 5M

E2V-X15B2-M1

E2V-X15C1 2M

E2V-X15C1 5M

E2V-X15C1-M1

E2V-X15C1-M1TJ 0.3M

E2V-X15C2 2M

E2V-X15C2 5M

E2V-X15C2-M1

E2V-X2B1 2M

E2V-X2B1 5M

E2V-X2B2 2M

E2V-X2B2 5M

E2V-X2C1 2M

E2V-X2C1 5M

E2V-X2C2 2M

E2V-X2C2 5M

E2V-X4B1 2M

E2V-X4B1 5M

E2V-X4B1-M1

E2V-X4B1-M1TJ 0.3M

E2V-X4B2 2M

E2V-X4B2 5M

E2V-X4B2-M1

E2V-X4C1 2M

E2V-X4C1 5M

E2V-X4C1-M1

E2V-X4C1-M1TJ 0.3M

E2V-X4C2 2M

E2V-X4C2 5M

E2V-X4C2-M1

E2V-X5B1 2M

E2V-X5B1 5M

E2V-X5B2 2M

E2V-X5B2 5M

E2V-X5C1 2M

Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, PNP, NC, 1M

E2V-X5C1 5M	
E2V-X5C2 2M	
E2V-X5C2 5M	
E2V-X8B1 2M	
E2V-X8B1 5M	
E2V-X8B1-M1	Proximity sensor, Inductive, Long distance for Aluminum detection
E2V-X8B1-M1TJ 0.3M	
E2V-X8B2 2M	
E2V-X8B2 5M	
E2V-X8B2-M1	
E2V-X8C1 2M	
E2V-X8C1 5M	
E2V-X8C1-M1	
E2V-X8C1-M1TJ 0.3M	
E2V-X8C2 2M	
E2V-X8C2 5M	
E2V-X8C2-M1	
E32-07.98231-0038 BY OMG	
E32-A01 5M	Fibre optic sensing head for E3X range of Amplifiers.
E32-A02 5M	Fibre optic sensing head for E3X range of Amplifiers.
E32-A03 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-A03-1 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-A04 2M	
E32-A04-1 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-A04-8 2M	
E32-A07E1 2M	
E32-A07E2 2M	
E32-A08 2M	
E32-A08H2 3M	
E32-A09 2M	Photoelectric sensor optical fibre, Limited Reflective, sensing distance 15 to 38mm
E32-A09H 2M	
E32-A09H2 2M	
E32-A10 2M	
E32-A10 3M	
E32-A10 5M	
E32-C11N 2M	Photoelectric sensor optical fibre, M6 Right-Angle, Reflective, 2m cable
E32-C31N 2M	Photoelectric sensor optical fibre, M3 Right-Angle, Reflective, 2m cable
E32-C42 1M	Photoelectric sensor optical fibre,
E32-C42S 1M	
E32-CC1000 10M	
E32-CC200 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-CC200R	Fibre optic sensing head for E3X range of Amplifiers.
E32-CC300	
E32-CC500 5M	
E32-CR0615 16.31200-0517BY OMG	
E32-D11 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D11 5M	
E32-D11L 10M	
E32-D11L 2M	Photoelectric sensor optical fibre, diffuse, M6, long-distance, 2m cable (requires E3)
E32-D11L 5M	Photoelectric sensor optical fibre, diffuse, M6, long-distance, 5m cable (requires E3)
E32-D11N 2M	Photoelectric sensor optical fibre, M6 Right-Angle, Reflective, 2m cable
E32-D11U 2M	

E32-D12 2M CHN	Photoelectric sensor optical fibre, diffuse, 3mm dia, long-distance, 2m cable (requires E3X range of Amplifiers).
E32-D12F	Fibre optic sensing head for E3X range of Amplifiers.
E32-D12F 5M	
E32-D12R 2M	Photoelectric sensor optical fibre, diffuse, 3mm dia, long-distance, 2m cable (requires E3X range of Amplifiers).
E32-D14F 2M	
E32-D14L 2M	Photoelectric sensor optical fibre, diffuse, 6mm dia, long side-view, 2m cable (requires E3X range of Amplifiers).
E32-D14L 5M	
E32-D14LR 2M	Photoelectric sensor optical fibre, diffuse, 6mm dia, high flex
E32-D14L-U 2M	Photoelectric sensor optical fibre, diffuse 6mm dia side view, 2m cable
E32-D15X 2M	Photoelectric sensor, optical fibre, Diffused
E32-D15XB 2M	
E32-D15XR 2M	
E32-D15Y 2M	
E32-D15YR 2M	
E32-D15Z 2M	Fibre Optic
E32-D15ZR 2M	Photoelectric sensor optical fibre, diffuse
E32-D16 2M	
E32-D21 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D211 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D211R 2M	Photoelectric sensor optical fibre, diffuse
E32-D21B 2M CHN	Fiber optic, Diffused, M4
E32-D21L 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D21L 5M	Photoelectric sensor optical fibre, diffuse, M4, long-distance, 2m cable (requires E3X range of Amplifiers).
E32-D22 2M	
E32-D221B 2M	
E32-D22B 2M CHN	Fibre optic sensing head for E3X range of Amplifiers.
E32-D22L 2M	Photoelectric sensor optical fibre, diffuse, 3mm dia, long-distance, 2m cable (requires E3X range of Amplifiers).
E32-D22L 5M	
E32-D22R 2M	Photoelectric sensor optical fibre, diffuse, 3mm dia, 1mm bend radius, 2m cable (requires E3X range of Amplifiers).
E32-D24	Photoelectric sensor optical fibre, diffuse, 3mm dia, side-view, 2m cable (requires E3X range of Amplifiers).
E32-D24 10M	
E32-D24R 2M	
E32-D25X 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D25XB 2M	
E32-D25XR 2M	
E32-D25Y 2M	
E32-D25YR 2M	
E32-D25Z 2M	
E32-D25ZR 2M	
E32-D32 10M	
E32-D32 2M	Photoelectric sensor optical fibre, diffuse, 2mm dia, coaxial, 2m cable (requires E3X range of Amplifiers).
E32-D32 5M	
E32-D32L	Fibre optic sensing head for E3X range of Amplifiers.
E32-D32LR 2M	
E32-D32R 2M	
E32-D33 2M CHN	Photoelectric sensor optical fibre, diffuse, 3mm dia, needle, 2m cable (requires E3X range of Amplifiers).
E32-D331 0.3M	
E32-D331 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D33-S5 2M	
E32-D36F	Fibre optic sensing head for E3X range of Amplifiers.
E32-D36F-1	
E32-D36P1 2M	Fibre optic sensing head for E3X range of Amplifiers.

E32-D36T 2M	
E32-D51R 2M	
E32-D51R 5M	
E32-D61	Photoelectric sensor optical fibre, diffuse, M6, heat-resistant, 2m cable (requires E3)
E32-D61 0.5M	
E32-D61 1M	
E32-D61 3M	
E32-D61 5M	
E32-D61-S 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D73	Fibre optic sensing head for E3X range of Amplifiers.
E32-D73 0.5M	
E32-D73 5M	
E32-D73-S 2M	
E32-D81R 2M	
E32-D81R-S 2M	
E32-D82F1 4M	Fibre optic sensing head for E3X range of Amplifiers.
E32-D82F2 4M	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC1000	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC1000E	
E32-DC200 CHN	Photoelectric sensor optical fibre, diffuse, M6, 2m cable (requires E3X amplifier)
E32-DC2000	Photoelectric optical sensor, 20m
E32-DC200-45	
E32-DC200-49	
E32-DC200B 2M CHN	Photoelectric sensor optical fibre, diffuse, M6, 90mm needle, 2m cable (requires E3X
E32-DC200B4 2M CHN	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC200B4R	
E32-DC200BR	
E32-DC200B-S15	
E32-DC200C	Photoelectric sensor optical fibre, diffuse, M6, 2m spiral flex cable (requires E3X am
E32-DC200D	Photoelectric sensor optical fibre, diffuse, M6, 90mm needle, 2m spiral flex cable (re
E32-DC200D4	
E32-DC200E 2M	Photoelectric sensor optical fibre, diffuse, M3, 2m cable (requires E3X amplifier)
E32-DC200F	Photoelectric sensor optical fibre, diffuse, M3, 90mm needle, 2m cable (requires E3X
E32-DC200F4	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC200F4R	
E32-DC200FR	
E32-DC200F-S10	
E32-DC300	
E32-DC300E	Fibre-optic, Diffuse
E32-DC50	
E32-DC500 5M CHN	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC500B 5M	
E32-DC500E	Fibre optic sensing head for E3X range of Amplifiers.
E32-DC500F	
E32-DC500F-S10	
E32-DC600B	
E32-DC9G	
E32-DC9G4	
E32-E01 100M BY OMG	100m fibre roll, 2.2mm dia, moncore, 10mm bend radius
E32-E01 10M BY OMG	
E32-E01R 100M BY OMG	100m fibre roll, 2.2mm dia, high flex multicore, 1mm bend radius
E32-E01R 10M BY OMG	

E32-E02 100M BY OMG	100m fibre roll, 1.1mm dia, monoco
E32-E02 10M BY OMG	
E32-E02R 100M BY OMG	100m fibre roll, 1.1mm dia, high flex multicore, 1mm bend radius
E32-E02R 10M BY OMG	
E32-E05 100M BY OMG	100m fibre roll, 2.2mm dia, high temp monoco
E32-E05 10M BY OMG	
E32-EC31 2M BY OMG	Fibre optic sensing head for E3X range of Amplifiers.
E32-EC31 6M BY OMG	
E32-EC31-1 3M BY OMG	
E32-EC41 1M BY OMG	Fibre optic sensing head for E3X range of Amplifiers.
E32-EC41-1 1M BY OMG	
E32-EC41-PA-SET1 BY OMG	
E32-ED11-1 2M BY OMG	
E32-ED11-2 1M BY OMG	
E32-ED11G 10M BY OMG	
E32-ED11R 2M BY OMG	Photoelectric sensor optical fibre, diffuse, M6, 2m flexible cable (requires E3X ampli
E32-ED11R 5M BY OMG	
E32-ED21E 2M BY OMG	Photoelectric sensor optical fibre, diffuse, M3, 5m cable (requires E3X amplifier)
E32-ED21E 3M BY OMG	
E32-ED21E 5M BY OMG	Photoelectric sensor optical fibre, diffuse, M3, 2m flexible cable (requires E3X ampli
E32-ED21R 2M BY OMG	
E32-ED21R 5M BY OMG	
E32-ED22 2M BY OMG	
E32-ED36-1 3M BY OMG	
E32-ED36-2 3M BY OMG	
E32-ED36-3 3M BY OMG	
E32-ED51 2M BY OMG	Photoelectric sensor optical fibre, diffuse, M6, 150C heat-resistant, 2m cable (requir
E32-ED51 3M BY OMG	
E32-ED51 4M BY OMG	
E32-ED51 5M BY OMG	
E32-ED51 6M BY OMG	
E32-ED81-1 BY OMG	
E32-ED84-1 1.2M BY OMG	
E32-ED84-1 1.6M BY OMG	
E32-EDS24R 2M BY OMG	Photoelectric sensor optical fibre, diffuse, side view, 2m flexible cable (requires E3X
E32-EL24-1 BY OMG	
E32-ET11-1 2M BY OMG	
E32-ET11-1 5M BY OMG	
E32-ET11-2 3.2M BY OMG	Photoelectric sensor optical fibre, through-beam,M4, 2m cable (requires E3X ampli
E32-ET11R 2M BY OMG	Fibre optic sensing head for E3X range of Amplifiers.
E32-ET11R 5M BY OMG	
E32-ET14-1 5M BY OMG	Photoelectric sensor optical fibre, through-beam
E32-ET14-2 5M BY OMG	Photoelectric sensor optical fibre, through-beam,
E32-ET14-3 2M BY OMG	
E32-ET16WR-1 2M BY OMG	Photoelectric sensor optical fibre, Through beam, 70mm curtain, 2m cable (requires
E32-ET16WR-2 2M BY OMG	Photoelectric sensor optical fibre, Through beam, 50mm curtain, 2m cable (requires
E32-ET16WR-2-2 8M OMG	
E32-ET17L-1 10M BY OMG	Photoelectric sensor optical, through-beam
E32-ET21R 2M BY OMG	Fibre optic sensing head for E3X range of Amplifiers.
E32-ET51 2M BY OMG	Fibre optic sensing head for E3X range of Amplifiers.
E32-ET51 4M BY OMG	
E32-ET51-1 2M BY OMG	

E32-ETC200F4-1	
E32-ETC220 2M BY OMG	
E32-ETS10R 2M BY OMG	Photoelectric sensor optical fibre, Through beam, rectangular body, 2m flexible cabl
E32-ETS14R 2M BY OMG	Photoelectric sensor optical fibre, Through beam, rectangular body, side view, 2m fl
E32-ETS14R 5M BY OMG	
E32-ETS14R-1 2M BY OMG	
E32-ETS20R 2M BY OMG	Photoelectric sensor optical fibre, Through beam, rectangular body, 2m flexible cabl
E32-ETS24R 2M BY OMG	Photoelectric sensor optical fibre, Through beam, rectangular body, side view, 2m fl
E32-G14	Photoelectric sensor optical fibre, through-beam, 10mm slot, 2m cable (requires E3)
E32-G14 5M	
E32-G86V-1 3M	
E32-HB04 2M	
E32-HB05-L 1M	
E32-L11FP 2M	
E32-L11FP 5M	
E32-L11FS 2M	
E32-L11FS 5M	
E32-L12FS 2M	
E32-L12FS 5M	
E32-L15 2M	Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable
E32-L16 2M	Fibre optic sensor
E32-L16-N 2M	
E32-L16-N 5M	
E32-L24L	Fibre optic sensing head for E3X range of Amplifiers.
E32-L24LR 2M	
E32-L24S 2M	
E32-L25	Photoelectric sensor optical fibre, definite, 2m cable (require E3X amplifier)
E32-L25A	Fibre optic sensing head for E3X range of Amplifiers.
E32-L25L	Fibre optic sensing head for E3X range of Amplifiers.
E32-L25L 5M	Fibre optic sensing head for E3X range of Amplifiers. 5M Cable
E32-L25LR 2M	
E32-L25T	Fibre optic sensing head for E3X range of Amplifiers.
E32-L25TR 2M	Photoelectric sensor optical fibre
E32-L64 2M	
E32-L66 2M	
E32-L86 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-M21	
E32-M21-5	Photoelectric sensor optical fibre, multiple, through-beam, M3 x 4, 2m cable (require
E32-ORFK002002	
E32-ORFK002003	
E32-ORFK0022	
E32-R16	Photoelectric sensor optical fibre, retroreflective, long-distance, 2m cable (requires l
E32-R16 5M	
E32-R21	Photoelectric sensor optical fibre, retroreflective, M6, 2m cable (requires E3X amplifi
E32-S15-1 0.5M	
E32-S15-2 1M	Photoelectric sensor optical fibre, diffuse, gloss detection, 10mm, 1m cable (require
E32-S15L-1 0.5M	
E32-S15L-2 1M	Photoelectric sensor optical fibre, diffuse, gloss detection, 20mm, 1m cable (require
E32-T10V	Fibre optic sensing head for E3X range of Amplifiers.
E32-T11 2M	Photoelectric sensor optical fibre, through-beam, M4, 2m cable (requires E3X amplif
E32-T11 5M	Photoelectric sensor optical fibre, through-beam, M4, 5m cable (requires E3X amplif
E32-T11F 2M	

E32-T11F 5M	
E32-T11L 2M	Photoelectric sensor optical fibre, through-beam, M4, long-distance, 2m cable (requi
E32-T11L 3M	
E32-T11L 5M	Photoelectric sensor optical fibre, through-beam, M4, long-distance, 5m cable (requi
E32-T11N 2M	Photoelectric sensor optical fibre, M4 Right-Angle, Through Beam, 2m cable
E32-T11N 5M	Fibre-optice, through beam
E32-T11R 2M	Photoelectric sensor optical fibre, through-beam, M4, 2m flexible cable (requires E3)
E32-T11U 2M	Photoelectric sensor optical fibre, through-beam, M4, 2m flexible cable (requires E3)
E32-T11U 5M	
E32-T12 2M	
E32-T12B 2M	
E32-T12F 5M	
E32-T12L 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T12L 5M	
E32-T12R 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T12R-1 2M	
E32-T14	Photoelectric sensor optical fibre, through-beam, side-view, 2m cable (requires E3X
E32-T14 5M	
E32-T14F 2M	
E32-T14F 5M	Photoelectric electric sensor, through-beam, 5mm dia, chemical resistant side view,
E32-T14L 10M	
E32-T14L 2M	Photoelectric sensor optical fibre, through-beam, long-distance, 2m cable (requires
E32-T14L 5M	
E32-T14LR 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T14L-U 2M	Photoelectric sensor optical fibre, through-beam, long-distance, 2m cable (requires
E32-T15X 2M	Fibre optics sensor, through Beam
E32-T15XB 2M	
E32-T15XR 2M	Fibre optics sensor, through Beam, hi flex cable
E32-T15Y 2M	
E32-T15YR 2M	Photoelectric sensor optical fibre, through-beam, flat shape, side view, 2m cable (re
E32-T15Z 2M	
E32-T15ZR 2M	
E32-T16	Photoelectric sensor optical fibre, through-beam, 10mm screen, 2m cable (requires I
E32-T16 5M	
E32-T16JR 2M	
E32-T16P	Photoelectric sensor optical fibre, through-beam, 11mm screen, 2m cable (requires I
E32-T16PR 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T16W 2M	Photoelectric sensor optical fibre, through-beam, 30mm screen, 2m cable (requires I
E32-T16W 5M	
E32-T16WR 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T17L	Fibre optic sensing head, through-beam, M14 for E3X range of Amplifiers.
E32-T17L 20M	
E32-T21 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T21 5M	
E32-T21L 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T22 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T221B 2M	
E32-T222 2M	
E32-T222R 2M	Fibre optic sensing head
E32-T223R 2M	
E32-T22B 2M CHN	Fibre optic sensing head for E3X range of Amplifiers.
E32-T22L 2M	Fibre optic sensing head for E3X range of Amplifiers.

E32-T22R 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T22R 5M	
E32-T22S	Fibre optic sensing head for E3X range of Amplifiers.
E32-T22S-7 2M	
E32-T22SR 2M	
E32-T22SR-4 5M	Photoelectric sensor, optical fibre miniature, through-beam
E32-T24	Photoelectric sensor optical fibre, through-beam, 1mm, side-view, 2m cable (require
E32-T24 5M	
E32-T24R 2M	Fibre optic
E32-T24S	Fibre optic sensing head for E3X range of Amplifiers.
E32-T24S 5M	
E32-T24SR 2M	
E32-T25X 2M	
E32-T25XB 2M	
E32-T25XR 2M	
E32-T25Y 2M	
E32-T25YR 2M	
E32-T25Z 2M	
E32-T25ZR 2M	
E32-T33-1 2M	
E32-T33-25 1M	
E32-T333-S5 1M	
E32-T334-S5 1M	
E32-T33-S5 1M	
E32-T51F 2M	
E32-T51R 2M	
E32-T51R 5M	
E32-T51V 0.5M	
E32-T51V 1M	
E32-T54 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T54V 0.5M	
E32-T54V 1M	
E32-T61-S 0.345M	Photoelectric sensor optical fibre, through-beam, M4, Heat resistant -60 to 350°C, (r
E32-T61-S 0.3M	
E32-T61-S 0.5M	
E32-T61-S 10M	
E32-T61-S 1M	
E32-T61-S 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T61-S 3M	Photoelectric sensor optical fibre, through-beam, M4, Heat resistant -60 to 350°C, 3r
E32-T61-S 5M	Photoelectric sensor optical fibre, through-beam, M4, Heat resistant -60 to 350°C, 5r
E32-T81F-S 2M	
E32-T81R-S 2M	
E32-T84S-S 2M	Fibre optic sensing head for E3X range of Amplifiers.
E32-T84SV 1M	
E32-TC1000	
E32-TC1000A	
E32-TC1000E	
E32-TC200 2M	Photoelectric sensor optical fibre, through-beam, M4, 2m cable (requires E3X amplif
E32-TC2000	
E32-TC200A 2M	Photoelectric sensor optical fibre, through-beam, M3, 2m cable (requires E3X amplif
E32-TC200AR	
E32-TC200B	Photoelectric sensor optical fibre, through-beam, M4, 90mm needle, 2m cable (requi

E32-TC200B4	Fibre optic sensing head for E3X range of Amplifiers.
E32-TC200B4R	
E32-TC200BR	
E32-TC200B-S60	
E32-TC200B-S70	
E32-TC200C	Photoelectric sensor optical fibre, through-beam, M4, 2m spiral flex cable (requires I
E32-TC200D4	
E32-TC200E 2M	Photoelectric sensor optical fibre, through-beam, M3, 2m cable (requires E3X amplif
E32-TC200F	Photoelectric sensor optical fibre, through-beam, M3, 90mm needle, 2m cable (requi
E32-TC200-F1-1	
E32-TC200F4	
E32-TC200F4R	
E32-TC200FR	
E32-TC200F-S10	
E32-TC200F-S20	Fibre optic sensing head for E3X range of Amplifiers.
E32-TC300	
E32-TC50	
E32-TC500 5M CHN	Fibre optic sensing head for E3X range of Amplifiers.
E32-TC500A 5M	
E32-UDAT1-3F BY OMA	
E32-UDAT1-6F BY OMA	
E32-UDBT1-3F BY OMA	
E32-UDBT1-6F BY OMA	
E32-UTAT1-3F BY OMA	
E32-UTAT1-6F BY OMA	
E32-UTBT1-3F BY OMA	Fibre optic sensing head for E3X range of Amplifiers.
E32-UTBT1-6F BY OMA	
E32-VF1	Fibre optic sensing head for E3X range of Amplifiers.
E32-VF4	
E39-C1 2M	Cable for E3MC sensor, 2m
E39-C1 5M	Cable for E3MC sensor, 5m
E39-E10	
E39-E11	Mutual interference filters for the E3Z-TA models
E39-E13	
E39-E3MC Fiber Head	
E39-E6	Filter for E3S-AR
E39-ECON 2M	
E39-ECON 5M	
E39-ECONW 0.5M	
E39-ECONW 0.6M	
E39-ECONW 0.7M	
E39-ECONW 0.8M	
E39-ECONW 0.9M	
E39-ECONW 1.1M	
E39-ECONW 1.2M	
E39-ECONW 1.3M	
E39-ECONW 1.4M	
E39-ECONW 1.5M	
E39-ECONW 1.6M	
E39-ECONW 1.9M	
E39-ECONW 1M	
E39-ECONW 2M	

E39-EF1-37 BY OMG	Sensor accessory
E39-EF1-37-2 BY OMG	
E39-EF1-37-90-HT BY OMG	
E39-EF1-37-90-ST BY OMG	
E39-EF21BUERK-SET	
E39-EF32-1 0.2M BY OMG	
E39-EF51 BY OMG	Sideview lens 90 deg for E32fibre
E39-EF51-M2 BY OMG	Sideview lens 90 deg for E32fibre
E39-EF52 BY OMG	
E39-EF9-5 BY OMG	
E39-EJC4 BY OMG	
E39-EJC4-1 BY OMG	
E39-EJC4-2 BY OMG	
E39-EL1 BY OMG	Universal bracket for E3NT
E39-EL10	E3Z Mounting bracket for 12mm rod
E39-EL11	
E39-EL12	
E39-EL4 BY OMG	
E39-EL5 BY OMG	
E39-EL6 BY OMG	
E39-EL8	Bracket for E3FZ, Stainless steel
E39-EL9	E3FZ Snap mounting bracket for 12mm rod
E39-EMD2 BY OMG	
E39-EMD2-PLE344804-REV E BY OM	
E39-ERS-3414(25PCS) BY OMG	
E39-ES18 BY OMG	Slit M18 (single piece), dia. 4mm hole
E39-F1.	Long-distance lens unit for E32 through-beam fibres
E39-F10	Connector for E32 optical fibre cable
E39-F11	Sleeve bender for E32-DC200F style sensors
E39-F13	Fibre Connector, 2mm fibre dia
E39-F1-31	
E39-F1-33	
E39-F14	
E39-F15	Fibre Connector, 2mm to1mm fibre dia
E39-F16	
E39-F17	
E39-F18	
E39-F1V	
E39-F2	Side view unit for E32 through-beam optical fibres
E39-F2-32	
E39-F3	
E39-F31	Glass cover for E3F2
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibres, 1m
E39-F32A5 0.5M	Spiral protective tube for E32, M3, diffuse, optical fibres, 0.5mm
E39-F32B 1M	Spiral protective tube for E32, M3, through-beam, optical fibres, 1m
E39-F32B5 0.5M	
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibres, 1m
E39-F32C5 0,5M	Spiral protective tube for E32 optical fibres
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibres, 1m
E39-F32D5 0,5M	Spiral protective tube for E32, M6, diffuse, optical fibres, 0.5m
E39-F3A	Small spot lens unit for E32-D32 optical fibre
E39-F3A-1	

E39-F3A-5	Focus lens for E32-EC41 fibre sensor head, 7mm focus length. 0.1mm spot
E39-F3B	Focus lens for E32-EC31 fibre sensor head, 17mm focus length, 0.5mm spot
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot
E39-F4	Cutter for all E32 optical fibres
E39-F5	
E39-F9	
E39-FU1-1 BY OMA	Fine fibre attachment for E3X amplifiers
E39-FU1-OMA	
E39-G10	
E39-G12 OMS	
E39-G2	
E39-G3	Adjuster/cover, old E3X series
E39-G4	
E39-G9	
E39-K12	
E39-L102	Sensor mounting Bracket, for E3S-C sensor
E39-L103	Mounting Bracket for E3S
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting
E39-L109	
E39-L113	
E39-L114	
E39-L115	Sensor mounting Bracket for E3MC, adapts to DIN rail mounting
E39-L116	Mounting bracket for E3T-S* sensor, standard, vertical mounting
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting
E39-L117-10 BY OMG	
E39-L118	Mounting bracket for E3T-S* sensor, side mounting
E39-L119	Mounting bracket for E3T-F* sensor, side mounting
E39-L120	Mounting bracket for E3T-F* sensor
E39-L126	
E39-L129	
E39-L129-G	Terminal protection cover for E3G-MR/ML
E39-L131	Mounting bracket for E3M-V/E3G-R/E3G-L sensors.
E39-L132	Mounting bracket for E3M-V/E3G-R/E3G-L sensors, rear mounting
E39-L135	Mounting bracket for E3G-MR/ML sensors, cable downwards
E39-L136	Mounting bracket for E3G-MR/ML sensors
E39-L139	
E39-L140	Bracket
E39-L142	Sensor mounting Bracket
E39-L143	Sensor mounting Bracket, for E3X-NA, E3X-NH, E3C-LDA, E2C-EDA
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z pre-wired
E39-L148	E3X-NA mounting Bracket, to surface mount with screws
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post
E39-L153	Mounting bracket for E3Z sensor, L shape, for prewired
E39-L2	
E39-L3	
E39-L31	
E39-L34	
E39-L4	
E39-L40	Sensor mounting Bracket for E3JK
E39-L42	Sensor mounting Bracket
E39-L43	Mounting bracket for E3Z sensor, side mounting

E39-L44	Mounting bracket for E3Z sensor, rear mounting
E39-L5	Sensor mounting Bracket
E39-L51	Adapter bracket for E3JM replacement of E3A photoelectric sensor
E39-L53	
E39-L54V	
E39-L6	
E39-L60	
E39-L69	
E39-L7	
E39-L70	
E39-L81	
E39-L85	
E39-L86	
E39-L87	
E39-L93FH	
E39-L93FV	
E39-L93H	Adjustable Pillar bracket for E3Z, E3SA, horizontal mount fixings
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings
E39-L93XY	
E39-L94	
E39-L96	Optional reflector bracket for photoelectric sensor
E39-L97	Protective metal cover for E3S-A horizontal sensor
E39-L98	Protective metal cover for E3S-A/E3Z vertical sensor
E39-P11	Line beam adaptor for E3C-LD11
E39-P21	Area beam adaptor for E3C-LD11
E39-P31	Line beam adaptor for E3C-LR11
E39-P41	
E39-R1	Reflector, 40x60mm
E39-R10	
E39-R12	Reflector for use with E3C-LDA sensor, 23x23mm effective area
E39-R13	Reflector for use with E3C-LDA sensor, 7x7mm effective area
E39-R14	Reflector for use with E3C-LDA sensor, transparant detection, 23x23mm effective ar
E39-R15 BY OMG	Reflector, stainless steel housing, 105x30mm
E39-R16 BY OMG	Reflector
E39-R17 BY OMG	Reflector
E39-R17-1 BY OMG	
E39-R18 BY OMG	
E39-R1H	
E39-R1K	Sensor Reflector
E39-R1S	Reflector, 40x60mm, for E3Z, E3F2
E39-R1-U1-OMA	
E39-R2	Reflector, 80x60mm
E39-R3	Reflector, 23x38mm, side screw mounting or self adhesive
E39-R37	Sensor Reflector
E39-R37-CA	Sensor Reflector
E39-R4	Reflector, 14x23mm, screw mounting
E39-R40 BY OMG	Reflector 84mm x 84mm
E39-R42 BY OMG	Reflector
E39-R42A BY OMG	
E39-R43 BY OMG	
E39-R44 BY OMG	
E39-R45A BY OMG	Reflector

E39-R46 BY OMG	
E39-R47 BY OMG	
E39-R48 BY OMG	
E39-R49 BY OMG	Snap mounting Reflector, 30mm diameter
E39-R5	
E39-R50 BY OMG	
E39-R51 BY OMG	
E39-R6 BY OMG	Reflector, 40x60mm, micro-triple surface
E39-R7	Sensor Reflector, round, 84mm diameter
E39-R8	Sensor Reflector, 100x100mm
E39-R9	Reflector
E39-RP1	Reflector, polarizing, to use with E3ZM-B, 44mm x 64mm
E39-RS1	Sensor Reflector Tape, 35x10mm, adhesive
E39-RS1-CA	
E39-RS2	Gen purpose tape reflector, 40 x 35 x 0.6, self adhesive
E39-RS25 22.8M BY OMG	
E39-RS25 5M BY OMG	Reflective Tape, self-adhesive
E39-RS2-CA	
E39-RS3	Reflector
E39-RS3-CA	
E39-RS4	High precision tape reflector, 195 x 22, self adhesive
E39-RS5	
E39-RS50 22.8M BY OMG	Gen purpose tape reflector, self adhesive
E39-RS50 5M BY OMG	Gen purpose tape reflector, self adhesive
E39-RS75 45.7M BY OMG	
E39-RSA	Reflector (tape type), 35x10mm
E39-S1	Slit for E3S series
E39-S2	
E39-S39	
E39-S46	Slit, 0.5-2mm, for E3S-A photoelectric sensor
E39-S60	
E39-S61	Slit for E3S-CT series
E39-S63	Slits for E3T-ST1* types, 0.5mm & 1mm dia pairs supplied
E39-S64	Slits for E3T-FT1* types, 0.5mm & 1mm dia pairs supplied
E39-S65A	Slits for E3Z-T, 0.5mm diameter
E39-S65B	Slit, 1mm dia, for E3Z-T* sensor
E39-S65C	Slits for E3Z-T, 2mm diameter
E39-S65D	Slits for E3Z-T, 0.5 x 10mm diameter
E39-S65E	Slit, 1 x 10mm, for E3Z-T* sensor
E39-S65F	Slits for E3Z-T, 2 x 10mm diameter
E39-S68	
E39-S74-15	
E39-S74-20	
E39-S75	
E39-T1 OMS	
E39-T2 OMS	
E39-TM1	
E39-VA	Sensor test unit, hand-held, battery-powered
E39-VX	
E39-Y1	
E39-Z12-1	
E3A2-10DM4D-G BY OMA	

E3A2-10DM4-G BY OMA	
E3A2-10L-G BY OMA	
E3A2-10M4D-G OMS	
E3A2-10M4-G OMS	
E3A2-10M4T-G	
E3A2-DS70M4 OMS	
E3A2-DS70M4D-G OMS	Photoelectric sensor, diffuse, 700mm, AC/DC, relay, timer 5s, horizontal
E3A2-DS70M4-G OMS	
E3A2-DS70M4-G1 BY OMA	
E3A2-DS70M4T-G OMS	
E3A2-R3M4D-G OMS	
E3A2-R3M4D-G1-31 OMS	
E3A2-R3M4D-GN OMS	Photoelectric sensor, retroreflective, 3m, AC/DC, relay, timer 5s, horizontal
E3A2-R3M4D-GN1 OMS	Photoelectric sensor, retroreflective, 3m, AC/DC, relay, timer 5s, vertical
E3A2-R3M4-G BY OMA	
E3A2-R3M4-GN OMS	
E3A2-R3M4-GN1 OMS	Photoelectric sensor, retroreflective, 3m, AC/DC, relay
E3A2-R3M4T-G OMS	
E3A2-XCM4D-G OMS	
E3A2-XCM4-G OMS	
E3A2-XCM4T-G OMS	
E3B2-D2M4D-G OMS	Photo-electric sensor
E3B2-D2M4-G OMS	Photo-electric sensor
E3B2-D2M4-G-N	
E3B2-D2M4-GN OMS	
E3B2-D2M4-US OMS	
E3B2-D2M4-US-N OMS	
E3B2-R5M4D-G OMS	
E3B2-R5M4-G OMS	
E3B2-R5M4-US OMS	
E3B2-R7M4D-G OMS	
E3B2-R7M4-G OMS	
E3C-1	Photoelectric sensor, through-beam, 1m, 2m cable (requires E3C amplifier)
E3C-1 5M	
E3C-2	Photo-electric sensor
E3C-2 5M	
E3C-A 100-240AC	Photoelectric sensor amplifier, AC, relay & NPN
E3C-C 100-240AC	Photoelectric sensor amplifier, AC, relay & NPN, multifunction
E3C-DM2R	Photo-electric sensor
E3C-DM5	
E3C-DS1	
E3C-DS10	Photoelectric sensor, diffuse, 100mm, 2m cable (requires E3C amplifier)
E3C-DS10 5M	
E3C-DS10-01 2M	
E3C-DS10T	
E3C-DS5W	Photoelectric sensor, diffuse, 50mm, 2m cable (requires E3C amplifier)
E3C-GE4	Photoelectric sensor amplifier, DC, 3-wire, NPN, miniature (requires PYF08A-E socket)
E3C-GF4	Photoelectric sensor amplifier, DC, 3-wire, PNP, miniature (requires PYF08A-E socket)
E3C-JB4P	Photoelectric sensor amplifier, DC, 3-wire, PNP, 2m cable
E3C-JC4	Photo-electric sensor
E3C-JC4P	Photoelectric sensor amplifier, DC, 3-wire, NPN, 2m cable
E3C-L11M 2M	

E3C-LD11 10M	
E3C-LD11 2M	Laser sensor head spot type 0.8 mm
E3C-LD11 4M	
E3C-LD11 6M	
E3C-LD21 2M	Laser sensor head line type 33 mm
E3C-LD31 2M	Laser sensor head area type 33x15 mm
E3C-LDA11 2M	Photoelectric sensor, Laser amplifier, twin output, DC, NPN, 2m cable
E3C-LDA11AN 2M	
E3C-LDA11AT 2M	
E3C-LDA21 2M	Photoelectric sensor, Laser amplifier, external input, DC, NPN, 2m cable
E3C-LDA41 2M	Photoelectric sensor, Laser amplifier, twin output, DC, PNP, 2m cable
E3C-LDA41AN 2M	Photoelectric sensor, Laser amplifier, Analogue output, DC, PNP, 2m cable
E3C-LDA41AT 2M	Photoelectric sensor, Laser amplifier, DC, PNP, 2m cable
E3C-LDA51 2M	Photoelectric sensor, Laser amplifier, external input, DC, PNP, 2m cable
E3C-LDA6	
E3C-LDA6AT	
E3C-LDA7	
E3C-LDA8	Photoelectric sensor, Laser amplifier, twin output, master/slave, DC, PNP (separate
E3C-LDA8AT	Photoelectric sensor, Laser amplifier, twin output, master/slave, DC, PNP (separate
E3C-LDA9	
E3C-LR11 2M	Laser sensor head, coaxial retroreflective, variable spot (requires reflective)
E3C-LR11 4M	
E3C-LR11 8M	
E3C-LR12 2M	Laser sensor head, coaxial retroreflective, 2mm fixed spot (requires reflector)
E3C-LR12 4M	
E3C-LR12 6M	
E3C-LR15	
E3C-LS3R	Photo-electric sensor
E3C-LS3R-01	
E3C-S10	Photoelectric sensor, through-beam, 100mm, 2m cable (requires E3C amplifier)
E3C-S10 5M	
E3C-S10D	
E3C-S10L	
E3C-S10L-01	
E3C-S20DW 2M	
E3C-S20LW 2M	
E3C-S20W	Photoelectric sensor, through-beam, 200mm, 2m cable (requires E3C amplifier)
E3C-S30DT	
E3C-S30DW 2M	
E3C-S30LT	
E3C-S30T	Photo-electric sensor
E3C-S30W	Photo-electric sensor
E3C-S50	Photoelectric sensor, through-beam, 500mm, 2m cable (requires E3C amplifier)
E3C-S50 5M	
E3C-VM35R	Photoelectric sensor, definite, 35mm, 2m cable (requires E3C amplifier)
E3C-VS10R-1	
E3C-VS1G	Photoelectric sensor, definite, 10mm, 2m cable (requires E3C amplifier)
E3C-VS3R	Photoelectric sensor, definite, 30mm, 2m cable (requires E3C amplifier)
E3C-VS3R-R 5M	
E3C-VS7R	Photoelectric sensor, definite, 70mm, 2m cable (requires E3C amplifier)
E3C-VS7R-R	
E3C-WE4	

E3C-WH4F	Photo-electric sensor
E3F2-10B4 2M BY OMG	Photoelectric sensor, through-beam, 10m, test input, DC, 3-wire, PNP, M18, 2m cable
E3F2-10B4-M 2M BY OMG	Photoelectric sensor, nickel-brass, through-beam, 10m, test input, DC, 3-wire, PNP, M18, 2m cable
E3F2-10B4-M1-M BY OMG	Photoelectric sensor, nickel-brass, through-beam, 10m, test input, DC, 3-wire, PNP, M18, 2m cable
E3F2-10B4-P1 BY OMG	Photoelectric sensor, through-beam, 10m, test input, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-10DB4-M1-M BY OMG	
E3F2-10LB-M1-M BY OMG	
E3F2-3DZ1 2M BY OMG	
E3F2-3DZ1 5M BY OMG	
E3F2-3DZ2 2M BY OMG	
E3F2-3DZ2 5M BY OMG	
E3F2-3LZ 2M BY OMG	
E3F2-3LZ 5M BY OMG	
E3F2-3Z1 2M BY OMG	Photoelectric sensor, through-beam, 3m, AC, 3-wire, SSR, light-on, M18, 2m cable
E3F2-3Z1 5M BY OMG	
E3F2-3Z2 2M	Photoelectric sensor, through-beam, 3m, AC, 3-wire, SSR, dark-on, M18, 2m cable
E3F2-3Z2 5M BY OMG	
E3F2-7B4 10M	
E3F2-7B4 2M	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, M18, 2m cable
E3F2-7B4 5M	Photo-electric sensor
E3F2-7B4-M 10M	
E3F2-7B4-M 2M	Photoelectric sensor, nickel-brass, through-beam, 7m, DC, 3-wire, PNP, M18, 2m cable
E3F2-7B4-M 5M	
E3F2-7B4-M 8M BY OMG	
E3F2-7B4-M1-M	Photoelectric sensor, nickel-brass, through-beam, 7m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-7B4-M1-S	Photoelectric sensor, stainless steel, through-beam, 7m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-7B4-P1	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-7B4-S 10M	
E3F2-7B4-S 2M	Photoelectric sensor, stainless steel, through-beam, 7m, DC, 3-wire, PNP, M18, 2m cable
E3F2-7B4-S 5M	
E3F2-7C4 10M	Photoelectric sensor TB 7m NPN
E3F2-7C4 2M	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, M18, 2m cable
E3F2-7C4 5M	
E3F2-7C4-M 10M	
E3F2-7C4-M 2M	Photoelectric sensor, nickel-brass, through-beam, 7m, DC, 3-wire, NPN, M18, 2m cable
E3F2-7C4-M 8M BY OMG	
E3F2-7C4-M1-M	Photoelectric sensor, nickel-brass, through-beam, 7m, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-7C4-P1	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-7C4-S 10M	
E3F2-7C4-S 2M	Photoelectric sensor, stainless steel, through-beam, 7m, DC, 3-wire, NPN, M18, 2m cable
E3F2-7C4-S 5M	
E3F2-7DB4-M 10M	
E3F2-7DB4-M 2M	
E3F2-7DB4-M 5M	
E3F2-7DB4-M1-M	
E3F2-7DB4-M1-S	
E3F2-7DB4-P1	
E3F2-7DB4-S 10M	
E3F2-7DB4-S 2M	
E3F2-7DB4-S 5M	
E3F2-7DC4 2M	
E3F2-7DC4-1 0.3M BY OMG	Photo-electric sensor

E3F2-7DC4-M 10M	
E3F2-7DC4-M 2M	
E3F2-7DC4-M 5M	
E3F2-7DC4-M1-M	
E3F2-7DC4-M1-S	
E3F2-7DC4-S 10M	
E3F2-7DC4-S 2M	
E3F2-7DC4-S 5M	
E3F2-7L 2M	
E3F2-7L-1 0.3M BY OMG	Photo-electric sensor
E3F2-7L-M 10M	
E3F2-7L-M 2M	
E3F2-7L-M 5M	
E3F2-7L-M1-M	
E3F2-7L-M1-S	
E3F2-7L-P1	
E3F2-7L-S 10M	
E3F2-7L-S 2M	
E3F2-7L-S 5M	
E3F2-D1B4 2M OMC	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M18, 2m cable
E3F2-D1B4-M 2M OMC	Photoelectric sensor, nickel-brass, diffuse, 1m, DC, 3-wire, PNP, M18, 2m cable
E3F2-D1B4-M1-M OMC	Photoelectric sensor, nickel-brass, diffuse, 1m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-D1B4-P1 OMC	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-D1B4-S 3.5M OMS	
E3F2-D1C4 2M OMC	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, M18, 2m cable
E3F2-D1C4-M 2M OMC	Photoelectric sensor, nickel-brass, diffuse, 1m, DC, 3-wire, NPN, M18, 2m cable
E3F2-D1C4-M1-M OMC	Photoelectric sensor, nickel-brass, diffuse, 1m, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-D1C4-P1 OMC	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-DS10B4-M 10M	
E3F2-DS10B4-M 2M	Photoelectric sensor, nickel-brass, diffuse, 100mm, DC, 3-wire, PNP, M18, 2m cable
E3F2-DS10B4-M 5M	
E3F2-DS10B4-M 7M BY OMG	
E3F2-DS10B4-M1-M	Photoelectric sensor, nickel-brass, diffuse, 100mm, DC, 3-wire, PNP, M18, M12 plug-
E3F2-DS10B4-M1-S	Photoelectric sensor, stainless steel, diffuse, 100mm, DC, 3-wire, PNP, M18, M12 plu
E3F2-DS10B4-N 10M	
E3F2-DS10B4-N 2M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, M18, 2m cable
E3F2-DS10B4-N 5M	Photo-electric sensor
E3F2-DS10B4-N 7M BY OMG	
E3F2-DS10B4-P1	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-DS10B4-S 2M	Photoelectric sensor, stainless steel, diffuse, 100mm, DC, 3-wire, PNP, M18, 2m cabl
E3F2-DS10B4-S 5M	
E3F2-DS10C4-M 10M	
E3F2-DS10C4-M 2M	Photoelectric sensor, nickel-brass, diffuse, 100mm, DC, 3-wire, NPN, M18, 2m cable
E3F2-DS10C4-M 5M	
E3F2-DS10C4-M1-M	Photoelectric sensor, nickel-brass, diffuse, 100mm, DC, 3-wire, NPN, M18, M12 plug-
E3F2-DS10C4-M1-S	Photoelectric sensor, stainless steel, diffuse, 100mm, DC, 3-wire, NPN, M18, M12 plu
E3F2-DS10C4-N 10M	
E3F2-DS10C4-N 2M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, M18, 2m cable
E3F2-DS10C4-N 5M	
E3F2-DS10C4-P1	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-DS10C4-S 10M	
E3F2-DS10C4-S 5M	

E3F2-DS10Z1-N 10M BY OMG	
E3F2-DS10Z1-N 2M BY OMG	Photoelectric sensor, diffuse, 100mm, AC, 3-wire, SSR, light-on, M18, 2m cable
E3F2-DS10Z1-N 5M BY OMG	Photoelectric sensor, diffuse, 100mm, AC, 3-wire, SSR, light-on, M18, 5m cable
E3F2-DS10Z2-N 2M BY OMG	Photoelectric sensor, diffuse, 100mm, AC, 3-wire, SSR, dark-on, M18, 2m cable
E3F2-DS10Z2-N 5M BY OMG	
E3F2-DS30B4 10M	
E3F2-DS30B4 2M	Photoelectric sensor, diffuse, 300mm, DC, 3-wire, PNP, M18, 2m cable
E3F2-DS30B4 5M	Photo-electric sensor
E3F2-DS30B4-1	
E3F2-DS30B41 2M BY OMG	Photoelectric sensor, right angle head, nickel-brass, diffuse, 300mm, DC, 3-wire, PNP
E3F2-DS30B41 5M BY OMG	
E3F2-DS30B41-M 2M BY OMG	Photo-electric sensor
E3F2-DS30B41-M 5M BY OMG	
E3F2-DS30B41-M1-M BY OMG	Photo-electric sensor
E3F2-DS30B41-P1 BY OMG	Photo-electric sensor
E3F2-DS30B4-3 2M BY OMG	
E3F2-DS30B4-M 10M	
E3F2-DS30B4-M 2M	Photoelectric sensor, nickel-brass, diffuse, 300mm, DC, 3-wire, PNP, M18, 2m cable
E3F2-DS30B4-M 5M	
E3F2-DS30B4-M1-M	Photoelectric sensor, nickel-brass, diffuse, 300mm, DC, 3-wire, PNP, M18, M12 plug-
E3F2-DS30B4-M1-S	Photoelectric sensor, stainless steel, diffuse, 300mm, DC, 3-wire, PNP, M18, M12 plu
E3F2-DS30B4-P1	Photoelectric sensor, diffuse, 300mm, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-DS30B4-S 10M	
E3F2-DS30B4-S 2M	Photoelectric sensor, stainless steel, diffuse, 300mm, DC, 3-wire, PNP, M18, 2m cabl
E3F2-DS30B4-S 5M	
E3F2-DS30C4 10M	Photoelectric sensor, difuse 30cm, NPN 10m cable
E3F2-DS30C4 2M	Photoelectric sensor, diffuse, 300mm, DC, 3-wire, NPN, M18, 2m cable
E3F2-DS30C4 5M	
E3F2-DS30C41 2M BY OMG	
E3F2-DS30C41 5M BY OMG	Photoelectric sensor, Diffuse 30cm, NPN, 5m cable
E3F2-DS30C41-M 2M BY OMG	
E3F2-DS30C41-M 5M BY OMG	
E3F2-DS30C41-M1-M BY OMG	Photo-electric sensor
E3F2-DS30C41-P1 BY OMG	Photo-electric sensor
E3F2-DS30C4-M 10M	
E3F2-DS30C4-M 2M	Photoelectric sensor, nickel-brass, diffuse, 300mm, DC, 3-wire, NPN, M18, 2m cable
E3F2-DS30C4-M 5M	Photoelectric sensor, nickel-brass, diffuse, 300mm, DC, 3-wire, NPN, M18, 5m cable
E3F2-DS30C4-M1-M	Photoelectric sensor, nickel-brass, diffuse, 300mm, DC, 3-wire, NPN, M18, M12 plug-
E3F2-DS30C4-M1-S	Photoelectric sensor, stainless steel, diffuse, 300mm, DC, 3-wire, NPN, M18, M12 plu
E3F2-DS30C4-P1	Photoelectric sensor, diffuse, 300mm, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-DS30C4-S 10M	
E3F2-DS30C4-S 2M	
E3F2-DS30C4-S 5M	
E3F2-DS6B4-M 2M BY OMG	
E3F2-HPE7200077 M12 BY OMG	
E3F2-HPE7200077ST BY OMG	
E3F2-LS10B4 2M OMC	Photoelectric sensor, background suppression, 0.1m, DC, 3-wire, PNP, M18, 2m cabl
E3F2-LS10B4 5M OMC	
E3F2-LS10B4-M 2M OMC	Photoelectric sensor, nickel-brass, background suppression, 0.1m, DC, 3-wire, PNP,
E3F2-LS10B4-M1-M OMC	Photoelectric sensor, nickel-brass, background suppression, 0.1m, DC, 3-wire, PNP,
E3F2-LS10B4-M1-S OMC	Photoelectric sensor, stainless steel, background suppression, 0.1m, DC, 3-wire, PNP
E3F2-LS10B4-P1 OMC	Photoelectric sensor, background suppression, 0.1m, DC, 3-wire, PNP, M18, M12 plu

E3F2-LS10B4-S 2M OMC	Photoelectric sensor, stainless steel, background suppression, 0.1m, DC, 3-wire, PNP
E3F2-LS10C4 OMC	Photoelectric sensor, background suppression, 0.1m, DC, 3-wire, NPN, M18, 2m cable
E3F2-LS10C4-M 2M OMC	Photoelectric sensor, nickel-brass, background suppression, 0.1m, DC, 3-wire, NPN,
E3F2-LS10C4-M1-M OMC	Photoelectric sensor, nickel-brass, background suppression, 0.1m, DC, 3-wire, NPN,
E3F2-LS10C4-M1-S OMC	Photoelectric sensor, stainless steel, background suppression, 0.1m, DC, 3-wire, NPN,
E3F2-LS10C4-P1 OMC	Photoelectric sensor, background suppression, 0.1m, DC, 3-wire, NPN, M18, M12 plu
E3F2-LS10C4-S 2M OMC	Photoelectric sensor, stainless steel, background suppression, 0.1m, DC, 3-wire, NPN
E3F2-R2B4 10M	
E3F2-R2B4 2M	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, M18, 2m cable
E3F2-R2B4 5M	Photoelectric sensor, retroreflective 2m, PNP, 5m cable
E3F2-R2B4-E 10M	
E3F2-R2B4-E 2M	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, M18, 2m cable, requires r
E3F2-R2B4-E 5M	
E3F2-R2B4-E-BEI-1 BY OMG	
E3F2-R2B4-P1	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, M18, M12 plug-in
E3F2-R2B4-P1-E	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, M18, M12 plug-in, require:
E3F2-R2C4 10M	
E3F2-R2C4 2M	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, M18, 2m cable
E3F2-R2C4-E 10M	
E3F2-R2C4-E 2M	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, M18, 2m cable, Requires r
E3F2-R2C4-E 5M	
E3F2-R2C4-P1	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, M18, M12 plug-in
E3F2-R2C4-P1-E	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, M18, M12 plug-in, Require
E3F2-R2RB41 2M BY OMG	
E3F2-R2RB41 5M BY OMG	
E3F2-R2RB41-E 2M BY OMG	Photoelectric sensor, nickel-brass, retroreflective, side view 2m, DC, 3-wire, PNP, M'
E3F2-R2RB41-E 5M BY OMG	
E3F2-R2RB41-E1 2M BY OMG	Photoelectric sensor, nickel-brass, retroreflective, side view, 2m, DC, 3-wire, PNP, M
E3F2-R2RB41-M 2M BY OMG	
E3F2-R2RB41-M 5M BY OMG	
E3F2-R2RB41-M1-M BY OMG	Photo-electric sensor
E3F2-R2RB41-M1-M-E BY OMG	Photoelectric sensor, nickel-brass, retroreflective, side view, 2m, DC, 3-wire, PNP, M
E3F2-R2RB41-M-E 2M BY OMG	
E3F2-R2RB41-M-E 5M BY OMG	
E3F2-R2RB41-P1 BY OMG	Photo-electric sensor
E3F2-R2RB41-P1-E BY OMG	Photoelectric sensor, nickel-brass, retroreflective, side view 2m, DC, 3-wire, PNP, M18,
E3F2-R2RC41 2M BY OMG	
E3F2-R2RC41 5M BY OMG	
E3F2-R2RC41-E 2M BY OMG	
E3F2-R2RC41-E 5M BY OMG	
E3F2-R2RC41-M 2M BY OMG	Photo-electric sensor
E3F2-R2RC41-M 5M BY OMG	
E3F2-R2RC41-M1-M BY OMG	
E3F2-R2RC41-M1-M-E BY OMG	
E3F2-R2RC41-M-E 2M BY OMG	
E3F2-R2RC41-M-E 5M BY OMG	
E3F2-R2RC41-P1 BY OMG	Photo-electric sensor
E3F2-R2RC41-P1-E BY OMG	
E3F2-R2Z1 2M	Photoelectric sensor, retroreflective, 2m, AC, 3-wire, SSR, light-on, M18, 2m cable
E3F2-R2Z1 5M BY OMG	
E3F2-R2Z1-E 2M	Photoelectric sensor, retroreflective, 2m, AC, 3-wire, SSR, light-on, M18, 2m cable, R
E3F2-R2Z1-E 5M BY OMG	

E3F2-R2Z2 2M	Photoelectric sensor, retroreflective, 2m, AC, 3-wire, SSR, dark-on, M18, 2m cable
E3F2-R2Z2 5M BY OMG	
E3F2-R2Z2-E 2M	Photoelectric sensor, retroreflective, 2m, AC, 3-wire, SSR, dark-on, M18, 2m cable, R
E3F2-R2Z2-E 5M BY OMG	
E3F2-R4B4 2M OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18, 2m cable
E3F2-R4B4-E 2M OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18, 2m cable,
E3F2-R4B4-E 5M OMS	
E3F2-R4B4F 2M OMC	
E3F2-R4B4F-E 2M OMC	
E3F2-R4B4F-M 2M OMC	
E3F2-R4B4F-M1-M OMC	
E3F2-R4B4F-M1-M-E OMC	Photoelectric sensor, nickel-brass, retroreflective, fixed focus, 4m, DC, 3-wire, PNP, M1
E3F2-R4B4F-M-E 2M OMC	
E3F2-R4B4F-P1 OMC	
E3F2-R4B4F-P1-E OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18, M12 plug-
E3F2-R4B4-M 2M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, PNP, M
E3F2-R4B4-M1-M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, PNP, M
E3F2-R4B4-M1-M-E OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, PNP, M
E3F2-R4B4-M1-S-E OMS	Photoelectric sensor, stainless steel, retroreflective, 4m, DC, 3-wire, PNP, M18, M12
E3F2-R4B4-M-E 2M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, PNP, M
E3F2-R4B4-M-E 5M OMS	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18,
E3F2-R4B4-P1 OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18, M12 plug-
E3F2-R4B4-P1-E OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, PNP, M18, M12 plug-
E3F2-R4B4-S-E 2M OMS	Photoelectric sensor, stainless steel, retroreflective, 2m, DC, 3-wire, PNP, M18, Requ
E3F2-R4B4-S-E 5M OMS	
E3F2-R4C4 2M OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, NPN, M18, 2m cable
E3F2-R4C4-E 2M OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, NPN, M18, 2m cable,
E3F2-R4C4F 2M OMC	
E3F2-R4C4F-E 2M OMC	
E3F2-R4C4F-M 2M OMC	
E3F2-R4C4F-M1-M OMC	
E3F2-R4C4F-M1-M-E OMC	
E3F2-R4C4F-M-E 2M OMC	
E3F2-R4C4F-P1 OMC	
E3F2-R4C4F-P1-E OMC	
E3F2-R4C4-M 2M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, NPN, M
E3F2-R4C4-M1-M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, NPN, M
E3F2-R4C4-M1-M-E OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, NPN, M
E3F2-R4C4-M1-S-E OMS	
E3F2-R4C4-M-E 2M OMC	Photoelectric sensor, nickel-brass, retroreflective, polarised, 4m, DC, 3-wire, NPN, M
E3F2-R4C4-M-E 5M OMS	
E3F2-R4C4-P1 OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, NPN, M18, M12 plug-
E3F2-R4C4-P1-E OMC	Photoelectric sensor, retroreflective, polarised, 4m, DC, 3-wire, NPN, M18, M12 plug-
E3F2-R4C4-S-E 2M OMS	Photoelectric sensor, stainless steel, retroreflective, 2m, DC, 3-wire, NPN, M18, Requ
E3F-3C4-P1	
E3F3-D11 2M OMC	
E3F3-D11M 2M OMC	
E3F3-D12 2M OMC	
E3F3-D12M 2M OMC	
E3F3-D16M OMC	
E3F3-D17 OMC	
E3F3-D17M OMC	

E3F3-D31 2M OMC
E3F3-D31M 2M OMC
E3F3-D32 2M OMC
E3F3-D32M 2M OMC
E3F3-D36 OMC
E3F3-D36M OMC
E3F3-D37 OMC
E3F3-D37M OMC
E3F3-D61 2M OMC
E3F3-D61M 2M OMC
E3F3-D62 2M OMC
E3F3-D62M 2M OMC
E3F3-D66 OMC
E3F3-D66M OMC
E3F3-D67 OMC
E3F3-D67M OMC
E3F3-D81 2M OMC
E3F3-D81M 2M OMC
E3F3-D82 2M OMC
E3F3-D82M 2M OMC
E3F3-D86 OMC
E3F3-D86M OMC
E3F3-D87 OMC
E3F3-D87M OMC
E3F3-R11 2M OMC
E3F3-R11M 2M OMC
E3F3-R12 2M OMC
E3F3-R12M 2M OMC
E3F3-R16 OMC
E3F3-R16M OMC
E3F3-R17 OMC
E3F3-R17M OMC
E3F3-R31 2M OMC
E3F3-R31M 2M OMC
E3F3-R32 2M OMC
E3F3-R32M 2M OMC
E3F3-R36 OMC
E3F3-R36M OMC
E3F3-R37 OMC
E3F3-R37M OMC
E3F3-R61 2M OMC
E3F3-R61M 2M OMC
E3F3-R62 2M OMC
E3F3-R62M 2M OMC
E3F3-R66 OMC
E3F3-R66M OMC
E3F3-R67 OMC
E3F3-R67M OMC
E3F3-R81 2M OMC
E3F3-R81M 2M OMC
E3F3-R82 2M OMC
E3F3-R82M 2M OMC

E3F3-R86 OMC	
E3F3-R86M OMC	
E3F3-R87 OMC	
E3F3-R87M OMC	
E3F3-T11 2M OMC	
E3F3-T11-D 2M OMC	
E3F3-T11-L 2M OMC	
E3F3-T11M 2M OMC	
E3F3-T16 OMC	
E3F3-T16M OMC	
E3F3-T31 2M OMC	
E3F3-T31M 2M OMC	
E3F3-T36 OMC	
E3F3-T36M OMC	
E3F3-T61 2M OMC	
E3F3-T61M 2M OMC	
E3F3-T66 OMC	
E3F3-T66M OMC	
E3F3-T81 2M OMC	
E3F3-T81M 2M OMC	
E3F3-T86 OMC	
E3F3-T86M OMC	
E3F-DS10B4-P1	
E3F-R1B4 2M	
E3FR-D62 2M BY OMG	Photoelectric sensor, M18 right angle, diffuse, 1m, DC, 3-wire, NPN, 2m cable
E3FR-D67 BY OMG	Photoelectric sensor, M18 right angle, diffuse, 1m, DC, 3-wire, NPN, M12 plug-in
E3FR-D82 2M BY OMG	Photoelectric sensor, M18 right angle, diffuse, 1m, DC, 3-wire, PNP, 2m cable
E3FR-D87 BY OMG	Photoelectric sensor, M18 right angle, diffuse, 1m, DC, 3-wire, PNP, M12 plug-in
E3FR-LS61H 2M BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.1m, DC, 3-wire, NF
E3FR-LS64H 2M BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.2m, DC, 3-wire, NF
E3FR-LS66H BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.1m, DC, 3-wire, NF
E3FR-LS69H BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.2m, DC, 3-wire, NF
E3FR-LS81H 2M BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.1m, DC, 3-wire, PN
E3FR-LS84H 2M BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.2m, DC, 3-wire, PN
E3FR-LS86H BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.1m, DC, 3-wire, PN
E3FR-LS89H BY OMG	Photoelectric sensor, M18 right angle, background suppression, 0.2m, DC, 3-wire, PN
E3FR-R61H 2M BY OMG	Photoelectric sensor, M18 right angle, retroreflective, 4m, DC, 3-wire, NPN, 2m cable
E3FR-R66H BY OMG	Photoelectric sensor, M18 right angle, retroreflective, 4m, DC, 3-wire, NPN, M12 plug
E3FR-R81H 2M BY OMG	Photoelectric sensor, M18 right angle, retroreflective, 4m, DC, 3-wire, PNP, 2m cable
E3FR-R86H BY OMG	Photoelectric sensor, M18 right angle, retroreflective, 4m, DC, 3-wire, PNP, M12 plug
E3FR-T61H 2M BY OMG	Photoelectric sensor, M18 right angle, through-beam, 15m, DC, 3-wire, NPN, 2m cabl
E3FR-T66H BY OMG	Photoelectric sensor, M18 right angle, through-beam, 15m, DC, 3-wire, NPN, M12 pl
E3FR-T81H 2M BY OMG	Photoelectric sensor, M18 right angle, through-beam, 15m, DC, 3-wire, PNP, 2m cabl
E3FR-T86H BY OMG	Photoelectric sensor, M18 right angle, through-beam, 15m, DC, 3-wire, PNP, M12 pl
E3FS-10B4 2M BY OMG	Safety photoelectric sensor, plastic, through-beam, 10m, DC, 3-wire, PNP, M18, 2m c
E3FS-10B4 5M BY OMG	
E3FS-10B4-M 2M BY OMG	Safety photoelectric sensor, nickel-brass, through-beam, 10m, DC, 3-wire, PNP, M18
E3FS-10B4-M 5M BY OMG	
E3FS-10B4-M1-M BY OMG	Safety photoelectric sensor, nickel-brass, through-beam, 10m, DC, 3-wire, PNP, M18
E3FS-10B4-P1 BY OMG	Safety photoelectric sensor, plastic, through-beam, 10m, DC, 3-wire, PNP, M18, M12
E3FS-10DB4 2M BY OMG	
E3FS-10DB4-M 2M BY OMG	

E3FS-10DB4-M1-M BY OMG	
E3FS-10DB4-P1 BY OMG	
E3FS-10LB 2M BY OMG	
E3FS-10LB-M 2M BY OMG	
E3FS-10LB-M1-M BY OMG	
E3FS-10LB-P1 BY OMG	
E3FZ-B61 2M BY OMG	Photoelectric sensor, M18 Quick mounting, transparent object retroreflective, 700mm
E3FZ-B66 BY OMG	Photoelectric sensor, M18 Quick mounting, transparent object retroreflective, 700mm
E3FZ-B81 2M BY OMG	Photoelectric sensor, M18 Quick mounting, transparent object retroreflective, 700mm
E3FZ-B86 BY OMG	Photoelectric sensor, M18 Quick mounting, transparent object retroreflective, 700mm
E3FZ-D62 2M BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, NPN, 2m cable
E3FZ-D67 BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, NPN, M12 plug-in
E3FZ-D82 2M BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, PNP, 2m cable
E3FZ-D82-M1TJ 0.1M BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, PNP, pigtail con
E3FZ-D82-M1TJ 0.3M BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, PNP, pigtail con
E3FZ-D87 BY OMG	Photoelectric sensor, M18 Quick mounting, diffuse, 1m, DC, 3-wire, PNP, M12 plug-in
E3FZ-DEMOPACK-1	
E3FZ-LS61H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.1m, DC, 3-wire
E3FZ-LS64H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.2m, DC, 3-wire
E3FZ-LS66H BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.1m, DC, 3-wire
E3FZ-LS69H BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.2m, DC, 3-wire
E3FZ-LS81H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.1m, DC, 3-wire
E3FZ-LS81H-M1TJ 0.3M BY OMG	Photoelectric sensor, M18 Quick mounting
E3FZ-LS84H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.2m, DC, 3-wire
E3FZ-LS84H-M1TJ 0.3M BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.2m, DC, 3-wire
E3FZ-LS86H BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.1m, DC, 3-wire
E3FZ-LS89H BY OMG	Photoelectric sensor, M18 Quick mounting, background suppression, 0.2m, DC, 3-wire
E3FZ-R61H 2M BY OMG	Photoelectric sensor, M18 right angle, retroreflective, 4m, DC, 3-wire, NPN, 2m cable
E3FZ-R66H BY OMG	Photoelectric sensor, M18 Quick mounting, retroreflective, 4m, DC, 3-wire, NPN, M12
E3FZ-R81H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, retroreflective, 4m, DC, 3-wire, PNP, 2m
E3FZ-R81H-M1TJ 0.3M BY OMG	Photoelectric sensor, M18 Quick mounting, retroreflective, 4m, DC, 3-wire, PNP, pigtail
E3FZ-R86H BY OMG	Photoelectric sensor, M18 Quick mounting, retroreflective, 4m, DC, 3-wire, PNP, M12
E3FZ-T61H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, through-beam, 15m, DC, 3-wire, NPN, 2m
E3FZ-T66H BY OMG	Photoelectric sensor, M18 Quick mounting, through-beam, 15m, DC, 3-wire, NPN, M
E3FZ-T81H 2M BY OMG	Photoelectric sensor, M18 Quick mounting, through-beam, 15m, DC, 3-wire, PNP, 2m
E3FZ-T81H-M1TJ 0.3M BY OMG	Photoelectric sensor, M18 Quick mounting, through-beam, 15m, DC, 3-wire, PNP, pigtail
E3FZ-T86H BY OMG	Photoelectric sensor, M18 Quick mounting, through-beam, 15m, DC, 3-wire, PNP, M
E3FZ-T86H-D BY OMG	
E3FZ-T86H-L BY OMG	
E3G-L11 2M	Photoelectric sensor, distance setting, teach, 30-50mm, DC, NPN, 3-wire, 2m cable
E3G-L12 2M	Photoelectric sensor, distance setting, teach, 30-50mm, DC, PNP, 3-wire, 2m cable
E3G-L15	Photoelectric sensor, distance setting, teach, 30-50mm, DC, NPN, 3-wire, M8 plug-in
E3G-L16	Photoelectric sensor, distance setting, teach, 30-50mm, DC, PNP, 3-wire, M8 plug-in
E3G-L31 2M	Photoelectric sensor, distance setting, teach, 50-200mm, DC, NPN, 3-wire, 2m cable
E3G-L32 2M	Photoelectric sensor, distance setting, teach, 50-200mm, DC, PNP, 3-wire, 2m cable
E3G-L35	Photoelectric sensor, distance setting, teach, 50-200mm, DC, NPN, 3-wire, M8 plug-in
E3G-L36	Photoelectric sensor, distance setting, teach, 50-200mm, DC, PNP, 3-wire, M8 plug-in
E3G-L73 10M	
E3G-L73 2M	Photoelectric sensor, distance setting, teach, 0.2-2m, DC, NPN/PNP, 3-wire, 2m cable
E3G-L73 5M	
E3G-L77	
E3G-ML79	Photoelectric sensor, distance setting, teach, 0.2-2m, DC, NPN/PNP, 3-wire, M12 plug-in

E3G-ML79-G	Photoelectric sensor, distance setting, teach, 0.2-2m, AC/DC, relay, terminal block, c
E3G-ML79T	
E3G-ML79T-G	Photoelectric sensor, distance setting, teach, 0.2-2m, AC/DC, relay, timer 5s, termina
E3G-ML79T-US	
E3G-ML79-US	
E3G-MR19	
E3G-MR19-G	Photoelectric sensor, retroreflective, 10m, AC/DC, relay, terminal block, conduit entr
E3G-MR19-G-1	
E3G-MR19-G-2	
E3G-MR19-G-3	
E3G-MR19T	Photoelectric sensor, retroreflective, 10m, AC/DC, relay, timer 5s, terminal block, coi
E3G-MR19T-G	Photoelectric sensor, retroreflective, 10m, AC/DC, relay, timer 5s, terminal block, coi
E3G-MR19T-G-2	
E3G-MR19T-US	
E3G-MR19-US	
E3G-R13 2M	
E3G-R13-G 10M	Photoelectric sensor
E3G-R13-G 2M	Photoelectric sensor, retroreflective, 10m, DC, NPN/PNP, 3-wire, 2m cable (requires i
E3G-R13-G 5M	
E3G-R17	
E3G-R17-G	Photoelectric sensor, retroreflective, 10m, DC, NPN/PNP, 3-wire, M12 plug-in (require
E3H2-DS10B4M 2M	Photoelectric sensor, M12 cylindrical housing, 100mm fixed diffuse type, PNP, 2m ca
E3H2-DS10B4M-M1	Photoelectric sensor, M12 cylindrical housing, 100mm fixed diffuse type, PNP, M12 j
E3H2-DS10C4M 2M	Photoelectric sensor, M12 cylindrical housing, 100mm fixed diffuse type, NPN, 2m ca
E3H2-DS10C4M-M1	Photoelectric sensor, M12 cylindrical housing, 100mm fixed diffuse type, NPN, M12 j
E3H2-DS30B4M 2M	Photoelectric sensor, M12 cylindrical housing, 300mm adjustable diffuse type, PNP,
E3H2-DS30B4M-M1	Photoelectric sensor, M12 cylindrical housing, 300mm adjustable diffuse type, PNP,
E3H2-DS30C4M 2M	Photoelectric sensor, M12 cylindrical housing, 300mm adjustable diffuse type, NPN,
E3H2-DS30C4M-M1	Photoelectric sensor, M12 cylindrical housing, 300mm adjustable diffuse type, NPN,
E3H2-R2B4M 2M	Photoelectric sensor, M12 cylindrical housing, 2m retro-reflective type, PNP, 2m cab
E3H2-R2B4M-M1	Photoelectric sensor, M12 cylindrical housing, 2m retro-reflective type, PNP, M12 pl
E3H2-R2C4M 2M	Photoelectric sensor, M12 cylindrical housing, 2m retro-reflective type, NPN, 2m cab
E3H2-R2C4M-M1	Photoelectric sensor, M12 cylindrical housing, 2m retro-reflective type, NPN, M12 pl
E3H2-T2B1S 2M	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, PNP, 2m cable, lig
E3H2-T2B1S-M5	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, PNP, M8 plug in, li
E3H2-T2B2S 2M	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, PNP, 2m cable, da
E3H2-T2B2S-M5	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, PNP, M8 plug in, d
E3H2-T2C1S 2M	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, NPN, 2m cable, lig
E3H2-T2C1S-M5	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, NPN, M8 plug in, li
E3H2-T2C2S 2M	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, NPN, 2m cable, da
E3H2-T2C2S-M5	Photoelectric sensor, M8 cylindrical housing, 2m thru-beam type, NPN, M8 plug in, d
E3H2-T4B4M 2M	Photoelectric sensor, M12 cylindrical housing, 4m thru-beam type, PNP, 2m cable
E3H2-T4B4M-M1	Photoelectric sensor, M12 cylindrical housing, 4m thru-beam type, PNP, M12 plug in
E3H2-T4C4M 2M	Photoelectric sensor, M12 cylindrical housing, 4m thru-beam type, NPN, 2m cable
E3H2-T4C4M-M1	Photoelectric sensor, M12 cylindrical housing, 4m thru-beam type, NPN, M12 plug in
E3HC-1E1	
E3HC-1E2	
E3HC-DS3E1	Photo-electric sensor
E3HC-DS3E2 2M	
E3HF-1DE1	
E3HF-1DE1-M6J 0.5M	
E3HF-1DE2	

E3HF-1E1	Photo-electric sensor
E3HF-1E1-M1J 0.3M	
E3HF-1E2	Photo-electric sensor
E3HF-1L	
E3HF-DS5E1	Photoelectric sensor, flat type, L/O, diffuse 5mm
E3HF-DS5E2	
E3HQ-CT11	Photo-electric sensor
E3HQ-CT12	
E3HS-1E1	Photoelectric sensor, through beam, 1m range, light-on, Square head type
E3HS-1E2	Photoelectric sensor, through- beam, 1m, square type, dark-on, DC, 2m cable
E3HS-1E2 5M	
E3HS-DS5E1	Photo-electric sensor
E3HS-DS5E2	
E3HT-1E1	
E3HT-1E2	Photo-electric sensor
E3HT-1E2-30	
E3HT-DS3E1	Photo-electric sensor
E3HT-DS3E2	Photo-electric sensor
E3JK-5DM1-N 2M OMS	
E3JK-5DM2-N 2M OMS	
E3JK-5L-N 2M OMS	
E3JK-5M1-N 2M OMS	Photoelectric sensor, through-beam, 5m, AC/DC, relay, light-on, 2m cable
E3JK-5M1-N 5M OMS	
E3JK-5M2-N 10M OMS	
E3JK-5M2-N 2M OMS	Photoelectric sensor, through-beam, 5m, AC/DC, relay, dark-on, 2m cable
E3JK-5M2-N 5M OMS	Photo-electric sensor
E3JK-5S3-N 2M OMS	
E3JK-5S3-N 5M OMS	
E3JK-DS30M1 2M OMS	Photoelectric sensor, diffuse, 300mm, AC/DC, relay, light-on, 2m cable
E3JK-DS30M1 5M OMS	
E3JK-DS30M2 2M OMS	Photoelectric sensor, diffuse, 300mm, AC/DC, relay, dark-on, 2m cable
E3JK-DS30S3 2M OMS	Photoelectric sensor, diffuse, 300mm, AC/DC, relay, light-on, 2m cable
E3JK-PACK-BE	
E3JK-R2H1-G 2M OMS	
E3JK-R2H1-G 5M OMS	
E3JK-R2H2-G 2M OMS	
E3JK-R2H2-G 5M OMS	
E3JK-R2M1 2M OMS	Photoelectric sensor, retroreflective, 2.5m, AC/DC, relay, light-on, 2m cable
E3JK-R2M1 2M-TKE BY OMG	
E3JK-R2M1 5M OMS	Photo-electric sensor, retroreflective 2m,
E3JK-R2M1 6M OMS	
E3JK-R2M1-2-N OMS	
E3JK-R2M1-3 0.3M OMS	
E3JK-R2M1-37 5M OMS	
E3JK-R2M2 2M OMS	Photoelectric sensor, retroreflective, 2.5m, AC/DC, relay, dark-on, 2m cable
E3JK-R2M2 5M OMS	Photoelectric sensor, retroreflective 2m
E3JK-R2R3 2M OMS	Photoelectric sensor, retroreflective, 2.5m, DC, 3-wire, NPN, 2m cable
E3JK-R2R3 5M OMS	
E3JK-R2R3 5M-MAE BY OMG	
E3JK-R2S3 2M OMS	
E3JK-R2S3 5M OMS	
E3JK-R3M1-01 2M OMS	

E3JK-R4M1 10M OMS	
E3JK-R4M1 2M OMS	Photoelectric sensor, retroreflective, 4m, AC/DC, relay, light-on, 2m cable
E3JK-R4M1 5M OMS	
E3JK-R4M1-E2 10M OMS	
E3JK-R4M1-E3 10M OMS	
E3JK-R4M2 2M OMS	Photoelectric sensor, retroreflective, 4m, AC/DC, relay, dark-on, 2m cable
E3JK-R4M2 5M OMS	Photoelectric sensor, through -beam 4m
E3JK-R4M2-1 2M OMS	
E3JK-R4M2-G 2M OMS	
E3JK-R4S3 2M OMS	Photoelectric sensor, retroreflective, 4m, DC transistor output NPN
E3JM-10DM4-G-N OMS	
E3JM-10DM4-N OMS	
E3JM-10DM4T-G-N OMS	
E3JM-10DM4T-N OMS	
E3JM-10DR4-G-N OMS	
E3JM-10DR4T-G-N OMS	
E3JM-10DS4-G-N OMS	
E3JM-10DS4-N OMS	
E3JM-10DS4T-G-N OMS	
E3JM-10DS4T-N OMS	
E3JM-10L-G-N OMS	
E3JM-10L-N OMS	
E3JM-10M4-G-N OMS	
E3JM-10M4-N OMS	
E3JM-10M4T-G-N OMS	Photoelectric sensor, through-beam, 10m, AC/DC, relay, timer 5s
E3JM-10M4T-N OMS	
E3JM-10R4-G-N OMS	
E3JM-10R4T-G-N OMS	
E3JM-10S4-G-N OMS	
E3JM-10S4-N OMS	
E3JM-10S4T-G-N OMS	
E3JM-10S4T-N OMS	
E3JM-DS70M4 OMS	
E3JM-DS70M4-G OMS	Photoelectric sensor, diffuse, 700mm, AC/DC, relay
E3JM-DS70M4T OMS	
E3JM-DS70M4T-G OMS	Photoelectric sensor, diffuse, 700mm, AC/DC, relay, timer 5s
E3JM-DS70M4-US OMS	
E3JM-DS70R4-G OMS	Photoelectric sensor,diffuse, 300mm,AC/DC, Transistor output, PNP
E3JM-DS70R4T-G OMS	
E3JM-DS70S4 OMS	
E3JM-DS70S4-G OMS	
E3JM-DS70S4T OMS	Photo-electric sensor
E3JM-DS70S4T-G OMS	
E3JM-R4M4 OMS	
E3JM-R4M4-G OMS	Photoelectric sensor, retroreflective, 4m, AC/DC, relay
E3JM-R4M4-G-33(Q) OMS	
E3JM-R4M4-GA3 OMS	
E3JM-R4M4T OMS	
E3JM-R4M4T-G OMS	Photoelectric sensor, retroreflective, 4m, AC/DC, relay, timer 5s
E3JM-R4R4 OMS	
E3JM-R4R4-G OMS	Photoelectric sensor, Polarized Retroreflective, 4m, AC/DC, transistor output PNP
E3JM-R4R4T-G OMS	Photo-electric sensor, retroreflective 4m

E3JM-R4R4T-G-33 OMS	Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP, ti
E3JM-R4S4 OMS	
E3JM-R4S4-G OMS	
E3JM-R4S4T OMS	
E3JM-R4S4T-G OMS	
E3JU-25M4T-3 BY OMA	
E3JU-25M4T-6 BY OMA	
E3JU-D1P4T-6 BY OMA	
E3JU-D2M4T-3 BY OMA	
E3JU-D2M4T-6 BY OMA	
E3JU-R5M4-3 BY OMA	Photoelectric Sensor, General-Purpose, Polarized retroreflective. 5m
E3JU-R5P4-3 BY OMA	Photoelectric Sensor, General-Purpose, Polarized retroreflective. 5m
E3JU-XP4-MN1 BY OMA	Photo-electric sensor
E3K-R10K4 OMS	
E3MC-A11 2M	Photoelectric sensor, RGB colour, 60mm, DC, 3-wire, NPN, 2m cable
E3MC-A41 2M	Photoelectric sensor, RGB colour, 60mm, DC, 3-wire, PNP, 2m cable
E3MC-MA11 2M	Photoelectric sensor, RGB colour, 60mm, DC, 4x NPN, 2m cable
E3MC-MA41 2M	Photoelectric sensor, RGB colour, 60mm, DC, 4x PNP, 2m cable
E3MC-MX11 2M	Photoelectric sensor, RGB colour fibre, 20mm, DC, 4x NPN, 2m cable
E3MC-MX41 2M	Photoelectric sensor, RGB colour fibre, 20mm, DC, 4x PNP, 2m cable
E3MC-MY11 2M	Photoelectric sensor, RGB colour using E32 fibres, 5mm, DC, 4x NPN, 2m cable
E3MC-MY41 2M	Photoelectric sensor, RGB colour using E32 fibres, 5mm, DC, 4x PNP, 2m cable
E3MC-X11 2M	Photoelectric sensor, RGB colour fibre, 20mm, DC, 3-wire, NPN, 2m cable
E3MC-X41 2M	Photoelectric sensor, RGB colour fibre, 20mm, DC, 3-wire, PNP, 2m cable
E3MC-Y11 2M	Photoelectric sensor, RGB colour using E32 fibres, 5mm, DC, NPN, 2m cable
E3MC-Y41 2M	Photoelectric sensor, RGB colour using E32 fibres, 5mm, DC, PNP, 2m cable
E3ML-ZLA	Photo-electric sensor
E3ML-ZLB	
E3M-VG11	Photoelectric sensor, colour mark detection, 10mm, 1x 4mm spot, DC, NPN, M12 plu
E3M-VG12 2M	
E3M-VG16	Photoelectric sensor, colour mark detection, 10mm, 1x 4mm spot, DC, PNP, M12 plu
E3M-VG17 2M	
E3M-VG21	Photoelectric sensor, colour mark detection, 10mm, 4x 1mm spot, DC, NPN, M12 plu
E3M-VG22 2M	
E3M-VG26	Photoelectric sensor, colour mark detection, 10mm, 4x 1mm spot, DC, PNP, M12 plu
E3M-VG27 2M	
E3N-10E21	
E3S-2B4	Photo-electric sensor
E3S-2B4 5M	
E3S-2B41	Photo-electric sensor
E3S-2B41 5M	
E3S-2DB4	
E3S-2DB41	
E3S-2DE4	
E3S-2DE41	
E3S-2DE41-40 2M	
E3S-2DE4-40	
E3S-2E4	Photo-electric sensor
E3S-2E4 5M	
E3S-2E41	Photo-electric sensor
E3S-2E41 10M	
E3S-2E41 5M	

E3S-2E41-40	
E3S-2E41-M1J 0.3M	
E3S-2E4-40	
E3S-2LB4	
E3S-2LB41	
E3S-2LE4	
E3S-2LE41	
E3S-2LE41-40 2M	
E3S-2LE4-40	
E3S-5B4	Photo-electric sensor
E3S-5B4 5M	Photoelectric sensor
E3S-5B41	Photo-electric sensor
E3S-5B41 5M	
E3S-5B41-T 5M	Photo-electric sensor
E3S-5B4-T 5M	Photo-electric sensor
E3S-5DB4	
E3S-5DB4 5M	
E3S-5DB41	
E3S-5DB41 5M	
E3S-5DB41-T 5M	
E3S-5DB4-T 5M	
E3S-5DE4	
E3S-5DE4 5M	
E3S-5DE41	
E3S-5DE41 5M	
E3S-5DE41-T 5M	
E3S-5DE4-T 5M	
E3S-5E4	Photo-electric sensor
E3S-5E4 5M	
E3S-5E41	Photo-electric sensor
E3S-5E41 5M	
E3S-5E41-40 5M	
E3S-5E41-T 5M	
E3S-5E42	Photo-electric sensor
E3S-5E43	
E3S-5E4-40 2M	
E3S-5E4S-45	Photoelectric sensor, through-beam, 45m, DC, 3-wire, NPN, horizontal, 2m cable
E3S-5E4S-45 5M	
E3S-5E4-T 5M	
E3S-5LB4	
E3S-5LB41	
E3S-5LB41 5M	
E3S-5LB41-T 5M	
E3S-5LB4-T 5M	
E3S-5LE4	
E3S-5LE4 5M	
E3S-5LE41	
E3S-5LE41 5M	
E3S-5LE41-T 5M	
E3S-5LE4-T 5M	
E3S-AD11	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-AD11 5M	

E3S-AD11-M1J 0.3M	
E3S-AD12	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-AD12 5M	
E3S-AD12-M1J 0.3M	
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-AD16	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-AD17	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-AD18	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-AD21	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, timer, horizontal, 2m cable
E3S-AD21 5M	
E3S-AD22	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, timer, horizontal, 2m cable
E3S-AD22 5M	
E3S-AD23	
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-AD31 10M	
E3S-AD31 5M	
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-AD32 5M	
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-AD41	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, timer, horizontal, 2m cable
E3S-AD42	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, timer, horizontal, 2m cable
E3S-AD43	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, timer, horizontal, 2m cable
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-AD61 5M	
E3S-AD62	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-AD62 5M	
E3S-AD63	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-AD66	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-AD67	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-AD68	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-AD71	
E3S-AD71 5M	
E3S-AD72	
E3S-AD73	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, timer, vertical, 2m cable
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-AD81 5M	
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-AD82 5M	
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-AD83 5M	
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-AD91	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, timer, vertical, 2m cable
E3S-AD92 5M	
E3S-AD93	
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable
E3S-AR11 5M	
E3S-AR11-M1J 0.3M	Photo-electric sensor

E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-AR16-1	
E3S-AR21	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, timer, horizontal, 2m cable
E3S-AR21 5M	
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable
E3S-AR31 5M	
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-AR41	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, timer, horizontal, 2m cable
E3S-AR61	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, 2m cable
E3S-AR61 5M	
E3S-AR66	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-AR66-1	
E3S-AR71	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, timer, vertical, 2m cable
E3S-AR71 5M	
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable
E3S-AR81 5M	Photoelectric sensor, retro-refelctive
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-AR91	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, timer, vertical, 2m cable
E3S-AR91 5M	
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable
E3S-AT11 5M	
E3S-AT11-D 2M	
E3S-AT11-L 2M	
E3S-AT11-M1J 0.3M	Photo-electric sensor
E3S-AT16	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-AT16-D	
E3S-AT16-L	
E3S-AT21	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, timer, horizontal, 2m cable
E3S-AT21 5M	
E3S-AT21-D 2M	
E3S-AT21-L 2M	
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable
E3S-AT31 5M	
E3S-AT31-D 2M	
E3S-AT31-L 2M	
E3S-AT31-M1J 0.3M	Photo-electric sensor
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-AT36-D	
E3S-AT36-L	
E3S-AT41	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, timer, horizontal, 2m cable
E3S-AT41-D 2M	
E3S-AT41-L 2M	
E3S-AT61	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable
E3S-AT61 5M	
E3S-AT61-D	
E3S-AT61-L	
E3S-AT61-M1J 0.3M	
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-AT66-D	
E3S-AT66-L	
E3S-AT71	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, timer, vertical, 2m cable
E3S-AT71 10M	

E3S-AT71 5M	
E3S-AT71-D 2M	
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable
E3S-AT81 5M	Photo-electric sensor
E3S-AT81 6M	
E3S-AT81-D	
E3S-AT81-L	
E3S-AT81-M1J 0.5M	Photo-electric sensor
E3S-AT81-M1J 1M	
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-AT86-D	
E3S-AT91	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, timer, vertical, 2m cable
E3S-AT91-D 2M	
E3S-AT91-L. 2M	
E3S-CD11 2M OMS	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, horizontal, 2m cable
E3S-CD11 5M OMS	
E3S-CD11-M1J 0.3M OMS	
E3S-CD12 2M OMS	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, 2m cable
E3S-CD12 5M OMS	
E3S-CD12-M1J 0.3M OMS	Photoelectric sensor, diffuse 2m, Horizontal, NPN/PNP
E3S-CD16 OMS	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in
E3S-CD17 OMS	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in
E3S-CD61 2M OMS	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 2m cable
E3S-CD61 5M OMS	
E3S-CD61-M1J 0.3M OMS	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with
E3S-CD62 2M OMS	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, 2m cable
E3S-CD62-M1J 0.3M OMS	
E3S-CD63 2M OMS	Photoelectric sensor, diffuse, label detection, 40 \times 10mm, DC, 3-wire, NPN/PNP, vertical
E3S-CD66 OMS	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, M12 plug-in
E3S-CD67 OMS	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in
E3S-CD68 OMS	Photoelectric sensor, diffuse, label detection, 40 \times 10mm, DC, 3-wire, NPN/PNP, vertical
E3S-CL1 10M OMS	
E3S-CL1 2M OMS	Photoelectric sensor, definite, 40-200mm, DC, 3-wire, NPN/PNP, 2m cable
E3S-CL1 5M OMS	Photo-electric sensor
E3S-CL1-M1J 0.3M OMS	Photo-electric sensor
E3S-CL2 2M OMS	Photoelectric sensor, definite, 50-500mm, DC, 3-wire, NPN/PNP, 2m cable
E3S-CL2 5M OMS	Photo-electric sensor
E3S-CL2-C1 2M OMS	
E3S-CL2-M1J 0.3M OMS	Photoelectric sensor, definite, 50-500mm, DC, 3-wire, NPN/PNP, 2m cable
E3S-CR11 2M OMS	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, horizontal, 2m cable
E3S-CR11 5M OMS	
E3S-CR11-M1J 0.3M OMS	
E3S-CR16 OMS	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in
E3S-CR61 2M OMS	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 2m cable
E3S-CR61 5M OMS	
E3S-CR61-M1J 0.3M OMS	Photoelectric sensor, retroreflective
E3S-CR62 2M OMS	
E3S-CR62-C 2M OMS	Photoelectric sensor, retroreflective, transparent object detection, 1,000/250mm, DC
E3S-CR62-C 5M OMS	
E3S-CR66 OMS	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in
E3S-CR67 OMS	
E3S-CR67-C OMS	Photoelectric sensor, retroreflective, transparent object detection, 1,000/250mm, DC

E3S-CT11 2M OMS	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, horizontal, 2m cable
E3S-CT11 5M OMS	
E3S-CT11-4 OMS	
E3S-CT11-D 2M OMS	
E3S-CT11-D 5M OMS	
E3S-CT11-D-M1J 0.3M OMS	
E3S-CT11-L 2M OMS	
E3S-CT11-L 5M OMS	
E3S-CT11-L-5 5M OMS	
E3S-CT11-L-M1J 0.3M OMS	
E3S-CT11-M1J 0.3M OMS	
E3S-CT16 OMS	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in
E3S-CT16-D OMS	
E3S-CT16-L OMS	
E3S-CT61 10M OMS	
E3S-CT61 2M OMS	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 2m cable
E3S-CT61 5M OMS	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable
E3S-CT61-D 5M OMS	
E3S-CT61-L 5M OMS	
E3S-CT61-L-5 5M OMS	
E3S-CT61-M1J 0.3M OMS	
E3S-CT66 OMS	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in
E3S-CT66-D OMS	
E3S-CT66-L OMS	
E3S-CT66-L-5 OMS	
E3S-DS10B4	Photo-electric sensor
E3S-DS10B4 5M	
E3S-DS10B41	Photo-electric sensor
E3S-DS10E4	Photo-electric sensor
E3S-DS10E4 5M	
E3S-DS10E41	Photo-electric sensor
E3S-DS10E41 5M	
E3S-DS10E4-40	
E3S-DS10E4-M1J 0.3M	Photo-electric sensor
E3S-DS30B4	Photo-electric sensor
E3S-DS30B4 5M	
E3S-DS30B41	Photo-electric sensor
E3S-DS30B41 5M	
E3S-DS30B41-T 5M	
E3S-DS30B42	Photoelectric sensor, diffused
E3S-DS30B4-T 5M	
E3S-DS30E4	Photo-electric sensor
E3S-DS30E4 5M	
E3S-DS30E41	Photo-electric sensor
E3S-DS30E41 5M	
E3S-DS30E42	
E3S-DS30E42 5M	
E3S-DS30E43	
E3S-DS30E4-40	
E3S-DS30E4-T 5M	Photoelectric sensor, diffused 300mm, NPN
E3S-GS1B4	Photoelectric sensor, slot, 10mm, DC, 3-wire, PNP, 2m cable
E3S-GS1E4	Photoelectric sensor, slot, 10mm, DC, 3-wire, NPN, 2m cable

E3S-GS1E4 5M	
E3S-GS3B4	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 2m cable
E3S-GS3B4 5M	
E3S-GS3B4-M1J 0.5M	Photo-electric sensor
E3S-GS3E4	Photoelectric sensor, slot, 30mm, DC, 3-wire, NPN, 2m cable
E3S-GS3E4 5M	
E3S-GS3E4-40 5M	
E3S-GS3E4-54-M1J 0.3M	
E3S-GS3E4-54-M6J 0.6M	
E3S-GS3E4-M1J 0.2M	
E3S-GS3E4-M1J 0.3M	
E3S-LS10XB4	Photoelectric sensor, definite, 30-100mm, DC, 3-wire, PNP, 2m cable
E3S-LS10XB4 5M	Photo-electric sensor
E3S-LS10XE4	Photoelectric sensor, definite, 30-100mm, DC, 3-wire, NPN, 2m cable
E3S-LS10XE4 5M	
E3S-LS20XB4	Photoelectric sensor, definite, 50-250mm, DC, 3-wire, PNP, 2m cable
E3S-LS20XB4 5M	
E3S-LS20XE4	Photoelectric sensor, definite, 50-250mm, DC, 3-wire, NPN, 2m cable
E3S-LS20XE4 5M	
E3S-LS3C1D	Photoelectric sensor, PCB Detection,
E3S-LS3C1D-30 0.2M	
E3S-LS3N 2M	Photoelectric sensor, diffuse, 20-35mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-LS3NW 2M	Photo-electric sensor
E3S-LS3NW 5M	
E3S-LS3NW-1 2M	
E3S-LS3NW-M3J-1 0.3M	
E3S-LS3P 2M	Photo-electric sensor
E3S-LS3P-M3J 0.3M	Photoelectric sensor, PCB detection, diffuse, 30mm, NPN. 30cm canle with M8 conn
E3S-LS3P-M5J 0.3M	
E3S-LS3PT 2M	
E3S-LS3PT-M3J 0.3M	
E3S-LS3PT-M5J 0.3M	
E3S-LS3PW 2M	Photo-electric sensor
E3S-LS3PW-M3J 0.3M	
E3S-LS3PW-M5J 0.3M	Photoelectric sensor, PCB detection,
E3S-LS3PWT 2M	
E3S-LS3PWT-M3J 0.3M	
E3S-LS3PWT-M5J 0.3M	
E3S-LS3RC4	Photo-electric sensor
E3S-R11	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, horizontal, 2m cable
E3S-R12	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-R16	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, horizontal, M12 plug-in
E3S-R17	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, horizontal, M12 plug-i
E3S-R1B4	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, horizontal, 2m cable
E3S-R1B42	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, vertical, 2m cable
E3S-R1B42-P1	Photo-electric sensor
E3S-R1C42	
E3S-R1C42 5M	
E3S-R1E4	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, horizontal, 2m cable
E3S-R1E4 5M	
E3S-R1E42	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, vertical, 2m cable
E3S-R1E42 5M	

E3S-R2B4	Photo-electric sensor
E3S-R2B41	Photo-electric sensor
E3S-R2E4	Photo-electric sensor
E3S-R2E4 5M	
E3S-R2E41	Photo-electric sensor
E3S-R2E41 5M	
E3S-R2E41-40 2M	
E3S-R2E42	Photo-electric sensor
E3S-R2E42-J 5M	Photo-electric sensor
E3S-R31	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, horizontal, 2m cable
E3S-R32	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-R36	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-R37	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, M12 plug-in
E3S-R61	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, vertical, 2m cable
E3S-R62	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-R66	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-R67	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, M12 plug-in
E3S-R81	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, vertical, 2m cable
E3S-R82	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-R86	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-R87	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, M12 plug-in
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-RS30B42-30-M1	Photo-electric sensor
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-RS30E4 2M	
E3S-RS30E4 5M	
E3S-RS30E42 2M	
E3S-RS30E42 5M	
E3S-RS30E42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-RS30E42-30 5M	
E3S-RS30E4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-RS30E4-30 5M	
E3S-RS30E4-M1J 0.3M	
E3S-VS1B4	Photoelectric sensor, definite, 12mm, DC, 3-wire, PNP, horizontal, 2m cable
E3S-VS1B4 5M	
E3S-VS1B42	Photoelectric sensor, definite, 12mm, DC, 3-wire, PNP, vertical, 2m cable
E3S-VS1B42 5M	
E3S-VS1B43	
E3S-VS1E4	Photoelectric sensor, definite, 12mm, DC, 3-wire, NPN, horizontal, 2m cable
E3S-VS1E42	Photoelectric sensor, definite, 12mm, DC, 3-wire, NPN, vertical, 2m cable
E3S-VS1E42 5M	
E3S-VS3E42G	PhotoElectric Sensor
E3S-VS5B42R	Photo-electric sensor
E3S-VS5E42R	Photoelectric sensor
E3S-VS5E42R 5M	
E3S-X3CB4	Photo-electric sensor
E3S-X3CB4 5M	
E3S-X3CB4-42 5M	
E3S-X3CE4	Photo-electric sensor
E3S-X3CE4 5M	
E3S-X3CGE4	Photo-electric sensor
E3S-ZL3	

E3T-FD11 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (require
E3T-FD11 5M	
E3T-FD11R 2M	
E3T-FD12 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, dark-on, flat, 2m cable (require
E3T-FD12 5M	
E3T-FD12R 2M	
E3T-FD13 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (require
E3T-FD13 5M	
E3T-FD13-M5J 0.3M	Photo-electric sensor
E3T-FD13-M5J 1M	
E3T-FD13R 2M	Photo-electric sensor
E3T-FD14 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (require
E3T-FD14 5M	
E3T-FD14-M3J 0.3M	
E3T-FD14-M5J 0.3M	
E3T-FD14R 2M	
E3T-FL11 2M	Photoelectric sensor, Background suppression, 1-15mm, DC, 3-wire, NPN, light-on, f
E3T-FL11R 2M	
E3T-FL12 2M	Photoelectric sensor, Background suppression, 1-15mm, DC, 3-wire, NPN, dark-on, f
E3T-FL12R 2M	
E3T-FL13 2M	Photoelectric sensor, Background suppression, 1-15mm, DC, 3-wire, PNP, light-on, f
E3T-FL13R 2M	Photoelectric sensor, Background suppression, 1-15
E3T-FL14 2M	Photoelectric sensor, Background suppression, 1-15mm, DC, 3-wire, PNP, dark-on, f
E3T-FL14R 2M	
E3T-FL21 2M	Photoelectric sensor, Background suppression, 1-30mm, DC, 3-wire, NPN, light-on, f
E3T-FL21R 2M	
E3T-FL22 2M	Photoelectric sensor, Background suppression, 1-30mm, DC, 3-wire, NPN, dark-on, f
E3T-FL22R 2M	
E3T-FL23 2M	Photoelectric sensor, Background suppression, 1-30mm, DC, 3-wire, PNP, light-on, f
E3T-FL23R 2M	
E3T-FL24 2M	Photoelectric sensor, Background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, f
E3T-FL24R 2M	
E3T-FT11 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, light-on, flat, 2m cabl
E3T-FT11 5M	
E3T-FT11-M3J 0.3M	
E3T-FT11R 2M	
E3T-FT12 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, dark-on, flat, 2m cabl
E3T-FT12 5M	
E3T-FT12-M3J 0.3M	
E3T-FT12R 2M	
E3T-FT13 2M	Photo-electric sensor
E3T-FT13 5M	
E3T-FT13-M5J 0.3M	Photo-electric sensor
E3T-FT13R 2M	
E3T-FT14 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, PNP, dark-on, flat, 2m cabl
E3T-FT14 5M	
E3T-FT14-M5J 0.3M	
E3T-FT14R 2M	
E3T-FT21 2M	Photoelectric sensor
E3T-FT22 2M	Photoelectric sensor, through-beam
E3T-FT23 2M	
E3T-FT24 2M	Photo-electric Sensor, miniature type

E3T-SL11 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, NPN, light-on, side-view, 2m cable (
E3T-SL11 5M	
E3T-SL11R 2M	
E3T-SL12 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, NPN, dark-on, side-view, 2m cable (
E3T-SL12 5M	
E3T-SL12R 2M	
E3T-SL13 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, PNP, light-on, side-view, 2m cable (
E3T-SL13 5M	
E3T-SL13-M3J 0.5M	
E3T-SL13-M5J 0.3M	Photo-electric sensor
E3T-SL13R 2M	
E3T-SL14 2M	Photo-electric sensor
E3T-SL14 5M	
E3T-SL14-M3J 0.5M	
E3T-SL14-M5J 0.3M	
E3T-SL14R 2M	
E3T-SL21 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, side-view, 2m cable (
E3T-SL21 5M	
E3T-SL21-M5J 0.3M	
E3T-SL21R 2M	
E3T-SL22 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, dark-on, side-view, 2m cable (
E3T-SL22 5M	
E3T-SL22R 2M	
E3T-SL23 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, 2m cable (
E3T-SL23 5M	Photo-electric sensor
E3T-SL23-M5J 0.3M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, M8 connec
E3T-SL23R 2M	
E3T-SL24 2M	Photo-electric sensor
E3T-SL24 5M	
E3T-SL24-M5J 0.3M	
E3T-SL24R 2M	
E3T-SL24-RT1 5M BY OMG	Photoelectric-sensor, convergent reflective 30mm, DC 3-wire, PNP, side view
E3T-SR21 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, NPN, liç
E3T-SR21 5M	
E3T-SR21-C 2M	
E3T-SR21-C 5M	
E3T-SR21-ECON 0.3M	
E3T-SR21-ECON 2M	
E3T-SR21R 2M	
E3T-SR22 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, NPN, di
E3T-SR22 5M	
E3T-SR22-ECON 0.3M	
E3T-SR22-ECON 2M	
E3T-SR22-M5J 0.3M	
E3T-SR22R 2M	
E3T-SR23 15M	
E3T-SR23 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, liç
E3T-SR23 5M	
E3T-SR23-M5J 0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, liç
E3T-SR23R 2M	
E3T-SR24 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, di
E3T-SR24 5M	

E3T-SR24-M5J 0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, d:
E3T-SR24-M5J 1M	Photoelectric sensor,
E3T-SR24R 2M	
E3T-SR31 2M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, NF
E3T-SR31 5M	
E3T-SR31-C 2M	
E3T-SR31-C 5M	
E3T-SR31-ECON 0.3M	
E3T-SR31-ECON 2M	
E3T-SR31R 2M	
E3T-SR32 2M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, NF
E3T-SR32 5M	
E3T-SR32-ECON 0.3M	
E3T-SR32-ECON 2M	
E3T-SR32-M5J 0.3M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, NF
E3T-SR32R 2M	
E3T-SR33 15M	
E3T-SR33 2M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, PN
E3T-SR33 5M	
E3T-SR33-M5J 0.3M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, PN
E3T-SR33R 2M	
E3T-SR34 2M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, PN
E3T-SR34 5M	
E3T-SR34-M5J 0.3M	Photoelectric sensor, retroreflective ('flat' reflector supplied), 100mm, DC, 3-wire, PN
E3T-SR34-M5J 1M	
E3T-SR34R 2M	
E3T-SR41 2M	
E3T-SR41-C 2M	
E3T-SR41-M5J 0.3M	
E3T-SR41-M5J-S 0.3M	
E3T-SR41-S 2M	
E3T-SR42 2M	
E3T-SR42-C 2M	
E3T-SR42-M5J 0.3M	
E3T-SR42-M5J-S 0.3M	
E3T-SR42-S 2M	
E3T-SR43 2M	
E3T-SR43-C 2M	
E3T-SR43-M5J 0.3M	
E3T-SR43-M5J-S 0.3M	
E3T-SR43-S 2M	
E3T-SR44 2M	
E3T-SR44-C 2M	
E3T-SR44-M5J 0.3M	
E3T-SR44-M5J 1M	
E3T-SR44-M5J-S 0.3M	
E3T-SR44-M5J-S 1M	
E3T-SR44-S 2M	
E3T-ST11 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, light-on, side-view, 2m ca
E3T-ST11 5M	
E3T-ST11-M3J 0.3M	
E3T-ST11-M5J 0.3M	

E3T-ST11R 2M	
E3T-ST12 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, dark-on, side-view, 2m ca
E3T-ST12 5M	
E3T-ST12-M3J 0.3M	
E3T-ST12R 2M	
E3T-ST13 2M	Photo-electric sensor
E3T-ST13 5M	
E3T-ST13-M3J 0.5M	
E3T-ST13-M5J 0.3M	Photoelectric sensor, miniature type, through beam
E3T-ST13R 2M	
E3T-ST14 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, PNP, dark-on, side-view, 2m ca
E3T-ST14 5M	
E3T-ST14-M3J 0.5M	
E3T-ST14-M5J 0.3M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, PNP, dark-on, side-view, M8 3 p
E3T-ST14R 2M	
E3T-ST21 2M	
E3T-ST22 2M	Photoelectric sensor, miniture
E3T-ST23 2M	
E3T-ST24 2M	
E3T-ST24-M3J 0.5M	
E3V2-AT11 2M	Photo-electric sensor
E3V2-AT61 2M	
E3V2-BT11 2M	Photo-electric sensor
E3V2-BT61 2M	Photo electric sensor
E3V-R2C43S 2M	
E3X-A11 2M	Fibre-optic sensor amplifier
E3X-A11-8 2M	Amplifier unit, general purpose, NPN
E3X-A21 2M	Amplifier unit, timer, alarm and external check functions, NPN, 2m cable
E3X-A21-12 2M	Photoelectric sensor, optical fibre amplifier
E3X-A41 2M	Fibre-optic sensor amplifier
E3X-A51 2M	Fibre-optic sensor amplifier
E3X-CIF11 OMS	
E3X-CN02	Connector for E3X-DAN, bank connection when using E3X-CIF11/SRT21
E3X-CN11	Connector, 3-wire, cable for master amplifier, 2m cable
E3X-CN11 5M	Connector, 3-wire, cable for master amplifier, 5m cable
E3X-CN11-R 2M	
E3X-CN12	Connector, 1-wire cable for slave amplifier, 2m cable
E3X-CN12 5M	Connector, 1-wire cable for slave amplifier, 5m cable
E3X-CN21	Connector, 4-wire, for master amplifier (monitor output types), 2m cable
E3X-CN21 5M	Connector, 4-wire, for master amplifier (monitor output types), 5m cable
E3X-CN21-M1J 0.3M	
E3X-CN21-M3J-2 0.3M BY OMG	Connector
E3X-CN21-M3J-3 0.3M BY OMG	
E3X-CN22	Connector, 2-wire, for slave amplifier (monitor output types), 2m cable
E3X-CN22 5M	
E3X-DA11AN-S 2M OMS	
E3X-DA11AT-S 2M OMS	
E3X-DA11-N 2M BY OMG	Photoelectric sensor, optical fibre amplifier, DC, 3-wire, NPN, teach, digital display, 2
E3X-DA11RM-S 2M OMS	
E3X-DA11-S 2M OMS	
E3X-DA11SE-S 2M OMS	
E3X-DA11TG-S 2M OMS	

E3X-DA11TW 2M OMS	
E3X-DA11TW-S 2M OMS	
E3X-DA11V 2M BY OMG	Fibre-optic sensor amplifier
E3X-DA13-S	Fibre optic sensor amplifier, DC, 3-wire, NPN, teach, twin digital display, single outp
E3X-DA13-S OMS	
E3X-DA14-S	Fibre optic sensor amplifier, DC, 3-wire, NPN, teach, twin digital display, twin output
E3X-DA14-S OMS	
E3X-DA14V	
E3X-DA14V BY OMG	Fibre-optic sensor amplifier
E3X-DA21-N 2M BY OMG	Photoelectric sensor, optical fibre amplifier, DC, 3-wire, NPN & 1-5V monitor o/p, tea
E3X-DA21-S 2M	Fibre optic sensor amplifier, DC, 3-wire, NPN, teach, twin digital display, twin output
E3X-DA41AN-S 2M OMS	
E3X-DA41AT-S 2M OMS	
E3X-DA41-N 2M BY OMG	Photoelectric sensor, optical fibre amplifier, DC, 3-wire, PNP, teach, digital display, 2
E3X-DA41-N-1 0.3M BY OMG	
E3X-DA41RM-S 2M OMS	
E3X-DA41-S 2M OMS	Photoelectric sensor, optical fibre amplifier, DC, 3-wire, PNP, teach, twin digital disp
E3X-DA41-S 5M OMS	Photoelectric amplifier
E3X-DA41-S-1 0.3M BY OMG	
E3X-DA41SE-S 2M OMS	Photoelectric sensor, Simple teach, optical fibre amplifier, DC, 3-wire, PNP, teach, tw
E3X-DA41-S-M1J 0.3M	Fibre-optic sensor amplifier
E3X-DA41-S-M5J 0.15M	
E3X-DA41TG-S 2M OMS	
E3X-DA41TW 2M OMS	
E3X-DA41TW-S 2M OMS	
E3X-DA41V 2M BY OMG	
E3X-DA43-S OMS	
E3X-DA44-S OMS	
E3X-DA44V BY OMG	Photoelectric sensor, optical fibre amplifier, IP66, DC, 3-wire, PNP, teach, digital disp
E3X-DA44V-E1 BY OMG	
E3X-DA51-N 2M BY OMG	Photoelectric sensor, optical fibre amplifier, DC, 3-wire, PNP & 1-5V monitor o/p, tea
E3X-DA51-N 5M BY OMG	
E3X-DA51-S 2M	Fibre optic sensor amplifier, DC, 3-wire, PNP, teach, twin digital display, twin output,
E3X-DA54-S	
E3X-DA6-1 OMS	
E3X-DA6-1L OMS	
E3X-DA6AT-S OMS	
E3X-DA6-P OMS	
E3X-DA6RM-S OMS	
E3X-DA6-S OMS	
E3X-DA6SE-S OMS	
E3X-DA6TW OMS	
E3X-DA6TW-S OMS	
E3X-DA7 BY OMG+	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, NPN & 1-5V m
E3X-DA7*	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, NPN & 1-5V m
E3X-DA7-S	Fibre optic sensor amplifier, DC, 3-wire, NPN, teach, twin digital display, twin output
E3X-DA8 BY OMG	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, PNP, teach, di
E3X-DA8+	
E3X-DA8AT-S OMS	
E3X-DA8RM-S OMS	
E3X-DA8-S OMS	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, PNP, teach, tw
E3X-DA8SE-S OMS	Amplifier connector type, Photoelectric

E3X-DA8TW OMS	
E3X-DA8TW-S OMS	
E3X-DA9 BY OMG	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, PNP & 1-5V m
E3X-DA9-S	Fibre optic sensor amplifier, DC, 3-wire, PNP, teach, twin digital display, twin output.
E3X-DAB11-N 2M OMS	
E3X-DAB11-S 2M OMS	
E3X-DAB41-N 2M OMS	Fibre-optic sensor amplifier
E3X-DAB41-S 2M OMS	
E3X-DAB6 OMS	
E3X-DAB6-S OMS	
E3X-DAB8 OMS	
E3X-DAB8-S OMS	
E3X-DAC11-S 2M OMS	
E3X-DAC21-S 2M OMS	
E3X-DAC41-S 2M OMS	Fibre-optic sensor amplifier
E3X-DAC51-S 2M OMS	Fibre-optic sensor amplifier
E3X-DAC6-S OMS	
E3X-DAC8-S OMS	Fibre-optic sensor amplifier
E3X-DAG11-N 2M OMS	Photoelectric sensor, optical fibre amplifier, green LED, DC, 3-wire, NPN, teach, digit
E3X-DAG11-S 2M OMS	
E3X-DAG41-N 2M OMS	
E3X-DAG41-S 2M OMS	
E3X-DAG6 OMS	
E3X-DAG6-S OMS	
E3X-DAG8 OMS	
E3X-DAG8-S OMS	
E3X-DAH11-N 2M OMS	
E3X-DAH11-S 2M OMS	
E3X-DAH41-N 2M OMS	
E3X-DAH41-S 2M OMS	
E3X-DAH6 OMS	
E3X-DAH6-S OMS	
E3X-DAH6-S-40	
E3X-DAH8 OMS	
E3X-DAH8-S OMS	
E3X-DAS8 OMS	
E3X-DAT41-S 2M OMS	
E3X-DAT6-2 OMS	
E3X-DAT6-S-1	
E3X-DRT21 OMS	
E3X-DRT21-S VER.3 OMS	
E3X-MC11	
E3X-MC11-C1 OMS	
E3X-MC11-C1-S	
E3X-MC11-C1-SV2 OMS	
E3X-MC11-EU BY OMG	
E3X-MC11-H1 OMS	
E3X-MC11-PS2 BY OMG	
E3X-MC11-S-PS3 BY OMG	Power Supply 100-240 VAC,5V 2.4A
E3X-MC11-S-UK BY OMG	Mobile console set with UK-adapter (DAS/MDA models)
E3X-MC11-SV2	Mobile console (DAS/MDA models)
E3X-MC11-UK BY OMG	Mobile console set with UK-adapter

E3X-MDA11 2M OMS	
E3X-MDA41 2M OMS	2 channel amplifier, PNP, teach, twin digital display, 2m cable
E3X-MDA6 OMS	
E3X-MDA8 OMS	2 channel amplifier, PNP, teach, twin digital display (separate connector required)
E3X-NA11 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, NPN, 2m cable
E3X-NA11F 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, NPN, short
E3X-NA11F 5M OMS	
E3X-NA11-M3J 0.3M OMS	
E3X-NA11V 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, NPN, 2m cable
E3X-NA14V OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, IP66, DC, 3-wire, NPN,
E3X-NA21 2M OMS	
E3X-NA21 5M OMS	
E3X-NA41 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, PNP, 2m cable
E3X-NA41 5M OMS	
E3X-NA41-1 2M OMS	
E3X-NA41F 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, PNP, short
E3X-NA41F-M3J 0.15M OMS	
E3X-NA41-M1J 0.3M OMS	
E3X-NA41-M5J 0.15M OMS	
E3X-NA41V 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, PNP, M8 connector
E3X-NA44FV OMS	
E3X-NA44V OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, IP66, DC, 3-wire, PNP,
E3X-NA51 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC,
E3X-NA51 5M OMS	
E3X-NA6 OMS	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, NPN, bar LED
E3X-NA8 OMS	Photoelectric sensor, optical fibre amplifier, Master/Slave, DC, 3-wire, PNP, bar LED
E3X-NAG11 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, NPN, green
E3X-NAG11 5M OMS	
E3X-NAG41 2M OMS	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, PNP, green
E3X-NH11 2M	Fibre-optic sensor amplifier
E3X-NH11 5M	
E3X-NH21 2M	Fibre-optic sensor amplifier
E3X-NH21 5M	
E3X-NH41 2M	Fibre-optic sensor amplifier
E3X-NH41 5M	
E3X-NH51 2M	Fibre-optic sensor amplifier
E3X-NL11 2M	Fibre-optic sensor amplifier
E3X-NM11 2M	Fibre-optic sensor amplifier
E3X-NM41 2M	Fibre-optic sensor amplifier
E3X-NT11 2M	Fibre-optic sensor amplifier
E3X-NT21 2M	Fibre-optic sensor amplifier
E3X-NT41 2M	Fibre-optic sensor amplifier
E3X-NT51 2M	Amplifier unit, multi-function, PNP, 2m cable
E3X-NT51 5M	
E3XR-CE4-35 2M	
E3XR-GM5E4-30 2M	
E3XR-GM5GB4	
E3XR-GM5GE4	Fibre amplifier, NPN
E3XR-GM5RB4	
E3XR-GM5RE4	Fibre amplifier, NPN
E3XR-HE4-1	Fibre amplifier, NPN
E3X-SD11 2M OMS	

E3X-SD41 2M OMS	
E3X-SD6 OMS	
E3X-SD8 OMS	
E3X-SRT21 OMS	
E3Z-B61 0.5M OMS	
E3Z-B61 2M OMS	
E3Z-B61 5M OMS	
E3Z-B61-S0SRW-M1 OMS	
E3Z-B62 0.5M OMS	
E3Z-B62 2M OMS	Photoelectric sensor, transparent object, retroreflective, 2m, DC, 3-wire, NPN, 2m ca
E3Z-B62 5M OMS	
E3Z-B66 OMS	Photoelectric sensor, transparent object, retroreflective, 500mm, DC, 3-wire, NPN, M
E3Z-B67 OMS	
E3Z-B81 0.5M OMS	
E3Z-B81 2M OMS	Photoelectric sensor, transparent object, retroreflective, 500mm, DC, 3-wire, PNP, 2r
E3Z-B81-M1J 0.3M OMS	Photoelectric sensor, transparent object, retroreflective, 500mm, DC, 3-wire, PNP, 5r
E3Z-B82 0.5M OMS	
E3Z-B82 2M OMS	Photoelectric sensor, transparent object, retroreflective, 2m, DC, 3-wire, PNP, 2m ca
E3Z-B86 OMS	Photoelectric sensor, transparent object, retroreflective, 500mm, DC, 3-wire, PNP, M
E3Z-B87 OMS	Photoelectric sensor, transparent object, retroreflective, 2m, DC, 3-wire, PNP, M8 plu
E3Z-BT-A OMS	
E3Z-BT-B OMS	
E3Z-D61 0.5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, 0.5m cable (requires bracket
E3Z-D61 0.5M OMS	
E3Z-D61 2M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, 2m cable (requires bracket)
E3Z-D61 2M OMS	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, 2m cable (requires bracket)
E3Z-D61 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, 5m cable (requires bracket)
E3Z-D61 5M OMS	
E3Z-D61-G2SHW-CN OMS	
E3Z-D61-G2SHW-P2 OMS	
E3Z-D61H 2M OMS	
E3Z-D61K 2M	
E3Z-D61K-M3J 0.3M	
E3Z-D61-M1J 0.3M	
E3Z-D61-M5J 0.3M	
E3Z-D61-S0SHW-CN-1	
E3Z-D62 0.5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 0.5m cable (requires bracket)
E3Z-D62 0.5M OMS	
E3Z-D62 2M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 2m cable (requires bracket)
E3Z-D62 2M OMS	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 2m cable (requires bracket)
E3Z-D62 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)
E3Z-D62 5M OMS	
E3Z-D62-2 2M	
E3Z-D62-G2SHW-CN OMS	
E3Z-D62-G2SHW-P2 OMS	
E3Z-D62H 2M OMS	
E3Z-D62K 2M	
E3Z-D62K-M3J 0.3M	
E3Z-D62-M1J 0.3M	
E3Z-D62-M1J-1 0.3M	
E3Z-D62-M5J 0.3M	
E3Z-D66	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, M8 plug-in (requires bracket)

E3Z-D66 OMS	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, M8 plug-in (requires bracket)
E3Z-D66H OMS	
E3Z-D67	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, M8 plug-in (requires bracket)
E3Z-D67 OMS	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, M8 plug-in (requires bracket)
E3Z-D67H OMS	
E3Z-D81 0.5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 0.5m cable (requires bracket)
E3Z-D81 0.5M OMS	
E3Z-D81 2M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 2m cable (requires bracket)
E3Z-D81 2M OMS	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 2m cable (requires bracket)
E3Z-D81 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)
E3Z-D81 5M OMS	
E3Z-D81-G2SHW-CN OMS	
E3Z-D81-G2SHW-P2 OMS	
E3Z-D81H 2M OMS	
E3Z-D81-J0SHW-CN OMS	
E3Z-D81-J0SHW-P2 OMS	
E3Z-D81K 2M	
E3Z-D81K-M3J 0.3M	
E3Z-D81K-P 2M	Photoelectric sensor
E3Z-D81-M1J 0.3M	Photo-electric sensor
E3Z-D81-M1J 1M	
E3Z-D81-M3J 0.3M	Photo-electric sensor
E3Z-D81-M5J 0.3M	
E3Z-D81-S0SHW-CN-1	
E3Z-D82 0.5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 0.5m cable (requires bracket)
E3Z-D82 0.5M OMS	
E3Z-D82 2M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 2m cable (requires bracket)
E3Z-D82 2M OMS	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 2m cable (requires bracket)
E3Z-D82 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)
E3Z-D82 5M OMS	
E3Z-D82-G0SHW-P2 OMS	
E3Z-D82-G2SHW-CN OMS	
E3Z-D82-G2SHW-P2 OMS	Photoelectric sensor
E3Z-D82H 2M OMS	
E3Z-D82H-M1J 0.3M OMS	
E3Z-D82-J0SHW-CN OMS	
E3Z-D82-J0SHW-P2 OMS	
E3Z-D82K 2M	
E3Z-D82K-M3J 0.3M	
E3Z-D82-M1J 0.3M	Photo-electric sensor
E3Z-D82-M1J 0.8M	
E3Z-D82-M1J-1 0.3M	Photoelectric sensor
E3Z-D82-M3J 0.3M	Photoelectric sensor
E3Z-D82-M3J 1M	
E3Z-D82-M5J 0.3M	
E3Z-D82P-S0SHW-M1 OMS	
E3Z-D86	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, M8 plug-in (requires bracket)
E3Z-D86 OMS	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, M8 plug-in (requires bracket)
E3Z-D86H OMS	
E3Z-D87	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M8 plug-in (requires bracket)
E3Z-D87 OMS	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M8 plug-in (requires bracket)
E3Z-D87H OMS	

E3Z-G61 0.5M	
E3Z-G61 2M	Photoelectric sensor, single beam, slot, 25mm, DC, 3-wire, NPN, 2m cable
E3Z-G61 5M	
E3Z-G61-M1J-1 0.3M	
E3Z-G61-M3J	Photoelectric sensor, single beam, slot, 25mm, DC, 3-wire, NPN, M8 pig-tail connect
E3Z-G62 0.5M	
E3Z-G62 2M	Photoelectric sensor, twin beam, slot, 25mm, DC, 3-wire, NPN, 2m cable
E3Z-G62 5M	
E3Z-G62-M3J	Photoelectric sensor, twin beam, slot, 25mm, DC, 3-wire, NPN, M8 pig-tail connector
E3Z-G81 0.5M	Photoelectric sensor
E3Z-G81 2M	Photoelectric sensor, single beam, slot, 25mm, DC, 3-wire, PNP, 2m cable
E3Z-G81-M1J-1 0.3M	
E3Z-G81-M3J	Photoelectric sensor, single beam, slot, 25mm, DC, 3-wire, NPN, M8 4 pin pig-tail coi
E3Z-G82 0.5M	
E3Z-G82 2M	Photoelectric sensor, twin beam, slot, 25mm, DC, 3-wire, PNP, 2m cable
E3Z-G82-M1J 0.3M	Photoelectric sensor, twin beam, slot, 25mm, DC, 3-wire, PNP, 5m cable
E3Z-G82-M3J	Photoelectric sensor, twin beam, slot, 25mm, DC, 3-wire, PNP, M8 pig-tail connector
E3Z-L61 0.5M OMS	
E3Z-L61 2M OMS	Photoelectric sensor, narrow beam, diffuse, 90°±30mm, DC, 3-wire, NPN, 2m cable
E3Z-L61 5M OMS	
E3Z-L61-M1J-1 0.3M OMS	
E3Z-L61-M5J 0.3M OMS	
E3Z-L63 OMS	
E3Z-L66 OMS	
E3Z-L68 OMS	
E3Z-L81 0.5M OMS	
E3Z-L81 2M OMS	
E3Z-L81 5M OMS	
E3Z-L81-M1J-1 0.3M OMS	
E3Z-L81-M5J 0.3M OMS	
E3Z-L83 OMS	
E3Z-L86 OMS	Photoelectric sensor, narrow beam, diffuse, 90°±30mm, DC, 3-wire, PNP, M8 plug-in
E3Z-L88 OMS	
E3Z-LL61 0.5M OMS	
E3Z-LL61 2M OMS	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, NPN Output, 2m cab
E3Z-LL61-M1J 0.3M OMS	
E3Z-LL63 0.5M OMS	
E3Z-LL63 2M OMS	
E3Z-LL63-M1J 0.3M OMS	
E3Z-LL66 OMS	Photoelectric sensor, BGS Laser Sensor, 20-300mm, M8 4 Pin Connector, NPN Outp
E3Z-LL68 OMS	
E3Z-LL81 0.5M OMS	
E3Z-LL81 2M OMS	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output
E3Z-LL81 5M OMS	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output
E3Z-LL81-M1J 0.3M OMS	Photoelectric sensor
E3Z-LL81-M3J 0.3M OMS	Photoelectric sensor
E3Z-LL81-M5J 0.3M OMS	
E3Z-LL83 0.5M OMS	
E3Z-LL83 2M OMS	
E3Z-LL83-M1J 0.3M OMS	Photoelectric sensor, BGS Laser, 25-300mm, Pre/wired, PNP Output, High Speed Ve
E3Z-LL86 OMS	Photoelectric sensor, BGS Laser, 20-300mm, M8 4 Pin Connector, PNP Output
E3Z-LL88 OMS	Photoelectric sensor, BGS Laser Sensor, 25-300mm, M8 4 Pin Connector, PNP Outp

E3Z-LR61 0.5M OMS	
E3Z-LR61 2M OMS	Photoelectric sensor, Retro-reflective Laser, 15m, Pre-wired, NPN Output
E3Z-LR61-M1J 0.3M OMS	
E3Z-LR61-S0SCW-A2 OMS	
E3Z-LR66 OMS	
E3Z-LR81 0.5M OMS	
E3Z-LR81 10M OMS	Photoelectric sensor, Retro-reflective Laser, 15m, Pre-wired, PNP Output
E3Z-LR81 2M OMS	Photoelectric sensor, Retro-reflective Laser, 15m, Pre-wired, PNP Output
E3Z-LR81-M1J 0.3M OMS	
E3Z-LR86 OMS	Photoelectric sensor, Retro-reflective Laser, 15m, M8 4 Pin Connector, PNP Output
E3Z-LS61 0.5M OMS	
E3Z-LS61 2M OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, NPN,
E3Z-LS61K-M1J-EX 0.3M	
E3Z-LS61-M1J 0.3M OMS	
E3Z-LS63 0.5M OMS	
E3Z-LS63 2M OMS	
E3Z-LS66 OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, NPN,
E3Z-LS68 OMS	Photoelectric sensor
E3Z-LS81 0.5M OMS	
E3Z-LS81 10M OMS	Photoelectric sensor
E3Z-LS81 2M OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP,
E3Z-LS81 5M OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP,
E3Z-LS81-M1J 0.3M OMS	
E3Z-LS81-M3J 0.3M OMS	Photoelectric sensor
E3Z-LS81-M3J-1 0.3M BY OMG	Photoelectric sensor
E3Z-LS81-M5J 0.3M OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP,
E3Z-LS81-S0SRW-M1	
E3Z-LS81-S0SRW-M3-K1	
E3Z-LS83 0.5M OMS	Photoelectric sensor, diffuse background suppression, 20-80mm, DC, 3-wire, PNP, (
E3Z-LS83 2M OMS	Photoelectric sensor, diffuse background suppression, 20-80mm, DC, 3-wire, PNP, ;
E3Z-LS86 OMS	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP,
E3Z-LS86-3	
E3Z-LS88 OMS	Photoelectric sensor
E3Z-LT61 0.5M OMS	
E3Z-LT61 2M OMS	
E3Z-LT61-L 0.5M OMS	
E3Z-LT61-L 2M OMS	
E3Z-LT61-L-M1J 0.3M OMS	
E3Z-LT61-M1J 0.3M OMS	
E3Z-LT66 OMS	
E3Z-LT66-L OMS	
E3Z-LT81 0.5M OMS	
E3Z-LT81 2M OMS	Photoelectric sensor, Through Beam Laser, 60m, Pre-wired, PNP Output
E3Z-LT81-D 10M OMS	
E3Z-LT81-L 0.5M OMS	
E3Z-LT81-L 10M OMS	
E3Z-LT81-L 2M OMS	
E3Z-LT81-L-M1J 0.3M OMS	
E3Z-LT81-M1J 0.3M OMS	
E3Z-LT81-M5J 0.3M OMS	Photoelectric sensor
E3Z-LT86 OMS	Photoelectric sensor, Through Beam Laser, 60m, M8 4 Pin Connector, PNP Output
E3Z-LT86-L OMS	

E3ZM-B61 2M	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B61 5M	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B61-C 2M	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B61-C 5M	
E3ZM-B61T 2M	Transparent object detection sensor, Retro-reflective, metal body, IP69K, 500mm, 2n
E3ZM-B66	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B66-C	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B66T	Transparent object detection sensor, Retro-reflective, metal body, IP69K, 500mm, MI
E3ZM-B81 2M	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B81 5M	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B81-C 2M OMS	
E3ZM-B81-C 5M	
E3ZM-B81-S3J 0.3M	
E3ZM-B81T 2M	Transparent object detection sensor, Retro-reflective, metal body, IP69K, 500mm, 2n
E3ZM-B86	Transparent PET bottle detection sensor, Retro-reflective, metal body, IP69K, 500mn
E3ZM-B86-1	
E3ZM-B86-C OMS	
E3ZM-B86T	Transparent object detection sensor, Retro-reflective, metal body, IP69K, 500mm, MI
E3ZM-CD62 2M	
E3ZM-CD62 5M	
E3ZM-CD62-M1TJ 0.3M	
E3ZM-CD67	
E3ZM-CD82 2M	
E3ZM-CD82 5M	
E3ZM-CD82-M1TJ 0.3M	
E3ZM-CD87	
E3ZM-CL61H 2M	
E3ZM-CL61H 5M	
E3ZM-CL61H-M1TJ 0.3M	
E3ZM-CL61X 2M	
E3ZM-CL61X 5M	
E3ZM-CL62H 2M	
E3ZM-CL62H 5M	
E3ZM-CL62H-M1TJ 0.3M	
E3ZM-CL62X 2M	
E3ZM-CL62X 5M	
E3ZM-CL64H 2M	
E3ZM-CL64H 5M	
E3ZM-CL64H-M1TJ 0.3M	
E3ZM-CL64X 2M	
E3ZM-CL64X 5M	
E3ZM-CL66H	
E3ZM-CL67H	
E3ZM-CL69H	
E3ZM-CL81H 2M	
E3ZM-CL81H 5M	
E3ZM-CL81H-M1TJ 0.3M	Photoelectric sensor, Automotive industry
E3ZM-CL81X 2M	
E3ZM-CL81X 5M	
E3ZM-CL82H 2M	
E3ZM-CL82H 5M	
E3ZM-CL82H-M1TJ 0.3M	

E3ZM-CL82X 2M
E3ZM-CL82X 5M
E3ZM-CL84H 2M
E3ZM-CL84H 5M
E3ZM-CL84H-M1TJ 0.3M
E3ZM-CL84X 2M
E3ZM-CL84X 5M
E3ZM-CL86H
E3ZM-CL87H
E3ZM-CL89H
E3ZM-CR61 2M
E3ZM-CR61 5M
E3ZM-CR61H 2M
E3ZM-CR61H 5M
E3ZM-CR61-M1TJ 0.3M
E3ZM-CR61Y 2M
E3ZM-CR61Y 5M
E3ZM-CR66
E3ZM-CR81 2M
E3ZM-CR81 5M
E3ZM-CR81H 2M
E3ZM-CR81H 5M
E3ZM-CR81-M1TJ 0.3M
E3ZM-CR81Y 2M
E3ZM-CR81Y 5M
E3ZM-CR86
E3ZM-CT61 2M
E3ZM-CT61 5M
E3ZM-CT61-G0 2M
E3ZM-CT61-G0 5M
E3ZM-CT61H 2M
E3ZM-CT61H 5M
E3ZM-CT61-M1TJ 0.3M
E3ZM-CT61Y 2M
E3ZM-CT61Y 5M
E3ZM-CT62B 2M
E3ZM-CT62B 5M
E3ZM-CT62B-G0 2M
E3ZM-CT62B-G0 5M
E3ZM-CT62BH 2M
E3ZM-CT62BH 5M
E3ZM-CT62B-M1TJ 0.3M
E3ZM-CT62BY 2M
E3ZM-CT62BY 5M
E3ZM-CT66
E3ZM-CT67B
E3ZM-CT81 2M
E3ZM-CT81 5M
E3ZM-CT81-G0 2M
E3ZM-CT81-G0 5M
E3ZM-CT81H 2M
E3ZM-CT81H 5M

E3ZM-CT81-M1TJ 0.3M	
E3ZM-CT81Y 2M	
E3ZM-CT81Y 5M	
E3ZM-CT82B 2M	
E3ZM-CT82B 5M	
E3ZM-CT82B-G0 2M	
E3ZM-CT82B-G0 5M	
E3ZM-CT82BH 2M	
E3ZM-CT82BH 5M	
E3ZM-CT82B-M1TJ 0.3M	
E3ZM-CT82BY 2M	
E3ZM-CT82BY 5M	
E3ZM-CT86	
E3ZM-CT87B	
E3Z-MD1 BY OMG	
E3Z-MD2 BY OMG	
E3Z-MD2-1-PLE336577-REV D BY O	Photoelectric sensor
E3Z-MD2-1-SET-PLE346342-00 BY	Photoelectric sensor
E3Z-MD3 BY OMG	
E3ZM-D62 2M	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, Pre-wired, NPN Output
E3ZM-D62 5M	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, Pre-wired, NPN Output
E3ZM-D67	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, M8 4pin, NPN Output
E3ZM-D82 10M	
E3ZM-D82 2M	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, Pre-wired, PNP Output
E3ZM-D82 5M	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, Pre-wired, PNP Output
E3ZM-D82-S1J 0.3M	
E3ZM-D87	Photoelectric sensor, Diffuse, metal body, IP69K, 1m, M8 4pin, PNP Output
E3ZM-LS61H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.1m, Pre-
E3ZM-LS61H 5M	Photoelectric sensor
E3ZM-LS61X 2M	Photoelectric sensor
E3ZM-LS61X 5M	Photoelectric sensor
E3ZM-LS62H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.15m, Pre-
E3ZM-LS62H 5M	Photoelectric sensor
E3ZM-LS62X 2M	Photoelectric sensor
E3ZM-LS62X 5M	Photoelectric sensor
E3ZM-LS64H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.2m, Pre-
E3ZM-LS64H 5M	Photoelectric sensor
E3ZM-LS64X 2M	Photoelectric sensor, Background suppression, fixed distanced
E3ZM-LS64X 5M	Photoelectric sensor
E3ZM-LS66H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.1m, M8
E3ZM-LS66X	Photoelectric sensor
E3ZM-LS67H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.15m, M
E3ZM-LS67X	Photoelectric sensor
E3ZM-LS69H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.2m, M8
E3ZM-LS69X	Photoelectric sensor
E3ZM-LS81H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.1m, Pre-
E3ZM-LS81H 5M	Photoelectric sensor
E3ZM-LS81X 2M	Photoelectric sensor
E3ZM-LS81X 5M	Photoelectric sensor
E3ZM-LS81X-S1J 0.3M	
E3ZM-LS82H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.15m, Pre-
E3ZM-LS82H 5M	Photoelectric sensor

E3ZM-LS82X 2M	Photoelectric sensor
E3ZM-LS82X 5M	Photoelectric sensor
E3ZM-LS82X-S1J 0.3M	
E3ZM-LS84H 10M	
E3ZM-LS84H 2M	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.2m, Pre-
E3ZM-LS84H 5M	Photoelectric sensor
E3ZM-LS84X 2M	Photoelectric sensor
E3ZM-LS84X 5M	Photoelectric sensor
E3ZM-LS84X-S1J 0.3M	
E3ZM-LS86H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.1m, M8
E3ZM-LS86X	Photoelectric sensor
E3ZM-LS87H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.15m, M8
E3ZM-LS87X	Photoelectric sensor
E3ZM-LS88X	Photoelectric sensor
E3ZM-LS89H	Photoelectric sensor, Fixed Background suppression, metal body, IP69K, 0.2m, M8
E3ZM-LS89X	Photoelectric sensor
E3ZM-R61 2M	Photoelectric sensor, Retro-reflective, metal body, IP69K, 4m, Pre-wired, NPN Output
E3ZM-R61 5M	Photoelectric sensor
E3ZM-R61H 2M	Photoelectric sensor
E3ZM-R61H 5M	Photoelectric sensor
E3ZM-R61Y 2M	Photoelectric sensor
E3ZM-R61Y 5M	Photoelectric sensor
E3ZM-R66	Photoelectric sensor, Retro-reflective, metal body, IP69K, 4m, M8 4pin, NPN Output
E3ZM-R66H	Photoelectric sensor
E3ZM-R81 2M	Photoelectric sensor, Retro-reflective, metal body, IP69K, 4m, Pre-wired, PNP Output
E3ZM-R81 5M	Photoelectric sensor, Retro-reflective, metal body, IP69K, 4m, Pre-wired, PNP Output
E3ZM-R81H 2M	Photoelectric sensor
E3ZM-R81H 5M	Photoelectric sensor
E3ZM-R81-S3J 0.3M	
E3ZM-R81Y 2M	Photoelectric sensor
E3ZM-R81Y 5M	Photoelectric sensor
E3ZM-R81Y-S1J 0.3M	
E3ZM-R86	Photoelectric sensor, Retro-reflective, metal body, IP69K, 4m, M8 4pin, PNP Output
E3ZM-R86H	Photoelectric sensor
E3ZM-T61 2M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, NPN Output
E3ZM-T61 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, NPN Output
E3ZM-T61-D 2M	
E3ZM-T61H 2M	Photoelectric sensor
E3ZM-T61H 5M	Photoelectric sensor
E3ZM-T61-L 2M	
E3ZM-T61Y 2M	Photoelectric sensor
E3ZM-T61Y 5M	Photoelectric sensor
E3ZM-T63 2M	Photoelectric sensor
E3ZM-T63 5M	Photoelectric sensor
E3ZM-T63H 2M	Photoelectric sensor
E3ZM-T63H 5M	Photoelectric sensor
E3ZM-T66	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, M8 4pin, NPN Output
E3ZM-T66-D	
E3ZM-T66H	Photoelectric sensor
E3ZM-T66-L	
E3ZM-T68	Photoelectric sensor with built in slit
E3ZM-T68H	Photoelectric sensor

E3ZM-T81 10M	
E3ZM-T81 2M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output
E3ZM-T81 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output
E3ZM-T81-D 2M	
E3ZM-T81-D 5M	
E3ZM-T81H 2M	Photoelectric sensor
E3ZM-T81H 5M	Photoelectric sensor
E3ZM-T81-L 2M	
E3ZM-T81-L 5M	
E3ZM-T81-S1J 0.3M	
E3ZM-T81Y 2M	Photoelectric sensor
E3ZM-T81Y 5M	Photoelectric sensor
E3ZM-T81Y-S1J 0.3M	
E3ZM-T83 2M	Photoelectric sensor
E3ZM-T83 5M	Photoelectric sensor
E3ZM-T83H 2M	Photoelectric sensor
E3ZM-T83H 5M	Photoelectric sensor
E3ZM-T86	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, M8 4pin, PNP Output
E3ZM-T86-D	
E3ZM-T86H	Photoelectric sensor
E3ZM-T86-L	
E3ZM-T88	Photoelectric sensor
E3ZM-T88H	Photoelectric sensor
E3ZM-V61 2M	Colour mark sensor, diffuse, 12 mm, 50µs response time, stainless steel body, IP
E3ZM-V61 5M	
E3ZM-V66	Colour mark sensor, diffuse, 12 mm, 50µs response time, stainless steel body, IP
E3ZM-V81 2M OMS	Colour mark sensor, diffuse, 12 mm, 50µs response time, stainless steel body, IP
E3ZM-V81 5M OMS	
E3ZM-V86	Colour mark sensor, diffuse, 12 mm, 50µs response time, stainless steel body, IP
E3Z-PACK-2	
E3Z-R61 0.5M	Photoelectric sensor
E3Z-R61 0.5M OMS	
E3Z-R61 2M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 2m cable (requires reflect
E3Z-R61 2M OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 2m cable (requires reflect
E3Z-R61 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable (requires reflect
E3Z-R61 5M OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable (requires reflect
E3Z-R61-3 2M	
E3Z-R61-4 2M	Photo-electric sensor
E3Z-R61-G2SRW-CN OMS	
E3Z-R61-G2SRW-P2 OMS	
E3Z-R61H 2M	
E3Z-R61-J0SRW-CN OMS	
E3Z-R61-J0SRW-P2 OMS	
E3Z-R61K 2M	
E3Z-R61K-M3J 0.3M	
E3Z-R61-M1J 0.3M	
E3Z-R61-M1J-1 0.3M	
E3Z-R61-M5J 0.3M	
E3Z-R66	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, M8 plug-in (requires reflect
E3Z-R66 OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, M8 plug-in (requires reflect
E3Z-R66H OMS	
E3Z-R81 0.5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 0.5m cable (requires reflect

E3Z-R81 0.5M OMS	
E3Z-R81 10M	
E3Z-R81 2M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 2m cable (requires reflect
E3Z-R81 2M OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 2m cable (requires reflect
E3Z-R81 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflect
E3Z-R81 5M OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflect
E3Z-R81-3 2M	
E3Z-R81-4 0.5M	
E3Z-R81-4 2M	
E3Z-R81-AS4 10M	Photoelectric sensor
E3Z-R81-G0SRW-P2 OMS	
E3Z-R81-G2SRW-CN OMS	
E3Z-R81-G2SRW-P2 OMS	
E3Z-R81H 2M	Photoelectric sensor
E3Z-R81H 5M	Photoelectric sensor
E3Z-R81H-M1J 0.3M	
E3Z-R81H-S0SRW-M3 OMS	
E3Z-R81-J0SRW-CN OMS	
E3Z-R81-J0SRW-P2 OMS	
E3Z-R81K 2M	
E3Z-R81K-M3J 0.3M	
E3Z-R81-M1J 0.3M	Photo-electric sensor
E3Z-R81-M1J 0.8M	
E3Z-R81-M1J-1 0.3M	Photoelectric sensor
E3Z-R81-M1TJ 0.3M	
E3Z-R81-M3J 0.3M	Photo-electric sensor
E3Z-R81-M3J-1 0.3M BY OMG	Photoelectric sensor
E3Z-R81-M5J 0.3M	Photoelectric sensor
E3Z-R81-S0SHW-P2 OMS	
E3Z-R81X-S0SRW-M5 OMS	Photoelectric sensor
E3Z-R86	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, M8 plug-in (requires reflex
E3Z-R86 OMS	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, M8 plug-in (requires reflex
E3Z-R86-2	
E3Z-R86-4	
E3Z-R86H	Photoelectric sensor
E3Z-T61 0.5M	Photoelectric sensor
E3Z-T61 0.5M OMS	
E3Z-T61 2M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, 2m cable (requires 2 bra
E3Z-T61 2M OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, 2m cable (requires 2 bra
E3Z-T61 5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, 5m cable (requires 2 bra
E3Z-T61 5M OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, 5m cable (requires 2 bra
E3Z-T61-4 10M	
E3Z-T61A 0.5M	Photoelectric sensor
E3Z-T61A 0.5M OMS	
E3Z-T61A 2M	Photo-electric sensor
E3Z-T61A 2M OMS	Photoelectric sensor, through-beam, 10m, DC, 3-wire, NPN, 2m cable (requires 2 bra
E3Z-T61A 5M	Photoelectric sensor
E3Z-T61A 5M OMS	
E3Z-T61A-D 2M	
E3Z-T61AH 2M	
E3Z-T61AK 2M	
E3Z-T61A-L 2M	

E3Z-T61A-M5J 0.3M	
E3Z-T61-G0SHD-P2 OMS	
E3Z-T61-G0SHL-P2 OMS	
E3Z-T61-G0SHW-P2 OMS	
E3Z-T61-G2SHW-CN OMS	
E3Z-T61-G2SHW-P2 OMS	
E3Z-T61-G2SRW-CN OMS	
E3Z-T61-G2SRW-P2 OMS	
E3Z-T61-G2THW-CN OMS	
E3Z-T61-G2THW-P2 OMS	
E3Z-T61-G2TRW-CN OMS	
E3Z-T61-G2TRW-P2 OMS	
E3Z-T61H 2M	
E3Z-T61-J0SHW-CN OMS	
E3Z-T61-J0SHW-P2 OMS	
E3Z-T61-J0SRW-CN OMS	
E3Z-T61-J0SRW-P2 OMS	
E3Z-T61K 2M	
E3Z-T61K-M3J 0.3M	
E3Z-T61-M1J 0.3M	Photo-electric sensor
E3Z-T61-M1J-1 0.3M	
E3Z-T61-M5J 0.3M	
E3Z-T61-S0SHD-L1 OMS	
E3Z-T61-S0SHL-L1 OMS	
E3Z-T61-S0SRW-M501-T OMS	
E3Z-T62 0.5M OMS	
E3Z-T62 2M	Photoelectric sensor
E3Z-T62-G0 0.5M OMS	
E3Z-T62-G0 2M	
E3Z-T66	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, M8 plug-in (requires 2 br
E3Z-T66 OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, NPN, M8 plug-in (requires 2 br
E3Z-T66A	Photo-electric sensor
E3Z-T66A OMS	Photo-electric sensor
E3Z-T66H OMS	
E3Z-T67 OMS	
E3Z-T67-G0 OMS	
E3Z-T81 0.5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 0.5m cable (requires 2 br
E3Z-T81 0.5M OMS	
E3Z-T81 2M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 2m cable (requires 2 bra
E3Z-T81 2M OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 2m cable (requires 2 bra
E3Z-T81 5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 bra
E3Z-T81 5M OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 bra
E3Z-T81A 0.5M OMS	
E3Z-T81A 2M	Photo-electric sensor
E3Z-T81A 2M OMS	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, 2m cable (requires 2 bra
E3Z-T81A 5M OMS	
E3Z-T81A 6M	
E3Z-T81A-D 2M	
E3Z-T81AH 2M	
E3Z-T81A-L 2M	
E3Z-T81A-M1J 0.3M	
E3Z-T81A-M5J 0.3M	

E3Z-T81C-G0SRD-CN OMS	
E3Z-T81C-G0SRL-CN OMS	
E3Z-T81C-G0SRW-CN OMS	
E3Z-T81-D 2M	
E3Z-T81-D-M1J-1 0.3M	
E3Z-T81-G0SHD-P2 OMS	
E3Z-T81-G0SHL-P2 OMS	
E3Z-T81-G0SHW-P2 OMS	
E3Z-T81-G0SRW-P2 OMS	
E3Z-T81-G2SHW-CN OMS	
E3Z-T81-G2SHW-P2 OMS	
E3Z-T81-G2SRW-CN OMS	
E3Z-T81-G2SRW-P2 OMS	
E3Z-T81-G2THW-CN OMS	
E3Z-T81-G2THW-P2 OMS	
E3Z-T81-G2TRW-CN OMS	
E3Z-T81-G2TRW-P2 OMS	
E3Z-T81H 2M	
E3Z-T81H 5M	
E3Z-T81-J0SHW-CN OMS	
E3Z-T81-J0SHW-P2 OMS	
E3Z-T81-J0SRW-CN OMS	
E3Z-T81-J0SRW-P2 OMS	
E3Z-T81K 2M	Photoelectric sensor
E3Z-T81K-M1J 0.3M	Photoelectric sensor
E3Z-T81K-M3J 0.3M	Photoelectric sensor
E3Z-T81-L 2M	
E3Z-T81-L-M1J-1 0.3M	
E3Z-T81-M1J 0.3M	Photo-electric sensor
E3Z-T81-M1J-1 0.3M	Photoelectric sensor
E3Z-T81-M3J 0.3M	Photo-electric sensor
E3Z-T81-M5J 0.3M	
E3Z-T81-S0SHW-A1-1	Photoelectric sensor
E3Z-T81-S0SHW-A1-1 OMS	Photoelectric sensor
E3Z-T81-S0SHW-M3-K1	
E3Z-T82 0.5M OMS	
E3Z-T82 2M	Photoelectric sensor
E3Z-T82-G0 0.5M OMS	
E3Z-T82-G0 2M	
E3Z-T86	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, M8 plug-in (requires 2 br
E3Z-T86 OMS	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, M8 plug-in (requires 2 br
E3Z-T86A	Photo-electric sensor
E3Z-T86A OMS	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, M8 plug-in (requires 2 br
E3Z-T86A-D	
E3Z-T86A-L	
E3Z-T86-D	Photoelectric sensor
E3Z-T86-D OMS	
E3Z-T86H OMS	
E3Z-T86-L	Photoelectric sensor
E3Z-T86-L OMS	
E3Z-T87	Photoelectric sensor
E3Z-T87-G0	

E3ZS-T81A	Photoelectric sensor
E49-DD5	
E4A-3K	
E4A-3K 12/24DC	Ultrasonic sensor
E4A-3K 120/240V	
E4B-LS20E4	
E4B-LS20E4 5M	
E4B-LS70E4	Ultrasonic sensor
E4B-LS70E4 5M	
E4B-RS70E4	
E4B-RS70E4 5M	
E4B-T1E4	
E4B-T1F4 2M	
E4B-T1F4 5M	
E4B-T1RE4	
E4B-T1RF4 2M	
E4B-T1SF4 2M	
E4B-TS50E4	Ultrasonic sensor
E4B-TS50F4 2M	
E4B-TS50F4 5M	
E4B-TS50RE4 2M	
E4B-TS50RF4 2M	
E4B-TS50RF4 5M	
E4B-TS50SE4 2M	
E4B-TS50SF4 2M	
E4B-TS50SF4 5M	
E4C-DS100	
E4C-DS30	
E4C-DS30L	Ultrasonic sensor, diffuse
E4C-DS80	
E4C-DS80L	
E4C-LS35	
E4C-LS35 5M	
E4C-TS50	
E4C-UDA11	Amplifier for Ultrasonic E4C head, twin output, NPN, 2m cable
E4C-UDA11AN	Amplifier for Ultrasonic E4C head, analog 1-5VDC & transistor output, NPN, 2m cable
E4C-UDA41	
E4C-UDA41AN	
E4C-WH4L	
E4C-WH4T	
E4DA-LS7	Ultrasonic displacement sensor head, 30-70mm, 2m cable (requires E4DA amplifier)
E4DA-WL1C	Ultrasonic displacement sensor amplifier, DC, 4-20mA & NPN outputs
E4E2-TS50C1 2M	
E4E2-TS50C2 2M	
E4PA-LS200-M1-N	Ultrasonic sensor, 120-2000mm measuring range, analog output (voltage and current)
E4PA-LS400-M1-N	Ultrasonic sensor, 24-4000mm measuring range, analog output (voltage and current)
E4PA-LS50-M1-N	Ultrasonic sensor, 50-500mm measuring range, analog output (voltage and current)
E4PA-LS600-M1-N	Ultrasonic sensor, 400-6000mm measuring range, analog output (voltage and current)
E4PA-P1	Replacement setting plug
E5_N Lloyds ferrite core	
E52-CA10AE 1M	
E52-CA10AE 2M	

E52-CA10AE 4M
E52-CA10AS 4000MM
E52-CA15A D=1
E52-CA15A D=1 2M
E52-CA15A D=1.6 1M
E52-CA15A D=1.6 2M
E52-CA15A D=1.6 4M
E52-CA15A D=3,2 2M
E52-CA15D-2 4M
E52-CA1D M6 2M
E52-CA1D M8 2M
E52-CA1D-M6 1M
E52-CA1D-M6 4M
E52-CA1GT 1M
E52-CA1GT 2M
E52-CA20A D=1.6
E52-CA20A D=1.6 4M
E52-CA20A D=1.6 NETU 1M
E52-CA20A D=3.2
E52-CA20A D=3.2 1M
E52-CA20A D=4.8
E52-CA20A D=4.8 1M
E52-CA20A D=4.8 4M
E52-CA20A D=8 1M
E52-CA20A D=8 2M
E52-CA20C D=3.2
E52-CA20C D=4.8
E52-CA20C D=8MM
E52-CA35A D=1,6
E52-CA35A D=4.8 NETU 2M
E52-CA35C D=15
E52-CA35C D=3.2
E52-CA35C D=4.8
E52-CA35C D=8
E52-CA50C D=3.2
E52-CA6AS
E52-CA6D
E52-CA6D 2M
E52-CA6D 4M
E52-CA6F
E52-CA75C D=3.2 710MM
E52-IC15A D=1.6 4M
E52-IC15A D=3.2
E52-IC15A D=3.2 1M
E52-IC15A D=3.2 4M
E52-IC1D-M6
E52-IC1D-M8
E52-IC20A D=3,2 0-400
E52-IC20C D=6.4
E52-IC35A D=1.0 8M
E52-IC50C D=3,2
E52-IC6AS 1M

E52-IC75C D=15	
E52-P10A D=3.2 NETU 2M	
E52-P10AE 2M	
E52-P15A D=3.2 2M	
E52-P20A D=3.2 2M	
E52-P20C D=8	
E52-P2GS 2M	
E52-P35A D=4.8 NETU 4M	
E52-P35B D=8	
E52-P35C D=10	
E52-P50C D=6.4	
E52-P6D 2M	
E52-P6F 1M	
E52-P75C D=10	
E52-P75C D=4.8	
E52-PR50C D=17 PT0	
E52-PR50C D=17 PT1	
E52-PR75C D=17	
E52-THE5A 0-100 1M	
E52-THE5A 100-200	
E52-THE5A 50-150 1M	
E52-THE6D 0-100	
E52-THE6D 50-150 1M	
E52-THE-E5L 100-200	
E53-AKB	Option unit for E5AK/E5EK/E5EN/E5EN-H/E5AN-H, event input, 2 points
E53-AKF	Option unit for E5AK/E5EK, 4-20 mA transmission
E53-AKF-K	
E53-ARB4	
E53-ARCC3	
E53-ARQC3	
E53-ARR4	
E53-C	Output unit for E5AX/E5EX, linear 4-20 mA, 600 Ohm, 8-bit
E53-C3	Output unit for E5AK/E5EK, linear 4-20 mA, 600 Ohm, 12-bit
E53-C3D	Output unit for E5AK/E5EK, linear 0-20 mA, 600 Ohm, 12-bit
E53-C3DN	Output unit for E5EN-H/E5AN-H, linear 0-20 mA output
E53-C3N	Output unit for E5EN-H/E5AN-H, linear 4-20 mA output
E53-C4DR4	Output unit for E5CK, 1 x linear 0-20 mA, 1 x SPST relay
E53-C4R4	Output unit for E5CK, 1 x linear 4-20 mA, 1 x SPST relay
E53-CK01	Communication unit for E5CK, RS-232C
E53-CK03	Communication unit for E5CK, RS-485
E53-CKB	Option unit for E5CK, event input, 1 point
E53-CKF	Option unit for E5CK, 4-20 mA transmission
E53-CKF-K	
E53-CN01N2	E5CN-H plug-in option card, RS232C
E53-CN03N2	E5CN/E5CN-H option board, RS485 communications
E53-CNBFN2	E5CN-H plug-in option card, event input & transfer output
E53-CNBN2	E5CN/E5CN-H option board, event inputs
E53-CNH01N2	E5CN-H plug-in option card, RS232C & heater alarm/ SSR failure detection
E53-CNH03N2	E5CN/E5CN-H option board, RS485 communications and heaterburnout/ SSR failure
E53-CNHBN2	E5CN/E5CN-H option board, heaterburnout/ SSR failure detection and event inputs
E53-CNHH03N2	E5CN/E5CN-H option board, RS485 communications and 3-phase heaterburnout/ SS
E53-CNP03N2	

E53-CNPBN2	E5CN-M option board, event input & auxillary power supply 12 VDC/ 20 mA, for linea
E53-CNPHN2	E5CN-M option board, heater alarm & auxillary power supply 12 VDC/ 20 mA, for line
E53-CNQ01N2	E5CN-H plug-in option card, RS232C & SSR drive (12 VDC) output
E53-CNQ03N2	E5CN/E5CN-H option board, RS485 communications & SSR drive (12 VDC) output
E53-CNQBN2	E5CN-H plug-in option card, event input & SSR drive (12 VDC) output
E53-CNQFN2	E5CN-H plug-in option card, SSR driver (12 VDC) output & transfer output
E53-CNQHNN2	E5CN-H plug-in option card, SSR driver (12 VDC) output & 3 phase heaterburnout/ S
E53-CNQHN2	E5CN/E5CN-H option board, heaterburnout/ SSR failure detection & SSR drive (12 V)
E53-COV01	
E53-COV07	
E53-COV08	
E53-COV0809	
E53-COV10	
E53-COV11	
E53-COV12	
E53-COV13	
E53-COV14	
E53-COV15	
E53-COV16	
E53-COV17	
E53-COV18	
E53-E01	
E53-E04	
E53-E8C	
E53-E8Q	
E53-EN01	Communication unit for E5AK/E5EK/E5AN/E5EN/E5AN-H/E5EN-H, RS-232C
E53-EN02	Communication unit for E5AK/E5EK/E5AN-H/E5EN-H, RS-22
E53-EN03	Communication unit for E5AK/E5EK/E5AN/E5EN/E5AN-H/E5EN-H, RS-485
E53-Q	Output unit for E5AK/E5EK, SSR drive (12 VDC) output, NPN
E53-Q3	Output unit for E5AK/E5EK/E5AN-H/E5EN-H, SSR drive (12 VDC, 20 mA) output, NPN
E53-Q4	Output unit for E5AK/E5EK/E5AN-H/E5EN-H, SSR drive (24 VDC, 20 mA) output, PNP
E53-Q4HQ4H	Output unit for E5CK, 2 x SSR drive (12 VDC) PNP output
E53-Q4HR4	Output unit for E5CK, 1 x SSR drive (12 VDC) PNP output, 1 x SPST relay
E53-Q4Q4	Output unit for E5CK, 2 x SSR drive (12 VDC) NPN output
E53-Q4R4	Output unit for E5CK, 1 x SSR drive (12 VDC) NPN output, 1 x SPST relay
E53-QN	Output unit for E5AN-H/E5EN-H, SSR driver (12 VDC) NPN output
E53-R	Output unit for E5AK/E5EK, SPST-NO, 5A relay
E53-R4R4	Output unit for E5CK, 2 x SPST, 3A relay
E53-RN	Output unit for E5AN-H/E5EN-H, SPST-NO relay
E53-S	Output unit for E5AK/E5EK, SPST-NO, 1 A SSR
E53-V34	Output unit for E5AK/E5EK, linear 0-10 VDC, 12-bit
E53-V34N	Output unit for E5AK/E5EK/E5AN-H/E5EN-H, linear 0-10V
E53-V35	Output unit for E5AK/E5EK, 0-5 VDC, 12-bit
E53-V35N	Output unit for E5AK/E5EK/E5AN-H/E5EN-H, 0-5 VDC, 12-bit
E53-V44R4	Output unit for E5CK, 1 x linear 0-10 VDC, 1 x SPST relay
E54-CT1	Current transformer for heater burnout detection (5.8mm dia)
E54-CT2	
E54-CT3	Current transformer for heater burnout detection (12mm dia)
E54-E8CT	
E58-CIFIR	
E58-CIFQ1	
E5AK-AA2	E5_N(H) accessory, quick link programming cable for the E5_N(H) and CelciuX (EJ1)

E5AK-AA2-30 AC100-240	
E5AK-AA2-500	Temperature/process controller, 1/4DIN (96 x 96mm), 100-240 VAC
E5AK-AA2-500-K	
E5AK-AA2-K	
E5AK-PRR2	
E5AK-PRR2-500	Temperature/process position controller, 1/4DIN (96 x 96mm), 100-240 VAC
E5AK-PRR2-500-K	
E5AK-PRR2-K	
E5AK-TAA2 AC100-240	
E5AK-TAA2-500 100-240AC	Temperature/process controller, 1/4DIN (96 x 96mm), ramp/soak control
E5AK-TAA2-K AC100-240	
E5AK-TAA2-K-500 AC100-240	
E5AK-TPRR2 AC100-240	
E5AK-TPRR2-500 100-240AC	
E5AK-TPRR2-K AC100-240	
E5AK-TPRR2-K-500 AC100-240	
E5AN-C3ML-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), 4-20 mA linear output, linear current/ vo
E5AN-C3MT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), 4-20 mA linear output, 100-240 VAC
E5AN-C3MTD-500-N AC/DC24	
E5AN-C3QMT-500-N AC100-240	
E5AN-C3YMT-500-N AC100-240	
E5AN-HAA2HBM-500 AC100-240	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HAA2HBMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HAA2HBMD-W-500 AC/DC24	
E5AN-HAA2HBM-W-500 AC100-240	
E5AN-HAA2HHBFM-500 AC100-240	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HAA2HHBFMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HAA2HHBFM-W-500 AC100-240	
E5AN-HAA3BFM-500 AC100-240	
E5AN-HAA3BFMD-500 AC/DC24	
E5AN-HPRR2BFM-500 AC100-240	
E5AN-HPRR2BFMD-500 AC/DC24	
E5AN-HPRR2BM-500 AC100-240	E5_N-H series advanced temperature controller, position proportional controller, 1/4
E5AN-HPRR2BMD-500 AC/DC24	E5_N-H series advanced temperature controller, position proportional controller, 1/4
E5AN-HSS2HBM-500 AC100-240	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HSS2HBMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HSS2HHBFM-500 AC100-240	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HSS2HHBFMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/4DIN (96 x 96mm), universal input
E5AN-HSS3BFM-500 AC100-240	
E5AN-HSS3BFMD-500 AC/DC24	
E5AN-Q3HHMT-500-N AC100-240	
E5AN-Q3HHMTD-500-N AC/DC24	
E5AN-Q3HML-500-N AC100-240	
E5AN-Q3HMT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), 12 VDC output, thermocouple/ES1A/ana
E5AN-Q3HMTD-500-N AC/DC24	Temperature controller, 1/4DIN (96 x 96mm), 12 VDC output, thermocouple/PT100/ES
E5AN-Q3ML-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), 12 VDC output, linear current/ voltage ir
E5AN-Q3MT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), 12 VDC output, thermocouple/PT100/ES
E5AN-Q3MTD-500-N AC/DC24	Temperature controller, 1/4DIN (96 x 96mm), 12 VDC output, thermocouple/PT100/ES
E5AN-Q3PMT-500-N AC100-240	
E5AN-Q3QMT-500-N AC100-240	
E5AN-Q3YML-500-N AC100-240	
E5AN-Q3YMT-500-N AC100-240	

E5AN-R3HHMT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), relay output, thermocouple/PT100/ES1A
E5AN-R3HHMTD-500-N AC/DC24	
E5AN-R3HML-500-N AC100-240	
E5AN-R3HMT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), relay output, thermocouple/PT100/ES1A
E5AN-R3HMTD-500-N AC/DC24	
E5AN-R3ML-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), relay output, linear input
E5AN-R3MT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), relay output, thermocouple/PT100/ES1A
E5AN-R3MTD-500-N AC/DC24	Temperature controller, 1/4DIN (96 x 96mm), relay output, thermocouple/PT100/ES1A
E5AN-R3PMT-500-N AC100-240	
E5AN-R3QMT-500-N AC100-240	
E5AN-R3YMT-500-N AC100-240	Temperature controller, 1/4DIN (96 x 96mm), relay output and hybrid relay output, th
E5AR-A4W-500 AC100-240	
E5AR-A4WW-500 AC100-240	
E5AR-C43B-FLK AC100-240V	
E5AR-C43DB-FLK AC100-240V	
E5AR-C43DW-FLK AC100-240V	
E5AR-C4B AC/DC24	
E5AR-C4B AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-C4B-DRT AC100-240V	
E5AR-C4B-DRT AC24V	
E5AR-CC43DWW-FLK AC/DC24	
E5AR-CC43DWW-FLK AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-CC4W-DRT AC24V	
E5AR-CC4WW-DRT AC100-240V	
E5AR-K	
E5AR-PR4DF AC/DC24	
E5AR-PR4DF AC100-240	
E5AR-PR4F-DRT AC100-240V	
E5AR-PR4F-DRT AC24V	
E5AR-PRQ43DF-FLK AC/DC24	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-PRQ43DF-FLK AC100-240	
E5AR-PRQ4F-DRT AC100-240V	
E5AR-PRQ4F-DRT AC24V	
E5AR-Q43B-FLK AC100-240V	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-Q43DB-FLK AC100-240V	
E5AR-Q43DW-FLK AC100-240V	
E5AR-Q4B AC/DC24	
E5AR-Q4B AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-Q4B-DRT AC100-240V	
E5AR-Q4B-DRT AC24V	
E5AR-QC43DB-FLK AC/DC24	
E5AR-QC43DB-FLK AC100-240	
E5AR-QC4B-DRT AC100-240V	
E5AR-QC4B-DRT AC24V	
E5AR-QQ43DW-FLK AC/24	
E5AR-QQ43DW-FLK AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-QQ43DWW-FLK AC100-240V	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-QQ4W-DRT AC100-240V	
E5AR-QQ4W-DRT AC24V	
E5AR-TC43B-FLK AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-TC43DW-FLK AC100-240	
E5AR-TC4B AC/DC24	

E5AR-TC4B AC100-240	
E5AR-TCCE3MWW-FLK AC/DC24	
E5AR-TCCE3MWW-FLK AC100-240	
E5AR-TCE3MB-FLK AC100-240	
E5AR-TPR4DF AC/DC24	
E5AR-TPR4DF AC100-240	
E5AR-TPRQE3MF-FLK AC/DC24	
E5AR-TPRQE3MF-FLK AC100-240	
E5AR-TQ43B-FLK AC100-240	
E5AR-TQ43DW-FLK AC100-240	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-TQ4B AC/DC24	
E5AR-TQ4B AC100-240	
E5AR-TQCE3MB-FLK AC/DC24	
E5AR-TQCE3MB-FLK AC100-240V	E5AR high speed, high accuracy, digital controller, contact Omron to discuss applic
E5AR-TQE3MB-FLK AC100-240	
E5AR-TQQE3MW-FLK AC/DC24	
E5AR-TQQE3MW-FLK AC100-240	
E5AR-TQQE3MWW-FLK AC100-240	
E5C2-Q40J-32 220/240AC 100-250	
E5C2-Q40L-D 220/240AC 0-300	
E5C2-R20G 100/110AC 0-100	
E5C2-R20G 200/220AC 50-150	
E5C2-R20G 200-240AC 100-200	
E5C2-R20G AC100-120 100-200	
E5C2-R20G AC100-120 150-300	
E5C2-R20G AC100-120 -50-50	
E5C2-R20G AC200/220 0-100	
E5C2-R20G AC200-240 150-300	
E5C2-R20J 100-120AC 32-572FW	
E5C2-R20J 110/120AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20J 110/120AC 32-752F	
E5C2-R20J 220/240AC 0-300	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20J 220/240AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20J 24AC 0-400	
E5C2-R20J-JIS 100/120AC 0-200	
E5C2-R20J-JIS 110/120AC 0-300	
E5C2-R20J-JIS 200/240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20J-JIS 200/240AC 50-450	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20J-JIS-10110/120AC0-100	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, J type the
E5C2-R20K 100-120AC 0-1200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 100-120AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 100-120AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 100-120AC 0-600	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 100-120AC 0-800	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 200/240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 200/240AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 200/240AC 0-600	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 200-240AC 0-1000	
E5C2-R20K 200-240AC 0-1200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 200-240AC 0-800	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K 24AC 0-600	
E5C2-R20K AC100-120 0-1000	

E5C2-R20K AC110/120 0-200	
E5C2-R20K AC200/220 0-300	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, K type the
E5C2-R20K AC220/240 0-1200+	
E5C2-R20K AC220/240 0-300	
E5C2-R20K AC220/240 32-752F	
E5C2-R20K-106 24DC 0-1200	
E5C2-R20K-D 200/240AC 0-300	
E5C2-R20L 24AC 32-572FW	
E5C2-R20L-D 110/120AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, L type the
E5C2-R20L-D 110/120AC 0-300	
E5C2-R20L-D 110/120AC 0-400	
E5C2-R20L-D 110/120AC 50-450	
E5C2-R20L-D 200/240AC 0-300	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, L type the
E5C2-R20L-D 220/240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, L type the
E5C2-R20L-D 220/240AC 0-400	
E5C2-R20L-D 220/240AC 0-600	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, L type the
E5C2-R20L-D 220/240AC 50-450	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, L type the
E5C2-R20L-D 24AC 0-200	
E5C2-R20L-D 24AC 0-300	
E5C2-R20L-D 24AC 50-450	
E5C2-R20L-D-10 220/240AC 0-100	
E5C2-R20L-D-106 24DC 0-200	
E5C2-R20P-D 100/120AC 0-200C	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 100/120AC -50-50C	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 100-120AC 0-100	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 110-120AC 0-300	
E5C2-R20P-D 200/240AC 0-300C	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 200/240AC 0-400C	
E5C2-R20P-D 200/240AC 0-50C	
E5C2-R20P-D 200/240AC -50-50C	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 200-240AC 0-100	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 200-240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 24AC 0-100	
E5C2-R20P-D 24AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, on/ off control, Pt100 RTI
E5C2-R20P-D 24AC 0-300	
E5C2-R20P-D AC110/120 0-400	
E5C2-R20P-D AC110/120 0-50	
E5C2-R20P-D AC110/120 -20-80	
E5C2-R20P-D AC220/240 0-100	
E5C2-R20S-26 220/240AC 0-1200	
E5C2-R20S-35 220/240AC 0-1400	
E5C2-R40J 110/120AC 0-300	
E5C2-R40J 110/120AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, J type thermoc
E5C2-R40J 220/240AC 0-200	
E5C2-R40J 220/240AC 0-300	
E5C2-R40J 220/240AC 0-400	
E5C2-R40J-107 220/240AC 0-200	
E5C2-R40J-109 220/240AC 0-300	
E5C2-R40J-JIS 200/240AC 50-450	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, J type thermoc
E5C2-R40K 100-120AC 0-1200	
E5C2-R40K 100-120AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type thermoc
E5C2-R40K 100-120AC 0-300	

E5C2-R40K 100-120AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type therm
E5C2-R40K 100-120AC 0-600	
E5C2-R40K 200/240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type therm
E5C2-R40K 200-240AC 0-1200	
E5C2-R40K 200-240AC 0-300	
E5C2-R40K 200-240AC 0-400	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type therm
E5C2-R40K 200-240AC 0-600	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type therm
E5C2-R40K AC100-120 0-1000	
E5C2-R40K AC200-240 0-1000	
E5C2-R40K AC200-240 0-800	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, K type therm
E5C2-R40K-DIN 220/240AC 0-600	
E5C2-R40L-D 110/120AC 0-300	
E5C2-R40L-D 220/240AC 0-200	
E5C2-R40L-D 220/240AC 0-300	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, L type therm
E5C2-R40L-D 220/240AC 0-400	
E5C2-R40L-D 220/240AC 50-450	
E5C2-R40L-D-34 24AC 0-100	
E5C2-R40P-D 200/240AC 0-100C	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, Pt100 RTD in
E5C2-R40P-D 200/240AC 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, Pt100 RTD in
E5C2-R40P-D 220/240AC 0-300	
E5C2-R40P-D 220/240AC 0-50	
E5C2-R40P-D AC100-120 0-200	Temperature controller, 1/16DIN (48 x 48mm), relay output, PD control, Pt100 RTD in
E5C2-R40P-D AC220/240 0-400	
E5C2-R40P-D AC220/240 -20-80	
E5CK-AA1	
E5CK-AA1-500 100-240AC	Temperature/process controller, 1/16DIN (48 x 48mm), 100-240 VAC
E5CK-AA1-K	
E5CK-AA1-K-500	
E5CK-PS1-31	
E5CK-RR1-303	
E5CK-TAA1 AC100-240	
E5CK-TAA1-500 100-240AC	Temperature/process controller, 1/16DIN (48 x 48mm), ramp/soak control
E5CK-TAA1-K AC100-240	
E5CK-TAA1-K-500 AC100-240	
E5CN-C2LU AC100-240	
E5CN-C2ML-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 4-20 mA linear output, linear analogue
E5CN-C2MLD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 4-20 mA linear output, linear analogue
E5CN-C2MT-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 4-20 mA linear output, universal therm
E5CN-C2MTD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 4-20 mA linear output, universal therm
E5CN-C2TDU AC/DC24	
E5CN-C2TU AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 11pin plug-in, 4-20 mA output, univers
E5CN-HC2M-500 AC100-240	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HC2MD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HC2MD-W-500 AC/DC24	
E5CN-HC2M-W-500 AC100-240	
E5CN-HQ2M-500 AC100-240	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HQ2MD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HQ2MD-W-500 AC/DC24	
E5CN-HQ2M-W-500 AC100-240	
E5CN-HR2M-500 AC100-240	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HR2MD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HR2MD-W-500 AC/DC24	

E5CN-HR2M-W-500 AC100-240	
E5CN-HV2M-500 AC100-240	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-HV2MD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/16DIN (48x48mm), universal input
E5CN-KIT-ADV	
E5CN-KIT-CONT	
E5CN-KIT-SSR	
E5CN-Q2H03T-FLK AC100-240	
E5CN-Q2HBT AC100-240	
E5CN-Q2HBT-500 AC100-240	
E5CN-Q2HBTD AC/DC24	
E5CN-Q2LU AC100-240	
E5CN-Q2ML-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC output, linear analogue (0-20 n
E5CN-Q2MLD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC output, linear analogue (0-20 n
E5CN-Q2MT-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, universal thermc
E5CN-Q2MTD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, universal thermc
E5CN-Q2MT-W-500 AC100-240	
E5CN-Q2TDU AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 11pin plug-in, 12 VDC pulse output, ur
E5CN-Q2TU AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 11pin plug-in, 12 VDC pulse output, ur
E5CN-R2LU AC100-240	
E5CN-R2ML-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), standard relay output, linear analogue
E5CN-R2MLD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), standard relay output, linear analogue
E5CN-R2MT-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), standard relay output, universal therm
E5CN-R2MTD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), standard relay output, universal therm
E5CN-R2MT-W-500 AC100-240	
E5CN-R2TDU AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 11pin plug-in, standard relay output, u
E5CN-R2TU AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 11pin plug-in, standard relay output, u
E5CN-Y2ML-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), long life relay output, linear analogue
E5CN-Y2MT-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), long life relay output, universal thermc
E5CSV-Q1T-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, thermocouple ar
E5CSV-Q1TD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, thermocouple ar
E5CSV-R1P-W AC100-240	
E5CSV-R1T-500 AC100-240	Temperature controller, 1/16DIN (48 x 48mm), SPST relay output, thermocouple and
E5CSV-R1TD-500 AC/DC24	Temperature controller, 1/16DIN (48 x 48mm), SPST relay output, thermocouple and
E5EK-AA2	
E5EK-AA2-500	Temperature/process controller, 1/8DIN (48 x 96mm), 100-240 VAC
E5EK-AA2-500-K	
E5EK-AA2-DRT AC100-240	
E5EK-AA2-DRT-500 100-240AC	Temperature/process controller, 1/8DIN (48 x 96mm), 100-240 VAC with DeviceNet cc
E5EK-AA2-DRT-K AC100-240	
E5EK-AA2-K	
E5EK-PRR2	
E5EK-PRR2-500	Temperature/process position controller, 1/8DIN (48 x 96mm), 100-240 VAC
E5EK-PRR2-500-K	
E5EK-PRR2-K	
E5EK-TAA2 AC100-240	
E5EK-TAA2-500 100-240AC	Temperature/process controller, 1/8DIN (48 x 96mm), ramp/soak control
E5EK-TAA2-K AC100-240	
E5EK-TAA2-K-500 AC100-240	
E5EK-TPRR2-500 100-240AC	
E5EK-TPRR2-K-500 AC100-240	
E5EN-C3ML-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), 4-20 mA output, linear input
E5EN-C3MT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), 4-20 mA output, thermocouple/PT100 in

E5EN-C3MTD-500-N AC/DC24	Temperature controller, 1/8DIN (48 x 96mm), 4-20 mA output, thermocouple/PT100 in
E5EN-C3QMT-500-N AC100-240	
E5EN-C3YMT-500-N AC100-240	
E5EN-HAA2HBM-500 AC100-240	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HAA2HBMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HAA2HBMD-W-500 AC/DC24	
E5EN-HAA2HBM-W-500 AC100-240	
E5EN-HAA2HHBFM-500 AC100-240	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HAA2HHBFMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HAA2HHBFM-W-500 AC100-240	
E5EN-HAA3BFM-500 AC100-240	
E5EN-HAA3BFMD-500 AC/DC24	
E5EN-HPRR2BFM-500 AC100-240	
E5EN-HPRR2BFMD-500 AC/DC24	
E5EN-HPRR2BM-500 AC100-240	E5_N-H series advanced temperature controller, position proportional controller, 1/8
E5EN-HPRR2BMD-500 AC/DC24	E5_N-H series advanced temperature controller, position proportional controller, 1/8
E5EN-HSS2HBM-500 AC100-240	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HSS2HBMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HSS2HHBFM-500 AC100-240	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HSS2HHBFMD-500 AC/DC24	E5_N-H series advanced temperature controller, 1/8DIN (48x96mm), universal input (
E5EN-HSS3BFM-500 AC100-240	
E5EN-HSS3BFMD-500 AC/DC24	
E5EN-Q3HHMT-500-N AC100-240	
E5EN-Q3HHMTD-500-N AC/DC24	
E5EN-Q3HML-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC output, linear input, heater burr
E5EN-Q3HMT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC output, thermocouple/PT100 in
E5EN-Q3HMTD-500-N AC/DC24	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC output, thermocouple/PT100 in
E5EN-Q3ML-500-N AC100-240	
E5EN-Q3MT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC output, thermocouple and RTD
E5EN-Q3MTD-500-N AC/DC24	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC output, thermocouple and RTD
E5EN-Q3PMT-500-N AC100-240	
E5EN-Q3QMT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), voltage output and voltage(SSR driver)
E5EN-Q3YML-500-N AC100-240	
E5EN-Q3YMT-500-N AC100-240	
E5EN-R3HHMT-500-N AC100-240	
E5EN-R3HHMTD-500-N AC/DC24	
E5EN-R3HML-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), relay output, linear input, heater burnou
E5EN-R3HMT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), relay output, thermocouple/PT100 input
E5EN-R3HMTD-500-N AC/DC24	
E5EN-R3ML-500-N AC100-240	
E5EN-R3MT-500-N AC100-240	Temperature controller, 1/8DIN (48 x 96mm), relay output, thermocouple and RTD (P
E5EN-R3MTD-500-N AC/DC24	Temperature controller, 1/8DIN (48 x 96mm), relay output, thermocouple/PT100 input
E5EN-R3PMT-500-N AC100-240	
E5EN-R3QMT-500-N AC100-240	
E5EN-R3YMT-500-N AC100-240	
E5ER-C43B-FLK AC100-240V	E5ER high speed, high accuracy, digital controller, contact Omron to discuss applic
E5ER-C4B AC/DC24	
E5ER-C4B AC100-240	
E5ER-CT3DB-FLK AC100-240V	
E5ER-CT3DW-FLK AC/DC24	
E5ER-CT3DW-FLK AC100-240	
E5ER-CTB-DRT AC100-240V	

E5ER-CTB-DRT AC24V	
E5ER-CTW-DRT AC100-240V	
E5ER-CTW-DRT AC24V	
E5ER-K	
E5ER-PRQ43F-FLK AC/DC24	
E5ER-PRTDF AC/DC24	
E5ER-PRTDF AC100-240	
E5ER-PRTF-DRT AC100-240V	
E5ER-PRTF-DRT AC24V	
E5ER-Q43B-FLK AC100-240V	E5ER high speed, high accuracy, digital controller, contact Omron to discuss applic
E5ER-Q4B AC/DC24	
E5ER-Q4B AC100-240	
E5ER-QC43B-FLK AC/DC24	
E5ER-QC43B-FLK AC100-240	
E5ER-QT3DB-FLK AC100-240V	
E5ER-QT3DW-FLK AC/DC24	
E5ER-QT3DW-FLK AC100-240	E5ER high speed, high accuracy, digital controller, contact Omron to discuss applic
E5ER-QTB-DRT AC100-240V	
E5ER-QTB-DRT AC24V	
E5ER-QTW-DRT AC100-240V	
E5ER-QTW-DRT AC24V	
E5ER-TC4B AC/DC24	
E5ER-TC4B AC100-240	
E5ER-TCT3DW-FLK AC/DC24	
E5ER-TCT3DW-FLK AC100-240	
E5ER-TPRQ43F-FLK AC/DC24	
E5ER-TPRQ43F-FLK AC100-240	
E5ER-TPRTDF AC/DC24	
E5ER-TPRTDF AC100-240	
E5ER-TQ4B AC/DC24	
E5ER-TQ4B AC100-240	
E5ER-TQC43B-FLK AC/DC24	
E5ER-TQC43B-FLK AC100-240	
E5ER-TQT3DW-FLK AC/DC24	
E5ER-TQT3DW-FLK AC100-240	E5ER high speed, high accuracy, digital controller, contact Omron to discuss applic
E5EZ-PRR201L AC100-240	
E5EZ-PRR201T AC100-240	
E5EZ-PRR203L AC100-240	Digital position-proportional controller, analogue input, relay outputs, 2x alarm outp
E5EZ-PRR203T AC100-240	Digital position-proportional controller, temperature probe input, relay outputs, 2x al
E5EZ-PRR2BL AC100-240	Digital position-proportional controller, analogue input, relay outputs, 2x alarm outp
E5EZ-PRR2BT AC100-240	Digital position-proportional controller, temperature probe input, relay outputs, 2x al
E5EZ-PRR2L AC100-240	Digital position-proportional controller, analogue input, relay outputs, 2x alarm outp
E5EZ-PRR2T AC100-240	Digital position-proportional controller, temperature probe input, relay outputs, 2x al
E5GN-C103T-C-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output, alarm output, thermoc
E5GN-C103TD-C-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output, alarm output, thermoc
E5GN-C1BT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), current output + two event inputs, ther
E5GN-C1BTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), current output + two event inputs, ther
E5GN-C1L-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output , linear input, SLC
E5GN-C1LD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output , linear input, SLC
E5GN-C1T-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output , thermocouple/PT100 i
E5GN-C1TD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 4-20mA output , thermocouple/PT100 i
E5GN-Q103LD-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, alarm output, thermoc

E5GN-Q103L-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, alarm output, thermoc
E5GN-Q103T-C-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, alarm output, thermoc
E5GN-Q103TD-C-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, alarm output, thermoc
E5GN-Q1BT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output + two event inputs, ther
E5GN-Q1BTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output + two event inputs, ther
E5GN-Q1T AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output , thermocouple/PT100 i
E5GN-Q1T-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output , thermocouple/PT100 i
E5GN-Q1TD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output , thermocouple/PT100 i
E5GN-Q203T-C-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, 2 x alarm output, thern
E5GN-Q203TD-C-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output, 2 alarm output, thermc
E5GN-Q2BT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output, 2 alarm outputs + two e
E5GN-Q2BTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output, 2 alarm outputs + two e
E5GN-Q2HT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output, 2 alarm outputs, heater
E5GN-Q2HTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output, 2 alarm outputs, heater
E5GN-Q2T-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), 12 VDC output + 2x alarm outputs, the
E5GN-Q2TD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), 12VDC output + 2 alarm outputs, thern
E5GN-R103LD-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, RS485 comms, linear inp
E5GN-R103L-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, RS485 comms, thermoco
E5GN-R103T-C-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, alarm output, thermocou
E5GN-R103TD-C-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, alarm output, thermocou
E5GN-R103TD-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, alarm output, thermocou
E5GN-R1BT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output + two event inputs, therm
E5GN-R1BTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output + two event inputs, therm
E5GN-R1T-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, thermocouple/PT100 inpi
E5GN-R1TD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, thermocouple/PT100 inpi
E5GN-R203T-C-FLK AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 x alarm output, thermoi
E5GN-R203TD-C-FLK AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 x alarm output, thermoi
E5GN-R2BT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 alarm outputs + two evi
E5GN-R2BTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 alarm outputs + two evi
E5GN-R2HT-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 alarm outputs, heater b
E5GN-R2HTD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output, 2 alarm outputs + heater
E5GN-R2T-C AC100-240	Temperature controller, 1/32DIN (48 x 24mm), relay output + 2 alarm outputs, thermo
E5GN-R2TD-C AC/DC24	Temperature controller, 1/32DIN (48 x 24mm), relay output + 2 alarm outputs, thermo
E5L-A 0-100	Temperature controller, analogue version, ON/OFF operation, plug-in type, relay out
E5L-A 0-50	Temperature controller, analogue version, ON/OFF operation, plug-in type, relay out
E5L-A 100-200	Temperature controller, analogue version, ON/OFF operation, plug-in type, relay out
E5L-A -30-20	Temperature controller, analogue version, ON/OFF operation, plug-in type, relay out
E5L-AX3 0-100	
E5L-AX4 220AC 0-100	
E5L-B4 0-50	
E5L-B6 0-100	
E5L-B6 100-200	
E5L-BX1 100AC 0-50	
E5L-C 0-100	Temperature controller, digital version, ON/OFF operation, plug-in type, relay output
E5L-C 100-200	Temperature controller, digital version, ON/OFF operation, plug-in type, relay output
E5L-C -30-20	Temperature controller, digital version, ON/OFF operation, plug-in type, relay output
E5LC-1	
E5LC-2	
E5LC-3	
E5LC-4	
E5LC-5	Temperature indicator, -40 to +40 °C
E5LC-6	Temperature indicator, -20 to +60 °C

E5LC-7	Temperature indicator, 20 to 110°C
E5LD-1C 200AC	
E5LD-2 100AC	
E5LD-2 200AC	
E5LD-3 100AC	
E5LD-3 200AC	
E5LD-4 200AC	
E5LD-6C AC200V	
E5LD-7 AC200V	
E5ZE-8AAAMPB-E	
E5ZE-8AAAMP-E	
E5ZE-8AAAMTCB-E	
E5ZE-8AAAMTC-E	
E5ZE-8ACAD1PB-V2 DC24V	
E5ZE-8ACAD1TCB-V2 DC24V	
E5ZE-8AQA01TCB 24DC	
E5ZE-8AQA04TCB 24DC	
E5ZE-8AQAD1PB-V2 DC24V	
E5ZE-8AQAD1TCB-V2 DC24V	
E5ZE-8AQH04TCB 24DC	
E5ZE-8AQHD1PB-V2 DC24V	
E5ZE-8AQHD1TCB-V2 DC24V	
E5ZE-8VAAMPB-E	Temperature controller, 24 VDC, 8 loop, Pt100 RTD input, heat/cool
E5ZE-8VAAMP-E	
E5ZE-8VAAMTCB-E	
E5ZE-8VAAMTC-E	
E5ZE-8VCAD1PB-V2 DC24V	
E5ZE-8VCAD1TCB-V2 DC24V	
E5ZE-8VQAD1PB-V2 DC24V	
E5ZE-8VQAD1TCB-V2 DC24V	
E5ZE-8VQH04PB-E-102	
E5ZE-8VQH04TCB 24DC	
E5ZE-8VQH04TCB-E-102	
E5ZE-8VQHD1PB-V2 DC24V	
E5ZE-8VQHD1TCB-V2 DC24V	
E5ZE-CBL200	Output cable, connectors to fit to XW2D-20G6, 2m long (1pc required for 16 output, 2
E5ZE-CBL500	
E5ZN-2CNF03P-FLK DC24	
E5ZN-2CNF03TC-FLK DC24	
E5ZN-2CPF03P-FLK DC24	Temperature controller
E5ZN-2CPF03TC-FLK DC24	Temperature controller
E5ZN-2QNH03P-FLK DC24	
E5ZN-2QNH03TC-FLK DC24	
E5ZN-2QPH03P-FLK DC24	Temperature controller
E5ZN-2QPH03TC-FLK DC24	Temperature controller
E5ZN-2TNH03P-FLK DC24	Temperature controller
E5ZN-2TNH03TC-FLK DC24	
E5ZN-2TPH03P-FLK DC24	Temperature controller, DIN rail mounting, 2 loops, Pt100 RTD input, heat, cool, heat
E5ZN-2TPH03TC-309 24VDC	
E5ZN-2TPH03TC-FLK DC24	Temperature controller, DIN rail mounting, 2 loops, thermocouple input, heat, cool, f
E5ZN-DRT DC24	DeviceNet communications Unit
E5ZN-DRT-309 24VDC	

E5ZN-SCT18S-500	Smart socket for E5ZN, slave required for all additional units in the block, includes i
E5ZN-SCT24S-500	Smart socket for E5ZN, master unit one required per block, includes terminals for su
E5ZN-SDL DC24V	Setting and copying unit for use with the E5ZN controllers, can store information on
E63-WF5C	
E68-C08M1	
E69-1	
E69-2	
E69-C04B	Shaft coupler
E69-C0610M1	
E69-C068M1	
E69-C068M1	
E69-C06B	Shaft coupling for E6C(P) encoder
E69-C06M	Shaft coupler
E69-C06M1	
E69-C0810M1	
E69-C08B	Shaft coupling for E6C3-A encoder
E69-C10B	Shaft coupling for E6F encoder
E69-C10M	
E69-C610B	Shaft coupling for E6F-C encoder, Different end diameter
E69-C68B	Shaft coupler
E69-DC5 5M	
E69-DF10	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m
E69-DF15	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 15m
E69-DF2	
E69-DF20	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20m
E69-DF2-1	
E69-DF25	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 25m
E69-DF30	
E69-DF5	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m
E69-DF98	
E69-FBA	
E69-FBA-02	
E69-FCA	Flange for E6C2-C encoder
E69-FCA02	
E69-FCA03	
E69-FCA04	
E69-FCA-ST	
E6A2-CW3C 100P/R 2M	Rotary Encoder
E6A2-CW3C 500P/R 0.5M	Rotary Encoder
E6A2-CW3C-100 0,5M	Encoder, incremental, 100ppr, 5-12 VDC, 2-phase, NPN output, 0.5m cable
E6A2-CW3C-200	
E6A2-CW3C-200 0,5M	Encoder, incremental, 200ppr, 5-12 VDC, 2-phase, NPN output, 0.5m cable
E6A2-CW3E 200P/R 2M	
E6A2-CW3E 500P/R 0.5M	Rotary Encoder
E6A2-CW3E-100	
E6A2-CW3E-100 0,5M	
E6A2-CW3E-200 0,5M	
E6A2-CW5C 500P/R 0.5M	Rotary Encoder
E6A2-CW5C-100	Rotary Encoder
E6A2-CW5C-100 0,5M	Encoder, incremental, 100ppr, 12-24 VDC, 2-phase, NPN output, 0.5m cable
E6A2-CW5C-200	Rotary Encoder
E6A2-CW5C-200 0,5M	Encoder, incremental, 200ppr, 12-24 VDC, 2-phase, NPN output, 0.5m cable

E6A2-CWZ3C 360P/R 0.5M	
E6A2-CWZ3C 500P/R 0.5M	
E6A2-CWZ3C-100	Rotary Encoder
E6A2-CWZ3C-100 0,5M	Rotary Encoder
E6A2-CWZ3C-200	
E6A2-CWZ3C-200 0.5M	
E6A2-CWZ3E 200P/R 2M	
E6A2-CWZ3E 500P/R 0.5M	
E6A2-CWZ3E-100	Rotary Encoder
E6A2-CWZ3E-100 0,5M	
E6A2-CWZ3E-200 0,5M	
E6A2-CWZ5C 200P/R 0.5M	Encoder
E6A2-CWZ5C 360P/R 0.5M	
E6A2-CWZ5C 500P/R 0.5M	
E6A2-CS3C 200P/R	
E6A2-CS3C 300P/R 2M	
E6A2-CS3C 360P/R 2M	
E6A2-CS3C 500P/R 0.5M	
E6A2-CS3C-10 0.5M	
E6A2-CS3C-10 2M	
E6A2-CS3C-100	
E6A2-CS3C-100 0,5M	
E6A2-CS3C-200 0,5M	
E6A2-CS3C-300 0.5M	
E6A2-CS3C-360 0,5M	
E6A2-CS3C-60	
E6A2-CS3C-60 0,5M	
E6A2-CS3C-60 10M	
E6A2-CS3E 200P/R 0.5M	
E6A2-CS3E 300 0.5M	
E6A2-CS3E 300P/R 2M	
E6A2-CS3E 360P/R 2M	
E6A2-CS3E 500P/R 0.5M	
E6A2-CS3E-10	
E6A2-CS3E-10 0.5M	
E6A2-CS3E-100	
E6A2-CS3E-100 0,5M	Rotary Encoder
E6A2-CS3E-200	
E6A2-CS3E-200 5M	
E6A2-CS3E-360 0,5M	
E6A2-CS3E-60	
E6A2-CS3E-60 0,5M	
E6A2-CS3E-60 10M	
E6A2-CS5C 300P/R 0.5M	
E6A2-CS5C 500P/R 0.5M	
E6A2-CS5C-10	Rotary Encoder
E6A2-CS5C-10 0,5M	
E6A2-CS5C-100	Rotary Encoder
E6A2-CS5C-100 0,5M	
E6A2-CS5C-200 0,5M	
E6A2-CS5C-300	
E6A2-CS5C-360	Rotary Encoder

E6A2-CS5C-360 0,5M

E6A2-CS5C-60

E6A2-CS5C-60 0,5M

Rotary Encoder

E6B2-CWZ1X 1000P/R 0.5M OMS

Rotary Encoder

E6B2-CWZ1X 1000P/R 2M OMS

Encoder, incremental, 1000ppr, 5 VDC, Line driver 2m cable

E6B2-CWZ1X 100P/R 0.5M OMS

E6B2-CWZ1X 100P/R 2M OMS

E6B2-CWZ1X 1024P/R 0.5M OMS

E6B2-CWZ1X 10P/R 0.5M OMS

E6B2-CWZ1X 1200P/R 0.5M OMS

E6B2-CWZ1X 1500P/R 0.5M OMS

E6B2-CWZ1X 1800P/R 0.5M OMS

E6B2-CWZ1X 1800P/R 2M OMS

Encoder, incremental, 1000ppr, 5 VDC, Line driver 0.5m cable

E6B2-CWZ1X 2000P/R 0.5M OMS

E6B2-CWZ1X 2000P/R 15M OMS

E6B2-CWZ1X 200P/R 0.5M OMS

E6B2-CWZ1X 20P/R 0.5M OMS

E6B2-CWZ1X 300P/R 0.5M OMS

E6B2-CWZ1X 30P/R 0.5M OMS

E6B2-CWZ1X 360P/R 0.5M OMS

E6B2-CWZ1X 400P/R 0.5M OMS

E6B2-CWZ1X 40P/R 0.5M OMS

E6B2-CWZ1X 500P/R 0.5M OMS

E6B2-CWZ1X 50P/R 0.5M OMS

E6B2-CWZ1X 600P/R 0.5M OMS

E6B2-CWZ1X 600P/R 2M OMS

E6B2-CWZ1X 60P/R 0.5M OMS

E6B2-CWZ3E 1000P/R 0.5M OMS

E6B2-CWZ3E 1000P/R 2M OMS

E6B2-CWZ3E 100P/R 0.5M OMS

Encoder

E6B2-CWZ3E 100P/R 2M OMS

E6B2-CWZ3E 10P/R 0.5M OMS

E6B2-CWZ3E 10P/R 2M OMS

E6B2-CWZ3E 1200P/R 0.5M OMS

E6B2-CWZ3E 1500P/R 0.5M OMS

E6B2-CWZ3E 1800P/R 0.5M OMS

E6B2-CWZ3E 2000P/R 0.5M OMS

E6B2-CWZ3E 2000P/R 2M OMS

E6B2-CWZ3E 200P/R 0.5M OMS

E6B2-CWZ3E 200P/R 2M OMS

E6B2-CWZ3E 20P/R 0.5M OMS

E6B2-CWZ3E 20P/R 2M OMS

E6B2-CWZ3E 300P/R 0.5M OMS

E6B2-CWZ3E 300P/R 2M OMS

E6B2-CWZ3E 30P/R 0.5M OMS

E6B2-CWZ3E 30P/R 2M OMS

E6B2-CWZ3E 360P/R 0.5M OMS

E6B2-CWZ3E 360P/R 2M OMS

E6B2-CWZ3E 400P/R 0.5M OMS

E6B2-CWZ3E 400P/R 2M OMS

E6B2-CWZ3E 40P/R 0.5M OMS

E6B2-CWZ3E 40P/R 2M OMS

E6B2-CWZ3E 500P/R 0.5M OMS	
E6B2-CWZ3E 500P/R 2M OMS	
E6B2-CWZ3E 50P/R 0.5M OMS	
E6B2-CWZ3E 50P/R 2M OMS	
E6B2-CWZ3E 600P/R 0.5M OMS	
E6B2-CWZ3E 600P/R 2M OMS	
E6B2-CWZ3E 60P/R 0.5M OMS	
E6B2-CWZ3E 60P/R 2M OMS	
E6B2-CWZ3E-10 1000P/R 5M OMS	
E6B2-CWZ3E-10 2000P/R 5M OMS	
E6B2-CWZ5B 1000P/R 0.5M OMS	Encoder, incremental, 600ppr, 5-12 VDC, NPN voltage output, 2m cable
E6B2-CWZ5B 100P/R 0.5M OMS	Encoder, incremental, 1000ppr, 12-24 VDC, PNP output, 0.5m cable
E6B2-CWZ5B 2000P/R 0.5M OMS	Encoder, incremental, 100ppr, 12-24 VDC, PNP output, 0.5m cable
E6B2-CWZ5B 2000P/R 5M OMS	Encoder
E6B2-CWZ5B 200P/R 0.5M OMS	
E6B2-CWZ5B 360P/R 0.5M OMS	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable
E6B2-CWZ5B 500P/R 0.5M OMS	Incremental Encoder, PNP output
E6B2-CWZ5B 600P/R 0.5M OMS	
E6B2-CWZ5B 600P/R 2M OMS	
E6B2-CWZ6C 1000P/R 0.5M OMS	Rotary Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 1000P/R 2M OMS	Rotary Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 100P/R 0.5M OMS	
E6B2-CWZ6C 100P/R 2M OMS	Rotary Encoder, incremental, 100ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 10P/R 0.5M OMS	
E6B2-CWZ6C 10P/R 2M OMS	Rotary Encoder, incremental, 10ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 1200P/R 0.5M OMS	Rotary Encoder, incremental, 1200ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 1200P/R 2M OMS	
E6B2-CWZ6C 1500P/R 0.5M OMS	
E6B2-CWZ6C 1800P/R 0.5M OMS	
E6B2-CWZ6C 2000P/R 0.5M OMS	Rotary Encoder, incremental, 2000ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 2000P/R 2M OMS	Rotary Encoder, incremental, 2000ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 200P/R 0.5M OMS	
E6B2-CWZ6C 200P/R 2M OMS	Rotary Encoder, incremental, 200ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 20P/R 0.5M OMS	
E6B2-CWZ6C 20P/R 2M OMS	
E6B2-CWZ6C 300P/R 0.5M OMS	
E6B2-CWZ6C 300P/R 2M OMS	Rotary Encoder, incremental, 300ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 30P/R 0.5M OMS	
E6B2-CWZ6C 30P/R 2M OMS	
E6B2-CWZ6C 360P/R 0.5M OMS	Rotary Encoder, incremental, 360ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 360P/R 2M OMS	Rotary Encoder, incremental, 360ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 400P/R 0.5M OMS	
E6B2-CWZ6C 400P/R 2M OMS	
E6B2-CWZ6C 40P/R 0.5M OMS	
E6B2-CWZ6C 40P/R 2M OMS	
E6B2-CWZ6C 500P/R 0.5M OMS	Rotary Encoder, incremental, 500ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 500P/R 2M OMS	Rotary Encoder, incremental, 500ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 50P/R 0.5M OMS	
E6B2-CWZ6C 50P/R 2M OMS	Rotary Encoder, incremental, 50ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 600P/R 0.5M OMS	Rotary Encoder, incremental, 600ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable
E6B2-CWZ6C 600P/R 2M OMS	Rotary Encoder, incremental, 600ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 60P/R 0.5M OMS	Rotary Encoder, incremental, 60ppr, 5-24 VDC, 3-phase, NPN output, 0.5m cable

E6B2-CWZ6C 60P/R 2M OMS	Rotary Encoder, incremental, 60ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6B2-CWZ6C 720P/R 0.5M OMS	
E6B2-CWZ6C-1 600P/R 0.5M OMS	
E6B2-CWZ6C-10 1000P/R 5M OMS	
E6B2-CWZ6C-10 2000P/R 5M OMS	
E6B2-CWZ6C-10 360P/R 5M OMS	
E6B2-CWZ6C-6 600P/R 0.5M OMS	
E6C2-CWZ1X 1000P/R 2M OMS	Encoder, incremental
E6C2-CWZ1X 1000P/R 5M OMS	
E6C2-CWZ1X 100P/R 2M OMS	Encoder
E6C2-CWZ1X 1024P/R 2M OMS	
E6C2-CWZ1X 10P/R 2M OMS	
E6C2-CWZ1X 1200P/R 2M OMS	
E6C2-CWZ1X 1500P/R 2M OMS	
E6C2-CWZ1X 1800P/R 2M OMS	
E6C2-CWZ1X 2000P/R 2M OMS	Encoder
E6C2-CWZ1X 200P/R 2M OMS	Rotary Encoder
E6C2-CWZ1X 20P/R 2M OMS	
E6C2-CWZ1X 300P/R 2M OMS	
E6C2-CWZ1X 30P/R 2M OMS	
E6C2-CWZ1X 360P/R 2M OMS	
E6C2-CWZ1X 400P/R 2M OMS	
E6C2-CWZ1X 40P/R 2M OMS	
E6C2-CWZ1X 500P/R 10M OMS	
E6C2-CWZ1X 500P/R 2M OMS	Encoder
E6C2-CWZ1X 50P/R 2M OMS	
E6C2-CWZ1X 600P/R 2M OMS	
E6C2-CWZ1X 60P/R 2M OMS	
E6C2-CWZ3E 1000P/R 2M OMS	
E6C2-CWZ3E 100P/R 2M OMS	
E6C2-CWZ3E 1024P/R 2M OMS	
E6C2-CWZ3E 10P/R 2M OMS	
E6C2-CWZ3E 1200P/R 2M OMS	
E6C2-CWZ3E 1500P/R 2M OMS	
E6C2-CWZ3E 1800P/R 2M OMS	
E6C2-CWZ3E 2000P/R 2M OMS	
E6C2-CWZ3E 200P/R 2M OMS	
E6C2-CWZ3E 20P/R 2M OMS	
E6C2-CWZ3E 300P/R 2M OMS	
E6C2-CWZ3E 30P/R 2M OMS	
E6C2-CWZ3E 360P/R 2M OMS	
E6C2-CWZ3E 400P/R 2M OMS	
E6C2-CWZ3E 40P/R 2M OMS	
E6C2-CWZ3E 500P/R 2M OMS	
E6C2-CWZ3E 50P/R 2M OMS	
E6C2-CWZ3E 600P/R 2M OMS	
E6C2-CWZ3E 60P/R 2M OMS	
E6C2-CWZ3E-3 314 P/R 5M OMS	
E6C2-CWZ5B 1000P/R 2M OMS	Rotary Encoder
E6C2-CWZ5B 100P/R 2M OMS	
E6C2-CWZ5B 2000P/R 2M OMS	Rotary Encoder
E6C2-CWZ5B 200P/R 2M OMS	

E6C2-CWZ5B 360P/R 2M OMS	Rotary Encoder
E6C2-CWZ5B 500P/R 2M OMS	
E6C2-CWZ5B 50P/R 2M OMS	
E6C2-CWZ5B 600P/R 2M OMS	
E6C2-CWZ5B-10 1000P/R 5M OMS	
E6C2-CWZ5B-10 360P/R 5M OMS	
E6C2-CWZ6C 1000P/R 2M OMS	Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 100P/R 2M OMS	Encoder, incremental, 100ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 1024P/R 2M OMS	
E6C2-CWZ6C 10P/R 2M OMS	Encoder, incremental, 10ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 1200P/R 2M OMS	Encoder
E6C2-CWZ6C 1500P/R 2M OMS	
E6C2-CWZ6C 1800P/R 2M OMS	
E6C2-CWZ6C 2000P/R 2M OMS	Rotary Encoder
E6C2-CWZ6C 200P/R 2M OMS	Encoder, incremental, 200ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 20P/R 2M OMS	Encoder, incremental, 20ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 300P/R 2M OMS	
E6C2-CWZ6C 30P/R 2M OMS	
E6C2-CWZ6C 360P/R 2M OMS	Encoder, incremental, 360ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 400P/R 2M OMS	
E6C2-CWZ6C 40P/R 2M OMS	
E6C2-CWZ6C 500P/R 2M OMS	Encoder, incremental, 500ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 50P/R 2M OMS	
E6C2-CWZ6C 600P/R 2M OMS	Encoder, incremental, 600ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 60P/R 2M OMS	Encoder, incremental, 60ppr, 5-24 VDC, 3-phase, NPN output, 2m cable
E6C2-CWZ6C 720P/R 2M OMS	
E6C2-CWZ6C-10 100P/R 5M OMS	
E6C2-CWZ6C-10 360P/R 5M OMS	
E6C2-CWZ6C-10 500P/R 5M OMS	
E6C2-CWZ6C-12 1000P/R 10M OMS	
E6C2-CWZ6C-12 500P/R 10M OMS	
E6C3-AB5B 12P/R 1M	
E6C3-AB5B 12P/R 2M	
E6C3-AB5B 6P/R 1M	
E6C3-AB5B 6P/R 2M	
E6C3-AB5B 8P/R 1M	
E6C3-AB5B 8P/R 2M	
E6C3-AB5C 12P/R 1M	
E6C3-AB5C 12P/R 2M	
E6C3-AB5C 6P/R 1M	
E6C3-AB5C 6P/R 2M	
E6C3-AB5C 8P/R 1M	
E6C3-AB5C 8P/R 2M	
E6C3-AG5B 1024P/R 1M	
E6C3-AG5B 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5B 256P/R 1M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, gray code output, 1m cable
E6C3-AG5B 256P/R 2M	
E6C3-AG5B 360P/R 1M	
E6C3-AG5B 360P/R 2M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5B 360P/R 5M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, gray code output, 5m cable
E6C3-AG5B 720P/R 1M	
E6C3-AG5B 720P/R 2M	

E6C3-AG5C 1024P/R 1M	
E6C3-AG5C 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C 256P/R 1M	
E6C3-AG5C 256P/R 2M+	
E6C3-AG5C 360P/R 1M	
E6C3-AG5C 360P/R 2M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C 720P/R 1M	
E6C3-AG5C 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C-C 256P/R 1M	
E6C3-AG5C-C 256P/R 2M+	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C-C 360P/R 1M	
E6C3-AG5C-C 360P/R 2M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C-C 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, gray code output, 2m cable
E6C3-AG5C-C-1 360P/R 5M	
E6C3-AN1E 256P/R 1M	
E6C3-AN1E 256P/R 2M	
E6C3-AN2E 256P/R 1M	
E6C3-AN2E 256P/R 2M	
E6C3-AN5B 32P/R 1M	
E6C3-AN5B 32P/R 2M	
E6C3-AN5B 40P/R 1M	
E6C3-AN5B 40P/R 2M	
E6C3-AN5C 32P/R 1M	
E6C3-AN5C 32P/R 2M	
E6C3-AN5C 40P/R 1M	
E6C3-AN5C 40P/R 2M	
E6C3-CWZ3EH 1000P/R 1M	
E6C3-CWZ3EH 1000P/R 2M+	
E6C3-CWZ3EH 100P/R 1M	
E6C3-CWZ3EH 100P/R 2M	
E6C3-CWZ3EH 1024P/R 1M	
E6C3-CWZ3EH 1024P/R 2M	
E6C3-CWZ3EH 1200P/R 1M	
E6C3-CWZ3EH 1200P/R 2M	
E6C3-CWZ3EH 1500P/R 1M	
E6C3-CWZ3EH 1500P/R 2M	
E6C3-CWZ3EH 1800P/R 1M	
E6C3-CWZ3EH 1800P/R 2M	
E6C3-CWZ3EH 2000P/R 1M	
E6C3-CWZ3EH 2000P/R 2M	
E6C3-CWZ3EH 200P/R 1M	
E6C3-CWZ3EH 200P/R 2M	
E6C3-CWZ3EH 2048P/R 1M	
E6C3-CWZ3EH 2048P/R 2M	
E6C3-CWZ3EH 2500P/R 1M	
E6C3-CWZ3EH 2500P/R 2M	Encoder, Incremental
E6C3-CWZ3EH 300P/R 1M	
E6C3-CWZ3EH 300P/R 2M	
E6C3-CWZ3EH 3600P/R 1M	
E6C3-CWZ3EH 3600P/R 2M	
E6C3-CWZ3EH 360P/R 1M	
E6C3-CWZ3EH 500P/R 1M	

E6C3-CWZ3EH 500P/R 2M
E6C3-CWZ3EH 600P/R 1M
E6C3-CWZ3EH 600P/R 2M
E6C3-CWZ3EH 720P/R 1M
E6C3-CWZ3EH 720P/R 2M
E6C3-CWZ3EH 800P/R 1M
E6C3-CWZ3EH 800P/R 2M
E6C3-CWZ3XH 1000P/R 1M
E6C3-CWZ3XH 1000P/R 2M
E6C3-CWZ3XH 100P/R 1M
E6C3-CWZ3XH 100P/R 2M
E6C3-CWZ3XH 1024P/R 1M
E6C3-CWZ3XH 1024P/R 2M
E6C3-CWZ3XH 1200P/R 1M
E6C3-CWZ3XH 1200P/R 2M
E6C3-CWZ3XH 1500P/R 1M
E6C3-CWZ3XH 1500P/R 2M
E6C3-CWZ3XH 1800P/R 1M
E6C3-CWZ3XH 1800P/R 2M
E6C3-CWZ3XH 2000P/R 1M
E6C3-CWZ3XH 2000P/R 2M
E6C3-CWZ3XH 200P/R 1M
E6C3-CWZ3XH 200P/R 2M
E6C3-CWZ3XH 2048P/R 1M
E6C3-CWZ3XH 2048P/R 2M
E6C3-CWZ3XH 2500P/R 1M
E6C3-CWZ3XH 2500P/R 2M
E6C3-CWZ3XH 300P/R 1M
E6C3-CWZ3XH 300P/R 2M
E6C3-CWZ3XH 3600P/R 10M
E6C3-CWZ3XH 3600P/R 1M
E6C3-CWZ3XH 3600P/R 2M
E6C3-CWZ3XH 360P/R 1M
E6C3-CWZ3XH 360P/R 2M
E6C3-CWZ3XH 500P/R 1M
E6C3-CWZ3XH 500P/R 2M
E6C3-CWZ3XH 600P/R 1M
E6C3-CWZ3XH 600P/R 2M
E6C3-CWZ3XH 720P/R 1M
E6C3-CWZ3XH 720P/R 2M
E6C3-CWZ3XH 800P/R 1M
E6C3-CWZ3XH 800P/R 2M
E6C3-CWZ3XH-10 3600P/R 5M
E6C3-CWZ5GH 1000P/R 1M
E6C3-CWZ5GH 1000P/R 2M
E6C3-CWZ5GH 100P/R 1M
E6C3-CWZ5GH 100P/R 2M+
E6C3-CWZ5GH 1024P/R 1M
E6C3-CWZ5GH 1024P/R 2M
E6C3-CWZ5GH 1200P/R 1M
E6C3-CWZ5GH 1200P/R 2M
E6C3-CWZ5GH 1500P/R 1M

Encoder

Rotary Encoder

Encoder, incremental, 8 dia tough model, 1024ppr, 12-24 VDC, Complimentary output

E6C3-CWZ5GH 1500P/R 2M	
E6C3-CWZ5GH 1800P/R 1M	
E6C3-CWZ5GH 1800P/R 2M	
E6C3-CWZ5GH 2000P/R 1M	
E6C3-CWZ5GH 2000P/R 2M	Rotary Encoder
E6C3-CWZ5GH 200P/R 1M	
E6C3-CWZ5GH 200P/R 2M+	
E6C3-CWZ5GH 2048P/R 1M	
E6C3-CWZ5GH 2048P/R 2M	
E6C3-CWZ5GH 2500P/R 1M	
E6C3-CWZ5GH 2500P/R 2M	Rotary Encoder
E6C3-CWZ5GH 300P/R 1M	
E6C3-CWZ5GH 300P/R 2M	
E6C3-CWZ5GH 3600P/R 1M	
E6C3-CWZ5GH 3600P/R 2M	
E6C3-CWZ5GH 360P/R 1M	
E6C3-CWZ5GH 360P/R 2M+	
E6C3-CWZ5GH 500P/R 1M	
E6C3-CWZ5GH 500P/R 2M+	
E6C3-CWZ5GH 600P/R 1M	
E6C3-CWZ5GH 600P/R 2M	
E6C3-CWZ5GH 720P/R 1M	
E6C3-CWZ5GH 720P/R 2M	
E6C3-CWZ5GH 800P/R 1M	
E6C3-CWZ5GH 800P/R 2M	
E6C-CWZ3E 1000P/R 2M	
E6C-CWZ3E 10P/R 2M	
E6C-CWZ3E 50P/R 2M	
E6C-CWZ5C 1000P/R 2M	
E6C-CWZ5C 100P/R 2M	
E6C-CWZ5C 1024P/R 2M	
E6C-CWZ5C 200P/R 2M	
E6C-CWZ5C 360P/R 2M	
E6C-CWZ5C 500P/R 2M	
E6C-CWZ5C 600P/R 2M	
E6C-CWZ5C 60P/R 2M	
E6C-CWZ5C 720P/R 2M	
E6C-CWZ5C-F 100P/R 2M	
E6C-NN5C 2M	Encoder
E6C-NN5CA 2M	
E6C-NN5CA-C 2M	
E6C-NN5C-C 2M	
E6CP-AG3C 256 2M	
E6CP-AG5C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable
E6CP-AG5C 256 5M	
E6CP-AG5C-C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS conn
E6CP-AG5C-C 256 5M	
E6D-CWZ1E 1200 P/R	
E6D-CWZ1E 1500 P/R	
E6D-CWZ1E 2048 P/R	
E6D-CWZ1E-1000	
E6D-CWZ1E-1024	

E6D-CWZ1E-1800	
E6D-CWZ1E-2000	
E6D-CWZ1E-2500	
E6D-CWZ1E-3000	
E6D-CWZ1E-3200	
E6D-CWZ1E-3600	
E6D-CWZ1E-4096	
E6D-CWZ1E-5000	
E6D-CWZ1E-6000	
E6D-CWZ1E-720 12-24DC	
E6D-CWZ1E-800	
E6D-CWZ2C 1500 P/R	
E6D-CWZ2C 2000	
E6D-CWZ2C 2048	
E6D-CWZ2C 3200 P/R	
E6D-CWZ2C 720	
E6D-CWZ2C-1000	
E6D-CWZ2C-1024	
E6D-CWZ2C-2500	
E6D-CWZ2C-3600	
E6D-CWZ2C-4096	
E6D-CWZ2C-5000	
E6D-CWZ2C-6000	
E6D-CWZ2C-800	
E6F-AB3C 10M	
E6F-AB3C 360	
E6F-AB3C 5M	
E6F-AB3C-C	
E6F-AB3C-C 10M	
E6F-AB3C-C 5M	
E6F-AB5B 360 2M	
E6F-AB5C 360 2M	
E6F-AB5C-C 360 2M	
E6F-AG5B 1024 2M	
E6F-AG5B 256 2M	
E6F-AG5B 360 2M	
E6F-AG5B 720 2M	
E6F-AG5C 1024 2M	
E6F-AG5C 256 2M	
E6F-AG5C 360 2M	
E6F-AG5C 720 2M	
E6F-AG5C-C 360 10M	
E6F-AG5C-C 360 2M	
E6F-AG5C-C 720 2M	
E6F-AG5C-C-256	
E6F-CWZ5G 1000P/R 2M	
E6F-CWZ5G 100P/R 2M	
E6F-CWZ5G 200P/R 2M	
E6F-CWZ5G 360P/R 2M	
E6F-CWZ5G 500P/R 2M	
E6F-CWZ5G 600P/R 2M	
E6H-CWZ2C-1 500P/R 0.5M	
	High Resolution Encoder
	Encoder, absolute, 360ppr, 10-bit, 5-12 VDC, BCD output, 2m cable, H8PR connector
	Rotary Encoder
	Encoder
	Rotary Encoder
	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 10m cable, H8PS con
	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS conn
	ncoder, absolute, 720ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS conne
	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS conn
	Encoder

E6H-CWZ3E 1024P/R 0.5M	
E6H-CWZ3E 2000P/R 0.5M	
E6H-CWZ3E 2048P/R 0.5M	
E6H-CWZ3E 300P/R 0.5M	Rotary Encoder
E6H-CWZ3E 360P/R 0.5M	
E6H-CWZ3E 500P/R 0.5M	
E6H-CWZ3E 600P/R 0.5M	
E6H-CWZ3X 1000P/R 0.5M	
E6H-CWZ3X 1024P/R 0.5M	
E6H-CWZ3X 1800P/R 0.5M	
E6H-CWZ3X 2000P/R 0.5M	Encoder
E6H-CWZ3X 2500P/R 0.5M	Encoder, Hollow shaft
E6H-CWZ3X 3600P/R 0.5M	
E6H-CWZ3X 360P/R 0.5M	
E6H-CWZ3X 500P/R 0.5M	
E6H-CWZ6C 1000P/R 0.5M	Rotary Encoder
E6H-CWZ6C 1024P/R 0.5M	
E6H-CWZ6C 1500P/R 0.5M	
E6H-CWZ6C 2000P/R 0.5M	
E6H-CWZ6C 2048P/R 0.5M	
E6H-CWZ6C 300P/R 0.5M	
E6H-CWZ6C 3600P/R 0.5M	
E6H-CWZ6C 360P/R 0.5M	Rotary Encoder
E6H-CWZ6C 500P/R 0.5M	
E6H-CWZ6C 720P/R 0.5M	
E6L-HW4C 1M	
E6L-S1M-1 280	
E6L-S1M-1 475	
E6L-S1M-10 280	
E6L-S1M-10 475	
E89-F3	E8F2 mounting bracket
E89-F4	E8F2 mounting adaptor
E89-M3 3M	
E89-M4	
E8AA-M05	Pressure sensor, 0 - 500kPa
E8AA-M10	
E8CB-01C	Pressure sensor, 1-5 VDC output, positive pressure, 0 - 98kPa, NPN output
E8CB-CN0C2B	Pressure sensor, 1-5 VDC output, negative pressure, 0 to -101kPa, NPN output
E8CC-A01C 2M	
E8CC-AN0C	Pressure sensor, LED display, 1-5 VDC output, negative pressure, 0 to -101kPa, NPN
E8CC-B10C 2M	
E8EB-01B 0-1 2M	
E8EB-01C 0-1 2M	
E8EB-10B 2M	Pressure sensor, 1-5 VDC output, positive pressure, 0 - 1MPa, NPN output
E8EB-10C 2M	
E8EB-N0B2B	
E8EB-N0C2B	
E8F2-A01B	Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 - 100kPa, 2 x PNI
E8F2-A01C	Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 - 100kPa, 2 x NPI
E8F2-AN0B -1.0-0	Pressure sensor, LED display, 1-5 VDC output, negative pressure, 0 to -101kPa, 2 x NPI
E8F2-AN0C	Pressure sensor, LED display, 1-5 VDC output, negative pressure, 0 - 101kPa, 2 x NPI
E8F2-B10B	Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 to 1MPa, 2 x PNI

E8F2-B10C	Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 - 1MPa, 2 x NPN
E8M-10	Pressure sensor
E8M-A1 3M	
E8M-MP8	
E8M-N0	
E8MS-01	
E8MS-10	
E8MS-N0	2/4 channel pressure sensor
E8MS-N0-1	
EE-1001	Photomicrosensor connector
EE-1001-1	
EE-1003	Photomicrosensor connector
EE-1003A	Photo micro sensor
EE-1005	Photomicrosensor connector
EE-1006 1M	Photomicrosensor connector
EE-1006 2M	Photo micro sensor
EE-1006 3M	
EE-1006A	Photomicrosensor connector
EE-1006C (500pcs)	Photo micro sensor
EE-1006D	
EE-1006H (100pcs)	Photo micro sensor
EE-1006L	
EE-1006T	Crimping Tool for EE SX sensors
EE-1009	
EE-1010 2M	Photo micro sensor
EE-1010-R 2M	
EE-1013 1M	Photo micro sensor
EE-1016-R 2M	Photo micro sensor
EE-2001	Photo micro sensor
EE9-C01	Photo micro sensor
EE9-C02	Photo micro sensor
EE-CB	
EE-CF1	
EE-CF2	
EE-CF4	
EE-CT20	
EE-CT40	
EE-CS20	
EE-CS40	
EE-L105X	
EEPROM-28C256	
EER22-20	
EEROM-H	
EEROM-JD	
EE-SA102OP	
EE-SA103(Q)	Photo micro sensor
EE-SA104(Q)	
EE-SA105	
EE-SA107-P2-V2	
EE-SA401-P12 MID-1	
EE-SA401-P2 MID-1	
EE-SA407-P2	Photo micro sensor

EE-SA407-P2	
EE-SA801A 1M	Photo micro sensor
EE-SA801R 1M	Photo micro sensor
EE-SB5	Photomicrosensor
EE-SB5B	
EE-SB5M	Photo micro sensor
EE-SB5MC	
EE-SB5M-W12	
EE-SB5V	Photomicrosensor
EE-SB5VC	
EE-SB5V-E	Photomicrosensor
EE-SB5V-P1	
EE-SF5	
EE-SF5B	
EE-SF5-B-OK-RANKB	
EE-SG3	Photo micro sensor
EE-SG3B	
EE-SH3	Photomicrosensor
EE-SH3-2	
EE-SH3B	
EE-SH3-C	
EE-SH3-CS	
EE-SH3D	
EE-SH3-DS	
EE-SH3-G	Photo micro sensor
EE-SH3-GS	
EE-SH3-GS2	
EE-SJ3-C	
EE-SJ3-D	Photomicrosensor
EE-SJ3-G-1	
EE-SJ5-B	
EE-SJ8-B	
EE-SM3	
EE-SM8	
EE-SPW311	Photomicrosensor
EE-SPW321	Photo micro sensor
EE-SPW411	Photo micro sensor
EE-SPW421	
EE-SPW421-A	
EE-SPWD311	
EE-SPWL311	
EE-SPX302-W2A 1M CHN	Photomicrosensor
EE-SPX302-W2A 2M	Photo micro sensor
EE-SPX303N	Photomicro-sensor
EE-SPX304-W2A 1M CHN	Photomicrosensor
EE-SPX305-W2A 1M CHN	Photo micro sensor
EE-SPX306-W2A 1M	Photo micro sensor
EE-SPX306-W2A 2M CHN	Photo micro sensor
EE-SPX311	
EE-SPX401 CHN	Photo micro sensor
EE-SPX402-W2A 1M CHN	Photomicrosensor
EE-SPX403N	Photomicro-sensor

EE-SPX404-W2A 1M CHN	Photomicrosensor
EE-SPX405-W2A 1M CHN	Photo micro sensor
EE-SPX406-W2A 1M	Photo micro sensor
EE-SPX406-W2A 2M CHN	Photo micro sensor
EE-SPX411	
EE-SPX414-P1	
EE-SPX415-P2	
EE-SPX417-P1	
EE-SPX613 1M	Photomicrosensor
EE-SPX613 3M	
EE-SPX613 5M	
EE-SPX740	
EE-SPX741	Photo micro sensor
EE-SPX742	
EE-SPX743	
EE-SPX840	Photo micro sensor
EE-SPX841	
EE-SPX842	
EE-SPX843	Photomicrosensor
EE-SPY301 CHN	Photo micro sensor
EE-SPY302 CHN	Photomicrosensor
EE-SPY311 CHN	Photo micro sensor
EE-SPY312 CHN	Photo micro sensor
EE-SPY401	Photomicrosensor
EE-SPY402 CHN	Photomicrosensor
EE-SPY411 CHN	Photomicrosensor
EE-SPY412 CHN	Photomicrosensor
EE-SPY414	
EE-SPY415	
EE-SPY801	Photo micro sensor
EE-SPY802	Photo micro sensor
EE-SPZ301	
EE-SPZ301-A	Photo micro sensor
EE-SPZ301W-01	Photo micro sensor
EE-SPZ301W-02	
EE-SPZ301Y-01	
EE-SPZ302	
EE-SPZ401	
EE-SPZ401W-01	
EE-SPZ401W-02	
EE-SPZ401Y-01	
EE-SPZ402	
EE-SV3	Photomicrosensor
EE-SV3B	
EE-SV3-C	
EE-SV3-CS	
EE-SV3-D	
EE-SV3-DS	
EE-SV3-G	
EE-SV3-GS	
EE-SX1005-W1	
EE-SX1018	

EE-SX1023-W1	
EE-SX1025	
EE-SX1031	
EE-SX1041	
EE-SX1041-CA	
EE-SX1042	
EE-SX1046	
EE-SX1046	
EE-SX1054	
EE-SX1055	
EE-SX1055-CA	
EE-SX1057	
EE-SX1058-P1	
EE-SX1061	
EE-SX1070	
EE-SX1071	
EE-SX1080	
EE-SX1081	Photo micro sensor
EE-SX1082	
EE-SX1088(Q)	
EE-SX1088-W1 BY OMA	Photomicrosensor
EE-SX1096	
EE-SX1096-W1 BY OMA	
EE-SX1103	Photomicrosensor
EE-SX1105	
EE-SX1106	
EE-SX1107	
EE-SX1107-1	
EE-SX1108	
EE-SX1108-1	
EE-SX1108-2	
EE-SX1109	
EE-SX1109-1	
EE-SX1115	
EE-SX1121	
EE-SX1122	
EE-SX1128-OMI	
EE-SX1128-OMI-1	
EE-SX1131	
EE-SX1131-1	
EE-SX1137	
EE-SX1139	Photo micro sensor
EE-SX1140	Photo micro sensor
EE-SX1235A-P2+	
EE-SX129OP	
EE-SX138	
EE-SX153	
EE-SX198	
EE-SX199 BY CHN	Photo micro sensor
EE-SX2088	
EE-SX2088-W1 BY OMA	
EE-SX298	

EE-SX3009-P1	
EE-SX301	
EE-SX305(Q)	Photo micro sensor
EE-SX3070	
EE-SX3081	
EE-SX3088	
EE-SX3088-W1 BY OMA	
EE-SX3239-P2	
EE-SX329	
EE-SX361-P11	Photo micro sensor
EE-SX384	
EE-SX387	
EE-SX398	Photo micro sensor
EE-SX4009-P1 MID-1	Photomicrosensor
EE-SX4009-P10	Photo micro sensor
EE-SX4009-P15	
EE-SX401	Photomicrosensor
EE-SX4015-P3	
EE-SX4019-P1 MID	
EE-SX4019-P15-S1	
EE-SX4019-P16	
EE-SX4019-P2 MID	Photo micro sensor
EE-SX4070	
EE-SX4081	
EE-SX4088	
EE-SX4088-W1 BY OMA	Photo micro sensor
EE-SX4134	
EE-SX4134-1	
EE-SX419-P12	
EE-SX4235A-P1-S1	
EE-SX4235A-P2	
EE-SX4235A-P2-S1	
EE-SX4238-P2 CHN	
EE-SX4238-P2 MID-1	
EE-SX4240-P2	Photo micro sensor
EE-SX460-P1 CHN	Photomicrosensor
EE-SX460-P1 MID-1	
EE-SX460-P12(Q)	
EE-SX461-P1 BY JPN	Photo micro sensor
EE-SX461-P11	Photomicrosensor
EE-SX461-P11 MID-1	Photo micro sensor
EE-SX461-P4	
EE-SX470*	Photo micro sensor
EE-SX470B	
EE-SX470P	
EE-SX471+	Photo micro sensor
EE-SX471P	
EE-SX472	Photo micro sensor
EE-SX472P	
EE-SX473	Photo micro sensor
EE-SX473P	
EE-SX474	Photo micro sensor

EE-SX474P	
EE-SX484	
EE-SX493	
EE-SX495	
EE-SX498	
EE-SX670+	Photo micro sensor
EE-SX670A	Photo micro sensor
EE-SX670B	
EE-SX670-C1J-R 0.1M	
EE-SX670P	Photo micro sensor
EE-SX670P-C1J-R 0.1M	
EE-SX670P-WR 1M	
EE-SX670R	Photo micro sensor
EE-SX670-WR 1M	Photo micro sensor
EE-SX671+	Photo micro sensor
EE-SX671A+	Photo micro sensor
EE-SX671-C1J-R 0.1M	
EE-SX671P	Photo micro sensor
EE-SX671P-C1J-R 0.1M	
EE-SX671P-WR 1M	
EE-SX671R	Photo micro sensor
EE-SX671-WR 1M	
EE-SX672A+	Photo micro sensor
EE-SX672-C1J-R 0.1M	
EE-SX672P	Photo micro sensor
EE-SX672P-C1J-R 0.1M	
EE-SX672P-WR 1M	Photo micro sensor
EE-SX672R	Photo micro sensor
EE-SX672-WR 1M	
EE-SX673	Photo micro sensor
EE-SX673A	Photo micro sensor
EE-SX673-C1J-R 0.1M	
EE-SX673P	Photo micro sensor
EE-SX673P-C1J-R 0.1M	
EE-SX673P-WR 1M	
EE-SX673R	
EE-SX673-WR 1M	Photo micro sensor
EE-SX674	Photo micro sensor
EE-SX674A+	Photo micro sensor
EE-SX674-C1J-R 0.1M	
EE-SX674P	Photo micro sensor
EE-SX674P-C1J-R 0.1M	
EE-SX674P-WR 1M	
EE-SX674R	
EE-SX674-WR 1M	Photo micro sensor
EE-SX675	Photo microsensor
EE-SX675-C1J-R 0.1M	
EE-SX675P	
EE-SX675P-C1J-R 0.1M	
EE-SX675P-WR 1M	Photo micro sensor
EE-SX675-WR 1M	
EE-SX676	Photo micro sensor

EE-SX676-C1J-R 0.1M	
EE-SX676P	
EE-SX676P-C1J-R 0.1M	
EE-SX676P-WR 1M	
EE-SX676-WR 1M	Photo micro sensor
EE-SX677	
EE-SX677-C1J-R 0.1M	
EE-SX677P	
EE-SX677P-C1J-R 0.1M	
EE-SX677P-WR 1M	
EE-SX677-WR 1M	Photo micro sensor
EE-SX770 2M	Photo micro sensor
EE-SX770A 2M	Photomicrosensor
EE-SX770A-ECON 0.3M	Photo micro sensor
EE-SX770A-ECON 2M	Photo micro sensor
EE-SX770-ECON 0.3M	Photo micro sensor
EE-SX770-ECON 2M	Photo micro sensor
EE-SX770P	Photo micro sensor
EE-SX770R	Photo micro sensor
EE-SX771 2M	Photomicrosensor
EE-SX771A 2M	Photo micro sensor
EE-SX771A-ECON 0.3M	Photo micro sensor
EE-SX771A-ECON 2M	Photo micro sensor
EE-SX771-ECON 0.3M	Photo micro sensor
EE-SX771-ECON 2M	Photo micro sensor
EE-SX771P	Photo micro sensor
EE-SX771R	Photo micro sensor
EE-SX772 2M	Photo micro sensor
EE-SX772A 2M	Micro sensor
EE-SX772A-ECON 0.3M	Photo micro sensor
EE-SX772A-ECON 2M	Photo micro sensor
EE-SX772-ECON 0.3M	Photo micro sensor
EE-SX772-ECON 2M	Photo micro sensor
EE-SX772P	Photo micro sensor
EE-SX772R	Photomicrosensor
EE-SX870 2M	Photomicrosensor
EE-SX870A 2M	Photo micro sensor
EE-SX870A-ECON 0.3M	Photo micro sensor
EE-SX870A-ECON 2M	Photo micro sensor
EE-SX870-ECON 0.3M	Photo micro sensor
EE-SX870-ECON 2M	Photo micro sensor
EE-SX870P	Photo micro sensor
EE-SX870R	Photo micro sensor
EE-SX871 2M	Photo micro sensor
EE-SX871A 2M	Photo micro sensor
EE-SX871A-ECON 0.3M	Photo micro sensor
EE-SX871A-ECON 2M	Photo micro sensor
EE-SX871-ECON 0.3M	Photo micro sensor
EE-SX871-ECON 2M	Photo micro sensor
EE-SX871P	
EE-SX871R	Photo micro sensor
EE-SX872 2M	

EE-SX872A 2M	Photo micro sensor
EE-SX872A-ECON 0.3M	Photo micro sensor
EE-SX872A-ECON 2M	Photo micro sensor
EE-SX872-ECON 0.3M	Photo micro sensor
EE-SX872-ECON 2M	Photo micro sensor
EE-SX872P	Photo micro sensor
EE-SX872R	
EE-SX910-C1J-R 0.3M	Photo micro sensor
EE-SX910P-C1J-R 0.3M	Photo micro sensor
EE-SX910P-R 1M	Photo micro sensor
EE-SX910-R 1M	Photo micro sensor
EE-SX911-C1J-R 0.3M	Photo micro sensor
EE-SX911P-C1J-R 0.3M	Photo micro sensor
EE-SX911P-R 1M	Photomicrosensor
EE-SX911-R 1M	Photomicrosensor
EE-SX912-C1J-R 0.3M	Photo micro sensor
EE-SX912P-C1J-R 0.3M	Photo micro sensor
EE-SX912P-R 1M	Photo micro sensor
EE-SX912-R 1M	Photo micro sensor
EE-SX913-C1J-R 0.3M	Photo micro sensor
EE-SX913P-C1J-R 0.3M	Photo micro sensor
EE-SX913P-R 1M	Photo micro sensor
EE-SX913-R 1M	Photo micro sensor
EE-SX914-C1J-R 0.3M	Photo micro sensor
EE-SX914P-C1J-R 0.3M	Photo micro sensor
EE-SX914P-R 10M	
EE-SX914P-R 1M	Photo micro sensor
EE-SX914-R 1M	Photo micro sensor
EE-SY110	
EE-SY113	
EE-SY124	
EE-SY169	Photo micro sensor
EE-SY169A	Photo micro sensor
EE-SY169B	Photomicro sensor
EE-SY171	
EE-SY175-P3	
EE-SY175-P5	
EE-SY175-P7	
EE-SY193	
EE-SY193-1	
EE-SY199	
EE-SY310	
EE-SY313	
EE-SY410	
EE-SY413	
EE-SY671	Photo micro sensor
EE-SY672	Photomicrosensor
EE-TP105X	
EE-TP109	
EE-TP305X	
EE-TP405X	
EGER OMRON USB FZ2-HOZ	

EJ1C-CBLA050	Connection cable from CelciuX Basic Unit to G3ZA Power Controller, 5m
EJ1C-EDUA-NFLK	CelciuX In-panel Temperature controller End Unit, connects up to 16 x Basic & Hig
EJ1C-EDUC-NFLK	CelciuX In-panel Temperature controller End Unit, connects up to 16 x Basic & Hig
EJ1G-HFUA-NFL2	CelciuX In-panel Temperature controller GTC High Function Unit, RS-485 (Port A) &
EJ1G-HFUA-NFLK	CelciuX In-panel Temperature controller GTC High Function Unit, RS-232C/RS-485
EJ1G-HFUB-NFL2	CelciuX In-panel Temperature controller GTC High Function Unit, RS-485 (Port A) &
EJ1G-HFUB-NFLK	CelciuX In-panel Temperature controller GTC High Function Unit, RS-232C/RS-485
EJ1G-TC2A-QNH	CelciuX In-panel Temperature controller GTC Unit, DIN rail mounting, 2 loops, ther
EJ1G-TC2B-QNH	CelciuX In-panel Temperature controller GTC Unit, DIN rail mounting, 2 loops, ther
EJ1G-TC4A-QQ	CelciuX In-panel Temperature controller GTC Unit, DIN rail mounting, 4 loops, ther
EJ1G-TC4B-QQ	CelciuX In-panel Temperature controller GTC Unit, DIN rail mounting, 4 loops, ther
EJ1N-HFUA-NFLK	CelciuX In-panel Temperature controller High Function Unit, RS-232C/RS-485 port
EJ1N-HFUB-DRT	CelciuX In-panel Temperature controller Devicenet Communications Unit, M3 screw
EJ1N-HFUB-NFLK	CelciuX In-panel Temperature controller High Function Unit, RS-232C/RS-485 port
EJ1N-TC2A-CNB	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 2 loops, the
EJ1N-TC2A-QNHB	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 2 loops, the
EJ1N-TC2B-CNB	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 2 loops, the
EJ1N-TC2B-QNHB	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 2 loops, the
EJ1N-TC4A-QQ	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 4 loops, the
EJ1N-TC4B-QQ	CelciuX In-panel Temperature controller Basic Unit, DIN rail mounting, 4 loops, the
ELKA K 3308 PUR 5M	
ELWIKAKV 3308 PUR 025 2M	
ELWIKAKV 3308 PUR 025 5M	
ELWIKAKV 3308 PVC 5M	
ER1022-042MELL	Rope pull Emergency Stop switch, heavy duty, 125m rope span, IP67, E-Stop, Indica
ER1022-042MELR	Rope pull Emergency Stop switch, heavy duty, 125m rope span, IP67, E-Stop, Indica
ER1032-042MEL	Rope pull Emergency Stop switch, Two ropes, heavy duty, 125m rope span, IP67, E-
ER1032-042MEL-01	
ER1032-042ML	
ER5018-021M	Rope pull Emergency Stop switch, Compact, 40m rope span, IP67, reset button, 2NC
ER5018-021ME	Rope pull Emergency Stop switch, Compact, 40m rope span, IP67, E-Stop, reset butt
ER5018-030M	
ER5018-030ME	Rope pull Emergency Stop switch, Compact, 40m rope span, IP67, E-Stop, reset but
ER6022-021M	Rope pull Emergency Stop switch, 80m rope span, IP67, reset button, 2NC+1NO, 3x
ER6022-021ME	Rope pull Emergency Stop switch, 80m rope span, IP67, E-Stop, reset button, 2NC+1
ER6022-021MEL	Rope pull Emergency Stop switch, 80m rope span, IP67, Indicator, E-Stop, reset butt
ER6022-021ML	Rope pull Emergency Stop switch, 80m rope span, IP67, Indicator, reset button, 2NC
ER6022-022MELSS	
ER6022-022MESS	
ER6022-022MLSS	
ER6022-022MSS	
ER6022-030M	
ER6022-030ME	
ER6022-030MEL	Rope pull Emergency Stop switch, 80m rope span, IP67, Indicator, E-Stop, reset butt
ER6022-030ML	
ER6022-031MELSS	
ER6022-031MESS	
ER6022-031MLSS	
ER6022-031MSS	
ER6022-SS	
ERF-150WJ101	Braking resistor, 100 Ohm, for 200 VAC drives (1.5kW) (equivalent to 3G3IV-PERF15I
ERF-150WJ201	Braking resistor, 200 Ohm, for 200 VAC drives (up to 0.75kW) (equivalent to 3G3IV-P

ERF-150WJ301	Braking resistor, 300 Ohm, for 400 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150)
ERF-150WJ401	Braking resistor, 400 Ohm, for 400 VAC drives (1.5kW) (equivalent to 3G3IV-PERF150)
ERF-150WJ620	Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150)
ERF-150WJ700	Braking resistor, 70 Ohm, for 200 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150)
ERF-150WJ751	Braking resistor, 750 Ohm, for 400 VAC drives (up to 0.75kW) (equivalent to 3G3IV-PERF150)
ES1000-CA021-051	
ES1000-CA021-102	
ES1000-CA021-202	
ES100-CT022-202	
ES100-CT023-202	
ES1-20R-S-B	
ES1B 10-70C	Infrared Thermosensor 10 to 70 °C
ES1B 115-165C	Infrared Thermosensor 115 to 165 °C
ES1B 140-260C	Infrared Thermosensor 140 to 260 °C
ES1B 60-120C	Infrared Thermosensor 60 to 120 °C
ES1C-A40	Infrared Thermosensor 0 to 400 deg C, 4-20mA output
ES1-LP10	Infrared thermosensor, 0-500 °C, 8/100mm dia. field, 12-24 VDC, 4-20mA output
ES1-LP3	Infrared thermosensor, 0-500 °C, 3/30mm dia. field, 12-24 VDC, 4-20mA output
ES1-LW100	
ES1-LW100H	
ES1-PRO	
ES1-T	
ES2-20R-B	
ES2-HB	
ES2-M	
ES2-THB	
ES3-20R-S-B	
ES35	
ES50	
ESH-33R-S-B	
EST2-2C-MV4	CX-Thermo, direct 1 to 1 connecting software, for programming and monitoring E5C
EST-33R-S-B	
ESTT-YB177-MV1S	CX-Thermo, direct 1 to 1 connecting software, for programming and monitoring E5C
ETC 615373	
ETC 615384	
ETC 615674	
ETC 615684	
ETC-615351-S2012	
ETC615431-S3013	
ETC618121	L7 Terminal Card
ETC618131	L7 Terminal Card
ETC619240	
ETC740033	
ETN-SER-D01	
EUX003500FAN UNIT	
EXW-28P AN.I/O MOD.FOR C200H-A	
EY3A-1051-A S1	
EY3A-1052-A	
EY3A-1061	
EY3A-106-A S1	
EY3A-108	
EY3A-1081	

EY3A-1101	
EY3A-110-A S1	
EY3A-112	
EY3A-3051	
EY3A-3051-A	
EY3A-3051-S1	
EY3A-308	
EY3A-3081	
EY3A-308-R	
EY3A-312	
EY3A-312-S1	
Ezurio USB-BT	USB to Bluetooth adapter, 100m range
EZZ020642AJVOP180 support set A	
EZZ020642BJVOP180 support set B	
EZZ020800A	
EZZ020800B	
EZZ020800C	
EZZ020800D	
EZZ08112A	
EZZ08112B	
EZZ08112C	
EZZ08112D	
EZZ08112E	
EZZ08122A	J1000/J7AZ Din rail mounting bracket, frame size A
EZZ08122B	J1000/J7AZ Din rail mounting bracket, frame size B
EZZ08122C	J1000/J7AZ Din rail mounting bracket, frame size C
EZZ08122D	J1000/J7AZ Din rail mounting bracket, frame size D
EZZ08136A	
EZZ08136B	
EZZ08136C	
EZZ08136D	
EZZ08136E	
EZZ08136F	
EZZ08136G	
EZZ08136H	
EZZ08676A	
EZZ08676B	Panel Bracket
EZZ08676C	
EZZ08849A	Panel mounting kit for JVOP-160/JVOP-161 (sheet metal bracket with tapped holes, €
EZZ08849B	Panel mounting kit for JVOP-160/JVOP-161 (sheet metal bracket with plain holes, eq
EZZ09779A	
EZZ09779B	
EZZ09779C	
EZZ09779D	Nema 1/IP20 kit for 200V/400V, 55/75kW and 400V, 75/90kW E7Z/F7Z & 55/75kW G7C
EZZ09779E	Nema 1/IP20 kit for 200V/400V, 90kW and 400V, 110/132kW E7Z/F7Z & 90/110kW G7C
EZZ09779F	Nema 1/IP20 kit for 400V, 22/30kW E7Z/F7Z & 18/22kW G7C inverter drives
EZZ09779G	Nema 1/IP20 kit for 400V, 37kW E7Z/F7Z & 30/37kW G7C inverter drives
EZZ09779H	Nema 1/IP20 kit for 400V, 45/55kW E7Z/F7Z & 45kW inverter drives
EZZ09779I	
F03-01 CHITAN ELCTRODE	
F03-01 HAS B ELECTRODE	
F03-01 HAS C ELECTRODE	

F03-01 SUS201 ELECTRODE	Electrode, stainless steel, 1m length, 6mm dia, extendable
F03-01 SUS316	Electrode, stainless steel, 1m length, 6mm dia, extendable
F03-02 CHITAN CONNCTING NUT	
F03-02 HAS B CONNCTING NUT	
F03-02 SUS201	Electrode connecting nut
F03-02 SUS316	Electrode connecting nut
F03-03 CHITAN LOCK-NUT	
F03-03 HAS B LOCK-NUT	Electrode lock nut
F03-03 SUS316	Electrode lock nut
F03-03-SUS304	Electrode lock nut
F03-05 3P ELECTRODE BAND 50M	
F03-05-3P-ELECTRODE BAND 1M	
F03-06 E-BAND CONNECTING NUT	
F03-07	
F03-08 ELECTRODE BAND END-CAP	
F03-10 E-BAND ADHESIVE	
F03-11 BF-COVER	Floatless level controller accessory
F03-12	PS Electrode Holder Mounting Plate
F03-13 FRAME FOR CONCRETE	
F03-14 1P	Floatless level controller accessory
F03-14-3P	Electrode separator, 3 way
F03-14-5P	Electrode separator, 5 way
F03-16PE-10M	Floatless level controller accessory
F03-16PE-15M	
F03-16PE-1M	Electrode band, 1m, stainless steel with polyethelene cover
F03-16PE-20M (1 pcs = 1 role)	
F03-16PE-25M	
F03-16PE-2M (1 pcs = 1 role)	
F03-16PE-50M (1 pcs = 1 role)	
F03-16PE-5M (1 pcs = 1 role)	Floatless level controller accessory
F03-16PS	Floatless level controller accessory
F03-16PS-F	Floatless level controller accessory
F03-16PT-10M	
F03-16PT-15M	
F03-16PT-1M	
F03-16PT-20M	
F03-16PT-2M	
F03-16PT-5M	Electrode band, 5m, for temperature and chemical resistance
F03-16SF-100M	
F03-16SF-10M	
F03-16SF-15M	
F03-16SF-20M	
F03-16SF-30M	
F03-16SF-40M	
F03-16SF-50M	
F03-16SF-5M	Floatless level controller accessory
F03-16SF-60M	
F03-16SF-70M	
F03-16SF-80M	
F03-16SF-90M	
F03-16SFC-100M	
F03-16SFC-10M	

F03-16SFC-15M	
F03-16SFC-20M	
F03-16SFC-30M	
F03-16SFC-40M	
F03-16SFC-50M	
F03-16SFC-5M	Floatless level controller accessory
F03-16SFC-60M	
F03-16SFC-70M	
F03-16SFC-80M	
F03-16SFC-90M	
F03-20 (10 PCS)	Floatless level controller accessory
F03-20T	Floatless level controller accessory
F03-25	Floatless level controller accessory
F03-26PEN (30PCS)	Floatless level controller accessory
F03-26PES	Floatless level controller accessory
F03-26PS	Floatless level controller accessory
F03-26PTN	Floatless level controller accessory
F03-31 RUBBER CAP FOR PS-31	Floatless level controller accessory
F03-60 HAS B ELECTRODE SET	
F03-60 HAS C ELECTRODE SET	
F03-60 SUS201 CNCT NUT	
F03-60 SUS316	
F03-60 TITANIUM ELECTRODE SET	
F150 KAMERA TARTÓ	
F150-13VG20100AS	
F150-C10E3-D	
F150-C15E-3 E (D)	
F150CB2	
F150-CB3	
F150-CB5	
F150-CB-F-2	
F150-CB-F5	
F150-CB-W3	
F150-CB-W-5	
F150-CLF1024	
F150-CLF2024	
F150-DEMO-SET	
F150-DF-LDL-74*27	
F150-DF-LDR-42	
F150-DF-LDR-50	
F150-DF-LDR-70	
F150-DF-QSQ-070070	
F150-ELO15DESKTOP 15" MONITOR	
F150-ELO15RACK	
F150-EX05	
F150-EX05-PE=1205 2	
F150-EX1	
F150-EX2	
F150-EX5	
F150-EX5-PE=267	
F150-EX5-PE=267 2	
F150-EXSA	

F150-EXSA-2
F150-EXSA-PE=266
F150-EXSA-PE=266 2
F150-FCB-1
F150-FCB-2
F150-FCB-2-IP67-PHL
F150-FCB-3
F150-FCB-5
F150-FCB-5-IP67-PHL
F150-FCB-W-5
F150-FL25PL
F150-FL25UV
F150-FL-IR
F150-FL-IR M40,5
F150-FL-IR27M
F150-FL-IR30M
F150-FPQ-96-BL
F150-HBR-045063-RD
F150-HBR-045063-SW
F150-HICB341H
F150-HLV-24SW-3W
F150-HPD-100SW
F150-HPD-150SW
F150-HPR-100SW
F150-HPR-150SW
F150-HSL-58RD-D300
F150-HSL-58SW-KIT
F150-ILU
F150-ILU 2
F150-KP
F150-KP 10M
F150-KP 5M
F150-KP-001 2M
F150-KP-003
F150-KP-004 5M
F150-LC-LDL-TP-100X100
F150-LC-LFW-70
F150-LDL- TP27X27SW
F150-LDL-130X15-IR850
F150-LDL-42X15
F150-LDL-42X15-BL
F150-LDL-74X27-SW
F150-LDL-74X27SW2
F150-LDL-74X27UV365
F150-LDL-82X15-BL
F150-LDL-TP-100X100
F150-LDL-TP-27X27
F150-LDL-TP-43X35
F150-LDL-TP-43X35-SW
F150-LDL-TP-50X50
F150-LDL-TP-50X50-SW
F150-LDL-TP-51X51-BL

Keypad for programming setting

Keypad for programming F160/F210/F500

F150-LDL-TP-83X75-SW

F150-LDQ-100A-BL

F150-LDR2-42SW2

F150LDR2-50RD

F150-LDR2-50SW

F150-LDR2-50SW2

F150-LDR2-70IR95

F150-LDR2-70RD

F150-LDR2-70RD-WD

F150-LDR2-70SW

F150-LDR2-70SW2

F150-LDR2-74RD-LA

F150-LDR2-74SW2-LA

F150-LDR2-7B0L

F150-LDR2-90-30RD

F150-LDR2-90-30SW2

F150-LDR2-90RD

F150-LDR50R

F150-LDR-70A

F150-LE20

Spare camera/lens for F150-SL20A

F150-LE50

Spare camera/lens for F150-SL50A

F150-LFL-100

F150-LFL-1012P

F150-LFL-1012-SW(P)

F150-LFL-180-SW

F150-LFL-4040

F150-LFL-612

F150-LFV2-35SW2

F150-LFV2-CP-13RD

F150-LFV2-CP-13SW2

F150-LFV-34-SW

F150-LFV-CP-13

F150-LFV-CP-13RD

F150-LFX-100-RD

F150-LFX-200-RD

F150-LFX-200-SW

F150-LLA60B

F150-LSP41UV365

F150-LT10A

Spare light for F150-SL20A/50A

F150-LTB 170X300

F150-LTC20

Spare light for F150/F160 SLC20

F150-LTC50

Spare light for F150/F160 SLC50

F150-LT-M44IR

F150-LT-NOK

F150-M05L

Monitor, TFT colour, panel mounting, 5.5 inch display

F150-OB100-GM31035

F150-OB12-25HB

F150-OB16-17HF

F150-OB16-23FM16SP

F150-OB16-PE=C31634KP 2

F150-OB25-20HC

F150-OB25-23FM25SP

F150-OB25-PE=C32500KP 2
F150-OB35-35HB
F150-OB35-PE=C33500KP
F150-OB4-GM24514
F150-OB50-21HC
F150-OB50-23FM50SP
F150-OB50-50NL
F150-OB50-PE=C35001KP 2
F150-OB6-22HA
F150-OB75-1A1HB
F150-OB8-219HB
F150-OB8-PE=252 2
F150-OB8-PE=C30811TH 2
F150-PHL-0508-CD24
F150-PJ-1505-2CA
F150-PL25
F150-PL-27NL
F150-PL-QSQ-070070
F150-PROG-TOOL
F150-PSB-1024VB
F150-PSB-1024V-WW
F150-PSB-1024-WW
F150-PSB-524V
F150-PTU2-3012
F150-QBL-030030-66
F150-QBL-030030-66
F150-QBL-030030-SW
F150-QBL-060060-66
F150-QBL-120120-66
F150-QBR-061016-66
F150-QBR-06116-47
F150-QBR-109028-IR95
F150-QCO-052050-66
F150-QLA-074050-66
F150-QRL-050028-66
F150-QRL-090050-66
F150-QSQ.070070-SW
F150-QSQ-056056-SW
F150-QSQ-070070-66
F150-QSQ-070070-IR95
F150-R64-25
F150-S1A
F150-SE-16MS
F150-SE-EX2
F150-SKU7218E
F150-SL20A
F150-SL50A+
F150-SL66
F150-SLC20
F150-SLC50
F150-SM
F150-SNF-505L-1,55-635-5-10

Standard camera (without light source)

Camera with light source, 20mm field of vision

Camera with light source, 50mm field of vision

Camera with intelligent light source, 20mm field of vision

Camera with intelligent light source, 50mm field of vision

F150-SQR-56	
F150-VGA	
F150-VKP 2M	F150/160/210/500 to NS video card keypad mimic cable
F150-VKP 5M	
F150-VM	Monitor cable, 2m
F150-VM 10M	Monitor cable, 10m
F150-VM 20M	
F150-VM 2M	
F150-VM 5M	Monitor cable, 5m
F150-VM 5M	
F150-VS	Camera cable, 3m
F150-VS 10M	Camera cable, 10m
F150-VS 15M	Camera cable 15m
F150-VS 20M	
F150-VS 25M	
F150-VS 40M	
F150-VS 5M	Camera cable, 5m
F150-VSB 10M	
F150-VSB 15M	
F150-VSB 20M	
F150-VSB 5M	
F150-VSLB 0.7M	
F160-C10E-2	Visual inspection controller, NPN outputs, RS-232C interface
F160-C15E-2	Visual inspection controller, PNP outputs, RS-232C interface
F160CF32	
F160-DEMO-KIT AMADEA	
F160-DU	
F160-KP	Keypad for programming settings on the F160E vision system
F160-N128S	Compact Flash card 128Mb
F160-N256S	Compact Flash card 256Mb
F160-S2	High speed camera for F160, Partial scan capability, replaces F160-S1 (must be vers
F160-SLC20	Camera with intelligent light source, 20mm field of vision
F160-SLC50	Camera with intelligent light source, 50mm field of vision
F160-VP	Parallel I/O interface cable
F160-VP 5M	Parallel I/O interface cable, 5M
F160-VSR3	
F160-VSR3 10M	
F160-VSR3 15M	
F160-VSR3 20M	
F160-VSR3 25M	
F160-VSR3 5M	
F160-VSR4 3M	
F160-VSR4 5M	
F210-C10	
F210-C10-ETN	Visual Inspection controller, NPN outputs, Ethernet (requires software and digital I/
F210-C15	Visual Inspection controller, PNP outputs, RS232 interface (requires software)
F210-C15-ETN	Visual Inspection controller, PNP outputs, Ethernet (requires software and digital I/C
F210GEH7	
F210-S1	Camera for F210-ETN only
F250-C50	
F250-C55	Visual inspection controller, PNP outputs, 4 camera
F250-UM3ME/PC	

F32-300	UV f/optic sensor
F32-300 10M	
F32-300 3M	
F32-300 5M	
F32-70	
F39-A01PG-D	
F39-A01PG-L	
F39-A01PR-D	
F39-A01PR-L	
F39-A01PR-PAC	
F39-A11	Yellow muting lamp
F39-A11MB	Spare bulb for muting lamp
F39-CN1	
F39-CN3	
F39-CN4	
F39-CN5	
F39-CN6	Key cap for muting, F3SJ only, emitter or receiver
F39-CN9	F3SJ End Cap
F39-CU1M	
F39-E1 BY OMG	
F39-EU1E BY OMG	Interface unit, optional function software (3.5 inch floppy for Windows 95/98/NT), 5m
F39-FU1M	
F39-GWUM	Setting support software for F3SJ, includes branch connector, connector cap, 2m d
F39-H1	
F39-HA2-01	
F39-HA3-01	
F39-HA5-01	
F39-HH09-03	
F39-HJ0317	
F39-HJ0335	
F39-HJ0420	
F39-HJ0470	
F39-HJ0500	
F39-HJ0515	
F39-HJ0533	
F39-HJ0595	
F39-HJ0623	
F39-HJ0686	
F39-HJ0767	
F39-HJ0776	
F39-HJ0803	
F39-HJ0920	
F39-HJ0950	
F39-HJ0995	
F39-HJ1195	
F39-HJ1220	
F39-HJ1245	
F39-HJ1470	
F39-HJ1505	
F39-HJ1870	
F39-HN0189-14	
F39-HN0207-14	

F39-HN0217-25
F39-HN0225-14
F39-HN0232-25
F39-HN0243-14
F39-HN0247-25
F39-HN0261-14
F39-HN0262-25
F39-HN0277-25
F39-HN0279-14
F39-HN0292-25
F39-HN0297-14
F39-HN0307-25
F39-HN0315-14
F39-HN0333-14
F39-HN0337-25
F39-HN0351-14
F39-HN0352-25
F39-HN0367-25
F39-HN0369-14
F39-HN0382-25
F39-HN0387-14
F39-HN0397-25
F39-HN0405-14
F39-HN0412-25
F39-HN0423-14
F39-HN0427-25
F39-HN0441-14
F39-HN0442-25
F39-HN0457-25
F39-HN0459-14
F39-HN0472-25
F39-HN0477-14
F39-HN0487-25
F39-HN0495-14
F39-HN0502-25
F39-HN0513-14
F39-HN0517-25
F39-HN0531-14
F39-HN0532-25
F39-HN0547-25
F39-HN0549-14
F39-HN0562-25
F39-HN0567-14
F39-HN0577-25
F39-HN0585-14
F39-HN0592-25
F39-HN0603-14
F39-HN0607-25
F39-HN0621-14
F39-HN0622-25
F39-HN0637-25
F39-HN0639-14

F39-HN0652-25
F39-HN0657-14
F39-HN0667-25
F39-HN0675-14
F39-HN0682-25
F39-HN0693-14
F39-HN0697-25
F39-HN0711-14
F39-HN0727-25
F39-HN0729-14
F39-HN0742-25
F39-HN0747-14
F39-HN0757-25
F39-HN0765-14
F39-HN0772-25
F39-HN0783-14
F39-HN0787-25
F39-HN0801-14
F39-HN0802-25
F39-HN0817-25
F39-HN0819-14
F39-HN0832-25
F39-HN0837-14
F39-HN0847-25
F39-HN0855-14
F39-HN0862-25
F39-HN0873-14
F39-HN0877-25
F39-HN0891-14
F39-HN0892-25
F39-HN0907-25
F39-HN0909-14
F39-HN0922-25
F39-HN0927-14
F39-HN0937-25
F39-HN0945-14
F39-HN0952-25
F39-HN0963-14
F39-HN0967-25
F39-HN0981-14
F39-HN0982-25
F39-HN0997-25
F39-HN0999-14
F39-HN1012-25
F39-HN1017-14
F39-HN1027-25
F39-HN1035-14
F39-HN1042-25
F39-HN1053-14
F39-HN1057-25
F39-HN1071-14
F39-HN1072-25

F39-HN1087-25
F39-HN1089-14
F39-HN1102-25
F39-HN1107-14
F39-HN1117-25
F39-HN1125-14
F39-HN1132-25
F39-HN1147-25
F39-HN1162-25
F39-HN1177-25
F39-HN1192-25
F39-HN1207-25
F39-HN1222-25
F39-HN1237-25
F39-HN1252-25
F39-HN1267-25
F39-HN1282-25
F39-HN1297-25
F39-HN1312-25
F39-HN1327-25
F39-HN1342-25
F39-HN1357-25
F39-HN1387-25
F39-HN1402-25
F39-HN1417-25
F39-HN1432-25
F39-HN1447-25
F39-HN1462-25
F39-HN1477-25
F39-HN1492-25
F39-HN1507-25
F39-HN1522-25
F39-HN1537-25
F39-HN1552-25
F39-HN1567-25
F39-HN1582-25
F39-HN1597-25
F39-HN1612-25
F39-HN1627-25
F39-HN1642-25
F39-HN1657-25
F39-HN1672-25
F39-HN1687-25
F39-HN1702-25
F39-HN1717-25
F39-HN1732-25
F39-HN1747-25
F39-HN1762-25
F39-HN1777-25
F39-HN1792-25
F39-HN1807-25
F39-HN1822-25

F39-HP0189-14
F39-HP0207-14
F39-HP0217-25
F39-HP0247-25
F39-HP0297-14
F39-HP0307-25
F39-HP0387-14
F39-HP0397-25
F39-HP0405-14
F39-HP0442-25
F39-HP0457-25
F39-HP0477-14
F39-HP0495-14
F39-HP0502-25
F39-HP0603-14
F39-HP0607-25
F39-HP0711-14
F39-HP0801-14
F39-HP0907-25
F39-HP0909-14
F39-HP0999-14
F39-HP1057-25
F39-HP1102-25
F39-HP1107-14
F39-HP1207-25
F39-HP1237-25
F39-HP1357-25
F39-HP1507-25
F39-HP1611-14
F39-HP1612-25
F39-HP1657-25
F39-HP1702-25
F39-HP1807-25
F39-HP1822-25
F39-HPH09-03
F39-HS0472A-25
F39-HS0787A-25
F39-HS0892A-25
F39-HS1252A-25
F39-HT0427A-25
F39-HT0472A-25
F39-HT0907A-25
F39-HT0952A-25
F39-HT1207A-25
F39-HT1252A-25
F39-HT1507A-25
F39-HU1
F39-HU2
F39-J1 3M
F39-J2 7M
F39-JA1B
F39-JA1C

Protective tube IP67, for F3SH light curtain only

Extension cable (pair), 3M for F3W-C

Series connection cable (pair), 0.2m, for F3S-A safety light curtains

F39-JA1D	
F39-JA1E	
F39-JA1G	
F39-JA2C	
F39-JA2D	
F39-JA3C	
F39-JA3D	
F39-JB1A BY OMG	Extension cable (pair), 3m, for F3S-B
F39-JB1A-D BY OMG	
F39-JB1A-L BY OMG	
F39-JB1B BY OMG	Series connection cable (pair), 300mm, M12 connector (6 pins)
F39-JB1B-D BY OMG	
F39-JB1B-L BY OMG	
F39-JB1C BY OMG	
F39-JB2A BY OMG	Extension cable (pair), 7m, for F3S-B
F39-JB2A-D BY OMG	
F39-JB2A-L BY OMG	
F39-JB3A BY OMG	Extension cable (pair), 10m, for F3S-B
F39-JB3A-D BY OMG	
F39-JB3A-L BY OMG	
F39-JC10A	Extension cable (pair), 10m, for F3SN/H/J, single ended
F39-JC10A-D	
F39-JC10A-L	
F39-JC10B	Extension cable (pair), 10m, for F3SN/H/J, double ended
F39-JC10B-D	
F39-JC10C	
F39-JC15A	Extension cable (pair), 15m, for F3SN/H/J, single ended
F39-JC15A-D	
F39-JC15A-L	
F39-JC15B	Extension cable (pair), 15m, for F3SN/H/J, double ended
F39-JC15B-D	
F39-JC15B-L	
F39-JC15C	Extension cable (pair), 15m, for F3SN/H, double ended, for G9SA-300-SC
F39-JC1B	
F39-JC1B-D	
F39-JC1C	Extension cable (pair), 1m, for F3SN/H, double ended, for G9SA-300-SC
F39-JC1R5B-L	
F39-JC20A	
F39-JC20B	
F39-JC2X1	
F39-JC2X2	
F39-JC3A	Extension cable (pair), 3m, for F3SN/H/J, single ended
F39-JC3A-D	
F39-JC3A-L	
F39-JC3B	Extension cable (pair), 3m, for F3SN/H/J, double ended
F39-JC3B-D	
F39-JC3B-L	
F39-JC3C	
F39-JC5B	Extension cable (pair), 5m, for F3SN/H/J, double ended
F39-JC7A	Extension cable (pair), 7m, for F3SN/H/J, single ended
F39-JC7A-D	
F39-JC7A-L	

OMRON Industrial

F39-JC7B	Extension cable (pair), 7m, for F3SN/H/J, double ended
F39-JC7B-D	
F39-JC7B-L	
F39-JC7C	
F39-JCR2B	Extension cable (pair), 0.2m, for F3SN/H/J, double ended
F39-JCR2B-D	
F39-JCR2B-L	
F39-JCR2C	Extension cable (pair), 0.2m, for F3SN/H, double ended, for G9SA-300-SC
F39-JCR2D	
F39-JCR5B	Extension cable (pair), 0.5m, for F3SN/H/J, double ended
F39-JF10S	
F39-JG5A BY OMG	Power supply cable for F3G-C1R70, 5M
F39-JG5R BY OMG	Communications cable for set up of F3G-C1R70, 5M
F39-JJ3N	Universal indicator cable for muting, 3M, F3SJ only
F39-JJR06L	Series connection cable for F3SJ, 0.06M (cap both ends)
F39-JJR15L	Series connection cable for F3SJ, 0.15M (cap both ends)
F39-JJR3K	Power connector
F39-JJR3W	Series connection cable for F3SJ, 0.3M (cap one end M12 one end)
F39-JL10A-D	
F39-JL10A-L	
F39-JL15A-D	
F39-JL15A-L	
F39-JL30A-D	
F39-JL30A-L	
F39-JMCR-03M	MS2800/4800 Receiver Interconnect Cable, 0.3 m length
F39-JMCR-05M	
F39-JMCR-10M	MS2800/4800 Receiver Interconnect Cable, 10 m length
F39-JMCR-1M	
F39-JMCR-2M	
F39-JMCR-3M	MS2800/4800 Receiver Interconnect Cable, 3 m length
F39-JMCR-5M	MS2800/4800 Receiver Interconnect Cable, 5 m length
F39-JMCT-03M	MS2800/4800 Transmitter Interconnet Cable, 0.3 m length
F39-JMCT-05M	
F39-JMCT-10M	MS2800/4800 Transmitter Interconnet Cable, 10 m length
F39-JMCT-1M	
F39-JMCT-2M	
F39-JMCT-3M	MS2800/4800 Transmitter Interconnet Cable, 3 m length
F39-JMCT-5M	MS2800/4800 Transmitter Interconnet Cable, 5 m length
F39-JMR-10M	MS2800/4800 Receiver Cable, 10 m length
F39-JMR-15M	MS2800/4800 Receiver Cable, 15 m length
F39-JMR-30M	MS2800/4800 Receiver Cable, 30 m length
F39-JMR-50M	MS2800/4800 Receiver Cable, 50 m length
F39-JMT-10M	MS2800/4800 Transmitter Cable, 10 m length
F39-JMT-15M	MS2800/4800 Transmitter Cable, 15 m length
F39-JMT-30M	MS2800/4800 Transmitter Cable, 30 m length
F39-JMT-50M	MS2800/4800 Transmitter Cable, 50 m length
F39-L1	
F39-L10	
F39-L11	
F39-L12	Protective Bracket, One each for emitter & Reciver, (mounting screws included)
F39-L18	
F39-L19	

F39-L2	
F39-L20	Mounting Bracket,
F39-L26	
F39-L27	
F39-L28	
F39-L29	
F39-L33	
F39-L34	
F39-L35	
F39-L4	
F39-L9	
F39-LA	
F39-LB1 BY OMG	
F39-LE1	
F39-LE2	
F39-LE3	
F39-LJ1	
F39-LJ2	Side flat mounting brackets for F3SJ (set of 4)
F39-LJ3	Free location mounting brackets for F3SJ (set of 2)
F39-LJ5	
F39-LJ8	
F39-LLK	
F39-LLK2-SN BY OMG	Laser alignment tool with fixing bracket for F3SN
F39-LM45	
F39-LSP	
F39-MC11	Setting console for F3SN/H, includes branching connector, connector cap, 2m cable
F39-MC21	Setting Console for F3SJ (includes all connectors and cables)
F39-MN0217-25	
F39-MN0787-25	
F39-MN0952-25	
F39-MSG	
F39-MSS	
F39-MT11	
F39-PJ0245-S	
F39-PJ0420	
F39-PJ0920	
F39-PJ1220	Protector set including rear mounting brackets for F3SJA1220
F39-PJ1220-S	
F39-PJ1470	
F39-PJ1505	
F39-PN0322-1	
F39-PN0322-2	
F39-PN0427-1	
F39-PN0472-1	
F39-PN0472-2	
F39-PN0622-1	
F39-PN0622-2	
F39-PN0907-1	
F39-PN0952-1	
F39-PN0952-2	
F39-PN1207-1	
F39-PN1252-1	

F39-PN1507-1	
F39-PN1582	
F39-TGR-CT-B-E	Connector M12, 4-pin, female for wiring
F39-TGR-CT-B-R	Connector M12, 8-pin, female for wiring
F39-TGR-CT-ES-F	
F39-TGR-CT-W-E	Connector M12, 4-pin, male for wiring
F39-TGR-CT-W-R	Connector M12, 8-pin, male for wiring
F39-TGR-CVL-B-06-E	Extension cable (emitter only), 0.6m, for F3S-TGR, single ended
F39-TGR-CVL-B-06-R	Extension cable (receiver only), 0.6m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-10-E	Extension cable (emitter only), 10m, for F3S-TGR, single ended
F39-TGR-CVL-B-10-EE	Extension cable (emitter only), 10m, for F3S-TGR, male-female connectors (F3S-TGR
F39-TGR-CVL-B-10-R	Extension cable (receiver only), 10m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-10-RR	Extension cable (receiver only), 10m, for F3S-TGR, 8 pin, male-female (F3S-TGR-CL
F39-TGR-CVL-B-15-E	Extension cable (emitter only), 15m, for F3S-TGR, single ended
F39-TGR-CVL-B-15-R	Extension cable (receiver only), 15m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-25-E	Extension cable (emitter only), 25m, for F3S-TGR, single ended
F39-TGR-CVL-B-25-R	Extension cable (receiver only), 25m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-2-E	Extension cable (emitter only), 2m, for F3S-TGR, single ended
F39-TGR-CVL-B-2-EE	Extension cable (emitter only), 2m, for F3S-TGR, male-female connectors (F3S-TGR-
F39-TGR-CVL-B-2-R	Extension cable (receiver only), 2m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-2-RR	Extension cable (receiver only), 2m, for F3S-TGR, 8 pin, male-female (F3S-TGR-CL
F39-TGR-CVL-B-5-E	Extension cable (emitter only), 5m, for F3S-TGR, single ended
F39-TGR-CVL-B-5-EE	Extension cable (emitter only), 5m, for F3S-TGR, male-female connectors (F3S-TGR-
F39-TGR-CVL-B-5-R	Extension cable (receiver only), 5m, for F3S-TGR, 8 pin, single ended
F39-TGR-CVL-B-5-RR	Extension cable (receiver only), 5m, for F3S-TGR, 8 pin, male-female (F3S-TGR-CL
F39-TGR-CVL-D-B5R	
F39-TGR-CVL-ES-E	
F39-TGR-CVL-ES-R	
F39-TGR-CVL-ES-SAF	
F39-TGR-CVL-N-10	
F39-TGR-CVL-N-2	
F39-TGR-CVL-N-5	
F39-TGR-ECO-1	aluminium stand, 45x45mm, 120x120mm base plate, 100mm length
F39-TGR-ECO-L	Fixing bracket for ECO-1
F39-TGR-ES-B500	
F39-TGR-ES-B800	
F39-TGR-ES-B900	
F39-TGR-ES-SP2-H	
F39-TGR-ES-SP2-V	
F39-TGR-ES-SP3-H	
F39-TGR-ES-SP4-H	
F39-TGR-LLK2-SB	Laser alignment kit for F3S-TGR guards
F39-TGR-LMS-C1	
F39-TGR-LMS-C2	
F39-TGR-MDG0001	high efficiency mirror, 125x152mm
F39-TGR-MDG0310	Mirror for all light guards, 125mm wide, 310mm sensing height
F39-TGR-MDG0460	Mirror for all light guards, 125mm wide, 460mm sensing height
F39-TGR-MDG0607	Mirror for all light guards, 125mm wide, 607mm sensing height
F39-TGR-MDG0750	Mirror for all light guards, 125mm wide, 750mm sensing height
F39-TGR-MDG0907	Mirror for all light guards, 125mm wide, 907mm sensing height
F39-TGR-MDG1057	Mirror for all light guards, 125mm wide, 1057mm sensing height
F39-TGR-MDG1207	Mirror for all light guards, 125mm wide, 1207mm sensing height

F39-TGR-MDG1357	Mirror for all light guards, 125mm wide, 1357mm sensing height
F39-TGR-MDG1500	Mirror for all light guards, 125mm wide, 1500mm sensing height
F39-TGR-MDG1657	Mirror for all light guards, 125mm wide, 1657mm sensing height
F39-TGR-MDG1822	Mirror for all light guards, 125mm wide, 1822mm sensing height
F39-TGR-MSB-L060M	
F39-TGR-MSB-L-150	2 beam 'L' shape muting piece (uni-directional) 150mm for use with F3S-TGR-SB***.ª
F39-TGR-MSB-L-150-REFLEX	2 beam 'L' shape muting piece (uni-directional) 150mm for use with F3S-TGR-SB***.ª
F39-TGR-MSB-L-260	2 beam 'L' shape muting piece (uni-directional) 260mm for use with F3S-TGR-SB***.ª
F39-TGR-MSB-L-260-REFLEX	2 beam 'L' shape muting piece (uni-directional) 260mm for use with F3S-TGR-SB***.ª
F39-TGR-MSB-T-150	4 beam 'T' shape muting piece (bi-directional) 150mm for use with F3S-TGR
F39-TGR-MSB-T-150-REFLEX	4 beam 'T' shape muting piece (bi-directional) 150mm for use with F3S-TGR
F39-TGR-MSB-T-260	4 beam 'T' shape muting piece (bi-directional) 260mm for use with F3S-TGR
F39-TGR-MSB-T-260-REFLEX	4 beam 'T' shape muting piece (bi-directional) 260mm for use with F3S-TGR
F39-TGR-M-SP	
F39-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Elongated
F39-TGR-NLPR-A	Spare actuator for Reed type, Plastic, Elongated
F39-TGR-NMPC-A	
F39-TGR-NMPR-A	
F39-TGR-NSMC-A	Spare actuator for Coded type, Stainless steel, small body
F39-TGR-NSMR-A	Spare actuator for Reed type, Stainless steel, small body
F39-TGR-NT	
F39-TGR-SB4-CVLB2MC	
F39-TGR-SB-CMB1	M12, 8pin connector Muting connector box for 4 x 4pin M12 sensors (muting lamp / c
F39-TGR-SB-CMB2	M12, 8pin connector with 100mm cable Muting connector box for 4 x 4pin M12 sensc
F39-TGR-SB-R	
F39-TGR-SB-R-BOX	
F39-TGR-ST-ADJ	Adjsutable angle bracket for F3EM
F39-TGR-ST-MDG1	Mounting kit for MDG0001 to ECO-1
F39-TGR-ST-MDG2	Mounting kit for MDG**** to ECO-1
F39-TGR-ST-MSB-L	fixing bracket for L shape muting actuator (MSB-L)
F39-TGR-ST-MSB-LR	fixing bracket for L shape muting actuator (MSB-L-REFLEX)
F39-TGR-ST-MSB-T	fixing bracket for T shape muting actuator (MSB-T)
F39-TGR-ST-MSB-TR	fixing bracket for T shape muting actuator (MSB-T-REFLEX)
F39-TGR-ST-SB	
F39-TGR-W-IBOX-1	
F39-TGR-W-IBOX-1C	
F39-TGR-W-IBOX-2	
F39-TGR-W-IBOX-2C	
F39-TGR-W-IBOX-3	
F39-TGR-W-IBOX-3C	
F39-TGR-W-IBOX-4	
F39-TGR-W-IBOX-4C	
F39-U1E BY OMG	
F3E-06-T1 5M	
F3E-06-T6	
F3E-06-T6-1	
F3E-12-T1 5M	
F3E-12-T6	
F3E-16-T1 3.5M	Multibeam light curtain,
F3E-16-T1 3.5M (12 PCS)	
F3E-16-T1 5M	Multibeam light curtain for lifts, 1800mm detection area, 120mm pitch, 5m pre-cablec
F3E-16-T1 5M (12 PCS)	

F3E-16-T1-1 5M
F3E-16-T6
F3E-16-T6 (12 PCS)
F3E-27-T6
F3E-46-T1 5M
F3E-46-T1 5M (12 PCS)
F3E-46-T6
F3E-46-T6 (12 PCS)
F3E-IK-M
F3E-IK-S
F3E-IK-S (12 PCS)
F3EM-005-150-AV
F3EM-005-150-D2
F3EM-005-2000-D2
F3EM-005-300-AV
F3EM-005-300-D2
F3EM-005-600-AV
F3EM-005-600-D2
F3EM-005-900-AV
F3EM-005-900-D2
F3EM-018-150-AV
F3EM-018-150-D2
F3EM-018-2100-AV
F3EM-018-2100-D2
F3EM-018-300-AV
F3EM-018-300-D2
F3EM-018-600-AV
F3EM-018-600-D2
F3EM-018-900-AV
F3EM-018-900-D2
F3E-PS1
F3E-PS2
F3ET-005-150
F3ET-005-300
F3ET-005-600
F3ET-005-900
F3ET-018-1200
F3ET-018-150
F3ET-018-2100
F3ET-018-300
F3ET-018-600
F3ET-018-900
F3ET-IP150-005
F3ET-IP150-018
F3ET-IP300-005
F3ET-IP300-018
F3ET-IP600-005
F3ET-IP600-018
F3ET-IP900-005
F3ET-IP900-018
F3M-S1225
F3S-A162N-04

Measuring light curtain, robust aluminium housing, 5mm resolution, 150mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 150mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 2000mm height
 Measuring light curtain, robust aluminium housing, 5mm resolution, 300mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 300mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 600mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 600mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 900mm height,
 Measuring light curtain, robust aluminium housing, 5mm resolution, 900mm height,
 Measuring light curtain, robust aluminium housing, 18mm resolution, 150mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 150mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 2100mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 2100mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 300mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 300mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 600mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 600mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 900mm height
 Measuring light curtain, robust aluminium housing, 18mm resolution, 900mm height
 Power supply NTR 18/04 for operation with 240 VAC/24 VDC

Light curtain (non-safety), robust aluminium housing, 5mm resolution, 150mm height
 Light curtain (non-safety), robust aluminium housing, 5mm resolution, 300mm height
 Light curtain (non-safety), robust aluminium housing, 5mm resolution, 600mm height
 Light curtain (non-safety), robust aluminium housing, 5mm resolution, 900mm height

 Light curtain (non-safety), robust aluminium housing, 18mm resolution, 150mm height
 Light curtain (non-safety), robust aluminium housing, 18mm resolution, 2100mm height
 Light curtain (non-safety), robust aluminium housing, 18mm resolution, 300mm height
 Light curtain (non-safety), robust aluminium housing, 18mm resolution, 600mm height
 Light curtain (non-safety), robust aluminium housing, 18mm resolution, 900mm height

F3S-A162N-D-04	
F3S-A162N-L-04	
F3S-A242N-04	
F3S-A242N-D-04	
F3S-A242N-L-04	
F3S-A482N-04	
F3S-A482N-D-04	
F3S-A482N-L-04	
F3S-A642N-04	
F3S-A642N-D-04	
F3S-A642N-L-04	
F3S-B047P BY OMG	Safety light curtain, category 2, 80mm resolution, 300mm height, 0.3-5m detection di
F3S-B065P BY OMG	Safety light curtain, category 2, 55mm resolution, 300mm height, 0.3-5m detection di
F3S-B067P BY OMG	Safety light curtain, category 2, 80mm resolution, 450mm height, 0.3-5m detection di
F3S-B087P BY OMG	Safety light curtain, category 2, 80mm resolution, 600mm height, 0.3-5m detection di
F3S-B087P-D BY OMG	
F3S-B087P-L BY OMG	
F3S-B095P BY OMG	Safety light curtain, category 2, 55mm resolution, 450mm height, 0.3-5m detection di
F3S-B107P BY OMG	
F3S-B122P BY OMG	Safety light curtain, category 2, 30mm resolution, 300mm height, 0.3-5m detection di
F3S-B125P BY OMG	
F3S-B127P BY OMG	Safety light curtain, category 2, 80mm resolution, 900mm height, 0.3-5m detection di
F3S-B147P BY OMG	Safety light curtain, category 2, 80mm resolution,1050mm height, 0.3-5m detection d
F3S-B155P BY OMG	
F3S-B167P BY OMG	Safety light curtain, category 2, 80mm resolution, 1200mm height, 0.3-5m detection (
F3S-B182P BY OMG	Safety light curtain, category 2, 30mm resolution, 450mm height, 0.3-5m detection di
F3S-B185P BY OMG	Safety light curtain, category 2, 55mm resolution, 900mm height, 0.3-5m detection di
F3S-B187P BY OMG	
F3S-B207P BY OMG	Safety light curtain, category 2, 80mm resolution, 1500mm height, 0.3-5m detection (
F3S-B215P BY OMG	
F3S-B227P BY OMG	Safety light curtain, category 2, 80mm resolution,1650mm height, 0.3-5m detection d
F3S-B242P BY OMG	Safety light curtain, category 2, 30mm resolution, 600mm height, 0.3-5m detection di
F3S-B242P-D BY OMG	
F3S-B242P-L BY OMG	
F3S-B245P BY OMG	Safety light curtain, category 2, 55mm resolution, 1200mm height, 0.3-5m detection (
F3S-B267P BY OMG	
F3S-B275P	Safety light curtain, category 2, 55mm resolution, 1350mm height, 0.3-5m detection (
F3S-B302P BY OMG	Safety light curtain, category 2, 30mm resolution, 750mm height, 0.3-5m detection di
F3S-B305P BY OMG	Safety light curtain, category 2, 55mm resolution, 1500mm height, 0.3-5m detection (
F3S-B335P BY OMG	Safety light curtain, category 2, 55mm resolution,1650mm height, 0.3-5m detection d
F3S-B362P BY OMG	Safety light curtain, category 2, 30mm resolution, 900mm height, 0.3-5m detection di
F3S-B422P BY OMG	Safety light curtain, category 2, 30mm resolution,1050mm height, 0.3-5m detection d
F3S-B482P BY OMG	Safety light curtain, category 2, 30mm resolution, 1200mm height, 0.3-5m detection (
F3S-B482P-08 BY OMG	
F3S-B542P BY OMG	Safety light curtain, category 2, 30mm resolution, 1350mm height, 0.3-5m detection (
F3S-B602P BY OMG	Safety light curtain, category 2, 30mm resolution, 1500mm height, 0.3-5m detection (
F3S-B662P BY OMG	Safety light curtain, category 2, 30mm resolution,1650mm height, 0.3-5m detection d
F3S-B662P-08 BY OMG	
F3S-BM047P04 BY OMG	
F3S-BM047P06 BY OMG	
F3S-BM047P08 BY OMG	
F3S-BM047P10 BY OMG	

F3S-BM065P06 BY OMG
F3S-BM065P09 BY OMG
F3S-BM065P12 BY OMG
F3S-BM065P15 BY OMG
F3S-BM067P04 BY OMG
F3S-BM067P06 BY OMG
F3S-BM067P08 BY OMG
F3S-BM067P10 BY OMG
F3S-BM087P04 BY OMG
F3S-BM087P06 BY OMG
F3S-BM087P08 BY OMG
F3S-BM087P10 BY OMG
F3S-BM095P06 BY OMG
F3S-BM095P09 BY OMG
F3S-BM095P12 BY OMG
F3S-BM095P15 BY OMG
F3S-BM107P04 BY OMG
F3S-BM107P06 BY OMG
F3S-BM107P08 BY OMG
F3S-BM107P10 BY OMG
F3S-BM122P12 BY OMG
F3S-BM122P18 BY OMG
F3S-BM122P24 BY OMG
F3S-BM122P30 BY OMG
F3S-BM125P06 BY OMG
F3S-BM125P09 BY OMG
F3S-BM125P12 BY OMG
F3S-BM125P15 BY OMG
F3S-BM127P04 BY OMG
F3S-BM127P06 BY OMG
F3S-BM127P08 BY OMG
F3S-BM127P10 BY OMG
F3S-BM147P04 BY OMG
F3S-BM147P06 BY OMG
F3S-BM147P08 BY OMG
F3S-BM147P10 BY OMG
F3S-BM155P06 BY OMG
F3S-BM155P09 BY OMG
F3S-BM155P12 BY OMG
F3S-BM155P15 BY OMG
F3S-BM167P04 BY OMG
F3S-BM167P06 BY OMG
F3S-BM167P08 BY OMG
F3S-BM167P10 BY OMG
F3S-BM182P12 BY OMG
F3S-BM182P18 BY OMG
F3S-BM182P24 BY OMG
F3S-BM182P30 BY OMG
F3S-BM185P06 BY OMG
F3S-BM185P09 BY OMG
F3S-BM185P12 BY OMG
F3S-BM185P15 BY OMG

F3S-BM187P04 BY OMG
F3S-BM187P06 BY OMG
F3S-BM187P08 BY OMG
F3S-BM187P10 BY OMG
F3S-BM207P04 BY OMG
F3S-BM207P06 BY OMG
F3S-BM207P08 BY OMG
F3S-BM207P10 BY OMG
F3S-BM215P06 BY OMG
F3S-BM215P09 BY OMG
F3S-BM215P12 BY OMG
F3S-BM215P15 BY OMG
F3S-BM227P04 BY OMG
F3S-BM227P06 BY OMG
F3S-BM227P08 BY OMG
F3S-BM227P10 BY OMG
F3S-BM242P12 BY OMG
F3S-BM242P18 BY OMG
F3S-BM242P24 BY OMG
F3S-BM242P30 BY OMG
F3S-BM245P06 BY OMG
F3S-BM245P09 BY OMG
F3S-BM245P12 BY OMG
F3S-BM245P15 BY OMG
F3S-BM275P06 BY OMG
F3S-BM275P09 BY OMG
F3S-BM275P12 BY OMG
F3S-BM275P15 BY OMG
F3S-BM302P12 BY OMG
F3S-BM302P18 BY OMG
F3S-BM302P24 BY OMG
F3S-BM302P30 BY OMG
F3S-BM305P06 BY OMG
F3S-BM305P09 BY OMG
F3S-BM305P12 BY OMG
F3S-BM305P15 BY OMG
F3S-BM335P06 BY OMG
F3S-BM335P09 BY OMG
F3S-BM335P12 BY OMG
F3S-BM335P15 BY OMG
F3S-BM362P12 BY OMG
F3S-BM362P18 BY OMG
F3S-BM362P24 BY OMG
F3S-BM362P30 BY OMG
F3S-BM422P12 BY OMG
F3S-BM422P18 BY OMG
F3S-BM422P24 BY OMG
F3S-BM422P30 BY OMG
F3S-BM482P12 BY OMG
F3S-BM482P18 BY OMG
F3S-BM482P24 BY OMG
F3S-BM482P30 BY OMG

F3S-BM542P12 BY OMG	
F3S-BM542P18 BY OMG	
F3S-BM542P24 BY OMG	
F3S-BM542P30 BY OMG	
F3S-BM602P12 BY OMG	
F3S-BM602P18 BY OMG	
F3S-BM602P24 BY OMG	
F3S-BM602P30 BY OMG	
F3S-BM662P12 BY OMG	
F3S-BM662P18 BY OMG	
F3S-BM662P24 BY OMG	
F3S-BM662P30 BY OMG	
F3S-BS047 BY OMG	
F3S-BS065 BY OMG	
F3S-BS067 BY OMG	
F3S-BS087 BY OMG	
F3S-BS095 BY OMG	
F3S-BS107 BY OMG	
F3S-BS122 BY OMG	
F3S-BS125 BY OMG	
F3S-BS155 BY OMG	
F3S-BS182 BY OMG	
F3S-BS242 BY OMG	
F3S-BS302 BY OMG	
F3SH-A09P03	4 beam personal protection guard, category 4, 900mm height, 0.2-10m scan distance
F3SH-A09P03-01	
F3SJ-A0245N20	Safety light curtain, category 4, hand protection (20mm), 245mm height, DC, 9m scan distance
F3SJ-A0245P14	Safety light curtain, category 4, finger protection (14mm), 245mm height, DC, 9m scan distance
F3SJ-A0245P20	Safety light curtain, category 4, hand protection (20mm), 245mm height, DC, 9m scan distance
F3SJ-A0245P30	Safety light curtain, category 4, hand protection (30mm), 245mm height, DC, 9m scan distance
F3SJ-A0260P20-TS	
F3SJ-A0263P14	
F3SJ-A0270P30	
F3SJ-A0275P20	Safety light curtain, category 4, hand protection (20mm), 275mm height, DC, 9m scan distance
F3SJ-A0290P20	
F3SJ-A0295P30	Safety light curtain, category 4, hand protection (30mm), 295mm height, DC, 9m scan distance
F3SJ-A0299P14	Safety light curtain, category 4, finger protection (14mm), 299mm height, DC, 9m scan distance
F3SJ-A0305P20	Safety light curtain, category 4, hand protection (20mm), 305mm height, DC, 9m scan distance
F3SJ-A0305P20-TS	
F3SJ-A0317P14	
F3SJ-A0335P14	
F3SJ-A0345P30	Safety light curtain, category 4, hand protection (30mm), 345mm height, DC, 9m scan distance
F3SJ-A0353P14	Safety light curtain, category 4, finger protection (14mm), 353mm height, DC, 9m scan distance
F3SJ-A0365P20	Safety light curtain, category 4, hand protection (20mm), 365mm height, DC, 9m scan distance
F3SJ-A0370P30	
F3SJ-A0371P14	Safety light curtain, category 4, finger protection (14mm), 371mm height, DC, 9m scan distance
F3SJ-A0389P14	
F3SJ-A0395P20	Safety light curtain, category 4, hand protection (20mm), 395mm height, DC, 9m scan distance
F3SJ-A0395P30	Safety light curtain, category 4, hand protection (30mm), 395mm height, DC, 9m scan distance
F3SJ-A0407P14	Safety light curtain, category 4, finger protection (14mm), 407mm height, DC, 9m scan distance
F3SJ-A0420P30	
F3SJ-A0440P20	

F3SJ-A0443P14	Safety light curtain, category 4, finger protection (14mm), 443mm height, DC, 9m sca
F3SJ-A0445P30	
F3SJ-A0455N20	Safety light curtain, category 4, hand protection (20mm), 455mm height, DC, 9m sca
F3SJ-A0455P20	
F3SJ-A0455P20-TS	
F3SJ-A0461P14	Safety light curtain, category 4, finger protection (14mm), 461mm height, DC, 9m sca
F3SJ-A0470P20	
F3SJ-A0470P20-01TS	
F3SJ-A0470P20-D-01TS	
F3SJ-A0470P20-L-01TS	
F3SJ-A0470P20-TS	
F3SJ-A0470P30	Safety light curtain, category 4, hand protection (30mm), 470mm height, DC, 9m sca
F3SJ-A0470P55	
F3SJ-A0479P14	
F3SJ-A0497P14	Safety light curtain, category 4, finger protection (14mm), 497mm height, DC, 9m sca
F3SJ-A0500P20-TS	
F3SJ-A0515P20	
F3SJ-A0515P20-TS	
F3SJ-A0520P55	
F3SJ-A0530P20	
F3SJ-A0533P14	
F3SJ-A0545P20	Safety light curtain, category 4, hand protection (20mm), 545mm height, DC, 9m sca
F3SJ-A0570P30	
F3SJ-A0575P20-TS	
F3SJ-A0590P20	
F3SJ-A0595P30	Safety light curtain, category 4, hand protection (30mm), 595mm height, DC, 9m sca
F3SJ-A0605P14	Safety light curtain, category 4, finger protection (14mm), 605mm height, DC, 9m sca
F3SJ-A0605P20	
F3SJ-A0605P20-TS	
F3SJ-A0620P30	
F3SJ-A0623P14	
F3SJ-A0635P20	
F3SJ-A0635P20-TS	
F3SJ-A0645P30	Safety light curtain, category 4, hand protection (30mm), 645mm height, DC, 9m sca
F3SJ-A0659P14	
F3SJ-A0665P20	
F3SJ-A0670P30	
F3SJ-A0686P14	
F3SJ-A0695P20-TS	
F3SJ-A0725P20	Safety light curtain, category 4, hand protection (20mm), 725mm height, DC, 9m sca
F3SJ-A0725P20-TS	
F3SJ-A0731P14	Safety light curtain, category 4, finger protection (14mm), 731mm height, DC, 9m sca
F3SJ-A0745P30	Safety light curtain, category 4, hand protection (30mm), 745mm height, DC, 9m sca
F3SJ-A0755P20	
F3SJ-A0767P14	Safety light curtain, category 4, finger protection (14mm), 767mm height, DC, 9m sca
F3SJ-A0770N30	Safety light curtain, category 4, hand protection (30mm), 770mm height, DC, 9m sca
F3SJ-A0770P20-TS	
F3SJ-A0770P30	Safety light curtain, category 4, hand protection (30mm), 770mm height, DC, 9m sca
F3SJ-A0776P14	
F3SJ-A0780P25-TS	
F3SJ-A0785P20-TS	
F3SJ-A0803P14	Safety light curtain, category 4, finger protection (14mm), 803mm height, DC, 9m sca

F3SJ-A0820P30	Safety light curtain, category 4, hand protection (30mm), 820mm height, DC, 9m sca
F3SJ-A0839P14	
F3SJ-A0875P14	Safety light curtain, category 4, finger protection (14mm), 875mm height, DC, 9m sca
F3SJ-A0875P20	Safety light curtain, category 4, hand protection (20mm), 875mm height, DC, 9m sca
F3SJ-A0875P20-TS	
F3SJ-A0895P30	Safety light curtain, category 4, hand protection (30mm), 895mm height, DC, 9m sca
F3SJ-A0911P14	Safety light curtain, category 4, finger protection (14mm), 911mm height, DC, 9m sca
F3SJ-A0920P30	Safety light curtain, category 4, hand protection (30mm), 920mm height, DC, 9m sca
F3SJ-A0920P55	
F3SJ-A0935P20-TS	
F3SJ-A0945N30	
F3SJ-A0945P30	
F3SJ-A0950P20-01TS	
F3SJ-A0950P20-D-01TS	
F3SJ-A0950P20-L-01TS	
F3SJ-A0950P20-TS	
F3SJ-A0965P20-TS	
F3SJ-A0970P55	
F3SJ-A0983P14	Safety light curtain, category 4, finger protection (14mm), 983mm height, DC, 9m sca
F3SJ-A0995P20	
F3SJ-A0995P20-TS	
F3SJ-A0995P30	Safety light curtain, category 4, hand protection (30mm), 995mm height, DC, 9m sca
F3SJ-A1020P25-TS	Safety light curtain, category 4, hand protection (20mm), 1020mm height, DC, 9m sca
F3SJ-A1020P30	
F3SJ-A1020P55	
F3SJ-A1055P14	Safety light curtain, category 4, finger protection (14mm), 1055mm height, DC, 9m sca
F3SJ-A1055P20	
F3SJ-A1073P14	Safety light curtain, category 4, finger protection (14mm), 1073mm height, DC, 9m sca
F3SJ-A1095P30	
F3SJ-A1115N20	Safety light curtain, category 4, hand protection (20mm), 1055mm height, DC, 9m sca
F3SJ-A1115P20	Safety light curtain, category 4, hand protection (20mm), 1115mm height, DC, 9m sca
F3SJ-A1120P30	Safety light curtain, category 4, hand protection (30mm), 1120mm height, DC, 9m sca
F3SJ-A1195P30	Safety light curtain, category 4, hand protection (30mm), 1195mm height, DC, 9m sca
F3SJ-A1199P14	
F3SJ-A1205P20	
F3SJ-A1220P30	Safety light curtain, category 4, hand protection (30mm), 1220mm height, DC, 9m sca
F3SJ-A1235P20	
F3SJ-A1235P20-TS	
F3SJ-A1245P30	
F3SJ-A1250P20-01TS	
F3SJ-A1250P20-D-01TS	
F3SJ-A1250P20-L-01TS	
F3SJ-A1260P25-TS	
F3SJ-A1262P14	Safety light curtain, category 4, finger protection (14mm), 1262mm height, DC, 9m sca
F3SJ-A1265P20-TS	
F3SJ-A1295P30	
F3SJ-A1325P20	
F3SJ-A1355P20-TS	
F3SJ-A1395P30	Safety light curtain, category 4, hand protection (30mm), 1395mm height, DC, 9m sca
F3SJ-A1445P20	Safety light curtain, category 4, hand protection (20mm), 1455mm height, DC, 9m sca
F3SJ-A1487P14	Safety light curtain, category 4, finger protection (14mm), 1487mm height, DC, 9m sca
F3SJ-A1495P30	Safety light curtain, category 4, hand protection (30mm), 1495mm height, DC, 9m sca

F3SJ-A1505P20-01TS	
F3SJ-A1505P20-D-01TS	
F3SJ-A1505P20-L-01TS	
F3SJ-A1565P20-TS	
F3SJ-A1595P20-TS	
F3SJ-A1620P30	Safety light curtain, category 4, hand protection (30mm), 1620mm height, DC, 9m sc
F3SJ-A1631P14	Safety light curtain, category 4, finger protection (14mm), 1631mm height, DC, 9m sc
F3SJ-A1655P20	
F3SJ-A1655P20-TS	
F3SJ-A1805P20	
F3SJ-A1870P30	Safety light curtain, category 4, hand protection (30mm), 1870mm height, DC, 7m sc
F3SJ-A1955P20	Safety light curtain, category 4, hand protection (20mm), 1955mm height, DC, 7m sc
F3SJ-A1995P30	Safety light curtain, category 4, hand protection (30mm), 1995mm height, DC, 7m sc
F3SJ-A2495P30	
F3SL-A0351P30	
F3SL-A0523P30	
F3SL-A0700P30	
F3SL-A0871P30	
F3SL-A1046P30	
F3SL-A1219P30	
F3SL-A1394P30	
F3SL-A1570P30	
F3SL-A1746P30	
F3SL-A1920P30	
F3SL-A2095P30	
F3SN-A0189P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 189mm height, DC, 7m sc
F3SN-A0189P14-01	
F3SN-A0189P14-01 BY OMG	Safety light curtain
F3SN-A0207P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 207mm height, DC, 7m sc
F3SN-A0207P14-01	
F3SN-A0207P14-01 BY OMG	
F3SN-A0217N25-01	
F3SN-A0217P25 BY OMG	
F3SN-A0217P25-01 BY OMG	
F3SN-A0217P25-02	
F3SN-A0217P25-04	
F3SN-A0217P25-04TS	
F3SN-A0217P40	
F3SN-A0225P14	
F3SN-A0225P14 BY OMG	
F3SN-A0225P14-01	
F3SN-A0225P14-01 BY OMG	
F3SN-A0232P25	
F3SN-A0232P25 BY OMG	
F3SN-A0232P25-01	
F3SN-A0232P25-01 BY OMG	
F3SN-A0232P25-02TS	
F3SN-A0232P25-D-02TS	
F3SN-A0232P25-D-04TS	
F3SN-A0232P25-L-02TS	
F3SN-A0232P25-L-04TS	
F3SN-A0243P14	

F3SN-A0243P14 BY OMG	
F3SN-A0243P14-01	
F3SN-A0243P14-01 BY OMG	
F3SN-A0247N25-02	
F3SN-A0247N25-04	
F3SN-A0247P25	
F3SN-A0247P25 BY OMG	
F3SN-A0247P25-01	
F3SN-A0247P25-04TS	
F3SN-A0247P40	
F3SN-A0261P14	
F3SN-A0261P14 BY OMG	
F3SN-A0261P14-01	
F3SN-A0261P14-01 BY OMG	
F3SN-A0262P25	
F3SN-A0262P25 BY OMG	
F3SN-A0262P25-01	
F3SN-A0262P25-01 BY OMG	
F3SN-A0277P25	
F3SN-A0277P25 BY OMG	
F3SN-A0277P25-01	
F3SN-A0277P40	
F3SN-A0277P70	
F3SN-A0279P14	
F3SN-A0279P14 BY OMG	
F3SN-A0279P14-01	
F3SN-A0292P25	
F3SN-A0292P25 BY OMG	
F3SN-A0292P25-01	
F3SN-A0292P25-01 BY OMG	
F3SN-A0297P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 297mm height, DC, 7m sca
F3SN-A0297P14-01	
F3SN-A0297P14-01 BY OMG	
F3SN-A0297P14-04	
F3SN-A0307P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 307mm height, DC, 10m sca
F3SN-A0307P25-01	
F3SN-A0307P25-01 BY OMG	Safety light curtain
F3SN-A0307P25-02	
F3SN-A0307P25-04	
F3SN-A0307P25-04TS	
F3SN-A0307P25-23TS	
F3SN-A0307P40	
F3SN-A0315P14 BY OMG	Safety light curtain
F3SN-A0315P14-01	
F3SN-A0315P14-01 BY OMG	
F3SN-A0315P14-02	
F3SN-A0322N25-13T	
F3SN-A0322N25-D-13T	
F3SN-A0322N25-L-13T	
F3SN-A0322P25	
F3SN-A0322P25 BY OMG	
F3SN-A0322P25-01	

F3SN-A0322P25-01 BY OMG	
F3SN-A0322P25-02TS	Safety light curtain
F3SN-A0322P25-04TS	
F3SN-A0322P25-23TS	
F3SN-A0333P14	
F3SN-A0333P14 BY OMG	
F3SN-A0333P14-01	
F3SN-A0333P14-01 BY OMG	
F3SN-A0337P25	
F3SN-A0337P25 BY OMG	
F3SN-A0337P25-01	
F3SN-A0337P25-01 BY OMG	
F3SN-A0337P40	
F3SN-A0337P70	
F3SN-A0337P70-01	Safety light curtain
F3SN-A0351P14 BY OMG	Safety light curtain
F3SN-A0351P14-01	
F3SN-A0351P14-01 BY OMG	
F3SN-A0352N25	
F3SN-A0352P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 352mm height, DC, 10m sc:
F3SN-A0352P25-01	
F3SN-A0352P25-01 BY OMG	
F3SN-A0352P25-02TS	
F3SN-A0352P25-04	
F3SN-A0352P25-04TS	
F3SN-A0352P25-23TS	
F3SN-A0367P25	
F3SN-A0367P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 367mm height, DC, 10m sc:
F3SN-A0367P25-01	
F3SN-A0367P25-01 BY OMG	
F3SN-A0367P25-02TS	
F3SN-A0367P40	
F3SN-A0369P14	
F3SN-A0369P14 BY OMG	
F3SN-A0369P14-01	
F3SN-A0382P25	
F3SN-A0382P25 BY OMG	
F3SN-A0382P25-01 BY OMG	
F3SN-A0382P25-02TS	
F3SN-A0387P14 BY OMG	Safety light curtain
F3SN-A0387P14-01	
F3SN-A0387P14-01 BY OMG	
F3SN-A0397P25	
F3SN-A0397P25 BY OMG	
F3SN-A0397P25-01	
F3SN-A0397P25-02TS	
F3SN-A0397P25-D-02TS	
F3SN-A0397P25-D-04TS	
F3SN-A0397P25-L-02TS	
F3SN-A0397P25-L-04TS	
F3SN-A0397P40	
F3SN-A0397P70	

F3SN-A0405P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 405mm height, DC, 7m sca
F3SN-A0405P14-01	
F3SN-A0405P14-01 BY OMG	
F3SN-A0412N25	
F3SN-A0412P25	
F3SN-A0412P25 BY OMG	
F3SN-A0412P25-01	
F3SN-A0412P25-01 BY OMG	
F3SN-A0412P25-05	
F3SN-A0423P14 BY OMG	
F3SN-A0423P14-01	
F3SN-A0427P25	
F3SN-A0427P25 BY OMG	
F3SN-A0427P25-01	
F3SN-A0427P25-01 BY OMG	
F3SN-A0427P25-02TS	
F3SN-A0427P25-04TS	
F3SN-A0427P25-23TS	
F3SN-A0427P40	
F3SN-A0441P14 BY OMG	
F3SN-A0441P14-01	
F3SN-A0441P14-01 BY OMG	
F3SN-A0442N25-02	
F3SN-A0442P25	
F3SN-A0442P25 BY OMG	
F3SN-A0442P25-01	
F3SN-A0442P25-01 BY OMG	
F3SN-A0457N25	
F3SN-A0457P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 457mm height, DC, 10m sca
F3SN-A0457P25-01	
F3SN-A0457P25-01 BY OMG	
F3SN-A0457P25-04TS	Safety light curtain
F3SN-A0457P40	
F3SN-A0457P70	
F3SN-A0459P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 459mm height, DC, 7m sca
F3SN-A0459P14-01	
F3SN-A0459P14-01 BY OMG	
F3SN-A0472N25-13T	Safety light curtain
F3SN-A0472N25-D-13T	
F3SN-A0472N25-L-13T	
F3SN-A0472P25	
F3SN-A0472P25 BY OMG	
F3SN-A0472P25-01	
F3SN-A0472P25-01 BY OMG	
F3SN-A0472P25-02TS	
F3SN-A0472P25-04	
F3SN-A0472P25-04TS	
F3SN-A0472P25-23TS	
F3SN-A0472P25-23TS BY OMG	
F3SN-A0472P25-D-23TS	
F3SN-A0472P25-L-23TS	
F3SN-A0477P14 BY OMG	

F3SN-A0477P14-01	
F3SN-A0477P14-01 BY OMG	
F3SN-A0487P25	
F3SN-A0487P25 BY OMG	
F3SN-A0487P25-01	
F3SN-A0487P25-01 BY OMG	
F3SN-A0487P25-02TS	
F3SN-A0487P40	
F3SN-A0495N14-01	
F3SN-A0495P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 495mm height, DC, 7m sc
F3SN-A0495P14-01	
F3SN-A0495P14-01 BY OMG	Safety light curtain
F3SN-A0502P25	
F3SN-A0502P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 502mm height, DC, 10m sc
F3SN-A0502P25-01	
F3SN-A0502P25-01 BY OMG	
F3SN-A0513P14	
F3SN-A0513P14 BY OMG	
F3SN-A0513P14-01	
F3SN-A0513P14-01 BY OMG	
F3SN-A0517P25	
F3SN-A0517P25 BY OMG	
F3SN-A0517P25-01	
F3SN-A0517P25-01 BY OMG	
F3SN-A0517P40	
F3SN-A0517P40-01	
F3SN-A0517P70	
F3SN-A0517P70-01	
F3SN-A0531P14	
F3SN-A0531P14 BY OMG	
F3SN-A0531P14-01	
F3SN-A0531P14-01 BY OMG	
F3SN-A0532N25	
F3SN-A0532P25 BY OMG	
F3SN-A0532P25-01	
F3SN-A0532P25-01 BY OMG	
F3SN-A0547N25-02	
F3SN-A0547P25 BY OMG	
F3SN-A0547P25-01	
F3SN-A0547P25-01 BY OMG	
F3SN-A0547P25-02TS	
F3SN-A0547P40	
F3SN-A0549P14	
F3SN-A0549P14 BY OMG	
F3SN-A0549P14-01	
F3SN-A0549P14-01 BY OMG	
F3SN-A0562P25	
F3SN-A0562P25 BY OMG	Safety light curtain
F3SN-A0562P25-01 BY OMG	
F3SN-A0562P25-02TS	
F3SN-A0562P25-D-02TS	
F3SN-A0562P25-D-04TS	

F3SN-A0562P25-L-02TS	
F3SN-A0562P25-L-04TS	
F3SN-A0567P14 BY OMG	Safety light curtain
F3SN-A0567P14-01	
F3SN-A0567P14-01 BY OMG	
F3SN-A0577N25	
F3SN-A0577P25	
F3SN-A0577P25 BY OMG	
F3SN-A0577P25-01	
F3SN-A0577P25-01 BY OMG	
F3SN-A0577P25-02TS	
F3SN-A0577P25-04TS	
F3SN-A0577P40	Safety light curtain, category 4, presence detection (40mm), 577mm height, DC, 10m
F3SN-A0577P70	
F3SN-A0585P14 BY OMG	
F3SN-A0585P14-01	
F3SN-A0585P14-01 BY OMG	
F3SN-A0592N25	
F3SN-A0592N25-02	
F3SN-A0592P25	
F3SN-A0592P25 BY OMG	Safety light curtain
F3SN-A0592P25-01	
F3SN-A0603P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 603mm height, DC, 7m sc
F3SN-A0603P14-01	
F3SN-A0603P14-01 BY OMG	Safety light curtain
F3SN-A0607P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 607mm height, DC, 10m sc
F3SN-A0607P25-01 BY OMG	
F3SN-A0607P40	
F3SN-A0621P14	
F3SN-A0621P14 BY OMG	
F3SN-A0621P14-01	
F3SN-A0621P14-01 BY OMG	
F3SN-A0622N25-13T	
F3SN-A0622P25	
F3SN-A0622P25 BY OMG	
F3SN-A0622P25-01 BY OMG	
F3SN-A0622P25-02TS	
F3SN-A0622P25-04TS	Safety light curtain
F3SN-A0622P25-13TS	
F3SN-A0622P25-23TS	
F3SN-A0637P25	
F3SN-A0637P25 BY OMG	
F3SN-A0637P25-01 BY OMG	
F3SN-A0637P40	
F3SN-A0637P70	
F3SN-A0639P14 BY OMG	
F3SN-A0639P14-01	
F3SN-A0639P14-01 BY OMG	
F3SN-A0652P25	
F3SN-A0652P25 BY OMG	
F3SN-A0652P25-01 BY OMG	
F3SN-A0657P14	

F3SN-A0657P14 BY OMG
F3SN-A0657P14-01
F3SN-A0657P14-01 BY OMG
F3SN-A0667P25
F3SN-A0667P25 BY OMG
F3SN-A0667P25-01
F3SN-A0667P25-01 BY OMG
F3SN-A0667P40
F3SN-A0675P14
F3SN-A0675P14 BY OMG
F3SN-A0675P14-01
F3SN-A0675P14-01 BY OMG
F3SN-A0682P25
F3SN-A0682P25 BY OMG
F3SN-A0682P25-01
F3SN-A0682P25-01 BY OMG
F3SN-A0693P14
F3SN-A0693P14 BY OMG
F3SN-A0693P14-01
F3SN-A0693P14-01 BY OMG
F3SN-A0697P25 BY OMG
F3SN-A0697P25-01 BY OMG
F3SN-A0697P25-04TS
F3SN-A0697P40
F3SN-A0697P70
F3SN-A0711P14 BY OMG
F3SN-A0711P14-01
F3SN-A0711P14-01 BY OMG
F3SN-A0712P25
F3SN-A0712P25 BY OMG
F3SN-A0712P25-01
F3SN-A0712P25-01 BY OMG
F3SN-A0712P25-02TS
F3SN-A0712P25-D-02TS
F3SN-A0712P25-D-04TS
F3SN-A0712P25-L-02TS
F3SN-A0712P25-L-04TS
F3SN-A0727P25
F3SN-A0727P25 BY OMG
F3SN-A0727P25-01
F3SN-A0727P25-01 BY OMG
F3SN-A0727P40
F3SN-A0729P14
F3SN-A0729P14 BY OMG
F3SN-A0729P14-01
F3SN-A0729P14-01 BY OMG
F3SN-A0742N25-02
F3SN-A0742P25 BY OMG
F3SN-A0742P25-01
F3SN-A0742P25-01 BY OMG
F3SN-A0742P25-02TS
F3SN-A0742P25SS

Safety light curtain, category 4, finger protection (14mm), 711mm height, DC, 7m sca

Safety light curtain

F3SN-A0747P14 BY OMG
F3SN-A0747P14-01
F3SN-A0747P14-01 BY OMG
F3SN-A0757P25 BY OMG
F3SN-A0757P25-01 BY OMG
F3SN-A0757P40
F3SN-A0757P70
F3SN-A0765P14
F3SN-A0765P14 BY OMG
F3SN-A0765P14-01
F3SN-A0765P14-01 BY OMG
F3SN-A0772P25
F3SN-A0772P25 BY OMG
F3SN-A0772P25-01
F3SN-A0772P25-01 BY OMG
F3SN-A0783P14
F3SN-A0783P14 BY OMG
F3SN-A0783P14-01
F3SN-A0783P14-01 BY OMG
F3SN-A0787P25
F3SN-A0787P25 BY OMG
F3SN-A0787P25-01
F3SN-A0787P25-01 BY OMG
F3SN-A0787P25-02TS
F3SN-A0787P25-04
F3SN-A0787P25-04TS
F3SN-A0801P14 BY OMG
F3SN-A0801P14-01
F3SN-A0801P14-01 BY OMG
F3SN-A0802N25-02
F3SN-A0802N25-04
F3SN-A0802P25 BY OMG
F3SN-A0802P25-01
F3SN-A0802P25-01 BY OMG
F3SN-A0817N25
F3SN-A0817P25
F3SN-A0817P25 BY OMG
F3SN-A0817P25-01
F3SN-A0817P40
F3SN-A0817P70
F3SN-A0817P70-01
F3SN-A0819P14
F3SN-A0819P14 BY OMG
F3SN-A0819P14-01 BY OMG
F3SN-A0832N25-02
F3SN-A0832P25
F3SN-A0832P25 BY OMG
F3SN-A0832P25-01
F3SN-A0832P25-01 BY OMG
F3SN-A0832P25SS
F3SN-A0837P14
F3SN-A0837P14 BY OMG

Safety light curtain, category 4, hand protection (25mm), 757mm height, DC, 10m sc:

Safety light curtain

Safety light curtain

F3SN-A0837P14-01	
F3SN-A0837P14-01 BY OMG	
F3SN-A0847P25	
F3SN-A0847P25 BY OMG	
F3SN-A0847P25-01	
F3SN-A0847P40	
F3SN-A0855P14	
F3SN-A0855P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 855mm height, DC, 7m sca
F3SN-A0855P14-01	
F3SN-A0855P14-01 BY OMG	
F3SN-A0862P25	
F3SN-A0862P25 BY OMG	
F3SN-A0862P25-01	
F3SN-A0862P25-01 BY OMG	
F3SN-A0873P14	
F3SN-A0873P14 BY OMG	
F3SN-A0873P14-01	
F3SN-A0873P14-01 BY OMG	
F3SN-A0877P25	
F3SN-A0877P25 BY OMG	
F3SN-A0877P25-01	
F3SN-A0877P25-01 BY OMG	
F3SN-A0877P40	
F3SN-A0877P70	
F3SN-A0891P14 BY OMG	
F3SN-A0891P14-01	
F3SN-A0891P14-01 BY OMG	
F3SN-A0892P25	
F3SN-A0892P25 BY OMG	
F3SN-A0892P25-01	
F3SN-A0892P25-01 BY OMG	
F3SN-A0907P25 BY OMG	Safety light curtain
F3SN-A0907P25-01	
F3SN-A0907P25-01 BY OMG	
F3SN-A0907P25-23TS	
F3SN-A0907P40	
F3SN-A0909P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 909mm height, DC, 7m sca
F3SN-A0909P14-01	
F3SN-A0909P14-01 BY OMG	Safety light curtain
F3SN-A0922P25	
F3SN-A0922P25 BY OMG	
F3SN-A0922P25-01	
F3SN-A0922P25-01 BY OMG	
F3SN-A0927P14	
F3SN-A0927P14 BY OMG	
F3SN-A0927P14-01	
F3SN-A0927P14-01 BY OMG	
F3SN-A0937N25	
F3SN-A0937P25 BY OMG	
F3SN-A0937P25-01	
F3SN-A0937P25-01 BY OMG	
F3SN-A0937P25-04TS	Safety light curtain

F3SN-A0937P40	
F3SN-A0937P70	Safety light curtain, category 4,presence detection (70mm), 937mm height, DC, 10m
F3SN-A0945P14	
F3SN-A0945P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 945mm height, DC, 7m sca
F3SN-A0945P14-01	
F3SN-A0945P14-01 BY OMG	
F3SN-A0952N25-13T	Safety light curtain
F3SN-A0952N25-D-13T	
F3SN-A0952N25-L-13T	
F3SN-A0952P25 BY OMG	
F3SN-A0952P25-01	
F3SN-A0952P25-01 BY OMG	
F3SN-A0952P25-02TS	Safety light curtain
F3SN-A0952P25-04TS	
F3SN-A0952P25-23TS	
F3SN-A0952P25-23TS BY OMG	
F3SN-A0952P25-D-23TS	
F3SN-A0952P25-L-23TS	
F3SN-A0963P14	
F3SN-A0963P14 BY OMG	
F3SN-A0963P14-01	
F3SN-A0963P14-01 BY OMG	
F3SN-A0967P25	
F3SN-A0967P25 BY OMG	
F3SN-A0967P25-01	
F3SN-A0967P25-01 BY OMG	
F3SN-A0967P40	
F3SN-A0981P14	
F3SN-A0981P14 BY OMG	
F3SN-A0981P14-01	
F3SN-A0981P14-01 BY OMG	
F3SN-A0982N25	
F3SN-A0982P25	
F3SN-A0982P25 BY OMG	
F3SN-A0982P25-01	
F3SN-A0982P25-01 BY OMG	
F3SN-A0982P25-02	
F3SN-A0982P25-02TS	
F3SN-A0997N25	
F3SN-A0997P25	
F3SN-A0997P25 BY OMG	Safety light curtain
F3SN-A0997P25-01	
F3SN-A0997P25-01 BY OMG	
F3SN-A0997P25-02TS	Safety light curtain
F3SN-A0997P40	
F3SN-A0997P70	
F3SN-A0999P14 BY OMG	Safety light curtain
F3SN-A0999P14-01	
F3SN-A0999P14-01 BY OMG	
F3SN-A1012P25	
F3SN-A1012P25 BY OMG	
F3SN-A1012P25-01	

F3SN-A1012P25-01 BY OMG
F3SN-A1012P25-02TS
F3SN-A1012P25-04TS
F3SN-A1017P14
F3SN-A1017P14 BY OMG
F3SN-A1017P14-01
F3SN-A1017P14-01 BY OMG
F3SN-A1027P25 BY OMG
F3SN-A1027P25-01
F3SN-A1027P25-01 BY OMG
F3SN-A1035P14
F3SN-A1035P14 BY OMG
F3SN-A1035P14-01
F3SN-A1035P14-01 BY OMG
F3SN-A1042P25
F3SN-A1042P25 BY OMG
F3SN-A1042P25-01 BY OMG
F3SN-A1042P25-02TS
F3SN-A1042P25-D-02TS
F3SN-A1042P25-D-04TS
F3SN-A1042P25-L-02TS
F3SN-A1042P25-L-04TS
F3SN-A1053P14 BY OMG
F3SN-A1053P14-01
F3SN-A1053P14-01 BY OMG
F3SN-A1057P25 BY OMG
F3SN-A1057P25-01
F3SN-A1057P25-01 BY OMG
F3SN-A1057P25-02TS
F3SN-A1057P40
F3SN-A1057P70
F3SN-A1071P14
F3SN-A1071P14 BY OMG
F3SN-A1071P14-01
F3SN-A1071P14-01 BY OMG
F3SN-A1072P25
F3SN-A1072P25 BY OMG
F3SN-A1072P25-01 BY OMG
F3SN-A1087P25 BY OMG
F3SN-A1087P25-01
F3SN-A1087P25-01 BY OMG
F3SN-A1087P25-23TS
F3SN-A1089P14
F3SN-A1089P14 BY OMG
F3SN-A1089P14-01
F3SN-A1089P14-01 BY OMG
F3SN-A1102N25-04
F3SN-A1102P25
F3SN-A1102P25 BY OMG
F3SN-A1102P25-01
F3SN-A1102P25-01 BY OMG
F3SN-A1102P25-02TS

Safety light curtain, category 4, finger protection (14mm), 1053mm height, DC, 7m sc

Safety light curtain, category 4, hand protection (25mm), 1057mm height, DC, 10m sc

F3SN-A1102P25-04TS	
F3SN-A1107P14 BY OMG	Safety light curtain, category 4, finger protection (14mm), 1107mm height, DC, 7m sc
F3SN-A1107P14-01	
F3SN-A1107P14-01 BY OMG	
F3SN-A1117P25	
F3SN-A1117P25 BY OMG	
F3SN-A1117P25-01	
F3SN-A1117P25-01 BY OMG	
F3SN-A1117P40	
F3SN-A1117P70	Safety light curtain, category 4, presence detection (70mm), 1117mm height, DC, 10m
F3SN-A1117P70-01	Safety light curtain
F3SN-A1125P14	Safety light curtain, category 4, finger protection (14mm), 1125mm height, DC, 7m sc
F3SN-A1125P14 BY OMG	Safety light curtain
F3SN-A1125P14-01	
F3SN-A1125P14-01 BY OMG	
F3SN-A1132P25	
F3SN-A1132P25 BY OMG	
F3SN-A1132P25-01	
F3SN-A1132P25-01 BY OMG	
F3SN-A1132P25-02TS	
F3SN-A1143P14H BY OMG	
F3SN-A1143P14H-01 BY OMG	
F3SN-A1147P25	
F3SN-A1147P25 BY OMG	
F3SN-A1147P25-01	
F3SN-A1147P25-01 BY OMG	
F3SN-A1147P25-02TS	
F3SN-A1147P25-23TS	
F3SN-A1147P40	
F3SN-A1161P14H BY OMG	
F3SN-A1161P14H-01 BY OMG	
F3SN-A1162P25	
F3SN-A1162P25 BY OMG	
F3SN-A1162P25-01	
F3SN-A1162P25-01 BY OMG	
F3SN-A1177P25	
F3SN-A1177P25 BY OMG	
F3SN-A1177P25-01	
F3SN-A1177P25-01 BY OMG	
F3SN-A1177P40	Safety light curtain, category 4, presence detection (70mm), 1177mm height, DC, 10m
F3SN-A1177P70	
F3SN-A1179P14H BY OMG	
F3SN-A1179P14H-01 BY OMG	
F3SN-A1192P25	
F3SN-A1192P25 BY OMG	Safety light curtain
F3SN-A1192P25-01	
F3SN-A1192P25-01 BY OMG	
F3SN-A1197P14H BY OMG	
F3SN-A1197P14H-01 BY OMG	
F3SN-A1207P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 1207mm height, DC, 10m sc
F3SN-A1207P25-01	
F3SN-A1207P25-01 BY OMG	

F3SN-A1207P25-23TS	
F3SN-A1207P25-D-23TS	
F3SN-A1207P25-L-23TS	
F3SN-A1207P40	Safety light curtain, category 4,presence detection (40mm), 1207mm height, DC, 10r
F3SN-A1215P14H BY OMG	
F3SN-A1215P14H-01 BY OMG	
F3SN-A1222P25	
F3SN-A1222P25 BY OMG	
F3SN-A1222P25-01	
F3SN-A1233P14H BY OMG	
F3SN-A1233P14H-01 BY OMG	
F3SN-A1237P25	
F3SN-A1237P25 BY OMG	Safety light curtain
F3SN-A1237P25-01	
F3SN-A1237P25-01 BY OMG	
F3SN-A1237P25-04	
F3SN-A1237P40	
F3SN-A1237P70	Safety light curtain, category 4,presence detection (70mm), 1237mm height, DC, 10r
F3SN-A1251P14H BY OMG	
F3SN-A1251P14H-01 BY OMG	
F3SN-A1252N25-13T	Safety light curtain
F3SN-A1252P25	
F3SN-A1252P25 BY OMG	Safety light curtain, category 4, hand protection (25mm), 1252mm height, DC, 10m s
F3SN-A1252P25-01	
F3SN-A1252P25-01 BY OMG	
F3SN-A1252P25-02TS	Safety light curtain
F3SN-A1252P25-04TS	
F3SN-A1252P25-23TS	
F3SN-A1252P25-23TS BY OMG	
F3SN-A1252P25-D-23TS	
F3SN-A1252P25-L-23TS	
F3SN-A1267P25	
F3SN-A1267P25 BY OMG	
F3SN-A1267P25-01	
F3SN-A1267P25-01 BY OMG	
F3SN-A1267P40	
F3SN-A1269P14H BY OMG	
F3SN-A1269P14H-01 BY OMG	
F3SN-A1282P25	
F3SN-A1282P25 BY OMG	
F3SN-A1282P25-01	
F3SN-A1282P25-01 BY OMG	
F3SN-A1282P25-02TS	
F3SN-A1287P14H BY OMG	
F3SN-A1287P14H-01 BY OMG	
F3SN-A1297P25	
F3SN-A1297P25 BY OMG	
F3SN-A1297P25-01	
F3SN-A1297P25-01 BY OMG	
F3SN-A1297P25-04TS	
F3SN-A1297P40	
F3SN-A1297P70	

F3SN-A1305P14H BY OMG
F3SN-A1305P14H-01 BY OMG
F3SN-A1312P25
F3SN-A1312P25 BY OMG
F3SN-A1312P25-01
F3SN-A1312P25-01 BY OMG
F3SN-A1323P14H BY OMG
F3SN-A1327P25 BY OMG
F3SN-A1327P25-01
F3SN-A1327P25-01 BY OMG
F3SN-A1327P40
F3SN-A1341P14H BY OMG
F3SN-A1341P14H-01 BY OMG
F3SN-A1342P25 BY OMG
F3SN-A1342P25-01
F3SN-A1342P25-01 BY OMG
F3SN-A1357P25 BY OMG
F3SN-A1357P25-01
F3SN-A1357P25-01 BY OMG
F3SN-A1357P40
F3SN-A1357P70
F3SN-A1359P14H BY OMG
F3SN-A1359P14H-01 BY OMG
F3SN-A1372N25-04
F3SN-A1372P25
F3SN-A1372P25 BY OMG
F3SN-A1372P25-01
F3SN-A1372P25-01 BY OMG
F3SN-A1372P25-02TS
F3SN-A1377P14H BY OMG
F3SN-A1377P14H-01 BY OMG
F3SN-A1387P25
F3SN-A1387P25 BY OMG
F3SN-A1387P25-01
F3SN-A1387P25-01 BY OMG
F3SN-A1387P40
F3SN-A1395P14H BY OMG
F3SN-A1395P14H-01 BY OMG
F3SN-A1402P25 BY OMG
F3SN-A1402P25-01
F3SN-A1402P25-01 BY OMG
F3SN-A1413P14H BY OMG
F3SN-A1413P14H-01 BY OMG
F3SN-A1417P25
F3SN-A1417P25 BY OMG
F3SN-A1417P25-01
F3SN-A1417P25-01 BY OMG
F3SN-A1417P40
F3SN-A1417P70
F3SN-A1431P14H BY OMG
F3SN-A1431P14H-01 BY OMG
F3SN-A1432P25

Safety light curtain, category 4, hand protection (25mm), 1357mm height, DC, 10m s

Safety light curtain

F3SN-A1432P25 BY OMG
F3SN-A1432P25-01
F3SN-A1432P25-01 BY OMG
F3SN-A1447P25
F3SN-A1447P25 BY OMG
F3SN-A1447P25-01
F3SN-A1447P25-01 BY OMG
F3SN-A1447P25-02TS
F3SN-A1447P40
F3SN-A1449P14H BY OMG
F3SN-A1449P14H-01 BY OMG
F3SN-A1462P25
F3SN-A1462P25-01
F3SN-A1462P25-01 BY OMG
F3SN-A1467P14H BY OMG
F3SN-A1467P14H-01 BY OMG
F3SN-A1477P25
F3SN-A1477P25 BY OMG
F3SN-A1477P25-01
F3SN-A1477P25-01 BY OMG
F3SN-A1477P40
F3SN-A1477P70
F3SN-A1485P14H BY OMG
F3SN-A1485P14H-01 BY OMG
F3SN-A1492P25 BY OMG
F3SN-A1492P25-01
F3SN-A1492P25-01 BY OMG
F3SN-A1503P14H BY OMG
F3SN-A1503P14H-01 BY OMG
F3SN-A1507P25 BY OMG
F3SN-A1507P25-01
F3SN-A1507P25-01 BY OMG
F3SN-A1507P25-02
F3SN-A1507P25-23TS
F3SN-A1507P25-23TS BY OMG
F3SN-A1507P25-D-23TS
F3SN-A1507P25-L-23TS
F3SN-A1507P40
F3SN-A1521P14H BY OMG
F3SN-A1522P25
F3SN-A1522P25 BY OMG
F3SN-A1522P25-01
F3SN-A1522P25-01 BY OMG
F3SN-A1522P25-L-02TS
F3SN-A1537P25
F3SN-A1537P25 BY OMG
F3SN-A1537P25-01
F3SN-A1537P25-01 BY OMG
F3SN-A1537P40
F3SN-A1537P70
F3SN-A1539P14H BY OMG
F3SN-A1539P14H-01 BY OMG

Safety light curtain, category 4, finger protection (14mm), 1449mm height, DC, 7m sc

Safety light curtain

Safety light curtain, category 4, hand protection (25mm), 1507mm height, DC, 10m s

F3SN-A1552P25
F3SN-A1552P25 BY OMG
F3SN-A1552P25-01
F3SN-A1552P25-01 BY OMG
F3SN-A1557P14H BY OMG
F3SN-A1557P14H-01 BY OMG
F3SN-A1567P25
F3SN-A1567P25 BY OMG
F3SN-A1567P25-01
F3SN-A1567P25-01 BY OMG
F3SN-A1567P40
F3SN-A1575P14H BY OMG
F3SN-A1575P14H-01 BY OMG
F3SN-A1582P25
F3SN-A1582P25 BY OMG
F3SN-A1582P25-01
F3SN-A1582P25-01 BY OMG
F3SN-A1582P25-02TS
F3SN-A1582P25-04TS
F3SN-A1582P25-13TS
F3SN-A1582P25-23TS
F3SN-A1593P14H BY OMG
F3SN-A1593P14H-01 BY OMG
F3SN-A1597P25
F3SN-A1597P25 BY OMG
F3SN-A1597P25-01
F3SN-A1597P25-01 BY OMG
F3SN-A1597P40
F3SN-A1597P70
F3SN-A1611P14H BY OMG
F3SN-A1611P14H-01 BY OMG
F3SN-A1612P25
F3SN-A1612P25 BY OMG
F3SN-A1612P25-01
F3SN-A1612P25-01 BY OMG
F3SN-A1627P25
F3SN-A1627P25 BY OMG
F3SN-A1627P25-01
F3SN-A1627P25-01 BY OMG
F3SN-A1627P40
F3SN-A1642P25
F3SN-A1642P25 BY OMG
F3SN-A1642P25-01
F3SN-A1642P25-01 BY OMG
F3SN-A1657P25 BY OMG
F3SN-A1657P25-01
F3SN-A1657P25-01 BY OMG
F3SN-A1657P40
F3SN-A1657P70
F3SN-A1672P25
F3SN-A1672P25 BY OMG
F3SN-A1672P25-01

Safety light curtain

Safety light curtain

F3SN-A1672P25-01 BY OMG
F3SN-A1687P25
F3SN-A1687P25 BY OMG
F3SN-A1687P25-01
F3SN-A1687P25-01 BY OMG
F3SN-A1687P40
F3SN-A1702P25
F3SN-A1702P25 BY OMG
F3SN-A1702P25-01
F3SN-A1717P25
F3SN-A1717P25 BY OMG
F3SN-A1717P25-01
F3SN-A1717P25-01 BY OMG
F3SN-A1717P40
F3SN-A1717P70
F3SN-A1732P25
F3SN-A1732P25 BY OMG
F3SN-A1732P25-01
F3SN-A1732P25-01 BY OMG
F3SN-A1747P25
F3SN-A1747P25 BY OMG
F3SN-A1747P25-01 BY OMG
F3SN-A1747P40
F3SN-A1762P25
F3SN-A1762P25 BY OMG
F3SN-A1762P25-01
F3SN-A1762P25-01 BY OMG
F3SN-A1777P25
F3SN-A1777P25 BY OMG
F3SN-A1777P25-01
F3SN-A1777P25-01 BY OMG
F3SN-A1777P40
F3SN-A1777P70
F3SN-A1792P25
F3SN-A1792P25-01
F3SN-A1792P25-01 BY OMG
F3SN-A1807P25 BY OMG
F3SN-A1807P25-01
F3SN-A1807P25-01 BY OMG
F3SN-A1807P25-23TS
F3SN-A1807P40
F3SN-A1822P25 BY OMG
F3SN-A1822P25-01
F3SN-A1822P25-01 BY OMG
F3SN-A1822P25-23TS
F3SN-B0187P25
F3SN-B0187P40-02
F3SN-B0217N25
F3SN-B0217P25-02
F3SN-B0217P40-04
F3SN-B0427P25
F3SN-B0487N25-02

Safety light curtain

Safety light curtain, category 4, hand protection (25mm), 1807mm height, DC, 10m s

Safety light curtain

F3SN-B0487P25	
F3SN-B0487P25-02	
F3SN-B0547P25	
F3SN-B0607N25	
F3SN-B0607P25	
F3SN-B0667P25	
F3SN-B0697N25	
F3SN-B0787N25	
F3SN-B0907P40	
F3SN-B1057N70	
F3SN-MD1-D-G	
F3SN-MD1-L-G	
F3SN-MD2-D-G	
F3SN-MD2-L-G	
F3SN-MD3-D-G	
F3SN-MD3-L-G	
F3SN-MD415D-2S-G	
F3SN-MD415D-3S-G	
F3SN-MD415D-4S-G	
F3SN-MD415D-8S-G	
F3SN-MD415D-P-02TS-G	
F3SN-MD415D-P-G	
F3SN-MD415L-2S-G	
F3SN-MD415L-3S-G	
F3SN-MD415L-4S-G	
F3SN-MD415L-8S-G	
F3SN-MD415L-P-02TS-G	
F3SN-MD415L-P-G	
F3SN-MD460D-1S-G	
F3SN-MD460D-P-G	
F3SN-MD460L-1S-G	
F3SN-MD460L-P-G	
F3SN-MD49D-16S-G	
F3SN-MD49D-4S-G	
F3SN-MD49D-P-G	
F3SN-MD49D-P-H-G	
F3SN-MD49L-16S-G	
F3SN-MD49L-4S-G	
F3SN-MD49L-6S-G	
F3SN-MD49L-P-H-G	
F3SN-MDS1-G	
F3SP-B1P	Control unit for F3SN/H, relay 3NO + 1NC
F3SP-P1P-TGR	Single break, double break unit for 1 x F3SN/B
F3SP-TGR-X2	
F3SP-U2P BY OMG	
F3SP-U3P-TGR	Controller for 2 x E3FS safety photoelectric sensors
F3SP-U4P-TGR	Muting controller for up to 2 safety light curtains, F3SN/B and up to 4 mute sensors
F3SP-U5P-TGR	Controller for 4 x E3FS safety photoelectric sensors complete with muting function 1
F3SS-AT60P	Safety photoelectric sensor, through-beam, 60m, PNP, 24 VDC, terminal block connec
F3SS-AT60P-L	
F3S-TGR-CL2A-014-1050	Safety light curtain, category 2, 14mm resolution, advanced function, 0.2m-6m scan
F3S-TGR-CL2A-014-1200	Safety light curtain, category 2, 14mm resolution, advanced function, 0.2m-6m scan

F3S-TGR-CL4B-035-2400	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-035-300	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-035-450	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-035-600	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-035-750	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-035-900	Safety light curtain, category 4, 35mm resolution, basic function, 0.2m-14m scan dis
F3S-TGR-CL4B-K2-500	2 beam personal protection guard, category 4, 500mm beam pitch, 0.5-40m scan dis
F3S-TGR-CL4B-K2-500-LD	2 beam personal protection guard, category 4, 500mm beam pitch, 20-50m scan dist
F3S-TGR-CL4B-K2C-500	2 beam personal protection guard, active passive, category 4, 500mm beam pitch, 0.
F3S-TGR-CL4B-K3-800	3 beam personal protection guard, category 4, 400mm beam pitch, 0.5-40m scan dis
F3S-TGR-CL4B-K3-800-LD	3 beam personal protection guard, category 4, 400mm beam pitch, 20-50m scan dist
F3S-TGR-CL4B-K3C-800	3 beam personal protection guard, active passive, category 4, 400mm beam pitch, 0.
F3S-TGR-CL4B-K4-1200	4 beam personal protection guard, category 4, 400mm beam pitch, 0.5-40m scan dis
F3S-TGR-CL4B-K4-1200-LD	4 beam personal protection guard, category 4, 400mm beam pitch, 20-50m scan dist
F3S-TGR-CL4B-K4-900	4 beam personal protection guard, category 4, 300mm beam pitch, 0.5-40m scan dis
F3S-TGR-CL4B-K4-900-LD	4 beam personal protection guard, category 4, 300mm beam pitch, 20-50m scan dist
F3S-TGR-CL4B-K4C-1200	4 beam personal protection guard, active passive, category 4, 400mm beam pitch, 0.
F3S-TGR-CL4B-K4C-900	4 beam personal protection guard, active passive, category 4, 300mm beam pitch, 0.
F3S-TGR-NCPR-21-05	
F3S-TGR-NCPR-21-10	
F3S-TGR-NLPC-20-02	non-contact door switch, coded, elongated sensor 2m, plastic, 2NC contacts
F3S-TGR-NLPC-20-05	non-contact door switch, coded, elongated sensor 5m, plastic, 2NC contacts
F3S-TGR-NLPC-20-10	non-contact door switch, coded, elongated sensor 10m, plastic, 2NC contacts
F3S-TGR-NLPC-20-M1J8	non-contact door switch, coded, elongated sensor M12 connector, plastic, 2NC cont
F3S-TGR-NLPC-21-02	non-contact door switch, coded, elongated sensor 2m, plastic, 2NC+1NO contacts
F3S-TGR-NLPC-21-05	non-contact door switch, coded, elongated sensor 5m, plastic, 2NC+1NO contacts
F3S-TGR-NLPC-21-10	non-contact door switch, coded, elongated sensor 10m, plastic, 2NC+1NO contacts
F3S-TGR-NLPC-21-M1J8	non-contact door switch, coded, elongated sensor M12 connector, plastic, 2NC+1NC
F3S-TGR-NLPR-20-02	Non-contact door switch, reed, elongated sensor 2m, plastic, 2NC contacts
F3S-TGR-NLPR-20-05	Non-contact door switch, reed, elongated sensor 5m, plastic, 2NC contacts
F3S-TGR-NLPR-20-10	Non-contact door switch, reed, elongated sensor 10m, plastic, 2NC contacts
F3S-TGR-NLPR-20-M1J8	Non-contact door switch, reed, elongated sensor M12 connector, plastic, 2NC conta
F3S-TGR-NLPR-21-02	Non-contact door switch, reed, elongated sensor 2m, plastic, 2NC+1NO contacts
F3S-TGR-NLPR-21-05	Non-contact door switch, reed, elongated sensor 5m, plastic, 2NC+1NO contacts
F3S-TGR-NLPR-21-10	Non-contact door switch, reed, elongated sensor 10m, plastic, 2NC+1NO contacts
F3S-TGR-NLPR-21-M1J8	Non-contact door switch, reed, elongated sensor M12 connector, plastic, 2NC+1NO
F3S-TGR-NMPC-20-02	Non-contact door switch, Miniature, coded, 2m, plastic, 2NC contacts
F3S-TGR-NMPC-20-05	Non-contact door switch, Miniature, coded, plastic, 2NC contacts
F3S-TGR-NMPC-20-10	Non-contact door switch, Miniature, coded, 10m, plastic, 2NC contacts
F3S-TGR-NMPC-20-M1J8	Non-contact door switch, Miniature, coded, M12 connector, plastic, 2NC contacts
F3S-TGR-NMPC-21-02	Non-contact door switch, Miniature, coded, 2m, plastic, 2NC+1NO contacts
F3S-TGR-NMPC-21-05	Non-contact door switch, Miniature, coded, 5m, plastic, 2NC+1NO contacts
F3S-TGR-NMPC-21-10	Non-contact door switch, Miniature, coded, 10m, plastic, 2NC+1NO contacts
F3S-TGR-NMPC-21-M1J8	Non-contact door switch, Miniature, coded, M12 connector, plastic, 2NC+1NO conta
F3S-TGR-NMPR-20-02	Non-contact door switch, Miniature, reed, 2m, plastic, 2NC contacts
F3S-TGR-NMPR-20-05	Non-contact door switch, Miniature, reed, 5m, plastic, 2NC contacts
F3S-TGR-NMPR-20-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC contacts
F3S-TGR-NMPR-20-M1J8	Non-contact door switch, Miniature, reed, M12 connector, plastic, 2NC contacts
F3S-TGR-NMPR-21-02	Non-contact door switch, Miniature, reed, 2m, plastic, 2NC+1NO contacts
F3S-TGR-NMPR-21-05	Non-contact door switch, Miniature, reed, 5m, plastic, 2NC+1NO contacts
F3S-TGR-NMPR-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts
F3S-TGR-NMPR-21-M1J8	Non-contact door switch, Miniature, reed, M12 connector, plastic, 2NC+1NO contact:

F3S-TGR-NSMC-20-02	Non-contact door switch, coded, small sensor 2m, stainless steel, 2NC contacts
F3S-TGR-NSMC-20-05	Non-contact door switch, coded, small sensor 5m, stainless steel, 2NC contacts
F3S-TGR-NSMC-20-10	Non-contact door switch, coded, small sensor 10m, stainless steel, 2NC contacts
F3S-TGR-NSMC-20-M1J8	Non-contact door switch, coded, small sensor M12 connector, steel, 2NC contacts
F3S-TGR-NSMC-21-02	Non-contact door switch, coded, small sensor 2m, stainless steel, 2NC+1NO contact
F3S-TGR-NSMC-21-05	Non-contact door switch, coded, small sensor 5m, stainless steel, 2NC+1NO contact
F3S-TGR-NSMC-21-10	Non-contact door switch, coded, small sensor 10m, stainless steel, 2NC+1NO contact
F3S-TGR-NSMC-21-M1J8	Non-contact door switch, coded, small sensor M12 connector, stainless steel, 2NC+
F3S-TGR-NSMR-20-02	Non-contact door switch, reed, small sensor 2m, stainless steel, 2NC contacts
F3S-TGR-NSMR-20-05	Non-contact door switch, reed, small sensor 5m, stainless steel, 2NC contacts
F3S-TGR-NSMR-20-10	Non-contact door switch, reed, small sensor 10m, stainless steel, 2NC contacts
F3S-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts
F3S-TGR-NSMR-21-02	Non-contact door switch, reed, small sensor 2m, stainless steel, 2NC+1NO contacts
F3S-TGR-NSMR-21-05	Non-contact door switch, reed, small sensor 5m, stainless steel, 2NC+1NO contacts
F3S-TGR-NSMR-21-10	Non-contact door switch, reed, small sensor 10m, stainless steel, 2NC+1NO contact
F3S-TGR-NSMR-21-M1J8	Non-contact door switch, reed, small sensor M12 connector, stainless steel, 2NC+1N
F3S-TGR-NSPC-21-05F3STGRNSPC2105	
F3S-TGR-NSPC-21-10F3STGRNSPC2110	
F3S-TGR-NSPC-21-M1J8F3STGRNSPC21M1J8	
F3S-TGR-NSPR-21-05	
F3S-TGR-NSPR-21-10	
F3S-TGR-NSPR-21-M1J8	
F3S-TGR-NWPR-21-05	
F3S-TGR-NWPR-21-10	
F3S-TGR-S10-5F8-90ST4	
F3S-TGR-S10-5F8-92ST4	
F3S-TGR-S10-5G8-60ST4	
F3S-TGR-S10-5G8-62ST4	
F3S-TGR-S30-5F50-1ST4	Safety light curtain
F3S-TGR-S30-5F50-2PST4	
F3S-TGR-S30-5G50-1ST4	Safety light curtain
F3S-TGR-S30-5G50-2ST4	
F3S-TGR-S5-5F8-90ST4	
F3S-TGR-S5-5F8-92ST4	
F3S-TGR-S5-5G8-60ST4	
F3S-TGR-S5-5G8-62ST4	
F3S-TGR-SAF-T1-4LD	
F3S-TGR-SAF-T1-4SD	
F3S-TGR-SB2-1200	
F3S-TGR-SB2-1200-MTL	
F3S-TGR-SB2-150	
F3S-TGR-SB2-1500	
F3S-TGR-SB2-1500-MTL	
F3S-TGR-SB2-150-MTL	
F3S-TGR-SB2-1650	
F3S-TGR-SB2-1650-MTL	
F3S-TGR-SB2-300	
F3S-TGR-SB2-300_150VU	
F3S-TGR-SB2-300-MTL	
F3S-TGR-SB2-450	
F3S-TGR-SB2-450-MTL	
F3S-TGR-SB2-600	

F3S-TGR-SB2-600-MTL	
F3S-TGR-SB2-750	
F3S-TGR-SB2-750-MTL	
F3S-TGR-SB2-900	
F3S-TGR-SB2-900-MTL	
F3S-TGR-SB2-HR-1200	
F3S-TGR-SB2-HR-1200-MTL	
F3S-TGR-SB2-HR-150	
F3S-TGR-SB2-HR-1500	
F3S-TGR-SB2-HR-1500-MTL	
F3S-TGR-SB2-HR-150-MTL	
F3S-TGR-SB2-HR-1650	
F3S-TGR-SB2-HR-1650-MTL	
F3S-TGR-SB2-HR-300	
F3S-TGR-SB2-HR-300-MTL	
F3S-TGR-SB2-HR-450	
F3S-TGR-SB2-HR-450-MTL	
F3S-TGR-SB2-HR-600	
F3S-TGR-SB2-HR-600-MTL	
F3S-TGR-SB2-HR-750	
F3S-TGR-SB2-HR-750-MTL	
F3S-TGR-SB2-HR-900	
F3S-TGR-SB2-HR-900-MTL	
F3S-TGR-SB2-K16-1500	
F3S-TGR-SB2-K1C-01TR	
F3S-TGR-SB2-K2CLD-500	
F3S-TGR-SB2-K2CLD-500-MTL	
F3S-TGR-SB2-K2LD-500	2 beam personal protection guard, category 2, 500mm height, 20-50m scan distance
F3S-TGR-SB2-K2LD-500-MTL	2 beam personal protection guard, uni-directional muting, category 2, 500mm height
F3S-TGR-SB2-K2SD-500	2 beam personal protection guard, category 2, 500mm height, 0.5-25m scan distance
F3S-TGR-SB2-K2SD-500-MTL	2 beam personal protection guard, uni-directional muting, category 2, 500mm height
F3S-TGR-SB2-K3CSD-800	3 beam personal protection guard, active passive, category 2, 800mm height, 0.5-5m
F3S-TGR-SB2-K3CSD-800-MTL	3 beam personal protection guard, active passive, uni-directional muting, category 2
F3S-TGR-SB2-K3LD-800	3 beam personal protection guard, category 2, 800mm height, 20-50m scan distance
F3S-TGR-SB2-K3LD-800-MTL	3 beam personal protection guard, uni-directional muting, category 2, 800mm height
F3S-TGR-SB2-K3SD-800	3 beam personal protection guard, category 2, 800mm height, 0.5-25m scan distance
F3S-TGR-SB2-K3SD-800-MTL	3 beam personal protection guard, uni-directional muting, category 2, 800mm height
F3S-TGR-SB2K4-900MTL	4 beam personal protection guard, category 2, 900mm height, 0.5-25m scan distance
F3S-TGR-SB2-K4CSD-900	4 beam personal protection guard, active passive, category 2, 900mm height, 0.5-5m
F3S-TGR-SB2-K4CSD-900-MTL	4 beam personal protection guard, active passive, uni-directional muting, category 2
F3S-TGR-SB2-K4LD-1200	4 beam personal protection guard, category 2, 1200mm height, 20-50m scan distance
F3S-TGR-SB2-K4LD-1200-MTL	4 beam personal protection guard, uni-directional muting, category 2, 1200mm height
F3S-TGR-SB2-K4LD-900	4 beam personal protection guard, category 2, 900mm height, 20-50m scan distance
F3S-TGR-SB2-K4LD-900-MTL	4 beam personal protection guard, uni-directional muting, category 2, 900mm height
F3S-TGR-SB2-K4SD-1200	4 beam personal protection guard, category 2, 1200mm height, 0.5-25m scan distance
F3S-TGR-SB2-K4SD-1200-MTL	4 beam personal protection guard, uni-directional muting, category 2, 1200mm height
F3S-TGR-SB2-K4SD-900	4 beam personal protection guard, category 2, 900mm height, 0.5-25m scan distance
F3S-TGR-SB2-K4SD-900-MTL	4 beam personal protection guard, uni-directional muting, category 2, 900mm height
F3S-TGR-SB4-1200	
F3S-TGR-SB4-1200-MTL	
F3S-TGR-SB4-150	
F3S-TGR-SB4-1500	

F3S-TGR-SB4-1500-MTL	
F3S-TGR-SB4-150-MTL	
F3S-TGR-SB4-150-RX	
F3S-TGR-SB4-150-TX	
F3S-TGR-SB4-1650	
F3S-TGR-SB4-1650-MTL	
F3S-TGR-SB4-300	
F3S-TGR-SB4-300-MTL	
F3S-TGR-SB4-450	
F3S-TGR-SB4-450-MTL	
F3S-TGR-SB4-600	
F3S-TGR-SB4-600-MTL	Safety light curtain
F3S-TGR-SB4-750	
F3S-TGR-SB4-750-MTL	
F3S-TGR-SB4-900	
F3S-TGR-SB4-900-FB	
F3S-TGR-SB4-900-MTL	
F3S-TGR-SB4-HR-1200	
F3S-TGR-SB4-HR-1200-MTL	
F3S-TGR-SB4-HR-150	
F3S-TGR-SB4-HR-1500	
F3S-TGR-SB4-HR-1500-MTL	
F3S-TGR-SB4-HR-150-MTL	
F3S-TGR-SB4-HR-1650	
F3S-TGR-SB4-HR-1650-MTL	
F3S-TGR-SB4-HR-300	
F3S-TGR-SB4-HR-300-MTL	
F3S-TGR-SB4-HR-450	
F3S-TGR-SB4-HR-450-MTL	
F3S-TGR-SB4-HR-600	
F3S-TGR-SB4-HR-600-MTL	
F3S-TGR-SB4-HR-750	
F3S-TGR-SB4-HR-750-MTL	
F3S-TGR-SB4-HR-900	
F3S-TGR-SB4-HR-900-MTL	
F3S-TGR-SB4-K1-E-SB	
F3S-TGR-SB4-K2C-500	2 beam personal protection guard, category 4, 500mm height, 0.5-6m scan distance
F3S-TGR-SB4-K2CLD-500	
F3S-TGR-SB4-K2CLD-500-MTL	
F3S-TGR-SB4-K2CSD-500	2 beam personal protection guard, active passive, category 4, 500mm height, 0.5-6m
F3S-TGR-SB4-K2CSD-500-MTL	2 beam personal protection guard, active passive, uni-directional muting, category 4
F3S-TGR-SB4-K2LD-500	2 beam personal protection guard, category 4, 500mm height, 20-50m scan distance
F3S-TGR-SB4-K2LD-500-MTL	2 beam personal protection guard, uni-directional muting, category 2, 500mm height
F3S-TGR-SB4-K2SD-500	2 beam personal protection guard, category 4, 500mm height, 0.5-25m scan distance
F3S-TGR-SB4-K2SD-500-MTL	2 beam personal protection guard, uni-directional muting, category 4, 500mm height
F3S-TGR-SB4-K3CSD-800	3 beam personal protection guard, active passive, category 4, 800mm height, 0.5-5m
F3S-TGR-SB4-K3CSD-800-MTL	3 beam personal protection guard, active passive, uni-directional muting, category 4
F3S-TGR-SB4-K3LD-800	3 beam personal protection guard, category 4, 800mm height, 20-50m scan distance
F3S-TGR-SB4-K3LD-800-MTL	3 beam personal protection guard, uni-directional muting, category 4, 800mm height
F3S-TGR-SB4-K3SD-800	3 beam personal protection guard, category 4, 800mm height, 0.5-25m scan distance
F3S-TGR-SB4-K3SD-800-MTL	3 beam personal protection guard, uni-directional muting, category 4, 800mm height
F3S-TGR-SB4K4-900	4 beam personal protection guard, category 4, 900mm height, 4-50m scan distance

F3S-TGR-SB4-K4-900MTL1	
F3S-TGR-SB4-K4CSD-900	4 beam personal protection guard, active passive, category 4, 900mm height, 0.5-5m
F3S-TGR-SB4-K4CSD-900-MTL	4 beam personal protection guard, active passive, uni-directional muting, category 4
F3S-TGR-SB4-K4LD-1200	4 beam personal protection guard, category 4, 1200mm height, 20-50m scan distance
F3S-TGR-SB4-K4LD-1200-MTL	4 beam personal protection guard, uni-directional muting, category 4, 1200mm height
F3S-TGR-SB4-K4LD-900	4 beam personal protection guard, category 4, 900mm height, 20-50m scan distance
F3S-TGR-SB4-K4LD-900-MTL	4 beam personal protection guard, category 4, 1200mm height, 0.5-25m scan distance
F3S-TGR-SB4-K4SD-1200	
F3S-TGR-SB4-K4SD-1200-MTL	4 beam personal protection guard, uni-directional muting, category 4, 1200mm height
F3S-TGR-SB4-K4SD-900	4 beam personal protection guard, category 4, 900mm height, 0.5-25m scan distance
F3S-TGR-SB4-K4SD-900-MTL	4 beam personal protection guard, uni-directional muting, category 4, 900mm height
F3S-TGR-SB4-K9-1200	
F3S-TGR-SB4K-L-3-800MTL	
F3S-TGR-SB-SPECIAL	Safety light curtain
F3S-TGR-SP-2C	
F3S-TGR-SP-3C	
F3S-TGR-SP-4C	
F3S-TGR-ZSM-1	Zero speed monitoring unit for single or three phase motors using residual voltage
F3SX-CD100-E	
F3SX-EB1	
F3SX-N-D1R	
F3SX-N-D1RR2	
F3SX-N-L2D1R	
F3SX-N-L2L2D1R	
F3SX-NR	
F3UV-A03	
F3UV-A30	Ultraviolet sensor
F3UV-HM	UV optic head
F3UV-HT 5M	
F3UV-XA	UV
F3UV-XW11	UV Monitor f/optic amp
F3UV-XW41 2M	
F3W-A042 3M	
F3W-A062 3M	
F3W-A082 3M	
F3W-A101 3M	
F3W-A102 3M	
F3W-A161 3M	
F3W-A162 3M	
F3W-A241 3M	
F3W-B035 3M	
F3W-B052 3M	
F3W-C084	
F3W-C084-D	
F3W-C084-L	
F3W-C124	
F3W-C164	
F3W-C204	
F3W-C244	
F3W-D052A 2M	Picking Sensor, Through Beam, sensing distance 3m, NPN output
F3W-D052A 5M	
F3W-D052A 7M	

F3W-D052AP 2M
F3W-D052AP 5M
F3W-D052B 1M
F3W-D052B 2M
F3W-D052B 3.5M
F3W-D052BP 2M
F3W-D052C 5M
F3W-D052CP 5M
F3W-D052D 1M
F3W-D052D 2M
F3W-D052DP 2M
F3W-D052U 2M
F3W-E032A6 2M
F3W-E032A6 5M
F3W-E032A8 2M
F3W-E032A8 5M
F3W-E032B6 0.3M
F3W-E032B8 0.3M
F3WN-X0187N25
F3WN-X0307N40
F3ZN-S0180N15
F3ZN-S0180N30
F3ZN-S0180P09
F3ZN-S0180P09-01
F3ZN-S0180P15
F3ZN-S0180P30
F3ZN-S0198P09
F3ZN-S0210P15
F3ZN-S0210P30
F3ZN-S0216N09
F3ZN-S0216N09-01
F3ZN-S0216P09
F3ZN-S0225P15
F3ZN-S0234P09
F3ZN-S0240P15
F3ZN-S0240P30
F3ZN-S0240P60
F3ZN-S0255P15
F3ZN-S0270P09
F3ZN-S0270P15
F3ZN-S0270P30
F3ZN-S0285P15
F3ZN-S0288N09
F3ZN-S0288N09-01
F3ZN-S0288P09
F3ZN-S0300P15
F3ZN-S0300P30
F3ZN-S0300P60
F3ZN-S0306P09
F3ZN-S0315P15
F3ZN-S0324P09
F3ZN-S0330P15

Picking Sensor, Through Beam, Sensing distance 3m, NPN output

F3ZN-S0330P30
F3ZN-S0342P09
F3ZN-S0345P15
F3ZN-S0360P09
F3ZN-S0360P15
F3ZN-S0360P30
F3ZN-S0360P60
F3ZN-S0375P15
F3ZN-S0378P09
F3ZN-S0390N15
F3ZN-S0390P15
F3ZN-S0390P30
F3ZN-S0396P09
F3ZN-S0405P15
F3ZN-S0414P09
F3ZN-S0420P15
F3ZN-S0420P30
F3ZN-S0420P60
F3ZN-S0432P09
F3ZN-S0435P15
F3ZN-S0450P09
F3ZN-S0450P15
F3ZN-S0450P30
F3ZN-S0465P15
F3ZN-S0468P09
F3ZN-S0480P15
F3ZN-S0480P30
F3ZN-S0480P60
F3ZN-S0486P09
F3ZN-S0495P15
F3ZN-S0504P09
F3ZN-S0510N15
F3ZN-S0510N30
F3ZN-S0510P15
F3ZN-S0510P30
F3ZN-S0522P09
F3ZN-S0525P15
F3ZN-S0540P09
F3ZN-S0540P15
F3ZN-S0540P30
F3ZN-S0540P60
F3ZN-S0555P15
F3ZN-S0558P09
F3ZN-S0570P15
F3ZN-S0570P30
F3ZN-S0576P09
F3ZN-S0594P09
F3ZN-S0600P15
F3ZN-S0600P30
F3ZN-S0600P60
F3ZN-S0612P09
F3ZN-S0615P15

F3ZN-S0630P09
F3ZN-S0630P15
F3ZN-S0630P30
F3ZN-S0645P15
F3ZN-S0648P09
F3ZN-S0660P15
F3ZN-S0660P30
F3ZN-S0660P60
F3ZN-S0675P15
F3ZN-S0690P15
F3ZN-S0690P30
F3ZN-S0702P09
F3ZN-S0705P15
F3ZN-S0720N09
F3ZN-S0720P09
F3ZN-S0720P15
F3ZN-S0720P30
F3ZN-S0720P60
F3ZN-S0735P15
F3ZN-S0738P09
F3ZN-S0750N15
F3ZN-S0750P15
F3ZN-S0750P30
F3ZN-S0756P09-01
F3ZN-S0765P15
F3ZN-S0774P09
F3ZN-S0780P15
F3ZN-S0780P60
F3ZN-S0792P09
F3ZN-S0795P15
F3ZN-S0810P09
F3ZN-S0810P15
F3ZN-S0810P30
F3ZN-S0825P15
F3ZN-S0828P09
F3ZN-S0840P15
F3ZN-S0840P30
F3ZN-S0840P60
F3ZN-S0846P09
F3ZN-S0855P15
F3ZN-S0864P09
F3ZN-S0864P09-01
F3ZN-S0870P15
F3ZN-S0870P30
F3ZN-S0882P09
F3ZN-S0885P15
F3ZN-S0900P09
F3ZN-S0900P15
F3ZN-S0900P30
F3ZN-S0900P60
F3ZN-S0915P15
F3ZN-S0918P09

F3ZN-S0930P15
F3ZN-S0930P30
F3ZN-S0936P09
F3ZN-S0945P15
F3ZN-S0954P09
F3ZN-S0960P15
F3ZN-S0960P30
F3ZN-S0960P60
F3ZN-S0972P09
F3ZN-S0975P15
F3ZN-S0990P09
F3ZN-S0990P15
F3ZN-S0990P30
F3ZN-S1005P15
F3ZN-S1008N09
F3ZN-S1008P09
F3ZN-S1020P15
F3ZN-S1020P30
F3ZN-S1020P60
F3ZN-S1026P09
F3ZN-S1035P15
F3ZN-S1044P09
F3ZN-S1050P15
F3ZN-S1050P30
F3ZN-S1062P09
F3ZN-S1065P15
F3ZN-S1080P15
F3ZN-S1080P30
F3ZN-S1089P09
F3ZN-S1098P09
F3ZN-S1110N15
F3ZN-S1110N30
F3ZN-S1110P15
F3ZN-S1116P09
F3ZN-S1140P15
F3ZN-S1140P30
F3ZN-S1140P60
F3ZN-S1155P15
F3ZN-S1170P15
F3ZN-S1170P30
F3ZN-S1185P15
F3ZN-S1200P15
F3ZN-S1215P15
F3ZN-S1230P15
F3ZN-S1230P30
F3ZN-S1245P15
F3ZN-S1260P30
F3ZN-S1260P60
F3ZN-S1275P15
F3ZN-S1290P15
F3ZN-S1290P30
F3ZN-S1305P15

F3ZN-S1320P15
F3ZN-S1320P30
F3ZN-S1320P60
F3ZN-S1335P15
F3ZN-S1350P15
F3ZN-S1350P30
F3ZN-S1350P30-01
F3ZN-S1365P15
F3ZN-S1380P15
F3ZN-S1380P30
F3ZN-S1380P60
F3ZN-S1395P15
F3ZN-S1410P15
F3ZN-S1410P30
F3ZN-S1425P15
F3ZN-S1440P15
F3ZN-S1440P30
F3ZN-S1440P60
F3ZN-S1455P15
F3ZN-S1470N30
F3ZN-S1470P15
F3ZN-S1470P30
F3ZN-S1485P15
F3ZN-S1500P15
F3ZN-S1500P30
F3ZN-S1500P60
F3ZN-S1515P15
F3ZN-S1530P15
F3ZN-S1530P30
F3ZN-S1545P15
F3ZN-S1560P15
F3ZN-S1560P30
F3ZN-S1560P60
F3ZN-S1575P15
F3ZN-S1590P15
F3ZN-S1590P30
F3ZN-S1620P15
F3ZN-S1620P30
F3ZN-S1620P60
F3ZN-S1635P15
F3ZN-S1650P15
F3ZN-S1650P30
F3ZN-S1665P15
F3ZN-S1680P15
F3ZN-S1680P30
F3ZN-S1680P60
F3ZN-S1695P15
F3ZN-S1710P15
F3ZN-S1710P30
F3ZN-S1725P15
F3ZN-S1740N60
F3ZN-S1740N60-01

F3ZN-S1740P15	
F3ZN-S1740P60	
F3ZN-S1755P15	
F3ZN-S1770P15	
F3ZN-S1770P30	
F3ZN-S1770P30-01	
F3ZN-S1770P30-02	
F3ZN-S1770P30-04	
F3ZN-S1785P15	
F3ZP-CD100-E	
F3ZP-M1N-FLK	
F3ZP-M1P-FLK	
F500-C10-ETN	
F500-C15-ETN	Visual Inspection controller, PNP outputs, Ethernet, RS232/422 interfaces (requires :
F500-CD3E	F500 programmimg software
F500-LE16	
F500-LE25	High Precision Lens, 25mm
F500-LE50	High Precision Lens, 50mm
F500-M10L	Monitor, 10" LCD
F500-S1	Digital Camera, 1M pixels (1024 x 1024 pixels)
F500-UM3FE	F210/ F500 Application software without macro function
F500-UM3ME	F210/ F500 Application software with macro function
F500-VS 10M	Camera cable, 10m
F500-VS 2M	Camera cable, 2m
F500-VS 5M	Camera cable, 5m
F7Z-PUZ4160-CE	
F92A-C-1	Inductive coupler, M18, 5mm (requires E2E-X5* proximity sensor receiver)
FB-40008A	
FB-40014A	
FB-40025A	
FB-40044A	
FB-40060A	
FB-40072A	
FB-40105A	
FB-40170A	
FB-40250A	
FB-40350A	
FB-40465A	
FB-40660A	
FCN-360C032-B	
FCN-361J032-AU-HN	
FCN361J048-DPACK (CONNECTOR A	
FDU40-060-54CE	
FDU40-073-54CE	
FDU48-003-54CE	SX style inverter, 400vac three phase, 0.55kw HD/ 0.75kW ND, 2A HD/ 2.5A ND, Emot
FDU48-004-54CE	
FDU48-006-54CE	
FDU48-008-54CE	
FDU48-010-54CE	
FDU48-013-54CE	
FDU48-018-54CE	
FDU48-026-54CE	

FDU48-031-54CE
 FDU48-037-54CE
 FDU48-046-54CE
 FDU48-090-54CE
 FDU48-109-54CE
 FDU48-146-54 -E---A-NNND
 FDU48-146-54CE
 FLAT PANEL PC V2
 FLEXXPECT-CODE READING
 FLEXXPECT-GLUE BEAD
 FLEXXPECT-LABELLING
 FLEXXPECT-OCR
 FLEXXPECT-PHARMA
 FLEXXPECT-PV
 FMW01
 FN 258-180-07
 FN 359-250-99
 FN 5010-24-99
 FN2070-10/06
 FN2070-16/06
 FN2070-6/06
 FN258-16-29
 FN258-30-33
 FN258-7-29
 FN258L-16/29
 FN258L-7/29
 FN3258Q-30-47
 FN350-30/33
 FN5010-110-99 sinus filter
 FN5010-13-99 sinus filter
 FN5010-18-99 sinus filter
 FN5010-24-99 sinus filter
 FN5010-32-99 sinus filter
 FN5010-4.5-99 sinus filter
 FN5010-42-99 sinus filter
 FN5010-48-99 sinus filter
 FN5010-60-99 sinus filter
 FN5010-8-99 sinus filter
 FND-CCX001S
 FND-CCX002S
 FND-CTX002N
 FND-X06H
 FND-X06H-SRT
 FND-X06L
 FND-X12H
 FND-X12H-SRT
 FND-X12L
 FND-X12L-SRT
 FND-X25H
 FND-X25H-SRT
 FND-X50H
 FND-X50H-SRT

Sigma II Filter 180A

Sigma II RFI filter (Schaffner), 200 VAC single-phase, 10A (400W)
 Sigma II RFI filter (Schaffner), 200 VAC single-phase, 16A (750W)
 Sigma II RFI filter (Schaffner), 200 VAC single-phase, 6A (30W, 50W, 100W, 200W)
 RFI filter, 16A, Bookstyle
 RFI filter, 30A, Bookstyle
 RFI filter, 7A, Bookstyle

Sigma II RFI filter (Schaffner), 200 VAC single-phase, 30A (1.5kW)

FPF-8122-07/1
FPF-8122-12/1
FPF-8122-24/1
FPF-8123-07/1
FPF-8123-11/1
FPF-8123-20/1
FPFB-266-G-3-013
FPFB-266-G-3-032
FPFB-266-G-3-064
FP-L7Z-PUZ4011-CE
FP-L7Z-PUZ4015-CE
FP-L7Z-PUZ4018-CE
FP-L7Z-PUZ4022-CE
FP-L7Z-PUZ44P0-CE
FP-L7Z-PUZ45P5-CE
FP-L7Z-PUZ47P5-CE
FRONT CASE FOR NT631C-ST151/ST
FRONT CASE FOR NT631C-ST151B/S
FRONT CASE FOR ST121B (0678577
FRONT CASE NT21-ST121B-E 06751
FRONT CASE NT31-ST121B-EV2 160
FRONT SHEET FOR NT31C-ST141B
FRONT SHEET FOR NT620C-ST141B
FRONT SHEET NT21-ST121B-E 2363
FRONT SHEET NT21-ST121-E 33803
FS 4874-100/35
FS 4874-130/35
FS 4874-18/07
FS 4874-30/07
FS 4874-300/99
FS 4874-42/07
FS 4874-55/07
FS 4874-7/07
FS 4874-75/34
FS 4874-900/99
FS 6043-120/35
FS 6043-14/07
FS 6043-182/28
FS 6043-26/07
FS 6043-264/28
FS 6043-300/99
FS 6043-41/07
FS 6043-410/99
FS 6043-58/52
FS 6043-72/52
FS 6043-8/07
FS 6043-88/34
FS5559-35/33
FS5559-80/34
FS5855-10-07
FS5855-20-07
FS5855-30-07

FS5855-40-07
 FS5857-20-07
 FS5857-30-07
 FS5857-5-07
 FS5871-10-07
 FS5871-20-07
 FS5872-10-07
 FS5872-20-07
 FS5972-100-35
 FS5972-10-07*
 FS5972-130-35*
 FS5972-170-40*
 FS5972-18-07*
 FS5972-21-07
 FS5972-35-07*
 FS5972-60-07*
 FS5972-600-99*
 FS5972-70-52*
 FS6010-10-07
 FU000927
 FU000928
 FU000935
 FU002087
 FU002088
 FU002089
 FU002091
 FU002092
 FUSE FOR C60K-CDR-A 125V 0,5A
 FZ2-505-10 (GM)
 FZ3-300
 FZ3-300-10
 FZ3-305
 FZ3-305-10
 FZ3-350
 FZ3-350-10
 FZ3-355
 FZ3-355-10
 FZ3-700
 FZ3-700-10
 FZ3-705
 FZ3-705-10
 FZ3705-F150HPD-FZSC2M-KIT
 FZ3-750
 FZ3-750-10
 FZ3-755
 FZ3-755-10
 FZ3-900
 FZ3-900-10
 FZ3-905
 FZ3-905-10
 FZ3-950
 FZ3-950-10

FZ3 Series vision controller, integrated LCD touch screen, standard resolution type,
 FZ3 Series vision controller, integrated LCD touch screen, standard resolution type,
 FZ3 Series vision controller, integrated LCD touch screen, standard resolution type,
 FZ3 Series vision controller, integrated LCD touch screen, standard resolution type,
 FZ3 Series vision controller, box type, standard resolution type, two camera, NPN
 FZ3 Series vision controller, box type, standard resolution type, four camera, NPN
 FZ3 Series vision controller, box type, standard resolution type, two camera, PNP
 FZ3 Series vision controller, box type, standard resolution type, four camera, PNP
 FZ3 Series vision controller, integrated LCD touch screen, high resolution type, two
 FZ3 Series vision controller, integrated LCD touch screen, high resolution type, four
 FZ3 Series vision controller, integrated LCD touch screen, high resolution type, two
 FZ3 Series vision controller, integrated LCD touch screen, high resolution type, four
 FZ3 Series vision controller, box type, high resolution type, two camera, NPN
 FZ3 Series vision controller, box type, high resolution type, four camera, NPN
 FZ3 Series vision controller, box type, high resolution type, two camera, PNP
 FZ3 Series vision controller, box type, high resolution type, four camera, PNP
 FZ3 Series high performance vision controller, integrated LCD touch screen, high re
 FZ3 Series high performance vision controller, integrated LCD touch screen, high re
 FZ3 Series high performance vision controller, integrated LCD touch screen, high re
 FZ3 Series high performance vision controller, integrated LCD touch screen, high re
 FZ3 Series high performance vision controller, box type, high resolution type, two c:
 FZ3 Series high performance vision controller, box type, high resolution type, four c

FZ3-955	FZ3 Series high performance vision controller, box type, high resolution type, two c
FZ3-955-10	FZ3 Series high performance vision controller, box type, high resolution type, four c
FZ3-H300	FZ3H Advanced vision controller, integrated LCD touch screen, standard resolution
FZ3-H300-10	FZ3H Advanced vision controller, integrated LCD touch screen, standard resolution
FZ3-H305	FZ3H Advanced vision controller, integrated LCD touch screen, standard resolution
FZ3-H305-10	FZ3H Advanced vision controller, integrated LCD touch screen, standard resolution
FZ3-H350	FZ3H Advanced vision controller, controller type, standard resolution type, two cam
FZ3-H350-10	FZ3H Advanced vision controller, controller type, standard resolution type, two cam
FZ3-H355	FZ3H Advanced vision controller, controller type, standard resolution type, two cam
FZ3-H355-10	FZ3H Advanced vision controller, controller type, standard resolution type, two cam
FZ3-H700	
FZ3-H700-10	
FZ3-H705	FZ3H Advanced vision controller, integrated LCD touch screen, high resolution type
FZ3-H705-10	FZ3H Advanced vision controller, integrated LCD touch screen, high resolution type
FZ3-H750	
FZ3-H750-10	
FZ3-H755	FZ3H Advanced vision controller, controller type, high resolution type, two camera,
FZ3-H755-10	FZ3H Advanced vision controller, controller type, high resolution type, four camera,
FZ3-H900	FZ3H Advanced high performance vision controller, integrated LCD touch screen, hi
FZ3-H900-10	FZ3H Advanced high performance vision controller, integrated LCD touch screen, hi
FZ3-H905	FZ3H Advanced high performance vision controller, integrated LCD touch screen, hi
FZ3-H905-10	FZ3H Advanced high performance vision controller, integrated LCD touch screen, hi
FZ3-H950	FZ3H Advanced high performance vision controller, controller type, high resolution
FZ3-H950-10	FZ3H Advanced high performance vision controller, controller type, high resolution
FZ3-H955	FZ3H Advanced high performance vision controller, controller type, high resolution
FZ3-H955-10	FZ3H Advanced high performance vision controller, controller type, high resolution
FZ-ALLVANY	
FZD-500-10	FZD Controller, 3-D vision system, integrated LCD touchscreen, NPN
FZD-505-10	FZD Controller, 3-D vision system, integrated LCD touchscreen, PNP
FZD-550-10	FZD Controller, 3-D vision system, controller version, NPN
FZD-555-10	FZD Controller, 3-D vision system, controller version, PNP
FZD-CAL	FZD, 3D calibration tool
FZD-CBL	FZD, 3D camera base plate, short distance version
FZD-CBM	FZD, 3D camera base plate, medium distance version
FZD-CBS	FZD, 3D camera base plate, long distance version
FZD-LTPW	FZD, 3D lighting system, high luminance, custom pattern
FZD-LTW	FZD, 3D lighting system, high luminance, line
FZ-DS	FZ2 Series desktop stand
FZD-STC2M	FZD, 3D integrated vision camera, 2 megapixel
FZ-LEH100	Lens 100mm, high resolution, low distortion
FZ-LEH12	Lens 12mm, high resolution, low distortion
FZ-LEH16	Lens 16mm, high resolution, low distortion
FZ-LEH25	Lens 25mm, high resolution, low distortion
FZ-LEH35	Lens 35mm, high resolution, low distortion
FZ-LEH5	Lens 5mm, high resolution, low distortion
FZ-LEH50	Lens 50mm, high resolution, low distortion
FZ-LEH75	Lens 75mm, high resolution, low distortion
FZ-LEH8	Lens 8mm, high resolution, low distortion
FZ-LES16	Micro cameralens, 16mm (only for FZ-SF**0
FZ-LES3	Micro camera lens, 3mm (only for FZ-SF**)
FZ-LES30	Micro camera lens, 30mm (only for FZ-SF**)
FZ-LES6	Micro camera lens, 6mm (only for FZ-SF**)

FZ-LESR	Micro camera extension tube set (only for FZ-SF**)
FZ-LTA100	FZ Strobe controller, single channel
FZ-LTA200	FZ Strobe controller, dual channel
FZ-LT-AD31DR	Ringlight adaptor for diffusion / polarizing plates, for FZ-LTW31DR
FZ-LT-AD50DR	Ringlight adaptor for diffusion / polarizing plates, for FZ-LTW50DR
FZ-LT-DF13015BR	Diffusion plate for FZ-LTW13015BR
FZ-LT-DF31DR	Diffusion plate for FZ-LTW31DR
FZ-LT-DF5015BR	Diffusion plate for FZ-LTW5015BR
FZ-LT-DF50DR	Diffusion plate for FZ-LTW50DR
FZ-LT-DF7530BR	Diffusion plate for FZ-LTW7530BR
FZ-LT-EXV 1M	Light extension cable, 1m, only one extension cable can be used per light
FZ-LT-EXV 3M	Light extension cable, 3m, only one extension cable can be used per light
FZ-LT-EXV 5M	Light extension cable, 5m, only one extension cable can be used per light
FZ-LT-PL31DR	Polarising plate for FZ-LTW31DR
FZ-LT-PL50DR	Polarising plate for FZ-LTW50DR
FZ-LTW13015BR	LED Bar light, white, 130mm x 15mm
FZ-LTW31DR	LED Ringlight, white, 29mm - 60mm dia illumination area
FZ-LTW39CL	LED Co-axial light, white, 28mm x 30.5mm illumination area
FZ-LTW5015BR	LED Bar light, white, 50mm x 15mm
FZ-LTW50DR	LED Ringlight, white, 49mm - 90mm dia illumination area
FZ-LTW56CL	LED Co-axial light, white, 50mm x 47mm illumination area
FZ-LTW7530BR	LED Bar light, white, 75mm x 30mm
FZ-M08	LCD Colour Monitor 8.4" (RGB)
FZ-MEM1G	USB memory stick, 1GB
FZ-S	FZ2 Camera, standard resolution, greyscale
FZ-S2M	FZ2 Camera, high resolution 2M pixel, greyscale (requires FZ2-7** controller)
FZ-S5M	FZ2 Camera, high resolution 5M pixel, greyscale (requires FZ2-7** controller)
FZ-S5M2	
FZ-SC	FZ2 Camera, standard resolution, colour
FZ-SC2M	FZ2 Camera, high resolution 2M pixel, colour (requires FZ2-7** controller)
FZ-SC5M	FZ2 Camera, high resolution 5M pixel, colour (requires FZ2-7** controller)
FZ-SC5M2	
FZ-SF	FZ2 Micro camera, cube type, standard resolution, greyscale
FZ-SFC	FZ2 Micro camera, cube type, standard resolution, colour
FZ-SLC100	FZ2 Intelligent camera, remote zoom, autofocus and light control, 100mm FOV
FZ-SLC100-DL	
FZ-SLC15	FZ2 Intelligent camera, remote zoom, autofocus and light control, 15mm FOV
FZ-SP	FZ2 Micro camera, cylinder type, standard resolution, greyscale
FZ-SPC	FZ2 Micro camera, cylinder type, standard resolution, colour
FZ-SZC100	FZ2 Intelligent camera, remote zoom and autofocus control, 100mm FOV
FZ-SZC15	FZ2 Intelligent camera, remote zoom and autofocus control, 15mm FOV
FZ-TOKOZAT	
FZ-USB STORAGE UNIT	
FZ-VESA	VESA adaptor, for installing integrated LCD type controller
FZ-VM 2M	Monitor cable, 2m (RGB output)
FZ-VM 5M	Monitor cable, 5m (RGB output)
FZ-VP 2M	Parallel I/O cable, 2m
FZ-VP 5M	Parallel I/O cable, 5m
FZ-VS 10M	Standard camera cable, 10m
FZ-VS 2M	Standard camera cable, 2m
FZ-VS 5M	Standard camera cable, 5m
FZ-VS2 15M	Cable

FZ-VSB 10M	FZ2 Camera cable, bend resistant, 10m
FZ-VSB 2M	FZ2 Camera cable, bend resistant, 2m
FZ-VSB 5M	FZ2 Camera cable, bend resistant, 5m
FZ-VSJ	FZ2 Camera cable extension hub (max 3 cables 45m)
FZ-VSL 10M	
FZ-VSL 2M	FZ2 Camera cable, standard, right angled connector, 2m
FZ-VSL 5M	FZ2 Camera Cable, standard, right angled connector 5m
FZ-VSL2 15M	
FZW-AP1	Application producer software, FZW/FZ2 development environment
FZW-C21N	FZW Integrator vision system, standard resolution type, 2 camera, Halcon run time i
FZW-C21P	FZW Integrator vision system, standard resolution type, 2 camera, Halcon run time i
FZW-C22N	FZW Integrator vision system, high resolution type, 2 camera, Halcon run time inclu
FZW-C22P	FZW Integrator vision system, high resolution type, 2 camera, Halcon run time inclu
FZW-C41N	FZW Integrator vision system, standard resolution type, 4 camera, Halcon run time i
FZW-C41P	FZW Integrator vision system, standard resolution type, 4 camera, Halcon run time i
FZW-C42N	FZW Integrator vision system, high resolution type, 4 camera, Halcon run time inclu
FZW-C42P	FZW Integrator vision system, high resolution type, 4 camera, Halcon run time inclu
FZW-F21N	FZW Integrator vision system, standard resolution type, 2 camera, Halcon run time i
FZW-F21P	FZW Integrator vision system, standard resolution type, 2 camera, Halcon run time i
FZW-F22N	FZW Integrator vision system, high resolution type, 2 camera, Halcon run time inclu
FZW-F22P	FZW Integrator vision system, high resolution type, 2 camera, Halcon run time inclu
G2A-4321P 24DC	
G2A-432A 100/110AC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A
G2A-432A 110DC	
G2A-432A 12DC	
G2A-432A 200/220AC	
G2A-432A 24AC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A
G2A-432A 24DC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A
G2A-432A 48DC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A
G2A-432A 6DC	
G2A-432A-D 12DC	
G2A-432A-D 24DC	
G2A-432A-D 48DC	
G2A-432A-D DC100	
G2A-432A-D5-M 110DC	
G2A-432A-D5-M 24DC	
G2A-432A-N 100/110AC	
G2A-432A-N 12AC	
G2A-432A-N 12DC	
G2A-432A-N 200/220AC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A, mech. Indicator
G2A-432A-N 240AC	
G2A-432A-N 24AC	
G2A-432A-N 24DC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A, mech. Indicator
G2A-432A-N 48DC	
G2A-432A-N 50AC	
G2A-432A-N1 12DC	
G2A-432A-N1 24DC	
G2A-432A-N1 48DC	Highly reliable miniatue relay, 4PDT, Plug-in, 3A, mech. Indicator and diode
G2A-434A 100/110AC	
G2A-434A 12DC	
G2A-434A 200/220AC	
G2A-434A 24AC	

G2A-434A 24DC	
G2A-4L32A 12DC	
G2A-4L32A 24DC	
G2AK-232A 100AC	Make Before Break Relay
G2AK-232A 12DC	
G2AK-232A 24DC	
G2AK-232A DC48	Highly reliable miniature latching relay, 2PDT, Plug-in, 3A
G2AK-234A 100AC	
G2E-184P-H-M-US 12DC	
G2E-184P-M-US 12DC	
G2E-184P-M-US 24DC	PCB Relay
G2E-184P-M-US 5DC	
G2R-1 110AC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 110 VAC
G2R-1 110DC BY OMB	
G2R-1 120AC	
G2R-1 12AC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 12 VAC
G2R-1 12DC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 12 VDC
G2R-1 15DC	
G2R-1 18DC	
G2R-1 200/(220)AC BY OMB	
G2R-1 230AC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 230 VAC
G2R-1 240AC	
G2R-1 24AC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 24 VAC
G2R-1 24DC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 24 VDC
G2R-1 24DC BY OMB (ST)	
G2R-1 36DC	
G2R-1 3DC	
G2R-1 48AC	
G2R-1 48AC BY OMB	
G2R-1 48DC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 48 VDC
G2R-1 50AC	
G2R-1 5DC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 5 VDC
G2R-1 60DC	
G2R-1 6DC	
G2R-1 6DC+	
G2R-1 9DC	Relay, PCB terminal, 5-pin, SPDT, 10 A, 9 VDC
G2R-1 AC220 BY OMB	
G2R-1 AC24+	
G2R-1 AC50 BY OMB	
G2R-1 AC6 BY OMB	
G2R-1 DC100 BY OMB	
G2R-1 DC20 BY OMB	
G2R-1-12 24DC	
G2R-1-14 DC24 BY OMB	
G2R-1-17 24DC	
G2R-1-19 12DC	
G2R-1-19 15DC	
G2R-1-250 12DC	
G2R-1-250 24DC	
G2R-1-250 48DC	
G2R-13-SN AC230(S)	
G2R-13-SND DC24(S)	

G2R-14 110AC
G2R-14 110DC
G2R-14 120AC
G2R-14 12DC
G2R-14 12DC THY
G2R-14 14DC
G2R-14 230AC
G2R-14 24AC
G2R-14 24DC
G2R-14 24DC THY
G2R-14 48DC
G2R-14 5DC
G2R-14 6DC
G2R-14 AC12 BY OMB
G2R-14 AC220 BY OMB
G2R-14 AC240 BY OMB
G2R-14 AC50 BY OMB
G2R-14 AC6 BY OMB
G2R-14 DC100
G2R-14 DC18 BY OMB
G2R-14 DC36 BY OMB
G2R-14 DC9 BY OMB
G2R-14-AP3 24DC
G2R-14-AP3 6DC
G2R-14-AP3 DC12 BY OMB
G2R-14-ASI 12DC
G2R-14-ASI 24DC
G2R-14-ASI DC48 BY OMB
G2R-14-H 12DC
G2R-14-H 24DC
G2R-14-H 48DC
G2R-14-H 5DC
G2R-14-H 60DC
G2R-14-H 6DC
G2R-14-H DC16 BY OMB
G2R-14-H DC18 BY OMB
G2R-14-H3 12DC
G2R-14-H3 DC24
G2R-14-T130 12DC
G2R-14-T130 24AC
G2R-14-T130 DC24
G2R-1-7 24DC
G2R-1A 110AC
G2R-1A 120AC
G2R-1A 12AC
G2R-1A 12DC
G2R-1A 18DC
G2R-1A 20DC
G2R-1A 230AC BY OMB
G2R-1A 24AC
G2R-1A 24DC
G2R-1A 36DC

Relay, PCB terminal, fully sealed, 5-pin, SPDT, 10 A, 24 VAC

Relay, PCB terminal, 5-pin, SPNO, 10 A, 24 VDC

G2R-1A 48DC
 G2R-1A 5DC
 G2R-1A 6DC
 G2R-1A AC120 BY OMB
 G2R-1A AC220 BY OMB
 G2R-1A AC240 BY OMB
 G2R-1A DC24 BY OMB (ASP)
 G2R-1A DC60 BY OMB
 G2R-1A DC9 BY OMB
 G2R-1A4 120AC
 G2R-1A4 12DC
 G2R-1A4 220AC
 G2R-1A4 24DC
 G2R-1A4 48DC
 G2R-1A4 5DC
 G2R-1A4 6DC
 G2R-1A4 8DC+
 G2R-1A4 9DC BY OMB
 G2R-1A4 AC12 BY OMB
 G2R-1A4 AC24 BY OMB
 G2R-1A4 AC240 BY OMB
 G2R-1A4-ASI 24DC
 G2R-1A4-ASI DC5 BY OMB
 G2R-1A4-H DC12 BY OMB
 G2R-1A4-H DC24 BY OMB
 G2R-1A4-H DC48 BY OMB
 G2R-1A4-H DC5 BY OMB
 G2R-1A4-H DC6 BY OMB
 G2R-1A-5 DC12 BY OMB
 G2R-1A-AP3 AC230 BY OMB
 G2R-1A-ASI 12DC.
 G2R-1A-ASI 24DC
 G2R-1A-ASI 48DC
 G2R-1A-ASI 5DC
 G2R-1A-ASI 60DC
 G2R-1A-ASI DC12
 G2R-1A-ASI DC6 BY OMB
 G2R-1A-E (ST) 12DC
 G2R-1A-E 110AC
 G2R-1A-E 110DC
 G2R-1A-E 12DC
 G2R-1A-E 12DC JPN
 G2R-1A-E 18DC
 G2R-1A-E 230AC
 G2R-1A-E 24AC
 G2R-1A-E 24DC
 G2R-1A-E 36DC BY OMB
 G2R-1A-E 48DC
 G2R-1A-E 48DC+ JPN
 G2R-1A-E 5DC
 G2R-1A-E 6DC
 G2R-1A-E 9DC

Relay, PCB terminal, high capacity, 8-pin, SPNO, 16 A, 12 VDC

Relay, PCB terminal, high capacity, 8-pin, SPNO, 16 A, 12 VDC

Relay, PCB terminal, high capacity, 8-pin, SPNO, 16 A, 24 VDC

Relay, PCB terminal, high capacity, 8-pin, SPNO, 16 A, 48 VDC

G2R-1A-E AC12 BY OMB
 G2R-1A-E AC120 BY OMB
 G2R-1A-E AC220 BY OMB
 G2R-1A-E AC240 BY OMB
 G2R-1A-E DC6
 G2R-1A-E-250 12DC
 G2R-1A-E-250-W 12DC
 G2R-1A-E-250-W-SP 12DC
 G2R-1A-E-9 DC12 BY OMB
 G2R-1A-E-AS 24DC
 G2R-1A-E-AS 60DC
 G2R-1A-E-AS DC24 BY OMB (TB)
 G2R-1A-E-ASI 12DC
 G2R-1A-E-ASI 24DC
 G2R-1A-E-ASI 48DC
 G2R-1A-E-ASI 5DC
 G2R-1A-E-ASI 6DC
 G2R-1A-E-ASI AC220 BY OMB
 G2R-1A-E-ASI AC230 BY OMB
 G2R-1A-E-ASI DC24
 G2R-1A-E-ASI-TV8 110DC
 G2R-1A-E-ASI-TV8 12DC
 G2R-1A-E-ASI-TV8 12DC JPN
 G2R-1A-E-ASI-TV8 24DC
 G2R-1A-E-ASI-TV8 24DC+ JPN
 G2R-1A-E-ASI-TV8 48DC
 G2R-1A-E-ASP 12DC
 G2R-1A-E-AS-TB 24DC
 G2R-1A-E-AS-TB DC48 BY OMB
 G2R-1A-E-T130 12DC
 G2R-1A-E-T130 18DC
 G2R-1A-E-T130 24DC
 G2R-1A-E-T130-5 12DC BY OMB
 G2R-1A-E-T130-5 18DC
 G2R-1A-E-TV8-ASI 9DC BY OMB
 G2R-1A-E-Y90 24DC
 G2R-1A-E-Y90 48DC
 G2R-1A-H 12DC
 G2R-1A-H 24DC
 G2R-1A-H 36DC
 G2R-1A-H 48DC
 G2R-1A-H 5DC
 G2R-1A-H 6DC
 G2R-1A-H DC12
 G2R-1A-H-3 DC12
 G2R-1A-H-3 DC24
 G2R-1A-H-ASI DC12 BY OMB
 G2R-1-AP3 230AC
 G2R-1-AP3 24DC
 G2R-1-AP3 24DC BY OMB
 G2R-1-ASI 100/(110)AC
 G2R-1-ASI 12DC

G2R-1-ASI 24DC
 G2R-1-ASI 48DC
 G2R-1-ASI 5DC
 G2R-1-ASI 60DC+
 G2R-1-ASI 6DC
 G2R-1-ASI-SP 230AC
 G2R-1A-SKVD 12DC
 G2R-1A-SKVD-ASI 24DC
 G2R-1A-SKVD-ASI DC12
 G2R-1A-T 12DC
 G2R-1A-T 24DC
 G2R-1A-T AC220
 G2R-1A-T AC24 BY OMB
 G2R-1A-T AC240 BY OMB
 G2R-1A-T DC12 BY OMB
 G2R-1A-T DC24 BY OMB
 G2R-1A-T130 18DC
 G2R-1A-T130 230AC
 G2R-1A-TV8-ASI 12DC BY OMB
 G2R-1A-TV8-ASI 5DC
 G2R-1AZ 230AC
 G2R-1AZ4 48DC
 G2R-1-E 100DC
 G2R-1-E 110AC
 G2R-1-E 110DC
 G2R-1-E 120AC
 G2R-1-E 120AC+
 G2R-1-E 12AC
 G2R-1-E 12DC
 G2R-1-E 18DC
 G2R-1-E 230AC
 G2R-1-E 24AC
 G2R-1-E 24AC BY OMB
 G2R-1-E 24DC
 G2R-1-E 24DC BY OMB (ST)
 G2R-1-E 24DC+ JPN
 G2R-1-E 36DC
 G2R-1-E 48AC
 G2R-1-E 48DC
 G2R-1-E 48DC+ JPN
 G2R-1-E 5DC
 G2R-1-E 60DC
 G2R-1-E 6DC
 G2R-1-E 9DC
 G2R-1-E AC220 BY OMB
 G2R-1-E AC240 BY OMB
 G2R-1-E DC80 BY OMB
 G2R-1-E-5 48DC BY OMB
 G2R-1-E-AP-Y90 24DC
 G2R-1-E-AS DC24 BY OMB
 G2R-1-E-ASI 110DC BY OMB
 G2R-1-E-ASI 120AC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 12 VDC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 230 VAC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 24 VAC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 24 VAC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 24 VDC

Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 5 VDC

G2R-1-E-ASI 12DC		
G2R-1-E-ASI 230AC		
G2R-1-E-ASI 24DC		
G2R-1-E-ASI 48DC		
G2R-1-E-ASI AC100/(110) BY OMB		
G2R-1-E-ASI DC5 BY OMB		
G2R-1-E-ASI DC80 BY OMB		
G2R-1-E-ASI-TV8 DC5 BY OMB		
G2R-1-E-AS-TB 48DC		
G2R-1-E-H DC12 BY OMB		
G2R-1-E-H DC24 BY OMB		
G2R-1-E-LAN DC24 BY OMB		
G2R-1-E-LS 6DC		
G2R-1-E-T130 12DC		
G2R-1-E-T130 24DC		
G2R-1-E-TB-AS DC48 BY OMB		
G2R-1-E-TV8-ASI 12DC		
G2R-1-E-TV8-ASI DC24		
G2R-1-E-Y90 110DC		
G2R-1-E-Y90 12DC		
G2R-1-E-Y90 24DC		
G2R-1-E-Y90 48DC		
G2R-1-E-Y90 6DC		
G2R-1-G001 19DC		
G2R-1-H 12DC		Relay, PCB terminal, high sensitivity, 5-pin, SPDT, 5 A, 12 VDC
G2R-1-H 12DC	JPN	
G2R-1-H 24DC		Relay, PCB terminal, high sensitivity, 5-pin, SPDT, 5 A, 24 VDC
G2R-1-H 24DC+		
G2R-1-H 3DC		
G2R-1-H 48DC		
G2R-1-H 48DC+		
G2R-1-H 5DC		
G2R-1-H 5DC+		
G2R-1-H 60DC		
G2R-1-H 6DC		
G2R-1-H 70DC		
G2R-1-H 9DC		
G2R-1-H2 DC9 BY OMB		
G2R-1-H-ASI DC12 BY OMB		
G2R-1-S 230AC(S)		Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC
G2R-1-S 24DC(S)		Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VDC
G2R-1-S AC110(S)		
G2R-1-S AC120(S)		
G2R-1-S AC220(N)		
G2R-1-S AC24(N)		
G2R-1-S AC24(S)		Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC
G2R-1-S AC240(N)		
G2R-1-S AC240(S)		
G2R-1-S AC48(S)		Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 48 VAC
G2R-1-S DC12(N)		
G2R-1-S DC12(S)		
G2R-1-S DC24 BY OMB		

G2R-1-S DC24(N)	
G2R-1-S DC48(S)	
G2R-1-S DC6(S)	
G2R-1-S-AP3 AC24(S)	
G2R-1-SD DC12(S)	
G2R-1-SD DC24(N)	
G2R-1-SD DC24(S)	
G2R-1-SD DC48(S)	
G2R-1-SD DC6(S)	
G2R-1-SKVD 220AC	
G2R-1-SKVD DC12	
G2R-1-SKVD DC24	
G2R-1-SN 110AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 110 VAC
G2R-1-SN 12DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 12 VDC
G2R-1-SN 230AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility
G2R-1-SN 24AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility
G2R-1-SN 24DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility
G2R-1-SN 48DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 48 VDC
G2R-1-SN AC110(N)	
G2R-1-SN AC12(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 12 VAC
G2R-1-SN AC120(S)	
G2R-1-SN AC24(N)	
G2R-1-SN AC240(S)	
G2R-1-SN DC110(S)	
G2R-1-SN DC12(N)	
G2R-1-SN DC24(N)	
G2R-1-SN DC48(N)	
G2R-1-SN DC6(S)	
G2R-1-SN-AP3 AC100/(110)(S)	Relay, plug-in, 5-pin, SPDT, 10 A, gold-plated contacts, LED indicator, 110 VAC
G2R-1-SN-AP3 AC230(S)	
G2R-1-SN-AP3 AC24(S)	
G2R-1-SN-AP3 DC24(S)	Relay, plug-in, 5-pin, SPDT, 10 A, gold-plated contacts, LED indicator
G2R-1-SN-AP3 DC48(S)	
G2R-1-SND 12DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facil
G2R-1-SND 24DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facil
G2R-1-SND DC24(N)	
G2R-1-SND DC48(N)	
G2R-1-SND DC48(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facil
G2R-1-SND DC6(S)	
G2R-1-SND-AP3 DC24(S)	
G2R-1-SNDI 24DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable t
G2R-1-SNDI DC110(S)	
G2R-1-SNDI DC12(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable t
G2R-1-SNDI DC48(S)	
G2R-1-SNDI DC6(S) OP	
G2R-1-SNDI-AP3 DC24(S)	Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech & LED indicators, coil su
G2R-1-SNI 110AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label
G2R-1-SNI 12DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label
G2R-1-SNI 230AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label
G2R-1-SNI 24AC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label
G2R-1-SNI 24DC(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label
G2R-1-SNI AC12(S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label

G2R-1-SNI AC120(S)	
G2R-1-SNI AC240(S)	
G2R-1-SNI AC48(S)	
G2R-1-SNI DC48(S)	
G2R-1-SNI DC6(S)	
G2R-1-SNI-AP3 AC230(S)	
G2R-1-T 12DC	
G2R-1-T 24AC	Relay, flange mount, SPDT, 10 A, quick-connect terminals
G2R-1-T 24DC	Relay, flange mount, SPDT, 10A, quick-connect terminals
G2R-1-T AC110 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 110 VAC
G2R-1-T AC12 BY OMB	
G2R-1-T AC120 BY OMB	
G2R-1-T AC220 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 220 VAC
G2R-1-T AC24 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 24 VAC
G2R-1-T AC240 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 240 VAC
G2R-1-T DC110 BY OMB	
G2R-1-T DC12 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 12 VDC
G2R-1-T DC24 BY OMB	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 24 VDC
G2R-1-T DC48 BY OMB	
G2R-1-T DC5 BY OMB	
G2R-1-T DC80 BY OMB	
G2R-1-T130 12DC	
G2R-1-T130 230AC	
G2R-1-T130 24DC	
G2R-1-Y90 12DC	
G2R-1-Y90 24DC	
G2R-1Z 12DC,	Relay, PCB terminal, bifurcated contact, 8-pin, SPDT, 16 A, 12 VDC
G2R-1-Z 230AC	
G2R-1Z 24DC	Relay, PCB terminal, bifurcated contact, 8-pin, SPDT, 16 A, 24 VDC
G2R-1Z 48DC	
G2R-1-Z 6DC	
G2R-1Z AC100/(110)	
G2R-1-Z4 100DC	
G2R-1-Z4 12DC	
G2R-1-Z4 24DC	
G2R-1-Z4 48DC	
G2R-1-Z4 5DC	
G2R-1-Z4 6DC	
G2R-1-Z4-AP 12DC	
G2R-2 100DC	
G2R-2 110AC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 110 VAC
G2R-2 120AC	
G2R-2 12AC	
G2R-2 12DC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 12 VDC
G2R-2 230AC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 230 VAC
G2R-2 24AC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 24 VAC
G2R-2 24DC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 24 VDC
G2R-2 24DC BY OMB (ST)	
G2R-2 3DC	
G2R-2 48AC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 48 VAC
G2R-2 48DC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 48 VDC
G2R-2 5DC	

G2R-2 60DC
G2R-2 6AC
G2R-2 6DC
G2R-2 9DC
G2R-2 AC220 BY OMB
G2R-2 AC240 BY OMB
G2R-2 AC50 BY OMB
G2R-2 DC110 BY OMB
G2R-2 DC15 BY OMB
G2R-2 DC40 BY OMB
G2R-2 DC460 BY OMB
G2R-2 DC80 BY OMB
G2R-2-17 24DC
G2R-2-18 48DC
G2R-2-250 24DC
G2R-2-250 48DC
G2R-24 110DC
G2R-24 12DC
G2R-24 220AC
G2R-24 240AC
G2R-24 24AC
G2R-24 24DC
G2R-24 3DC
G2R-24 48DC
G2R-24 5DC
G2R-24 6DC
G2R-24 9DC
G2R-24 AC110 BY OMB
G2R-24 AC12 BY OMB
G2R-24 AC50 BY OMB
G2R-24-ASI 24DC
G2R-24-ASI 48DC
G2R-24-ASI DC12
G2R-24-ASI DC5
G2R-24-ASI DC6
G2R-24-AUL 12DC
G2R-24-AUL 24DC
G2R-24-AUL 48DC
G2R-24-AUL DC5
G2R-24-H 12DC
G2R-24-H 24DC
G2R-24-H 48DC
G2R-24-H 5DC
G2R-24-H 60DC
G2R-24-H 6DC
G2R-24-H DC16 BY OMB
G2R-24-H DC18 BY OMB
G2R-24-H DC48 BY OMB
G2R-24-H DC9 BY OMB
G2R-24-H3 12DC
G2R-24-H3 24DC
G2R-24-T130 18DC

Relay, PCB terminal, fully sealed, 8-pin, DPDT, 5 A, 12 VDC

Relay, PCB terminal, fully sealed, 8-pin, DPDT, 5 A, 24 VDC

G2R-24-T130 24DC **MYS**
G2R-2A 12AC
G2R-2A 12DC
G2R-2A 18DC
G2R-2A 230AC
G2R-2A 24DC
G2R-2A 48DC
G2R-2A 5DC
G2R-2A 6DC
G2R-2A 9DC
G2R-2A AC110 BY OMB
G2R-2A AC120 BY OMB
G2R-2A AC220 BY OMB
G2R-2A AC24 BY OMB
G2R-2A AC6 BY OMB
G2R-2A-16 9DC
G2R-2A4 110DC
G2R-2A4 12DC
G2R-2A4 220AC
G2R-2A4 24AC
G2R-2A4 24DC
G2R-2A4 48DC
G2R-2A4 5DC
G2R-2A4 6DC
G2R-2A4 9DC
G2R-2A4 AC110 BY OMB
G2R-2A4 AC12 BY OMB
G2R-2A4 AC230 BY OMB
G2R-2A4 AC240 BY OMB
G2R-2A4 AC50 BY OMB
G2R-2A4 AC6 BY OMB
G2R-2A4 DC18 BY OMB
G2R-2A4-ASI 24DC
G2R-2A4-ASI DC24 BY OMB
G2R-2A4-H DC12 BY OMB
G2R-2A4-H DC24 BY OMB
G2R-2A4-H DC48 BY OMB
G2R-2A4-H DC5 BY OMB
G2R-2A4-H DC6 BY OMB
G2R-2A4-H DC9 BY OMB
G2R-2A-AP 9DC
G2R-2A-ASI 24DC
G2R-2A-ASI DC12 BY OMB
G2R-2A-ASI DC9 BY OMB
G2R-2A-AUL 12DC
G2R-2A-AUL 9DC
G2R-2A-H 12DC
G2R-2A-H 24DC
G2R-2A-H 24DC+
G2R-2A-H 48DC
G2R-2A-H 5DC
G2R-2A-H 6DC

G2R-2A-H DC9 BY OMB	
G2R-2-AS 12DC	
G2R-2A-SAM 12DC	
G2R-2A-SEV-AP DC6	
G2R-2-ASI 100/(110)AC	
G2R-2-ASI 24DC	
G2R-2-ASI 48DC	
G2R-2-ASI 5DC	
G2R-2-ASI-SP 230AC	
G2R-2A-SKVD 12DC	
G2R-2A-SKVD-ASI DC12	
G2R-2-AUL 12DC	
G2R-2-AUL 24DC	
G2R-2-AUL 48DC	
G2R-2-AUL AC110	
G2R-2-AUL AC230	
G2R-2-AUL AC24	
G2R-2B 6DC	
G2R-2B DC24	
G2R-2B DC5	
G2R-2B4-AUL 6DC	
G2R-2-DL 120AC	
G2R-2-H 12DC	
G2R-2-H 24DC	
G2R-2-H 24DC+	JPN
G2R-2-H 3,6DC	
G2R-2-H 48DC	
G2R-2-H 5DC	
G2R-2-H 6DC	
G2R-2-H 9DC	
G2R-2-H DC6	
G2R-2-H-ASI 24DC	
G2R-2-KRO 24DC	
G2R-2-S 230AC(S)	
G2R-2-S 24DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, label facility, 24 VDC
G2R-2-S AC110(S)	
G2R-2-S AC120(S)	
G2R-2-S AC220(N)	
G2R-2-S AC24(N)	
G2R-2-S AC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, label facility, 24 VAC
G2R-2-S AC240(S)	
G2R-2-S AC48(S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 48 VAC
G2R-2-S DC12 BY OMB	
G2R-2-S DC12(N)	
G2R-2-S DC12(S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VDC
G2R-2-S DC24(N)	
G2R-2-S DC48(S)	
G2R-2-S DC6(S)	
G2R-2-S-AP3 AC24(S)	
G2R-2-SD DC12(S)	
G2R-2-SD DC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech indicators, coil suppressor, label facility
G2R-2-SD DC48(S)	

G2R-2-SD DC6(S)	
G2R-2-SKVD DC12	
G2R-2-SN 110AC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VAC
G2R-2-SN 12DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VDC
G2R-2-SN 230AC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 230 VAC
G2R-2-SN 24AC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VAC
G2R-2-SN 24DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VDC
G2R-2-SN 48DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC
G2R-2-SN AC110(N)	
G2R-2-SN AC12(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VAC
G2R-2-SN AC120(S)	
G2R-2-SN AC24(N)	
G2R-2-SN AC240(S)	
G2R-2-SN AC48(N)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VAC
G2R-2-SN DC110(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VDC
G2R-2-SN DC12(N)	
G2R-2-SN DC24(N)	
G2R-2-SN DC48(N)	
G2R-2-SN DC6(S)	
G2R-2-SN-AP3 AC110(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator
G2R-2-SN-AP3 AC230(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator
G2R-2-SN-AP3 AC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator
G2R-2-SN-AP3 DC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator
G2R-2-SND 24DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility
G2R-2-SND DC110(S) BY OMB	
G2R-2-SND DC12(N)	
G2R-2-SND DC12(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility
G2R-2-SND DC24(N)	
G2R-2-SND DC48(N)	
G2R-2-SND DC48(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility
G2R-2-SND DC6(S)	
G2R-2-SND-AP3 DC12(S)	
G2R-2-SND-AP3 DC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor
G2R-2-SNDI 24DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button
G2R-2-SNDI DC12(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button
G2R-2-SNDI DC48(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button
G2R-2-SNDI DC6(S)	
G2R-2-SNDI-AP3 DC24(S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor
G2R-2-SNI 12DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI 230AC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI 24AC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI 24DC(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI AC110(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI AC12(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI AC120(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI AC240(S)	
G2R-2-SNI AC48(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI DC110(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI DC48(S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility
G2R-2-SNI DC6(S)	
G2R-2-SNI-AP3 AC230(S)	
G2R-2-T130 12DC	

G2R-2-T130 230AC BY OMB
G2R-2-T130 24DC
G2R-2-T130 48DC
G2R-2-Z 24DC
G2R-2-Z DC48
G2RG-2A4 DC12 BY OMB
G2RG-2A4 DC24 BY OMB
G2RG-2A4 DC5 BY OMB
G2RG-2A4 DC9 BY OMB (SMA)
G2RK-1 12DC
G2RK-1 24DC
G2RK-1 5DC
G2RK-1 6DC
G2RK-1A 12DC
G2RK-1A 24DC
G2RK-1A 5DC
G2RK-1A 6DC
G2RK-1-ASI 24DC
G2RK-2 12DC
G2RK-2 24DC
G2RK-2 5DC
G2RK-2 6DC
G2RK-2 DC48
G2RK-2A 12DC
G2RK-2A 24DC
G2RK-2A 5DC
G2RL-1 12DC
G2RL-1 24DC
G2RL-1 48DC
G2RL-1 5DC
G2RL-1 6DC
G2RL-1 DC9
G2RL-14 12DC
G2RL-14 24DC
G2RL-14 48DC
G2RL-14 5DC
G2RL-14 6DC
G2RL-14-CF 12DC
G2RL-14-CF 24DC
G2RL-14-CF 48DC
G2RL-14-CF 5DC
G2RL-14-E 12DC
G2RL-14-E 24DC
G2RL-14-E 48DC
G2RL-14-E 5DC
G2RL-14-E DC18
G2RL-14-E-CF 12DC
G2RL-14-E-CF 24DC
G2RL-14-E-CF 48DC
G2RL-14-E-CF 5DC
G2RL-1A 12DC
G2RL-1A 24DC

Relay, PCB terminal, low profile, flux protection, 5-pin, SPDT, 12 A, 12 VDC

Relay, PCB terminal, low profile, fully sealed, 5-pin, SPDT, 16 A, 12 VDC

G2RL-1A 48DC
G2RL-1A 5DC
G2RL-1A DC18
G2RL-1A4 12DC
G2RL-1A4 24DC
G2RL-1A4 48DC
G2RL-1A4 5DC
G2RL-1A4-CF 12DC
G2RL-1A4-CF 24DC
G2RL-1A4-CF 48DC
G2RL-1A4-CF 5DC
G2RL-1A4-E 12DC
G2RL-1A4-E 24DC
G2RL-1A4-E 48DC
G2RL-1A4-E 5DC
G2RL-1A4-E DC9
G2RL-1A4-E-CF 12DC
G2RL-1A4-E-CF 24DC
G2RL-1A4-E-CF 48DC
G2RL-1A4-E-CF 5DC
G2RL-1A-CF 12DC
G2RL-1A-CF 24DC
G2RL-1A-CF 48DC
G2RL-1A-CF 5DC
G2RL-1A-E 12DC
G2RL-1A-E 18DC
G2RL-1A-E 24DC
G2RL-1A-E 48DC
G2RL-1A-E 5DC
G2RL-1A-E 6DC
G2RL-1A-E DC9
G2RL-1A-E-CF 12DC
G2RL-1A-E-CF 24DC
G2RL-1A-E-CF 48DC
G2RL-1A-E-CF 5DC
G2RL-1A-E-CV DC12 BY OMI
G2RL-1A-E-CV DC24 BY OMI
G2RL-1A-E-CV-R32 DC12 BY OMI
G2RL-1A-E-CV-R32 DC5 BY OMI
G2RL-1A-E-HA DC12
G2RL-1A-E-HA DC24
G2RL-1A-E-ML DC12
G2RL-1A-H DC12
G2RL-1A-H DC24
G2RL-1A-H DC5
G2RL-1A-H DC9
G2RL-1A-H-HW DC20
G2RL-1ATP5-E DC12 BY OMI
G2RL-1ATP5-E DC24 BY OMI
G2RL-1ATP5-E-PT DC12 BY OMI
G2RL-1ATP7-E DC12 BY OMI
G2RL-1ATP7-E DC12 BY OMI(DIEHL)

G2RL-1ATP7-E DC15 BY OMI
G2RL-1ATP7-E DC24 BY OMI
G2RL-1ATP7-E DC48 BY OMI
G2RL-1ATP7-E DC6 BY OMI(DIEHL)
G2RL-1-CF 12DC
G2RL-1-CF 24DC
G2RL-1-CF 48DC
G2RL-1-CF 5DC
G2RL-1-E 12DC
G2RL-1-E 18DC
G2RL-1-E 24DC
G2RL-1-E 48DC
G2RL-1-E 5DC
G2RL-1-E 6DC
G2RL-1-E 9DC
G2RL-1-E-CF 12DC
G2RL-1-E-CF 24DC
G2RL-1-E-CF 48DC
G2RL-1-E-CF 5DC
G2RL-1-E-HA DC12
G2RL-1-E-HA DC24
G2RL-1-E-HM DC24
G2RL-1-E-R40 DC24
G2RL-1-H DC12
G2RL-1-H DC24
G2RL-1-H DC5
G2RL-1-H DC9
G2RL-1-HA DC12
G2RL-1-HA DC24
G2RL-2 12DC
G2RL-2 24DC
G2RL-2 3DC
G2RL-2 48DC
G2RL-2 5DC
G2RL-2 6DC
G2RL-2 9DC
G2RL-24 12DC
G2RL-24 24DC
G2RL-24 48DC
G2RL-24 5DC
G2RL-24 DC18
G2RL-24-CF 12DC
G2RL-24-CF 24DC
G2RL-24-CF 48DC
G2RL-24-CF 5DC
G2RL-2A 12DC
G2RL-2A 24DC
G2RL-2A 48DC
G2RL-2A 5DC
G2RL-2A DC18
G2RL-2A4 12DC
G2RL-2A4 24DC

Relay, PCB terminal, low profile, flux protection, 8-pin, DPDT, 8 A, 24 VDC

G2RL-2A4 48DC	
G2RL-2A4 5DC	
G2RL-2A4-CF 12DC	
G2RL-2A4-CF 24DC	
G2RL-2A4-CF 48DC	
G2RL-2A4-CF 5DC	
G2RL-2A-CF 12DC	
G2RL-2A-CF 24DC	
G2RL-2A-CF 48DC	
G2RL-2A-CF 5DC	
G2RL-2A-HA DC12	
G2RL-2-CF 12DC	
G2RL-2-CF 24DC	
G2RL-2-CF 48DC	
G2RL-2-CF 5DC	
G2RV-1-S DC11	Relay, SPCO, 6 A contacts, for replacement in G2RV-SL*00 12DC
G2RV-1-S DC21	Relay, SPCO, 6 A contacts, for replacement in G2RV-SL*00 24 VDC or 24 VAC/DC
G2RV-1-S DC48	Relay, SPCO, 6 A contacts, for replacement in G2RV-SL*00 48 VAC/DC, 110 VAC, 231
G2RV-INTERFACE-KIT	Interface kit for connecting G2RV relays (supplied) to PLC
G2RV-SL500 AC/DC24	Relay & socket, 6 A contacts, push in terminals, 24 VAC/DC
G2RV-SL500 AC/DC48	Relay & socket, 6 A contacts, push in terminals, 48 VAC/DC
G2RV-SL500 AC110	Relay & socket, 6 A contacts, push in terminals, 110 VAC
G2RV-SL500 AC230	Relay & socket, 6 A contacts, push in terminals, 230 VAC
G2RV-SL500 DC12	Relay & socket, 6 A contacts, push in terminals, 12 VDC
G2RV-SL500 DC24	Relay & socket, 6 A contacts, push in terminals, 24 VDC
G2RV-SL700 AC/DC24	Relay & socket, 6 A contacts, rising box screw terminals, 24 VAC/DC
G2RV-SL700 AC/DC48	Relay & socket, 6 A contacts, rising box terminals, 48 VAC/DC
G2RV-SL700 AC110	Relay & socket, 6 A contacts, rising box screw terminals, 110 VAC
G2RV-SL700 AC230	Relay & socket, 6 A contacts, rising box screw terminals, 230 VAC
G2RV-SL700 DC12	Relay & socket, 6 A contacts, rising box screw terminals, 12 VDC
G2RV-SL700 DC24	Relay & socket, 6 A contacts, rising box screw terminals, 24 VDC
G2VN-234P DC5	
G2VN-234P-US DC5	
G2VN-237P DC12	
G2VN-237P DC5	
G2VN-287P DC12	
G32A-A10-VD AC24	Replacement cartridge for G3PA-210B SSR, suitable for 'VD' versions only
G32A-A10-VD DC5-24	Replacement cartridge for G3PA-210B SSR, suitable for 'VD' versions only
G32A-A20-VD 24AC	
G32A-A20-VD DC5-24	Replacement cartridge for G3PA-220B SSR, suitable for 'VD' versions only
G32A-A40-VD DC5-24	Replacement cartridge for G3PA-240B SSR, suitable for 'VD' versions only
G32A-A420-VD DC12-24	Replacement cartridge for G3PA-420B-VD SSR
G32A-A420-VD-2 12-24DC	Replacement cartridge for G3PA-430B-VD SSR
G32A-A430-VD DC12-24	Replacement cartridge for G3PA-430B-VD SSR
G32A-A430-VD-2 12-24DC	
G32A-A450-VD-2 12-24DC	
G32A-A60-VD 24AC	
G32A-A60-VD DC5-24	Replacement cartridge for G3PA-260B SSR, suitable for 'VD' versions only
G32A-B 100/120AC	
G32A-B 200/240AC	AC input unit for G3PA SSR
G32A-B 24AC	
G32A-C	Voltage detection unit for G3PA SSR

G32A-D20	
G32A-D40	
G32A-EA 100-240AC	Cycle controller for use with SSR's
G32A-E-VR	
G32A-N2075	
G32A-N2150	
G32A-N4075	
G32A-N4150	
G32X-A20	Replacement cartridge for G3PX-220E__ SSR
G32X-A40	
G32X-A60	
G32X-CT03	
G32X-CT03C	
G32X-CT03HN	
G32X-CT10	
G32X-CT10HN	
G32X-V2K	
G32X-V3K	
G34-10M-001	
G3B-205S-VD DC5-24	
G3BD-103S 5-24DC	
G3CN-202P 3-28DC	
G3CN-202P1 3-28DC	
G3CN-202PL 12DC	
G3CN-202PL 24DC	
G3CN-202PL 5DC	
G3CN-202PL1 12DC	
G3CN-202PL1 24DC	
G3CN-202PL1 5DC	
G3CN-202PL1-3 12DC	
G3CN-202PL1-3 5DC	
G3CN-202PL3 12DC	
G3CN-202PL3 5DC	
G3CN-202PL-3-US DC12	
G3CN-203P 3-28DC	
G3CN-203P1 3-28DC	
G3CN-203P1-US 3-28DC	
G3CN-203PL DC5	
G3CN-203PL1 12DC	
G3CN-203PL1 24DC	
G3CN-203PL1 DC5	
G3CN-203PL1-US 12DC	
G3CN-203PL1-US 24DC	
G3CN-203PL1-US 5DC	
G3CN-DX02P 3-28DC	
G3CN-DX02P1 3-28DC	
G3CN-DX02P1-US 3-28DC	
G3CN-DX03P 3-28DC	
G3CN-DX03P1 3-28DC	
G3CN-DX03P1-US 3-28DC	
G3DZ-2R6PL 12DC	
G3DZ-2R6PL 5DC	

G3DZ-4B 24DC	
G3DZ-F4B 12DC	
G3DZ-F4B 24DC	
G3F-202SN AC100/110	
G3F-202SN-VD AC200/220	
G3F-203S DC3-28	
G3F-203SLN DC24	
G3F-203SLN-VD DC12	
G3F-203SN DC5-24	
G3F-203SN-VD DC5-24	Solid State Relay
G3F-203S-VD DC4-24OP	
G3FD-102SN DC5-24	
G3FD-102SN-VD AC100/110	
G3FD-102SN-VD AC200/220	
G3FD-102SN-VD DC5-24	
G3FD-102S-VD DC4-24	
G3FD-X03S DC3-28	
G3FD-X03SN DC5-24	Solid-state relay, plug-in, 8-pin, 1-pole, 2A, 4-48VDC
G3FD-X03SN-VD DC5-24	Solid-state relay, plug-in, 8-pin, 1-pole, 2A, 4-48 VDC
G3FD-X03S-VD DC4-24	
G3FM-2R5SLN DC24	
G3G-DF3(A)	
G3G-DF3(C)2-P 24DC	
G3H-203SLN DC24	
G3H-203SN-VD DC5-24	
G3H-203S-VD DC4-24	
G3HD-X03SN DC5-24	Solid state relay DC, 50 VDC, 3A, plug-in terminals, equipped with operation indicatc
G3J-205BL 100-240AC	
G3J-205BL 12-24DC	
G3J-211BL 100-240AC	
G3J-211BL 12-24DC	
G3J-S205BL 12-24DC	
G3J-S211BL 12-24DC	
G3J-S403BL 12-24DC	Soft-start SSC, 0.75kW
G3J-S405BL 12-24DC	Soft-start SSC, 2.2kW
G3J-T205BL 12-24DC	
G3J-T211BL 12-24DC	
G3J-T217BL 12-24DC	
G3J-T403BL 12-24DC	
G3J-T405BL 12-24DC	
G3M-102P-L 24DC	
G3M-202P-4 12DC	
G3M-202P-4 24DC	
G3M-202P-L 12DC	
G3M-202PL 24DC	
G3M-202P-L 5DC	
G3M-202PL-4 12DC	
G3M-202PL-4 24DC	
G3M-202PL-4 5DC	
G3M-202PL-US 5DC	
G3M-202PL-US-4 12DC	
G3M-202PL-US-4 24DC	

G3M-202PL-US-4 5DC	
G3M-202PL-UTU 5DC	
G3M-202PL-UTU-1-Z 24DC	
G3M-202PL-UTU-2 24DC	
G3M-202PL-UTU-2-Z 24DC	
G3M-202P-US 12DC	
G3M-202P-US 24DC	
G3M-202P-US 5DC	
G3M-202P-US-4 12DC	
G3M-202P-US-4 24DC	
G3M-202P-US-4 5DC	
G3M-202P-UTU-1 5DC	
G3M-203P 12DC	
G3M-203P 24DC	
G3M-203P DC5	
G3M-203P-4 24DC	
G3M-203P-4 5DC	
G3M-203P-4 DC12	
G3M-203PL 24DC	
G3M-203PL 5DC	
G3M-203PL DC12	
G3M-203PL-4 DC12	
G3M-203PL-4 DC24	
G3M-203PL-4 DC5	
G3M-203P-UTU-1-4 DC5	
G3M-205P 12DCV	
G3M-205P 24DCV	
G3M-205P 5DCV	
G3M-205P-4 12DCV	
G3M-205P-4 24DCV	
G3M-205P-4 5DCV	
G3M-205PL 12DCV	
G3M-205PL 24DCV	
G3M-205PL 5DCV	
G3M-205PL-4 12DCV	
G3M-205PL-4 24DCV	
G3M-205PL-4 5DCV	
G3MB-102PL 24DC	Solid-state relay, PCB mounting, 4-pin, 1-pole, 2 A, 100-120 VAC
G3MB-102PL DC12	
G3MB-102PL DC5	
G3MB-102PL-UTU 24DC	
G3MB-202P 12DC	Solid-state relay, PCB mounting, 4-pin, 1-pole, 2 A, 100-240 VAC
G3MB-202P 24DC	
G3MB-202P 5DC	Solid-state relay, PCB mounting, 4-pin, 1-pole, 2 A, 100-240 VAC
G3MB-202P-4 12DC	
G3MB-202P-4 24DC	
G3MB-202P-4 5DC	
G3MB-202PEG-4 20MADC	
G3MB-202PL 12DC	
G3MB-202PL 24DC	Solid-state relay, PCB mounting, 4-pin, 1-pole, 2 A, 100-240 VAC
G3MB-202PL 5DC	Solid-state relay, PCB mounting, 4-pin, 1-pole, 2 A, 100-240 VAC
G3MB-202PL-4 5DC	

G3MB-202PLEG-4 20MADC
G3MB-202P-UTU DC12
G3MB-202P-UTU DC24
G3MB-202P-UTU DC5
G3MC-101P 12DC
G3MC-101P 24DC
G3MC-101P 5DC
G3MC-101PL 12DC
G3MC-101PL 24DC
G3MC-101PL 5DC
G3MC-101PL-VD 12DC
G3MC-101PL-VD 24DC
G3MC-101PL-VD 5DC
G3MC-101P-VD 12DC
G3MC-101P-VD 24DC
G3MC-101P-VD 5DC
G3MC-201P 12DC
G3MC-201P 24DC
G3MC-201P 5DC
G3MC-201PL 12DC
G3MC-201PL 24DC
G3MC-201PL 5DC
G3MC-201PL-VD 12DC
G3MC-201PL-VD 24DC
G3MC-201PL-VD 5DC
G3MC-201PL-VD-1 12DC
G3MC-201PL-VD-1 24DC
G3MC-201PL-VD-1 5DC
G3MC-201P-VD 12DC
G3MC-201P-VD 24DC
G3MC-201P-VD 5DC
G3MC-201P-VD-1 12DC
G3MC-201P-VD-1 24DC
G3MC-201P-VD-1 5DC
G3MC-202P 12DC
G3MC-202P 24DC
G3MC-202P 5DC
G3MC-202PL 12DC
G3MC-202PL 24DC
G3MC-202PL 5DC
G3MC-202PL-VD 12DC
G3MC-202PL-VD 24DC
G3MC-202PL-VD 5DC
G3MC-202PL-VD-1 12DC
G3MC-202PL-VD-1 24DC
G3MC-202PL-VD-1 5DCV
G3MC-202PL-VD-2 12DC
G3MC-202P-VD 12DC
G3MC-202P-VD 24DC
G3MC-202P-VD 5DC
G3MC-202P-VD-1 12DC
G3MC-202P-VD-1 24DC

G3MC-202P-VD-1 5DC	
G3MC-202P-VD-RE DC5	
G3NA-205B 5-24DC	Solid-state relay, surface mounting, 1-pole, 5 A, 264 VAC max
G3NA-205B AC100-120	
G3NA-205B AC200-240	
G3NA-205B-UTU AC100-120	Solid-state relay, surface mounting, 1-pole, 5 A, 264 VAC max
G3NA-205B-UTU AC200-240	Solid-state relay, surface mounting, 1-pole, 5 A, 264 VAC max
G3NA-205B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 5 A, 264 VAC max
G3NA-210B 5-24DC	Solid-state relay, surface mounting, 1-pole, 10 A, 264 VAC max
G3NA-210B AC100-120	Solid-state relay, surface mounting, 1-pole, 10 A, 264 VAC max
G3NA-210B AC200-240	Solid-state relay, surface mounting, 1-pole, 10 A, 264 VAC max
G3NA-210B DC5-24 Q	
G3NA-210B-UTU AC100-120	
G3NA-210B-UTU AC200-240	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage
G3NA-210B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 10 A, 264 VAC max
G3NA-220B 5-24DC	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3NA-220B AC100-120	
G3NA-220B AC200-240	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3NA-220B DC5-24 Q	
G3NA-220B-UTU AC100-120	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3NA-220B-UTU AC200/240	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3NA-220B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3NA-225B AC100-120	
G3NA-225B AC200-240OP	
G3NA-225B DC5-24 (Q2)+	Solid-state relay, surface mounting, 1-pole, 25A, 264VAC max
G3NA-225B-UTU AC100-120	
G3NA-225B-UTU AC200-240	Solid-state relay, surface mounting, 1-pole, 25 A, 264 VAC max
G3NA-225B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 25 A, 264 VAC max
G3NA-240B 5-24DC	Solid-state relay, surface mounting, 1-pole, 40 A, 264 VAC max
G3NA-240B AC100-120OP	
G3NA-240B AC200-240	Solid-state relay, surface mounting, 1-pole, 40 A, 264 VAC max
G3NA-240B-UTU AC100-120	
G3NA-240B-UTU AC200-240	Solid-state relay, surface mounting, 1-pole, 40 A, 264 VAC max
G3NA-240B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 40 A, 264 VAC max
G3NA-250B-UTU AC100-120	Solid-state relay, surface mounting, 1-pole, 50 A, 264 VAC max
G3NA-250B-UTU AC200-240	Solid-state relay, surface mounting, 1-pole, 50 A, 264 VAC max
G3NA-250B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 50 A, 264 VAC max
G3NA-275B-UTU AC100-240	
G3NA-275B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 75 A, 264 VAC max
G3NA-290B-UTU AC100-240	
G3NA-290B-UTU DC5-24	
G3NA-410B AC100-240	
G3NA-410B DC5-24	
G3NA-410B-UTU AC100-240	Solid-state relay, surface mounting, 1-pole, 10 A, 528 VAC max
G3NA-410B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 10 A, 528 VAC max
G3NA-420B 5-24DC	Solid-state relay, surface mounting, 1-pole, 20 A, 528 VAC max
G3NA-420B AC100-240	
G3NA-425B AC100-240	
G3NA-425B DC5-24	
G3NA-425B-UTU AC100-240	Solid-state relay, surface mounting, 1-pole, 25 A, 528 VAC max
G3NA-425B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 25 A, 528 VAC max
G3NA-440B 5-24DC	Solid-state relay, surface mounting, 1-pole, 40 A, 528 VAC max

G3NA-440B AC100-240 (Q2)	
G3NA-450B DC5-24OP	Solid-state relay, surface mounting, 1-pole, 50 A, 528 VAC max
G3NA-450B-UTU AC100-240	Solid-state relay, surface mounting, 1-pole, 50 A, 528 VAC max
G3NA-450B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 50 A, 528 VAC max
G3NA-475B-UTU AC100-240	
G3NA-475B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 75 A, 528 VAC max
G3NA-490B-UTU AC100-240	Solid-state relay, surface mounting, 1-pole, 90 A, 528 VAC max
G3NA-490B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 90 A, 528 VAC max
G3NA-D210B 5-24DC	Solid-state relay, surface mounting, 1-pole, 10 A, 220 VDC max
G3NA-D210B AC100-240	
G3NA-D210B-UTU AC100-240	Solid-state relay, surface mounting, 1-pole, 10 A, 220 VDC max
G3NA-D210B-UTU DC5-24	Solid-state relay, surface mounting, 1-pole, 10 A, 220 VDC max
G3NE-205T DC24	
G3NE-205T-US DC5	
G3NE-210T DC12	
G3NE-210T DC24	
G3NE-210T DC5	
G3NE-210T-US DC5	
G3NE-220T DC24	
G3NE-220TL DC5	
G3NE-220TL-US DC24 (Q2)+	
G3NE-220T-US DC12	
G3NE-220T-US DC24	
G3NH-2075B 100/240AC	
G3NH-2075B 5-24DC	
G3NH-2150B 100-240AC	
G3NH-2150B 5-24DC	
G3NH-4075B 100-240AC	
G3NH-4075B 5-24DC	
G3NH-4150B 100-240AC	
G3NH-4150B 5-24DC	
G3PA-210B DC5-24	
G3PA-210BL-VD 5-24DC	
G3PA-210B-VD 24AC	Solid-state relay, DIN rail/surface mounting, 1-pole, 10 A, 264 VAC max
G3PA-210B-VD DC5-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 10 A, 264 VAC max
G3PA-220B-US DC5-24	
G3PA-220B-VD 24AC	
G3PA-220B-VD DC5-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 20 A, 264 VAC max
G3PA-240BL-VD 5-24DC	
G3PA-240B-VD 24AC	
G3PA-240B-VD DC5-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 40 A, 264 VAC max
G3PA-260B-VD 24AC	
G3PA-260B-VD DC5-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 60 A, 264 VAC max
G3PA-420B-VD DC12-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 40 A, 264 VAC max
G3PA-420B-VD-2 24-12DC	Solid State relay
G3PA-430B-VD DC12-24	Solid-state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max
G3PA-430B-VD-2 12-24DC	Solid-state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max
G3PA-450B-VD-2 12-24DC	Solid-state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max
G3PB-215B-2H-VD 12-24DC	
G3PB-215B-2-VD 12-24DC	
G3PB-215B-3H-VD 12-24DC	
G3PB-215B-3-VD 12-24DC	

G3PB-225B-2H-VD 12-24DC	
G3PB-225B-2N-VD DC12-24	
G3PB-225B-2-VD 12-24DC	
G3PB-225B-3H-VD 12-24DC	
G3PB-225B-3N-VD DC12-24	
G3PB-225B-3-VD 12-24DC	
G3PB-235B-2H-VD 12-24DC	
G3PB-235B-2N-VD DC12-24	
G3PB-235B-2-VD 12-24DC	
G3PB-235B-3H-VD 12-24DC	
G3PB-235B-3N-VD DC12-24	
G3PB-235B-3-VD 12-24DC	
G3PB-245B-2H-VD 12-24DC	
G3PB-245B-2N-VD DC12-24	
G3PB-245B-3H-VD 12-24DC	
G3PB-245B-3-VD 12-24DC	
G3PB-415B-2H-VD 12-24DC	
G3PB-415B-2-VD 12-24DC	
G3PB-415B-3H-VD 12-24DC	
G3PB-425B-2H-VD 12-24DC	
G3PB-425B-3H-VD 12-24DC	
G3PB-425B-3-VD 12-24DC	Solid-state relay, surface mounting, 3-pole, 25 A, 600 VAC max
G3PB-435B-2H-VD 12-24DC	
G3PB-435B-2-VD 12-24DC	
G3PB-435B-3-VD 12-24DC	Solid-state relay, surface mounting, 3-pole, 35 A, 600 VAC max
G3PB-445B-2-VD 12-24DC	
G3PB-445B-3H-VD 12-24DC	
G3PB-445B-3-VD 12-24DC	Solid-state relay, surface mounting, 3-pole, 45 A, 600 VAC max
G3PB-515B-2H-VD DC12-24	
G3PB-515B-2N-VD DC12-24	Solid-state relay, surface mounting, 3-phase, 2-pole, 15 A, 600 VAC max
G3PB-515B-3H-VD DC12-24	
G3PB-515B-VD DC12-24	Solid-state relay, surface mounting, 1-pole, 15 A, 600 VAC max
G3PB-525B-2H-VD DC12-24	
G3PB-525B-2N-VD DC12-24	Solid-state relay, surface mounting, 3-phase, 2-pole, 25 A, 600 VAC max
G3PB-525B-3H-VD DC12-24	
G3PB-535B-2H-VD DC12-24	
G3PB-535B-2N-VD DC12-24	
G3PB-535B-3H-VD DC12-24	
G3PB-545B-2H-VD DC12-24	
G3PB-545B-3H-VD DC12-24	
G3PC-220B-VD DC12-24	Solid-state relay, surface mounting, 1-pole, 20 A, 264 VAC max
G3PE-215B DC12-24	Solid-state relay, 1 phase, 15A 100-240Vac, with heat sink, DIN rail mount
G3PE-215B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 15A 100-240Vac, screw mount
G3PE-215B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 15A 100-240Vac, externally attached heat sink
G3PE-215B-2N DC12-24	Solid-state relay 3 phase - 2 element, 15A 100-240Vac, with heat sink, DIN rail mount
G3PE-215B-3 DC12-24	Solid-state relay, 3 phase - 3 element, 15A 100-240Vac, screw mount
G3PE-215B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 15A 100-240Vac, externally attached heat sink
G3PE-215B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 15A 100-240Vac, with heat sink, DIN mount
G3PE-215BL DC12-24	Solid-state relay, 1 phase, 15A 100-240Vac, with heat sink, DIN rail mount, non zero
G3PE-225B DC12-24	Solid-state relay, 1 phase, 25A 100-240Vac, with heat sink, DIN rail mount
G3PE-225B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 25A 100-240Vac, screw mount
G3PE-225B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 25A 100-240Vac, externally attached heat sink

G3PE-225B-2N DC12-24	Solid-state relay 3 phase - 2 element, 25A 100-240Vac, with heat sink, DIN rail mount
G3PE-225B-3 DC12-24	Solid-state relay, 3 phase - 3 element, 25A 100-240Vac, screw mount
G3PE-225B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 25A 100-240Vac, externally attached heat sink
G3PE-225B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 25A 100-240Vac, with heat sink, DIN mount
G3PE-225BL DC12-24	Solid-state relay, 1 phase, 25A 100-240Vac, with heat sink, DIN rail mount, non zero (
G3PE-235B DC12-24	Solid-state relay, 1 phase, 35A 100-240Vac, with heat sink, DIN rail mount
G3PE-235B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 35A 100-240Vac, screw mount
G3PE-235B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 35A 100-240Vac, externally attached heat sink
G3PE-235B-2N DC12-24	Solid-state relay 3 phase - 2 element, 35A 100-240Vac, with heat sink, DIN rail mount
G3PE-235B-3 DC12-24	Solid-state relay, 3 phase - 3 element, 35A 100-240Vac, screw mount
G3PE-235B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 35A 100-240Vac, externally attached heat sink
G3PE-235B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 35A 100-240Vac, with heat sink, DIN mount
G3PE-245B DC12-24	Solid-state relay, 1 phase, 45A 100-240Vac, with heat sink, DIN rail mount
G3PE-245B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 45A 100-240Vac, screw mount
G3PE-245B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 45A 100-240Vac, externally attached heat sink
G3PE-245B-2N DC12-24	Solid-state relay 3 phase - 2 element, 45A 100-240Vac, with heat sink, DIN rail mount
G3PE-245B-3 DC12-24	Solid-state relay, 3 phase - 3 element, 45A 100-240Vac, screw mount
G3PE-245B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 45A 100-240Vac, externally attached heat sink
G3PE-245B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 45A 100-240Vac, with heat sink, DIN mount
G3PE-515B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 15A 200-480Vac, externally attached heat sink
G3PE-515B-3 DC12-24	Solid-state relay, 3 phase - 3 element, 15A 200-480Vac, screw mount
G3PE-515B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 15A 200-480Vac, externally attached heat sink
G3PE-515B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 15A 200-480Vac, with heat sink, DIN mount
G3PE-515BL DC12-24	Solid-state relay, 1 phase, 15A 200-480Vac, with heat sink, DIN rail mount, non zero (
G3PE-525B DC12-24	Solid-state relay, 1 phase, 25A 200-480Vac, with heat sink, DIN rail mount
G3PE-525B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 25A 200-480Vac, externally attached heat sink
G3PE-525B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 25A 200-480Vac, externally attached heat sink
G3PE-525B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 25A 200-480Vac, with heat sink, DIN mount
G3PE-525BL DC12-24	Solid-state relay, 1 phase, 25A 200-480Vac, with heat sink, DIN rail mount, non zero (
G3PE-535B DC12-24	Solid-state relay, 1 phase, 35A 200-480Vac, with heat sink, DIN rail mount
G3PE-535B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 35A 200-480Vac, screw mount
G3PE-535B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 35A 200-480Vac, externally attached heat sink
G3PE-535B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 35A 200-480Vac, externally attached heat sink
G3PE-535B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 35A 200-480Vac, with heat sink, DIN mount
G3PE-535BL DC12-24	Solid-state relay, 1 phase, 35A 200-480Vac, with heat sink, DIN rail mount, non zero (
G3PE-545B DC12-24	Solid-state relay, 1 phase, 45A 200-480Vac, with heat sink, DIN rail mount
G3PE-545B-2 DC12-24	Solid-state relay, 3 phase - 2 element, 45A 200-480Vac, screw mount
G3PE-545B-2H DC12-24	Solid-state relay, 3 phase - 2 element, 45A 200-480Vac, externally attached heat sink
G3PE-545B-2N DC12-24	Solid-state relay, 3 phase - 2 element, 45A 200-480Vac, with heat sink, DIN mount
G3PE-545B-3H DC12-24	Solid-state relay, 3 phase - 3 element, 45A 200-480Vac, externally attached heat sink
G3PE-545B-3N DC12-24	Solid-state relay, 3 phase - 3 element, 45A 200-480Vac, with heat sink, DIN mount
G3PE-545BL DC12-24	Solid-state relay, 1 phase, 45A 200-480Vac, with heat sink, DIN rail mount, non zero
G3PF-225B DC24	
G3PF-225B-CTB DC24	
G3PF-225B-STB DC24	
G3PF-235B DC24	
G3PF-235B-CTB DC24	
G3PF-235B-STB DC24	
G3PF-525B DC24	
G3PF-525B-CTB DC24	
G3PF-525B-STB DC24	
G3PF-535B DC24	

G3PF-535B-CTB DC24	
G3PF-535B-STB DC24	
G3PW-A220EC-C-FLK	Single phase power controller, constant current type, 20 A, SLC terminals
G3PW-A220EC-S-FLK	Single phase power controller, constant current type, 20 A, screw terminals
G3PW-A220EU-C	Single phase power controller, standard type, 20 A, SLC terminals
G3PW-A220EU-S	Single phase power controller, standard type, 20 A, screw terminals
G3PW-A245EC-C-FLK	Single phase power controller, constant current type, 45 A, SLC terminals
G3PW-A245EC-S-FLK	Single phase power controller, constant current type, 45 A, screw terminals
G3PW-A245EU-C	Single phase power controller, standard type, 45 A, SLC terminals
G3PW-A245EU-S	Single phase power controller, standard type, 45 A, screw terminals
G3PW-A260EC-C-FLK	Single phase power controller, constant current type, 60 A, SLC terminals
G3PW-A260EC-S-FLK	Single phase power controller, constant current type, 60 A, screw terminals
G3PW-A260EU-C	Single phase power controller, standard type, 60 A, SLC terminals
G3PW-A260EU-S	Single phase power controller, standard type, 60 A, screw terminals
G3PX-220EC-CT03	
G3PX-220EC-CT10	
G3PX-220EC-CT10 AC100/230	
G3PX-220EH-CT03	
G3PX-220EH-CT10 100-200AC	
G3PX-220EHN-CT03	
G3PX-220EHN-CT10	
G3PX-220EHN-CT10 100/230AC	
G3PX-220EUN	
G3PX-220EUN 100/230AC	
G3PX-240EC-CT03	
G3PX-240EC-CT10	
G3PX-240EC-CT10 100/230AC	
G3PX-240EH-CT03	
G3PX-240EH-CT10 100-200AC	
G3PX-240EHN-CT03	
G3PX-240EHN-CT10	
G3PX-240EUN	
G3PX-240EUN 100/230AC	
G3PX-240EUN-2	
G3PX-260EC-CT10	
G3PX-260EC-CT10 100/230AC	
G3PX-260EH-CT03	
G3PX-260EH-CT10 100-200AC	
G3PX-260EHN-CT10	
G3PX-260EUN	
G3R-202PN-2 DC24	
G3R-202PN-US 12DC	
G3RD-101PN DC12	
G3RD-101PN-US DC24	
G3RD-X02PN 12DC	
G3RD-X02PN 24DC	
G3RD-X02PN 5DC	
G3RD-X02PN-2 DC24	Solid-state relay, plug-in, 5-pin, 1-pole, 2 A, 24 VDC
G3RD-X02PN-US DC12	
G3RD-X02PN-US DC5	
G3R-IAZR1SN 100-240AC+	Solid state relay
G3R-IDZR1SN 12-24DC+	Solid-state relay, plug-in, 5-pin, 1-pole, 100 mA, 4-32 VDC

G3R-IDZR1SN-1 DC12-24	
G3R-OA202SLN 5-24DC	
G3R-OA202SZN DC5-24	Solid-state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC
G3R-OA202SZN-UTU 5-24DC	Solid-state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC
G3R-OD201SN 5-24DC+	Solid-state relay, plug-in, 5-pin, 1-pole, 1.5 A, 48-200 VDC
G3R-ODX02SN DC5-24	Solid-state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC
G3R-ODX02SN-UTU 5-24DC	Solid-state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC
G3RV-202S DC12	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-202S DC24	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-202S DC48	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-202SL DC12	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-202SL DC24	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-202SL DC48	Solid-state relay, plug-in, 1-pole, 2A 100-240VAC
G3RV-D03SL DC12	Solid-state relay, plug-in, 1-pole, 3A 5-24VDC
G3RV-D03SL DC24	Solid-state relay, plug-in, 1-pole, 3A 5-24VDC
G3RV-D03SL DC48	Solid-state relay, plug-in, 1-pole, 3A 5-24VDC
G3RV-SL500-A AC/DC24 OER	
G3RV-SL500-A AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL500-A AC110	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL500-A AC230	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL500-A DC12	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL500-A DC24 OER	
G3RV-SL500-AL AC/DC24	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, SLC
G3RV-SL500-AL AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, SLC
G3RV-SL500-AL AC110	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL500-AL AC230	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, SLC
G3RV-SL500-AL DC12	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, SLC
G3RV-SL500-AL DC24	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, SLC
G3RV-SL500-D AC/DC24 OER	
G3RV-SL500-D AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, SLC
G3RV-SL500-D AC110	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, SLC
G3RV-SL500-D AC230 OER	
G3RV-SL500-D DC12	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, SLC
G3RV-SL500-D DC24 OER	
G3RV-SL700-A AC/DC24 OER	
G3RV-SL700-A AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL700-A AC110	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL700-A AC230	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL700-A DC12	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, zero cross fi
G3RV-SL700-AL AC/DC24	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-AL AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-AL AC110	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-AL AC230	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-AL DC12	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-AL DC24	Slim Solid State Relay and socket combination, 1-pole, 2A 100-240VAC, screw termii
G3RV-SL700-D AC/DC24 OER	
G3RV-SL700-D AC/DC48	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, screw terminals
G3RV-SL700-D AC110	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, screw terminals
G3RV-SL700-D AC230	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, screw terminals
G3RV-SL700-D AC230 OER	
G3RV-SL700-D DC12	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, screw terminals
G3RV-SL700-D DC24	Slim Solid State Relay and socket combination, 1-pole, 3A 5-24VDC, screw terminals

G3RZ-201SLN 5DC
G3S-201PL-PD 12DC
G3S-201PL-PD 5DC
G3S-201PL-PD-US DC24
G3S-201PL-US 12DC
G3S4-A 12DC
G3S4-A 5DC
G3S4-A DC24
G3S4-A1 12DC
G3S4-A1 DC24
G3S4-D 12DC
G3S4-D 5DC
G3S4-D DC24
G3S4-D1 12DC
G3S4-D1 5DC
G3S4-D1 DC24
G3SD-Z01P-PD DC24
G3SD-Z01P-PD-US 12DC
G3SD-Z01P-PD-US 24DC
G3SD-Z01P-PD-US 5DC
G3SD-Z01P-PE 12DC
G3SD-Z01P-PE 5DC
G3SD-Z01P-PE DC24 (Q2)
G3SD-Z01P-US 12DC
G3SD-Z01P-US 24DC
G3SD-Z01P-US 24DC
G3SD-Z01P-US 5DC
G3TA-IAZR02S AC100-240
G3TA-IDZR02S DC5-24
G3TA-OA202SL DC24
G3TA-OA202SZ DC24
G3TA-ODX02S DC24
G3TB-IAZR02P-US 100-240AC
G3TB-OA202PZ DC5-24
G3TB-OA203PZ-US 5-24DC
G3TB-ODX03P-US 5-24DC
G3TC-IAC24 AC/DC 120V
G3TC-ODC5 DC5V
G3VM-101LR
G3VM-101LR(TR)
G3VM-101LR(TR05)
G3VM-2
G3VM-201G
G3VM-201G(TR)
G3VM-201G1
G3VM-201G1(TR)
G3VM-201H1
G3VM-201H1(TR)
G3VM-202J1
G3VM-202J1(TR)
G3VM-21GR
G3VM-21GR(TR)

Ultra-s mAll solid-state relay, PCB mounting, 4-pin, 1-pole, 1.1 A, 4-24 VDC

Solid-state relay, plug-in, 4 pin, 1-pole, 2 A, 100-240 VAC

G3VM-21GR1
G3VM-21GR1(TR)
G3VM-21HR
G3VM-21HR(TR)
G3VM-21LR
G3VM-21LR(TR)
G3VM-21LR(TR05)
G3VM-21LR(TR10)
G3VM-21LR1
G3VM-21LR1(TR)
G3VM-21LR1(TR05)
G3VM-21LR1(TR10)
G3VM-21LR10
G3VM-21LR10(TR)
G3VM-21LR11
G3VM-2F
G3VM-2F(TR)
G3VM-2FL
G3VM-2FL(TR)
G3VM-2F-S
G3VM-2L
G3VM-3
G3VM-351A
G3VM-351B
G3VM-351D
G3VM-351D(TR)
G3VM-351E
G3VM-351E(TR)
G3VM-351E(TR)#S
G3VM-351G
G3VM-351G(TR)
G3VM-351G(TR)#S
G3VM-351G1
G3VM-351G1(TR)
G3VM-351GL
G3VM-351GL(TR)
G3VM-351H
G3VM-351H(TR)
G3VM-352C
G3VM-352F
G3VM-352F(TR)
G3VM-352J
G3VM-352J(TR)
G3VM-353A
G3VM-353A1
G3VM-353B
G3VM-353B1
G3VM-353D
G3VM-353D(TR)
G3VM-353D1
G3VM-353D1(TR)
G3VM-353D-S

G3VM-353E
G3VM-353E(TR)
G3VM-353E1
G3VM-353G
G3VM-353G(TR)
G3VM-353G1
G3VM-353G1(TR)
G3VM-353H
G3VM-353H(TR)
G3VM-354C
G3VM-354C1
G3VM-354F
G3VM-354F(TR)
G3VM-354J
G3VM-354J(TR)
G3VM-355C
G3VM-355CR
G3VM-355F
G3VM-355F(TR)
G3VM-355FR
G3VM-355FR(TR)
G3VM-355J
G3VM-355J(TR)
G3VM-355JR
G3VM-355JR(TR)
G3VM-3F
G3VM-3F(TR)
G3VM-401A
G3VM-401B
G3VM-401BY
G3VM-401D
G3VM-401D(TR)
G3VM-401E
G3VM-401E(TR)
G3VM-401EY
G3VM-401EY(TR)
G3VM-401EY(TR)#S
G3VM-401G
G3VM-401G(TR)
G3VM-401H
G3VM-401H(TR)
G3VM-402C
G3VM-402F
G3VM-402F(TR)
G3VM-402J
G3VM-402J(TR)
G3VM-41GR3
G3VM-41GR3(TR)
G3VM-41GR4
G3VM-41GR4(TR)
G3VM-41GR5
G3VM-41GR5(TR)

G3VM-41GR5(TR)#S
G3VM-41GR6
G3VM-41GR6(TR)
G3VM-41GR8
G3VM-41GR8(TR)
G3VM-41LR10
G3VM-41LR10(TR)
G3VM-41LR11
G3VM-41LR11(TR)
G3VM-41LR3
G3VM-41LR3(TR)
G3VM-41LR3(TR05)
G3VM-41LR3(TR10)
G3VM-41LR4
G3VM-41LR4(TR)
G3VM-41LR4(TR05)
G3VM-41LR4(TR10)
G3VM-41LR5
G3VM-41LR5(TR)
G3VM-41LR5(TR05)
G3VM-41LR5(TR10)
G3VM-41LR6
G3VM-41LR6(TR)
G3VM-41LR6(TR05)
G3VM-41LR6(TR10)
G3VM-4N
G3VM-4NF
G3VM-4NF(TR)
G3VM-6
G3VM-601BY
G3VM-601EY
G3VM-601EY(TR)
G3VM-601G
G3VM-601G(TR)
G3VM-61A
G3VM-61A1
G3VM-61B
G3VM-61B1
G3VM-61BR
G3VM-61CP
G3VM-61D
G3VM-61D(TR)
G3VM-61D1
G3VM-61D1(TR)
G3VM-61E
G3VM-61E(TR)
G3VM-61E1
G3VM-61E1(TR)
G3VM-61ER
G3VM-61ER(TR)
G3VM-61FP
G3VM-61FP(TR)

G3VM-61FR
G3VM-61FR(TR)
G3VM-61G1
G3VM-61G1(TR)
G3VM-61G1(TR)-S
G3VM-61G2
G3VM-61G2(TR)
G3VM-61GR1
G3VM-61GR1(TR)
G3VM-61GR1(TR)#S
G3VM-61H
G3VM-61H(TR)
G3VM-61H1
G3VM-61H1(TR)
G3VM-61LR
G3VM-61LR(TR)
G3VM-62C1
G3VM-62F1
G3VM-62F1(TR)
G3VM-62F1(TR)#S
G3VM-62J1
G3VM-62J1(TR)
G3VM-6F
G3VM-6F(TR)
G3VM-81G1
G3VM-81G1(TR)
G3VM-81GR
G3VM-81GR(TR)
G3VM-81GR1
G3VM-81GR1(TR)
G3VM-81HR
G3VM-81HR(TR)
G3VM-81LR
G3VM-81LR(TR)
G3VM-S1
G3VM-S1(TR)
G3VM-S2
G3VM-S2(TR)
G3VM-S3
G3VM-S3(TR)
G3VM-S5
G3VM-S5(TR)
G3VM-SW
G3VM-SW(TR)
G3VM-SY
G3VM-SY(TR)
G3VM-V
G3VM-VF
G3VM-VF(TR)
G3VM-W
G3VM-WF
G3VM-WF(TR)

G3VM-WFL	
G3VM-WFL(TR)	
G3VM-WFL(TR)#S	
G3VM-WL	
G3VM-XN	
G3VM-XNF	
G3VM-XNF(TR)	
G3ZA-4H203-FLK-UTU	Power controller, 4 channels with heater burnout detection, 100-240 VAC, RS-485 ho
G3ZA-4H403-FLK-UTU	
G3ZA-8A203-FLK-UTU	Power controller, 8 channels, 100-240 VAC, RS-485 host interface (Compoway/F prot
G3ZA-8A403-FLK-UTU	
G4A-1A 12DC	
G4A-1A 24DC	
G4A-1A-E 24DC	
G4A-1A-E DC12 BY OMZ	
G4A-1A-E DC24 BY OMZ	
G4A-1A-E DC5 BY OMZ	
G4A-1A-E-NB DC48 BY OMZ (PF)	
G4A-1A-P 24DC	
G4A-1A-P 5DC	
G4A-1A-PE 12DC	
G4A-1A-PE DC12 BY OMZ	
G4A-1A-PE DC24 BY OMZ	
G4A-1A-PE DC5 BY OMZ	
G4AS-1A DC12 BY OMZ	
G4B-112T1-C-US AC240	
G4B-112T1-FD-US-RP AC24	
G4F-11123T 24DC	
G4F-11123T-US 12DC	Power relay, quick connect, 4-pin, SPST-NO, 20 A, 12 VDC
G4F-11123T-US 24DC	Power relay, quick connect, 4-pin, SPST-NO, 20 A, 24 VDC
G4F-11123T-US(C) 24DC	
G4F-1123T 12DC	
G4F-1123T 24DC	
G4F-1123T(C) DC24	
G4F-1123T-US 12DC	Power relay, quick connect, 5-pin, SPDT, 15 A, 12 VDC
G4F-1123T-US 24DC	Power relay, quick connect, 5-pin, SPDT, 15 A, 24 VDC
G4F-1123T-US 24DC BY CHINA	
G4F-1123T-US(C) 12DC	
G4FN-1112TP 12DC	
G4Q-211A 110AC	
G4Q-211A 12DC	
G4Q-211A 200AC/(220)	
G4Q-211A 24ACCHN	
G4Q-211A 24DC	
G4Q-212S 110AC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A
G4Q-212S 110DC	
G4Q-212S 120AC	
G4Q-212S 12AC	
G4Q-212S 12DC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A
G4Q-212S 200DC	
G4Q-212S 220AC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A
G4Q-212S 230AC	

G4Q-212S 240AC	
G4Q-212S 24AC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A
G4Q-212S 24DC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A
G4Q-212S 48AC	
G4Q-212S 48DC	
G4Q-212S AC24 (Q)	
G4Q-212S DC24 (Q)	
G4U-1 12DC	
G4U-1 24DC	
G4U-1 5DC	
G4U-1 9DC	
G4U-1A-1-H 12DC	
G4U-1-E 12DC	
G4U-1-E DC5	
G4U-1-E DC6	
G4U-1-H 12DC	
G4W-11123A-US-TV8 12DC BY OMZ	
G4W-11123A-US-TV8(C) 12DC	
G4W-11123A-US-TV8(C) 24DC	
G4W-11123T-US-TV8 12DC BY OMZ	
G4W-11123T-US-TV8 24DC BY OMZ	
G4W-11123T-US-TV8 DC12(Q)	
G4W-11123T-US-TV8(C) 12DC	
G4W-1112P-US-TV8 12DC BY OMZ	
G4W-1112P-US-TV8 24DC BY OMZ	
G4W-1112P-US-TV8 48DC BY OMZ	
G4W-1112P-US-TV8 DC100 BY OMZ	
G4W-1112P-VD/8-HP 24DC BY OMZ	
G4W-1114P-US-TV8 12DC BY OMZ	
G4W-22123A-US-TV5 12DC BY OMZ	
G4W-22123A-US-TV5 DC12(Q)	
G4W-22123A-US-TV5 DC24(Q)	
G4W-22123T-US/5-HP 24DC BY OMZ	
G4W-2212P-US/5-HP 100DC BY OMZ	
G4W-2212P-US/5-HP 12DC BY OMZ	
G4W-2212P-US-TV5 100DC BY OMZ	
G4W-2212P-US-TV5 12DC BY OMZ	
G4W-2212P-US-TV5 24DC BY OMZ	
G4W-2212P-US-TV5 48DC BY OMZ	
G4W-2212P-US-TV5 5DC BY OMZ	
G4W-2212P-US-TV5 DC24(Q)	
G4W-2212P-US-TV5(C) 24DC	
G4W-2212P-VD-TV5 12DC BY OMZ	
G4W-2214P-US/5-TU 24DC BY OMZ	
G4W-2214P-US-HP 12DC BY OMZ	
G4W-2214P-US-HP 24DC BY OMZ	
G4W-2214P-US-TV5 12DC BY OMZ	
G4W-2214P-US-TV5 5DC BY OMZ	
G5A-234P 12DC	
G5A-234P 24DC	
G5A-234P 48DC	
G5A-234P 5DC	

G5A-234P 6DC
G5A-234P 9DC
G5A-234P DC3
G5A-234P-4 5DC
G5A-234P-53/1 4.5DC
G5A-234P-53/3 12DC
G5A-234P-53/5 24DC
G5A-234P-B 12DC
G5A-234P-FC 12DC
G5A-234P-FC 24DC
G5A-234P-FC 5DC
G5A-234P-FC DC4.5
G5A-234P-FCA 12DC
G5A-234P-FCA 5DC
G5A-234P-H 12DC
G5A-234P-H 24DC
G5A-234P-H 5DC
G5A-234P-H-LT 12DC
G5A-234P-H-LT 24DC
G5A-234P-H-LT 5DC
G5A-234P-H-LT 9DC
G5A-234PL 12DC
G5A-234P-U 12DC
G5A-234P-U 24DC
G5A-234P-U 5DC
G5A-234P-U DC48
G5A-237P 12DC
G5A-237P 24DC
G5A-237P 5DC
G5A-237P 6DC
G5A-237P 9DC
G5A-237P DC3
G5A-237P DC48
G5A-237P-300 24DC
G5A-237P-300 5DC.
G5A-237PH DC12
G5A-237PH DC24
G5A-237PH DC5
G5A-237PH-LT 24DC
G5A-237PL DC12
G5A-237PL DC24
G5A-237PL DC5
G5A-237PL DC9
G5AK-234P 12DC
G5AK-234P 24DC
G5AK-234P 3DC
G5AK-234P 5DC
G5AK-234P 6DC
G5AK-234P 9DC
G5AK-234P-60 9DC
G5AK-234P-60-5DC
G5AK-234P-60-SP 9DC

Sub miniature relay

Sub miniature relay

Sub miniature relay

G5AK-234P-FC 24DC
G5AK-234P-U 5DC
G5AK-237P 12DC
G5AK-237P 24DC
G5AK-237P 5DC
G5AK-237P 9DC+
G5AK-237PH-60 5DC
G5AK-237P-SP 9DC
G5AU-234P 12DC
G5AU-234P 5DC
G5AU-234P-H 12DC
G5AU-237P 12DC
G5AU-237P 24DC
G5AU-237P 3DC
G5AU-237P 5DC
G5B-1 18DC BY OMZ
G5B-1 5DC BY OMZ
G5B-1 6DC BY OMZ
G5B-1(C) 6DC
G5B-1-E 5DC BY OMZ
G5B-1-E5 18DC BY OMZ
G5B-1-ER18 18DC BY OMZ
G5B-1-H-Y90 24DC BY OMZ
G5B-1-PS 24DC BY OMZ
G5C-1 48DC BY CHINA
G5C-1 5DC BY CHINA
G5C-1 5DC BY OMZ
G5C-1(C) DC24
G5C-1(C) DC48
G5C-14 DC5 BY OMZ
G5C-1-H 12DC BY OMZ
G5C-1-H 24DC BY OMZ
G5C-1-H 48DC BY OMZ
G5C-1-H DC24
G5CA-1A DC12 BY OMZ
G5CA-1A DC24 BY OMZ
G5CA-1A DC48 BY OMZ
G5CA-1A DC5 BY OMZ
G5CA-1A DC9 BY OMZ
G5CA-1A4 DC24 BY OMZ
G5CA-1A-E DC12 BY OMZ
G5CA-1A-E DC24 BY OMZ
G5CA-1A-E DC48 BY OMZ
G5CA-1A-E DC5 BY OMZ
G5CA-1A-E-HA DC12 BY OMZ
G5CA-1A-H DC12 BY OMZ
G5CA-1A-H DC24 BY OMZ
G5CA-1A-H DC5 BY OMZ
G5CA-1A-TP-E DC24 BY OMZ
G5CE-1 12DC BY CHINA
G5CE-1 12DC BY OMZ
G5CE-1(C) DC12

G5CE-1(C) DC48
G5CE-1(C) DC5
G5CE-1-TP 5DC BY OMZ
G5F-3342T AC240
G5G-1A 12DC BY OMZ
G5G-1A 12DC CHN
G5G-1A 18DC BY OMZ
G5G-1A-ER12 12DC BY OMZ
G5G-1A-PS 24DC BY OMZ
G5LA-1 DC12 BY OMZ
G5LA-1 DC24 BY OMZ
G5LA-1 DC48 BY OMZ
G5LA-1 DC5 BY OMZ
G5LA-1 DC9 BY OMZ
G5LA-14 DC12 BY OMZ
G5LA-14 DC18 BY OMZ
G5LA-14 DC24 BY OMZ
G5LA-14 DC48 BY OMZ
G5LA-14 DC5 BY OMZ
G5LA-14 DC9 BY OMZ
G5LA-14-36 DC48 BY OMZ
G5LA-14-AR DC12 BY OMZ
G5LA-14-AR2 DC12 BY OMZ
G5LA-14-CF DC12 BY OMZ
G5LA-14-CF DC24 BY OMZ
G5LA-14-CF DC48 BY OMZ
G5LA-14-CF DC5 BY OMZ
G5LA-14-E DC12 BY OMZ
G5LA-14-E DC24 BY OMZ
G5LA-14-E DC48 BY OMZ
G5LA-14-E DC5 BY OMZ
G5LA-14-E DC9 BY OMZ
G5LA-14-E-AR DC12 BY OMZ
G5LA-14-E-CF DC12 BY OMZ
G5LA-14-E-CF DC24 BY OMZ
G5LA-14-E-CF DC48 BY OMZ
G5LA-14-E-CF DC5 BY OMZ
G5LA-14-E-CF DC9 BY OMZ
G5LA-14-SP DC12 BY OMZ
G5LA-1A DC12 BY OMZ
G5LA-1A DC24 BY OMZ
G5LA-1A DC5 BY OMZ
G5LA-1A DC9 BY OMZ
G5LA-1A4 DC12 BY OMZ
G5LA-1A4 DC24 BY OMZ
G5LA-1A4 DC36 BY OMZ
G5LA-1A4 DC5 BY OMZ
G5LA-1A4-CF DC12 BY OMZ
G5LA-1A4-CF DC24 BY OMZ
G5LA-1A4-CF DC48 BY OMZ
G5LA-1A4-CF DC5 BY OMZ
G5LA-1A-CF DC12 BY OMZ

G5LA-1A-CF DC24 BY OMZ
G5LA-1A-CF DC48 BY OMZ
G5LA-1A-CF DC5 BY OMZ
G5LA-1A-CF DC9 BY OMZ
G5LA-1A-HA DC12 BY OMZ
G5LA-1A-SP DC12 BY OMZ
G5LA-1A-SP DC24 BY OMZ
G5LA-1-CF DC12 BY OMZ
G5LA-1-CF DC24 BY OMZ
G5LA-1-CF DC48 BY OMZ
G5LA-1-CF DC5 BY OMZ
G5LA-1-CF DC9 BY OMZ
G5LA-1-CF-HA DC12 BY OMZ
G5LA-1-CF-HA DC24 BY OMZ
G5LA-1-E DC12 BY OMZ
G5LA-1-E DC24 BY OMZ
G5LA-1-E DC48 BY OMZ
G5LA-1-E DC5 BY OMZ
G5LA-1-E DC9 BY OMZ
G5LA-1-E-AR DC18 BY OMZ
G5LA-1-E-CF DC12 BY OMZ
G5LA-1-E-CF DC24 BY OMZ
G5LA-1-E-CF DC48 BY OMZ
G5LA-1-E-CF DC5 BY OMZ
G5LA-1-E-CF DC9 BY OMZ
G5LA-1-E-CF-HA DC12 BY OMZ
G5LA-1-E-CF-HA-SP1 DC12 BY OMZ
G5LA-1-E-CF-SP DC12 BY OMZ
G5LA-1-E-CF-SP1 DC12 BY OMZ
G5LA-1-E-HA-ML DC12 BY OMZ
G5LA-1-HA DC12 BY OMZ
G5LA-1-HA DC24 BY OMZ
G5LA-1-HA-SP DC24 BY OMZ
G5LA-1-HASPDC12 BY OMZ
G5LA-1-JB DC3 BY OMZ
G5LA-1-SP DC12 BY OMZ
G5LA-1-SP DC24 BY OMZ
G5LB-1-25 DC24 (AST) BY OMB
G5LB-1-25 DC3 (AST) BY OMB
G5LB-1-25 DC5 (AST) BY OMB
G5LB-1-25 DC5 BY OMB (BSHG)
G5LB-14-25 DC24 BY OMB (ARC)
G5LB-1A-25 DC12 (AST) BY OMB
G5LB-1A-25 DC5 BY OMB (BSHG)
G5LB-1-HA DC12 BY OMB (ESP)
G5LC-14-EU DC5 BY OMZ
G5LC-1A4-EU DC24 BY OMZ
G5LC-1A-EU DC12 BY OMZ
G5LC-1A-EU DC24 BY OMZ
G5LC-1A-EU DC5 BY OMZ
G5LC-1-EU DC5 BY OMZ
G5LE-1 (ST) 24DC BY OMB

G5LE-1 12DC
G5LE-1 24DC
G5LE-1 24DC BY OMB (AST)
G5LE-1 3DC OMB
G5LE-1 48DC
G5LE-1 5DC
G5LE-1 9DC
G5LE-1 DC18 BY OMB
G5LE-1 DC24 BY OMB (ASP)
G5LE-1 DC6 BY OMB
G5LE-1-36 12DC
G5LE-1-36 24DC
G5LE-1-36 48DC
G5LE-1-36 5DC
G5LE-1-36-3 48DC BY OMB
G5LE-1-36-VD 48DC BY OMB
G5LE-1-36-VD 5DC BY OMB
G5LE-1-36-VD DC12 BY OMB
G5LE-14 12DC
G5LE-14 24DC
G5LE-14 36DC
G5LE-14 3DC
G5LE-14 48DC
G5LE-14 5DC
G5LE-14 6DC BY OMB
G5LE-14 DC18 BY OMB
G5LE-14 DC24 BY OMB (ST)
G5LE-14 DC9 BY OMB
G5LE-14-36 12DC BY OMB
G5LE-14-36 24DC BY OMB
G5LE-14-36 DC5 BY OMB
G5LE-14-36-VD DC12 BY OMB
G5LE-14-36-VD DC24 BY OMB
G5LE-14-36-VD DC48 BY OMB (HW)
G5LE-14-36-VD DC9 BY OMB
G5LE-14-36-VD(250)DC12 OMB(ESP)
G5LE-14-4 24DC
G5LE-14-4 36DC BY OMB
G5LE-14-4 48DC BY OMB
G5LE-14-ACD DC3 BY OMB
G5LE-14-ACD DC6 BY OMB
G5LE-14-ACD DC9 BY OMB
G5LE-14-ACD-VD DC12 BY OMB
G5LE-14-ACD-VD DC24 BY OMB
G5LE-14-ACD-VD DC48 BY OMB
G5LE-14-ACD-VD DC5 BY OMB
G5LE-14-ACD-VD DC9 BY OMB
G5LE-14-ASI 12DC
G5LE-14-ASI 24DC BY OMB
G5LE-14-ASI 48DC BY OMB
G5LE-14-ASI DC3 BY OMB
G5LE-14-ASI DC5 BY OMB

G5LE-14-ASI DC6 BY OMB
G5LE-14-ASI-VD DC12 BY OMB
G5LE-14-ASI-VD DC24 BY OMB
G5LE-14-ASI-VD DC48 BY OMB
G5LE-14-ASI-VD DC5 BY OMB
G5LE-14-ASI-VD DC9 BY OMB
G5LE-14-VD 24DC
G5LE-14-VD 48DC
G5LE-14-VD DC12 BY OMB
G5LE-14-VD DC5 BY OMB
G5LE-14-VD DC9 BY OMB
G5LE-1A 12DC
G5LE-1A 18DC
G5LE-1A 24DC
G5LE-1A 48DC
G5LE-1A 5DC
G5LE-1A 6DC
G5LE-1A DC3 BY OMB
G5LE-1A DC9 BY OMB
G5LE-1A-1 2.5DC BY OMB
G5LE-1A-36 12DC
G5LE-1A-36 24DC
G5LE-1A-36 48DC
G5LE-1A-36 5DC
G5LE-1A-36 DC48 BY OMB (SEB)
G5LE-1A4 12DC
G5LE-1A4 24DC
G5LE-1A4 5DC
G5LE-1A4 DC3 BY OMB
G5LE-1A4 DC48 BY OMB
G5LE-1A4 DC6 BY OMB
G5LE-1A4 DC9 BY OMB
G5LE-1A4-36 12DC BY OMB
G5LE-1A4-ACD 5DC
G5LE-1A4-ACD DC3 BY OMB
G5LE-1A4-ACD DC48 BY OMB
G5LE-1A4-ACD DC6 BY OMB
G5LE-1A4-ACD DC9 BY OMB
G5LE-1A4-ASI DC12 BY OMB
G5LE-1A4-ASI DC24 BY OMB
G5LE-1A4-ASI DC3 BY OMB
G5LE-1A4-ASI DC48 BY OMB
G5LE-1A4-ASI DC5 BY OMB
G5LE-1A4-ASI DC6 BY OMB
G5LE-1A4-ASI DC9 BY OMB
G5LE-1A4-ASI-VD DC12 BY OMB
G5LE-1A4-ASI-VD DC24 BY OMB
G5LE-1A4-ASI-VD DC48 BY OMB
G5LE-1A4-ASI-VD DC5 BY OMB
G5LE-1A4-ASI-VD DC9 BY OMB
G5LE-1A4-CF 12DC BY OMB
G5LE-1A4-VD DC12 BY OMB

G5LE-1A4-VD DC24 BY OMB
G5LE-1A4-VD DC48 BY OMB
G5LE-1A4-VD DC5 BY OMB
G5LE-1A4-VD DC9 BY OMB
G5LE-1A-ACD 12DC
G5LE-1A-ACD 24DC
G5LE-1A-ACD 5DC
G5LE-1A-ACD DC18 BY OMB
G5LE-1A-ACD DC3 BY OMB
G5LE-1A-ACD DC48 BY OMB
G5LE-1A-ACD DC6 BY OMB
G5LE-1A-ACD DC9 BY OMB
G5LE-1A-ACD-VD 12DC
G5LE-1A-ACD-VD 24DC
G5LE-1A-ACD-VD 5DC
G5LE-1A-ACD-VD DC48 BY OMB
G5LE-1A-ACD-VD DC9 BY OMB
G5LE-1A-ACD-VD-36 24DC BY OMB
G5LE-1A-ASI DC12 BY OMB
G5LE-1A-ASI DC24 BY OMB
G5LE-1A-ASI DC48 BY OMB
G5LE-1A-ASI DC5 BY OMB
G5LE-1A-ASI DC6 BY OMB
G5LE-1A-ASI-36-VD 9DC BY OMB
G5LE-1A-ASI-VD 9DC BY OMB
G5LE-1A-ASI-VD DC12 BY OMB
G5LE-1A-ASI-VD DC24 BY OMB
G5LE-1A-ASI-VD DC48 BY OMB
G5LE-1A-ASI-VD DC5 BY OMB
G5LE-1-ACD 24DC
G5LE-1-ACD DC18 BY OMB
G5LE-1-ACD DC3 BY OMB
G5LE-1-ACD DC6 BY OMB
G5LE-1-ACD DC9 BY OMB
G5LE-1-ACD-VD 12DC
G5LE-1-ACD-VD 5DC
G5LE-1-ACD-VD DC48 BY OMB
G5LE-1-ACD-VD DC9 BY OMB
G5LE-1-ACD-VD-36 DC24 BY OMB
G5LE-1A-CF 24DC BY OMB
G5LE-1A-CF 5DC
G5LE-1A-CF DC12 BY OMB
G5LE-1A-CF-36 12DC BY OMB
G5LE-1A-CF-36 DC24 BY OMB
G5LE-1A-CF-36 DC24 BY OMB (EAC
G5LE-1A-E DC12 BY OMB
G5LE-1A-E DC24 BY OMB
G5LE-1A-E DC48 BY OMB
G5LE-1A-E DC5 BY OMB
G5LE-1A-E-36 DC12 BY OMB
G5LE-1A-E-36 DC24 BY OMB
G5LE-1A-E-36 DC5 BY OMB

G5LE-1A-G DC12 BY OMB
G5LE-1A-G DC20 BY OMB
G5LE-1A-G DC24 BY OMB
G5LE-1A-G DC9 BY OMB
G5LE-1A-HA DC12 BY OMB
G5LE-1A-HA-E DC12 BY OMB
G5LE-1-ASI 12DC
G5LE-1-ASI 24DC
G5LE-1-ASI DC3 BY OMB
G5LE-1-ASI DC48 BY OMB
G5LE-1-ASI DC5 BY OMB
G5LE-1-ASI DC6 BY OMB
G5LE-1-ASI-36 48DC BY OMB
G5LE-1-ASI-36 DC12 BY OMB
G5LE-1-ASI-VD DC12 BY OMB
G5LE-1-ASI-VD DC24 BY OMB
G5LE-1-ASI-VD DC48 BY OMB
G5LE-1-ASI-VD DC5 BY OMB
G5LE-1-ASI-VD DC9 BY OMB
G5LE-1A-VD (250) 12DC BY OMB
G5LE-1A-VD (250) 24DC BY OMB
G5LE-1A-VD 12DC
G5LE-1A-VD 24DC
G5LE-1A-VD 5DC
G5LE-1A-VD 9DC
G5LE-1A-VD DC48 BY OMB
G5LE-1-CF 5DC
G5LE-1-CF 12DC BY OMB
G5LE-1-CF DC12 BY OMB (ESP)
G5LE-1-CF DC24 BY OMB
G5LE-1-CF-36 DC24 BY OMB
G5LE-1-E DC12 BY OMB
G5LE-1-E DC24 BY OMB
G5LE-1-E DC5 BY OMB
G5LE-1-E-36 DC12 BY OMB
G5LE-1-E-36 DC24 BY OMB
G5LE-1-E-HA DC12 BY OMB
G5LE-1-G DC12 BY OMB
G5LE-1-G DC24 BY OMB
G5LE-1-HA DC12 BY OMB
G5LE-1-HA DC24 BY OMB
G5LE-1-LG (ST) 48DC BY OMB
G5LE-1-LG 48DC
G5LE-1-VD (250) 12DC BY OMB
G5LE-1-VD (250) 24DC BY OMB
G5LE-1-VD (250) 5DC BY OMB
G5LE-1-VD (250) DC12 BY OMB(IV
G5LE-1-VD (250) DC24 BY OMB(IV
G5LE-1-VD 12DC
G5LE-1-VD 12DC BY OMB (MLN)
G5LE-1-VD 24DC
G5LE-1-VD 48DC

G5LE-1-VD 5DC
 G5LE-1-VD 9DC
 G5LE-1-VD DC12 BY OMB (CAD)
 G5LE-1-VD DC12 BY OMB (ESP)
 G5LE-1-VD DC24 BY OMB (CAD)
 G5LE-1-VD DC24 BY OMB (ESP)
 G5LE-1-VD DC3 BY OMB
 G5LE-1-VD DC6 BY OMB
 G5LE-1-VD-7 24DC
 G5N-1A 12DC
 G5N-1A 24DC
 G5NB-1A DC12 BY OMZ
 G5NB-1A DC18 BY OMZ
 G5NB-1A DC24 BY OMZ
 G5NB-1A DC5 BY OMZ
 G5NB-1A DC9 BY OMZ
 G5NB-1A4 DC12 BY OMZ
 G5NB-1A4 DC18 BY OMZ
 G5NB-1A4 DC24 BY OMZ
 G5NB-1A4 DC5 BY OMZ
 G5NB-1A4-E DC12 BY OMZ
 G5NB-1A4-E DC24 BY OMZ
 G5NB-1A4-E DC5 BY OMZ
 G5NB-1A4-SP DC12 BY OMZ
 G5NB-1A4-SP DC24 BY OMZ
 G5NB-1A-BD DC24 BY OMZ
 G5NB-1A-E DC12 BY OMZ
 G5NB-1A-E DC18 BY OMI
 G5NB-1A-E DC18 BY OMZ
 G5NB-1A-E DC24 BY OMZ
 G5NB-1A-E DC5 BY OMZ
 G5NB-1A-E DC9 BY OMZ
 G5NB-1A-E-CB-HC DC12 BY OMZ
 G5NB-1A-E-CB-HC DC24 BY OMZ
 G5NB-1A-E-HA DC12 BY OMZ
 G5NB-1A-E-RS DC24 BY OMZ
 G5NB-1A-E-SF DC12 BY OMZ
 G5NB-1A-E-SP DC12 BY OMZ
 G5NB-1A-E-SP DC24 BY OMZ
 G5NB-1A-SP DC12 BY OMI
 G5NB-1A-SP DC12 BY OMZ
 G5NB-1A-SP DC24 BY OMZ
 G5PA-1 12DC BY OMZ (PF)
 G5PA-1 24DC BY OMZ (PF)
 G5PA-1 5DC BY OMZ (PF)
 G5PA-1 5DC+
 G5PA-1 9DC BY OMZ (PF)
 G5PA-1-2 DC12 BY OMZ (PF)
 G5PA-1-8 12DC+
 G5PA-1-H DC5 BY OMZ (PF)
 G5PA-1-M 12DC BY OMZ (PF)
 G5PA-1-M DC12 BY OMI

PCB power relay, SPST

G5PA-1-M-E DC5 BY OMZ (PF)
 G5PA-1-V70 DC5 BY OMZ (PF)
 G5PA-1-WH DC24 BY OMZ
 G5PA-2 12DC
 G5PA-2 12DC BY OMZ (PF)
 G5PA-2 24DC BY OMZ (PF)
 G5PA-2 5DC BY OMZ (PF)
 G5PA-28-MC DC12 BY OMZ (PF)
 G5PA-28-MC DC24 BY OMZ (PF)
 G5PA-28-MC DC5 BY OMZ (PF)
 G5PF-1A DC12 BY OMZ
 G5Q-1 12DC BY OMZ
 G5Q-1 24DC BY OMZ
 G5Q-1 5DC BY OMZ
 G5Q-1 DC12 BY OMZ (SOF)
 G5Q-1 DC24 BY OMZ (SAU)
 G5Q-1 DC6 BY OMZ
 G5Q-1 DC9 BY OMZ
 G5Q-14 12DC BY OMZ
 G5Q-14 24DC BY OMZ
 G5Q-14 5DC BY OMZ
 G5Q-14 DC12 (C)
 G5Q-14 DC18 BY OMZ
 G5Q-14-EU DC12 BY OMZ
 G5Q-14-EU DC24 BY OMZ
 G5Q-14-EU DC5 BY OMZ
 G5Q-14-EU DC9 BY OMZ
 G5Q-1A 12DC BY OMZ
 G5Q-1A 24DC BY OMZ
 G5Q-1A 5DC BY OMZ
 G5Q-1A DC12 BY OMZ (SOF)
 G5Q-1A DC24 BY OMZ (SAU)
 G5Q-1A DC48 BY OMZ
 G5Q-1A4 12DC BY OMZ
 G5Q-1A4 24DC BY OMZ
 G5Q-1A4 5DC BY OMZ
 G5Q-1A4 DC18 BY OMZ
 G5Q-1A4-EU DC12 BY OMZ
 G5Q-1A4-EU DC24 BY OMZ
 G5Q-1A4-EU DC5 BY OMZ
 G5Q-1A4-EU DC6 BY OMZ
 G5Q-1A4-EU DC9 BY OMZ
 G5Q-1A-EU DC12 BY OMZ
 G5Q-1A-EU DC24 BY OMZ
 G5Q-1A-EU DC5 BY OMZ
 G5Q-1A-EU DC9 BY OMZ
 G5Q-1A-EU-ML DC12 BY OMZ
 G5Q-1A-ST DC12 BY OMZ
 G5Q-1A-ST DC12 BY OMZ (SOF)
 G5Q-1-EU DC12 BY OMZ
 G5Q-1-EU DC18 BY OMZ
 G5Q-1-EU DC24 BY OMZ

G5Q-1-EU DC5 BY OMZ
 G5Q-1-EU DC9 BY OMZ
 G5Q-1-EU-SR DC24 BY OMZ
 G5Q-1-H-EU DC12 BY OMZ
 G5Q-1-H-EU DC24 BY OMZ
 G5Q-1-ST DC12 BY OMZ (SOF)
 G5RL-1A-E-HR DC12 BY OMZ
 G5RL-1A-E-HR DC24 BY OMZ
 G5RL-1A-E-HR DC36 BY OMZ
 G5RL-1A-E-HR DC48 BY OMZ
 G5RL-1A-E-HR DC5 BY OMZ
 G5RL-1A-E-HR-SP DC12 BY OMZ
 G5RL-1A-E-HR-SP DC24 BY OMZ
 G5RL-1A-E-LN DC12 BY OMZ
 G5RL-1A-E-LN DC24 BY OMZ
 G5RL-1A-E-LN DC5 BY OMZ
 G5RL-1A-E-LN-SC DC24 BY OMZ
 G5RL-1A-LN DC12 BY OMZ
 G5RL-1A-LN DC24 BY OMZ
 G5RL-1A-LN DC5 BY OMZ
 G5RL-1-E AC100 BY OMZ
 G5RL-1-E AC115/120 BY OMZ
 G5RL-1-E AC200 BY OMZ
 G5RL-1-E AC230/240 BY OMZ
 G5RL-1-E AC24 BY OMZ
 G5RL-1-E-HR DC12 BY OMZ
 G5RL-1-E-HR DC24 BY OMZ
 G5RL-1-E-HR DC48 BY OMZ
 G5RL-1-E-HR DC5 BY OMZ
 G5RL-1-E-HR-SP DC12 BY OMZ
 G5RL-1-E-HR-SP DC24 BY OMZ
 G5S-1-ST 24DC BY OMI
 G5SB-1 DC12 BY OMI
 G5SB-1 DC24 BY OMI
 G5SB-1 DC5 BY OMI
 G5SB-14 12DC BY OMI
 G5SB-14 24DC BY OMI
 G5SB-14 5DC BY OMI
 G5SB-14 9DC BY OMI
 G5SB-14 DC48 BY OMI
 G5SB-14-SP DC48 BY OMI
 G5SB-14-ST DC24 BY OMI
 G5SB-1A DC12 BY OMI
 G5SB-1A DC24 BY OMI
 G5SB-1A DC48 BY OMI
 G5SB-1A DC5 BY OMI
 G5SB-1A DC9 BY OMI
 G5SB-1A4 12DC BY OMI
 G5SB-1A4 24DC BY OMI
 G5T-1A DC12 BY OMZ
 G5T-1A DC5 BY OMZ
 G5V-1 12DC BY OMZ

Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A

G5V-1 18DC BY OMZ	
G5V-1 24DC BY OMZ	Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A
G5V-1 3DC BY OMZ	
G5V-1 5DC BY OMZ	Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A
G5V-1 6DC BY OMZ	
G5V-1 9DC BY OMZ	
G5V-1 DC12 BY OMZ I/NICE	
G5V-1 DC12 BY OMZ ITALY/NICE	
G5V-1 DC7.5 BY OMZ	
G5V-1-2 DC12 BY OMZ	
G5V-1-2 DC24 BY OMZ	
G5V-1F 12DC	
G5V-2 12DC BY OMZ	Miniature Relay for Signal Circuits, DPDT, 2 A
G5V-2 24DC BY OMZ	Miniature Relay for Signal Circuits, DPDT, 2 A
G5V-2 3DC BY OMZ	
G5V-2 4.5DC BY OMZ	
G5V-2 48DC BY OMZ	
G5V-2 5DC BY OMZ	Miniature Relay for Signal Circuits, DPDT, 2 A
G5V-2 6DC BY OMZ	
G5V-2 9DC BY OMZ	
G5V-2-H 12DC BY OMZ	
G5V-2-H 24DC BY OMZ	
G5V-2-H 5DC BY OMZ	
G5V-2-H DC48 BY OMZ	
G5V-2-H1 12DC BY OMZ	Miniature Relay for Signal Circuits, high sensitivity, DPDT, 2 A
G5V-2-H1 24DC BY OMZ	
G5V-2-H1 3DC BY OMZ	
G5V-2-H1 48DC BY OMZ	
G5V-2-H1 5DC BY OMZ	Miniature Relay for Signal Circuits, high sensitivity, DPDT, 2 A
G5V-2-H1 6DC BY OMZ	
G5V-2-H1 9DC BY OMZ	
G5V-2-H1 DC12+	
G5V-2-H1-AE DC12 BY OMZ	
G5V-2-H1-PN DC12 BY OMZ	
G5V-2-HA DC12 BY OMZ	
G5V-2-NS DC12 BY OMZ	
G5Y-1 5DC	
G5Y-1 5DC BY OMZ	
G5Y-1H 12DC	
G5Y-254P-1 5DC	
G5Y-254P-1 6DC	
G5Y-254P-BB-1 12DC	
G5YK-254P-1 12DC	
G5YK-254P-1 24DC	
G5YK-254P-1 5DC	
G5Z-2A-E DC24	
G6A-234P 1,5DC	
G6A-234P 3DC	
G6A-234P 4,5DC	Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A
G6A-234P 48DC	
G6A-234P 6DC	
G6A-234P 9DC	

G6A-234P DC12(Q)
G6A-234P DC24(Q)*
G6A-234P DC5(Q)
G6A-234P-2 12DC
G6A-234P-24 12DC
G6A-234P-24 24DC
G6A-234P-24 48DC
G6A-234P-24 5DC
G6A-234P-302 DC5
G6A-234P-43 5DC
G6A-234P-56W/4 12DC
G6A-234P-56W/5 24DC
G6A-234P-56W/6 48DC
G6A-234P-BS 12DC
G6A-234P-BS 24DC
G6A-234P-BS 3DC
G6A-234P-BS 48DC
G6A-234P-BS 5DC
G6A-234P-BS 9DC
G6A-234P-S 12DC BY OMR E/GLOBA
G6A-234P-S 12DC BY OMR E/GMS
G6A-234P-S 4.5DC
G6A-234P-ST15-US 12DC
G6A-234P-ST15-US 24DC
G6A-234P-ST15-US 48DC
G6A-234P-ST15-US 5DC
G6A-234P-ST15-US-300 5DC
G6A-234P-ST1-US 5DC
G6A-234P-ST21-US 24DC
G6A-234P-ST27-US DC48
G6A-234P-ST31 12DC
G6A-234P-ST31 24DC
G6A-234P-ST31 5DC
G6A-234P-ST31 9DC
G6A-234P-ST40-US 12DC
G6A-234P-ST40-US 24DC
G6A-234P-ST40-US 5DC
G6A-234P-ST4-US DC12
G6A-234P-ST53 12DC
G6A-234P-ST53 48DC
G6A-234P-ST54 12DC
G6A-234P-ST-BS 12DC
G6A-234P-ST-BS 24DC
G6A-234P-ST-BS 5DC
G6A-234P-STU 12DC
G6A-234P-ST-US 1.5DC
G6A-234P-ST-US 12DC BY OMR
G6A-234P-ST-US 12DC FOR WEE
G6A-234P-ST-US 24DC BY OMR
G6A-234P-ST-US 24DC BY OMR ARR
G6A-234P-ST-US 24DC BY OMR I/P
G6A-234P-ST-US 3DC

Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A

Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A

Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A

G6A-234P-ST-US 48DC
G6A-234P-ST-US 5DC BY OMR Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A
G6A-234P-ST-US 5DC BY OMR SI
G6A-234P-ST-US 6DC
G6A-234P-ST-US-300 DC48
G6A-234P-ST-US-303 48DC
G6A-234P-ST-US-303 DC12
G6A-234P-STU-US 5DC
G6A-234P-STY15-US-300 12DC
G6A-234P-STY15-US-300 24DC
G6A-234P-U DC9
G6A-234P-U 12DC
G6A-234P-U 48DC
G6A-274P 48DC
G6A-274P 6DC
G6A-274P 9DC
G6A-274P 9DC BY OMR UK/ABAUTO
G6A-274P DC1.5
G6A-274P DC12(Q)
G6A-274P DC24(Q)
G6A-274P DC3
G6A-274P DC4.5
G6A-274P-A 12DC
G6A-274P-MK 24DC
G6A-274P-ST15-US 12DC
G6A-274P-ST15-US 24DC
G6A-274P-ST15-US 48DC
G6A-274P-ST15-US 5DC
G6A-274P-ST40 48DC
G6A-274P-ST40-US 12DC
G6A-274P-ST40-US 24DC Fully sealed Relay with High Impulse Dielectric, DPDT, 3 A
G6A-274P-ST40-US 48DC
G6A-274P-ST40-US 5DC
G6A-274P-ST46-US 6DC
G6A-274P-STLT-US DC12
G6A-274P-STLT-US DC5
G6A-274P-ST-US 1,5DC
G6A-274P-ST-US 12DC BY OMR
G6A-274P-ST-US 12DC BY OMR Q/P
G6A-274P-ST-US 24DC BY OMR
G6A-274P-ST-US 24DC BY OMR C/S
G6A-274P-ST-US 24DC BY OMR Q/P
G6A-274P-ST-US 3DC
G6A-274P-ST-US 5DC
G6A-274P-ST-US 5DC BY OMR
G6A-274P-ST-US DC24 BY OMR KEB
G6A-274P-ST-US DC30
G6A-274P-ST-US DC6
G6A-274P-ST-US DC9
G6A-2-H 12DC
G6A-2-H 24DC
G6A-2-H 48DC

G6A-2-H 5DC
G6A-2-H 6DC
G6A-2-H 9DC
G6A-2-H DC3
G6A-2-H-3 5DC
G6A-2-L 12DC
G6A-2-L 24DC
G6A-2-L 48DC
G6A-2-L 5DC
G6A-2-L DC3
G6A-2-L DC9
G6A2-UA-007029 DC48
G6A-2-V23100 12DC
G6A-2-V23100 24DC
G6A-2-V23100 5DC
G6A-434P 1.5DC
G6A-434P 12DC
G6A-434P 24DC
G6A-434P 4.5DC
G6A-434P 48DC
G6A-434P 5DC
G6A-434P 6DC
G6A-434P 9DC
G6A-434P-ST20 48DC
G6A-434P-ST20-US 12DC
G6A-434P-ST20-US 24DC
G6A-434P-ST20-US 5DC
G6A-434P-ST20-US DC3
G6A-434P-ST40-US 12DC
G6A-434P-ST40-US 24DC
G6A-434P-ST40-US DC5
G6A-434P-ST-US 12DC
G6A-434P-ST-US 24DC
G6A-434P-ST-US 3DC
G6A-434P-ST-US 48DC
G6A-434P-ST-US 5DC
G6A-434P-U 12DC
G6A-434P-U 24DC
G6A-474P 12DC
G6A-474P 24DC
G6A-474P 3DC
G6A-474P DC48
G6A-474P DC5
G6A-474P DC6
G6A-474P DC9
G6A-474P-LT 5DC
G6A-474P-LT DC12
G6A-474P-LT36 DC12
G6A-474P-MK2 24DC
G6A-474P-ST20-US 12DC
G6A-474P-ST20-US 24DC
G6A-474P-ST20-US DC5

Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A
Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A

Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A

Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A

Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A

G6A-474P-ST40-US 12DC
G6A-474P-ST40-US 24DC
G6A-474P-ST40-US 48DC
G6A-474P-ST40-US DC5
G6A-474P-STLT-US 24DC
G6A-474P-ST-US 12DC
G6A-474P-ST-US 24DC
G6A-474P-ST-US 48DC
G6A-474P-ST-US 5DC
G6A-474P-ST-US 6DC
G6A-474P-ST-US DC3
G6A4-UA-006358 5DC
G6AK-234P 1,5DC
G6AK-234P 12DC
G6AK-234P 24DC
G6AK-234P 3DC
G6AK-234P 4,5DC
G6AK-234P 48DC
G6AK-234P 5DC
G6AK-234P 9DC
G6AK-234P-5 8,5DC
G6AK-234P-ST40-US 12DC
G6AK-234P-ST40-US 24DC
G6AK-234P-ST40-US 48DC
G6AK-234P-ST40-US 5DC
G6AK-234P-ST-US 1,5DC
G6AK-234P-ST-US 12DC
G6AK-234P-ST-US 24DC
G6AK-234P-ST-US 3DC
G6AK-234P-ST-US 5DC
G6AK-234P-ST-US 6DC
G6AK-234P-ST-US DC4.5
G6AK-234P-ST-US-AQ11 DC12
G6AK-234P-ST-US-U 5DC
G6AK-234P-U 12DC
G6AK-274P 1.5DC
G6AK-274P 12DC
G6AK-274P 24DC
G6AK-274P 48DC
G6AK-274P 5DC
G6AK-274P 6DC
G6AK-274P 9DC
G6AK-274P DC3
G6AK-274P-ST40 24DC
G6AK-274P-ST40-US 12DC
G6AK-274P-ST40-US 6DC
G6AK-274P-STLT-US 5DC
G6AK-274P-ST-US 12DC
G6AK-274P-ST-US 24DC
G6AK-274P-ST-US 3DC
G6AK-274P-ST-US 48DC
G6AK-274P-ST-US 5DC

Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A
Fully sealed Relay with High Impulse Dielectric, 4PDT, 3 A

G6AK-274P-ST-US 9DC
G6AK-274P-ST-US DC4.5
G6AK-274P-ST-US DC6
G6AK-2-H 12DC
G6AK-2-H 24DC
G6AK-2-H 5DC
G6AK-2-H 9DC
G6AK-2-H DC3
G6AK-2-H-5 5DC
G6AK-2-L 12DC
G6AK-2-L 24DC
G6AK-2-L 48DC
G6AK-2-L 5DC
G6AK-2-L DC4.5
G6AK-2-L DC9
G6AK-434P 1,5DC
G6AK-434P 12DC
G6AK-434P 24DC
G6AK-434P 3DC
G6AK-434P 5DC
G6AK-434P 9DC
G6AK-434P-ST20 1,5DC
G6AK-434P-ST20 12DC
G6AK-434P-ST20-US 24DC
G6AK-434P-ST40-US 12DC
G6AK-434P-ST40-US 24DC
G6AK-434P-ST40-US 5DC
G6AK-434P-ST40-US DC3
G6AK-434P-ST-US 24DC
G6AK-434P-ST-US 4,5DC
G6AK-434P-ST-US DC5
G6AK-474P 24DC
G6AK-474P-ST20-US 1,5DC
G6AK-474P-ST20-US DC5
G6AK-474P-ST40-US 6DC
G6AK-474P-ST-US 12DC
G6AK-474P-ST-US 48DC
G6AK-474P-ST-US 5DC
G6AK-474P-ST-US DC24
G6AU-234P 12DC
G6AU-234P 24DC
G6AU-234P 3DC
G6AU-234P 4,5DC
G6AU-234P 48DC
G6AU-234P 5DC
G6AU-234P 6DC
G6AU-234P 9DC
G6AU-234P-BS 5DC
G6AU-234P-ST-US 12DC
G6AU-234P-ST-US 3DC
G6AU-234P-ST-US 5DC
G6AU-234P-ST-US 6DC

G6AU-234P-ST-US 9DC
G6AU-274P 12DC
G6AU-274P 24DC
G6AU-274P 5DC
G6AU-274P 6DC
G6AU-274P 9DC
G6AU-274P DC3
G6AU-274P-ST 3DC
G6AU-274P-ST40 12DC
G6AU-274P-ST-US 1,5DC
G6AU-274P-ST-US 12DC
G6AU-274P-ST-US 24DC
G6AU-274P-ST-US 4.5DC
G6AU-274P-ST-US 48DC
G6AU-274P-ST-US 5DC
G6AU-274P-ST-US 6DC
G6AU-2-H 12DC
G6AU-2-H 24DC
G6AU-2-H 5DC
G6AU-2-H DC48
G6AU-2-H DC9
G6AU-2-L 12DC
G6AU-2-L DC48
G6AU-2-L DC6
G6AU-2-L DC9
G6AU-434P 24DC
G6AU-434P 4.5DC
G6AU-434P-ST-US 12DC
G6AU-434P-ST-US 24DC
G6AU-434P-ST-US 5DC
G6AU-474P 12DC
G6AU-474P DC24
G6AU-474P DC9
G6AU-474P-STLT-US 12DC
G6AU-474P-STLT-US 6DC
G6AU-474P-ST-US 12DC
G6AU-474P-ST-US 24DC
G6AU-474P-ST-US 5DC
G6AU-474P-ST-US 6DC
G6AU-474P-ST-US 9DC
G6B-1114C-US DC12
G6B-1114C-US DC24
G6B-1114C-US DC5
G6B-1114C-US DC6
G6B-1114C-US-SV 12DC
G6B-1114C-US-SV 5DC
G6B-1114P-1-US 12DC
G6B-1114P-1-US 24DC
G6B-1114P-1-US 5DC
G6B-1114P-FD-US 12DC
G6B-1114P-FD-US 24DC
G6B-1114P-FD-US 5DC

Subminiature PCB relay, 5 A, SPST-NO, 12DC
 Subminiature PCB relay, 5 A, SPST-NO, 24 VDC
 Subminiature PCB relay, 5 A, SPST-NO, 5DC

Subminiature PCB relay, 5 A, SPST-NO, 24 VDC

G6B-1114P-FD-US 6DC	
G6B-1114P-FD-US-CLARION DC12	
G6B-1114P-US 12DC	Subminiature PCB relay, 5 A, SPST-NO, 12DC
G6B-1114P-US 24DC	Subminiature PCB relay, 5 A, SPST-NO, 24 VDC
G6B-1114P-US 3DC	
G6B-1114P-US 5DC	
G6B-1114P-US 6DC	
G6B-1114P-US 9DC	
G6B-1114P-US DC18	
G6B-1114P-US-AP 12DC	
G6B-1114P-US-S 12DC	
G6B-1114P-US-S DC5	
G6B-1114P-US-SV 12DC	
G6B-1114P-US-SV 24DC	Subminiature PCB relay, 5 A, SPST-NO, 24 VDC
G6B-1114P-US-SV 3DC	Subminiature PCB relay, 5 A, SPST-NO, 3DC
G6B-1114P-US-SV 5DC	Subminiature PCB relay, 5 A, SPST-NO, 5DC
G6B-1114P-US-SV 6DC	
G6B-1114P-US-TE 12DC	
G6B-1114P-U-US 12DC	
G6B-1114P-U-US 24DC	
G6B-1114P-U-US 5DC	
G6B-1174C-FD-US 24DC	
G6B-1174C-FD-US DC12	
G6B-1174C-FD-US DC5	
G6B-1174C-US 12DC	
G6B-1174C-US DC24	
G6B-1174C-US DC5	
G6B-1174P-1-US 12DC	
G6B-1174P-1-US 24DC	
G6B-1174P-1-US DC5	
G6B-1174P-FD-US 12DC	
G6B-1174P-FD-US 24DC	Subminiature PCB relay, 8 A, SPST-NO, 24 VDC
G6B-1174P-FD-US 5DC	
G6B-1174P-FD-US 6DC	
G6B-1174P-FD-US DC3	
G6B-1174P-FD-US-8A 24DC	
G6B-1174P-US 12DC	Subminiature PCB relay, 8 A, SPST-NO, 12DC
G6B-1174P-US 24DC	Subminiature PCB relay, 8 A, SPST-NO, 24 VDC
G6B-1174P-US 5DC	Subminiature PCB relay, 8 A, SPST-NO, 5DC
G6B-1174P-US 6DC	
G6B-1174P-US DC3	
G6B-1177P-FD-ND-US 24DC	
G6B-1177P-ND 12DC	
G6B-1177P-ND-US 24DC	
G6B-1177P-ND-US 5DC	
G6B-1184P-US 12DC	
G6B-1184P-US 24DC	
G6B-1184P-US 5DC	
G6B-1184P-US-CA 24DC	
G6B-1184P-US-CT DC12	
G6B-2014C-US 12DC	
G6B-2014C-US 24DC	

G6B-2014P-FD-US 24DC
 G6B-2014P-FD-US 5DC
 G6B-2014P-US DC12 BY OMZ
 G6B-2014P-US DC24 BY OMZ
 G6B-2014P-US DC48
 G6B-2014P-US DC5 BY OMZ
 G6B-2014P-US DC6
 G6B-2114P-1-US 6DC
 G6B-2114P-1-US DC12 BY OMZ
 G6B-2114P-1-US DC16 BY OMZ
 G6B-2114P-1-US DC24 BY OMZ
 G6B-2114P-1-US DC5 BY OMZ
 G6B-2114P-1-US DC9 BY OMZ
 G6B-2114P-FD-US DC12 BY OMZ
 G6B-2114P-FD-US DC5 BY OMZ
 G6B-2114P-FD-US-U 5DC
 G6B-2114P-US 48DC
 G6B-2114P-US DC12 BY OMZ
 G6B-2114P-US DC24 BY OMZ
 G6B-2114P-US DC5 BY OMZ
 G6B-2114P-US DC6 BY OMZ
 G6B-2114P-US-AP 12DC
 G6B-2114P-US-P6B 12DC
 G6B-2114P-US-P6B 5DC
 G6B-2114P-US-P6B DC24 BY OMZ
 G6B-2114P-US-SP DC24 BY OMZ
 G6B-2114P-US-U 12DC
 G6B-2114P-US-U 24DC
 G6B-2214C-US DC12 BY OMZ
 G6B-2214C-US DC24 BY OMZ
 G6B-2214P-1-US DC12 BY OMZ
 G6B-2214P-1-US DC24 BY OMZ
 G6B-2214P-1-US DC5 BY OMZ
 G6B-2214P-1-US DC6 BY OMZ
 G6B-2214P-FD-US DC12
 G6B-2214P-FD-US DC5 BY OMZ
 G6B-2214P-US 48DC
 G6B-2214P-US DC12 BY OMZ
 G6B-2214P-US DC24 BY OMZ
 G6B-2214P-US DC5 BY OMZ
 G6B-2214P-US DC9 BY OMZ
 G6B-2214P-U-US 24DC
 G6B-47BND 12DC
 G6B-47BND 24DC
 G6B-47BND 5DC
 G6B-48BND 24DC
 G6B-4BND 12DC
 G6B-4BND 24DC
 G6B-4BND 5DC
 G6B-4CB 12DC
 G6B-4CB 24DC
 G6B-4FB1ND 24DC

Terminal relay, DIN rail/surface mounting, long life, 4x SPDT, 5 A, 24 VDC

Terminal relay, DIN rail/surface mounting, high reliability, 4x SPDT, 5 A, 24 VDC

Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 12 VDC

Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 24 VDC

Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 5 VDC

Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 24 VDC

G6B-4FPND 24DC
G6B-4-SB
G6BK-1114C-US 12DC
G6BK-1114C-US DC5
G6BK-1114C-US DC6
G6BK-1114P-1-US 12DC
G6BK-1114P-1-US 3DC
G6BK-1114P-1-US 5DC
G6BK-1114P-1-US DC6
G6BK-1114P-FD-US 24DC
G6BK-1114P-US 12DC
G6BK-1114P-US 24DC
G6BK-1114P-US 3DC
G6BK-1114P-US 5DC
G6BK-1114P-US 6DC
G6BK-1114P-US-CA 24DC
G6BU-1114C-US DC12
G6BU-1114P-1-US 5DC
G6BU-1114P-1-US DC3
G6BU-1114P-US 12DC
G6BU-1114P-US 24DC
G6BU-1114P-US 3DC
G6BU-1114P-US 5DC
G6BU-1114P-US 6DC
G6BU-1114P-US-S 3DC
G6C-1114C-US 24DC
G6C-1114C-US DC12
G6C-1114C-US-SV 12DC
G6C-1114P-FD-US 12DC
G6C-1114P-FD-US DC24
G6C-1114P-U 12DC
G6C-1114P-U 24DC
G6C-1114P-U 5DC
G6C-1114P-US 12DC
G6C-1114P-US 24DC
G6C-1114P-US 5DC
G6C-1114P-US DC3
G6C-1114P-US DC48
G6C-1114P-US-PS 12DC
G6C-1114P-US-SV 48DC
G6C-1114P-US-SV 5DC
G6C-1114P-US-SV DC24
G6C-1117C-US 12DC
G6C-1117C-US DC24
G6C-1117P-FD-US 24DC
G6C-1117P-FD-US DC12
G6C-1117P-FD-US-SV 12DC
G6C-1117P-FD-US-SV 24DC
G6C-1117P-US 12DC
G6C-1117P-US 18DC
G6C-1117P-US 24DC
G6C-1117P-US 6DC

Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 24 VDC

G6C-1117P-US DC3
G6C-1117P-US DC5
G6C-1117P-US-SV 12DC
G6C-1117P-US-SV 24DC
G6C-1117P-US-SV 5DC
G6C-1117P-US-SV 8DC
G6C-1117P-VD 12DC
G6C-2114C-US 12DC
G6C-2114C-US 24DC
G6C-2114C-US 5DC
G6C-2114C-US DC3
G6C-2114P-FD-US 24DC
G6C-2114P-U 12DC
G6C-2114P-U 24DC
G6C-2114P-U 5DC
G6C-2114P-US 24DC
G6C-2114P-US 3DC
G6C-2114P-US 5DC
G6C-2114P-US 6DC
G6C-2114P-US 9DC
G6C-2114P-US-SV 12DC
G6C-2114P-US-SV 24DC
G6C-2114P-US-SV 48DC
G6C-2114P-VD 12DC
G6C-2117C-US DC3
G6C-2117C-US DC5
G6C-2117C-US DC6
G6C-2117C-US-SV 12DC
G6C-2117C-US-SV 24DC
G6C-2117P-FD-US 12DC
G6C-2117P-FD-US 24DC
G6C-2117P-FD-US-SV 9DC
G6C-2117P-US 24DC
G6C-2117P-US 3DC
G6C-2117P-US DC12
G6C-2117P-US DC5
G6C-2117P-US DC6
G6C-2117P-US DC8
G6C-2117P-US-SV 12DC
G6C-2117P-US-SV 24DC
G6C-2117P-US-SV 3DC
G6C-2117P-US-SV 5DC
G6C-2117P-US-SV 6DC
G6C-2117P-US-SV 8DC
G6C-2117P-US-SV 9DC
G6C-2117P-VD 12DC
G6C-2117P-VD 24DC
G6C-2B 12DC
G6C-2B 24DC
G6C-2BND 12DC
G6C-2BND 24DC
G6C-2BND 5DC

G6C-4B 12DC
G6C-4B 24DC
G6C-4B 5DC
G6C-4BN 24DC
G6C-4BND 12DC
G6C-4BND 24DC
G6C-4BND 5DC
G6CK-1114C-US 12DC
G6CK-1114P-US 12DC
G6CK-1114P-US 24DC
G6CK-1114P-US 5DC
G6CK-1114P-US DC3
G6CK-1114P-US DC6
G6CK-1117C-US 12DC
G6CK-1117C-US DC24
G6CK-1117P-US 12DC
G6CK-1117P-US 24DC
G6CK-1117P-US 3DC
G6CK-1117P-US 5DC
G6CK-1117P-US 6DC
G6CK-2114C-US DC12
G6CK-2114C-US DC24
G6CK-2114C-US DC6
G6CK-2114P-FD-US 24DC
G6CK-2114P-US 12DC
G6CK-2114P-US 24DC
G6CK-2114P-US 3DC
G6CK-2114P-US 5DC
G6CK-2114P-US 6DC
G6CK-2114P-US DC9 1
G6CK-2114P-US-360 5DC
G6CK-2117C-US 5DC
G6CK-2117C-US DC3
G6CK-2117P 5DC
G6CK-2117P 6DC
G6CK-2117P-US 12DC
G6CK-2117P-US 24DC
G6CK-2117P-US 3DC
G6CK-2117P-US-S 3DC
G6CK-2117P-US-S DC24
G6CN-2 24DC
G6CN-2-BS 24DC
G6CU-1114C-US 12DC
G6CU-1114P-FD-US DC12
G6CU-1114P-FD-US DC3
G6CU-1114P-US 12DC
G6CU-1114P-US 24DC
G6CU-1114P-US 3DC
G6CU-1114P-US 5DC
G6CU-1117P-FD-US DC12
G6CU-1117P-US 12DC
G6CU-1117P-US 24DC

Latching relay SPST-NO/NC UL/CSA,8A 12Vdc Relay SPST-NONC dw-latch UL/CSA

G6CU-1117P-US 3DC	
G6CU-1117P-US 5DC	
G6CU-2114P-FD-US 3DC	
G6CU-2114P-FD-US DC5	
G6CU-2114P-US 24DC	
G6CU-2114P-US 3DC	
G6CU-2114P-US 5DC	
G6CU-2114P-US DC12	
G6CU-2117P-US 12DC	
G6CU-2117P-US 24DC	
G6CU-2117P-US 3DC	
G6CU-2117P-US 5DC	
G6CU-2117P-VD 3DC	
G6D-1A 5DC BY OMB	
G6D-1A 6DC BY OMB	
G6D-1A-ASI DC12 BY OMB	
G6D-1A-ASI DC18 BY OMB	
G6D-1A-ASI DC21 BY OMB	
G6D-1A-ASI DC24 BY OMB	
G6D-1A-ASI DC24 BY OMB (NICE)	
G6D-1A-ASI DC5 BY OMB	
G6D-1A-ASI DC6 BY OMB	
G6D-1A-ASI DC9 BY OMB	
G6D-1A-ASI-AP DC12 BY OMB	
G6D-1A-ASI-AP DC24 BY OMB	
G6D-4B 12DC	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 3 A, 12 VDC
G6D-4B 24DC	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 3 A, 24 VDC
G6D-4-SB	
G6D-F4B 12DC	
G6D-F4B 24DC	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 3 A, 24 VDC
G6DS-1A DC12 BY OMI	
G6DS-1A DC24 BY OMI	
G6DS-1A DC5 BY OMI	
G6DS-1A-ASI-N DC24 BY OMI	
G6DS-1A-H DC12 BY OMI	
G6DS-1A-H DC24 BY OMI	
G6DS-1A-H DC5 BY OMI	
G6E-134C-US 12DC	
G6E-134C-US 24DC	
G6E-134C-US 5DC	
G6E-134PL-ST-US 24DC	
G6E-134PL-ST-US DC12	
G6E-134PL-ST-US DC5	
G6E-134PL-ST-US DC9	
G6E-134PL-US 12DC	
G6E-134PL-US 24DC	
G6E-134PL-US 5DC	
G6E-134PL-US 6DC	
G6E-134PL-US 9DC	
G6E-134P-ST-US 12DC	
G6E-134P-ST-US 24DC	
G6E-134P-ST-US 48DC	

G6E-134P-ST-US 5DC

G6E-134P-ST-US 6DC

G6E-134P-ST-US 9DC

G6E-134P-U 12DC

G6E-134P-U 24DC

G6E-134P-U 48DC

G6E-134P-US 12DC

Subminiature, sensitive SPDT signal switching relay

G6E-134P-US 24DC

Subminiature, sensitive SPDT signal switching relay

G6E-134P-US 48DC

Subminiature, sensitive SPDT signal switching relay

G6E-134P-US 5DC

Subminiature, sensitive SPDT signal switching relay

G6E-134P-US 6DC

G6E-134P-US 9DC

G6E-134P-US DC3

G6E-134P-US-U 5DC

G6E-194P-US 12DC

G6E-194P-US 24DC

G6E-194P-US 5DC

G6EK-134C-US 12DC

G6EK-134C-US 9DC

G6EK-134PL-ST-US DC12

G6EK-134PL-ST-US DC24

G6EK-134PL-ST-US DC5

G6EK-134PL-ST-US DC6

G6EK-134PL-US 12DC

G6EK-134PL-US 5DC

G6EK-134PL-US DC24

G6EK-134PL-US DC6

G6EK-134P-ST-US 12DC

G6EK-134P-ST-US 5DC

G6EK-134P-ST-US 9DC

G6EK-134P-ST-US DC6

G6EK-134P-US 12DC

G6EK-134P-US 24DC

G6EK-134P-US 3DC

G6EK-134P-US 5DC

G6EK-134P-US 6DC

G6EK-134P-US-U DC5

G6EU-134C-US 12DC

G6EU-134PL-ST-US DC12

G6EU-134PL-ST-US DC24

G6EU-134P-ST-US 5DC

G6EU-134P-ST-US DC3

G6EU-134P-ST-US-U 12DC

G6EU-134P-US 12DC

G6EU-134P-US 24DC

G6EU-134P-US 3DC

G6EU-134P-US 5DC

G6EU-134P-US 6DC

G6EU-134P-US 9DC

G6H-2 12DC

G6H-2 24DC

G6H-2 3DC

G6H-2 48DC
G6H-2 5DC
G6H-2 6DC
G6H-2 9DC
G6H-2-100 12DC
G6H-2-100 24DC
G6H-2-100 3DC
G6H-2-100 4.5DC
G6H-2-100 48DC
G6H-2-100 5DC
G6H-2-100 6DC
G6H-2-100 9DC
G6H-2-101 12DC
G6H-2-101 5DC
G6H-2-102 4.5DC
G6H-2-103-A 4,5DC
G6H-2-103-P 5DC
G6H-2-114 12DC
G6H-2-116 12DC
G6H-2-116 5DC
G6H-2-118 12DC
G6H-2-118 24DC
G6H-2-118 5DC
G6H-2-118 9DC
G6H-2-118-ITA 5DC
G6H-2-118-SEL 5DC
G6H-2-118-SPN 5DC
G6H-2-3 12DC
G6H-2-3 24DC
G6H-2-3 5DC
G6H-2-F 12DC
G6H-2-F 24DC
G6H-2-F 3DC
G6H-2-F 4.5DC
G6H-2-F 48DC
G6H-2-F 5DC
G6H-2F 6DC
G6H-2F 9DC
G6H-2-F-101 12DC
G6H-2F-101 4.5DC
G6H-2-F-101 5DC
G6H-2-F-TL 12DC
G6H-2-F-TL 5DC
G6H-2F-TL 9DC
G6H-2F-TL DC24
G6H-2F-TR 12DC
G6H-2F-TR 24DC
G6H-2F-TR 3DC
G6H-2-F-TR 4.5DC
G6H-2F-TR 48DC
G6H-2F-TR 5DC
G6H-2F-TR 9DC

G6H-2F-TR DC6
G6H-2F-U 5DC
G6H-2F-U-TR 24DC
G6H-2F-V23106 5DC
G6H-2-U 3DC
G6H-2-U 5DC
G6H-2-U DC12
G6H-2-U DC24
G6H-2-V23106 12DC
G6H-2-V23106 24DC
G6H-2-V23106 5DC
G6HK-2 12DC
G6HK-2 24DC
G6HK-2 3DC
G6HK-2 4.5DC
G6HK-2 5DC
G6HK-2 9DC
G6HK-2 DC6
G6HK-2-100 12DC
G6HK-2-100 24DC
G6HK-2-100 3DC
G6HK-2-100 5DC
G6HK-2-3 5DC
G6HK-2-3 DC3
G6HK-2-CRT2380-2-R 3DC
G6HK-2-U 24DC
G6HK-2-U DC12
G6HK-2-U DC5
G6HK-2-V23106 12DC
G6HK-2-V23106 3DC
G6HU-2 12DC
G6HU-2 24DC
G6HU-2 3DC
G6HU-2 5DC
G6HU-2 9DC
G6HU-2 DC6
G6HU-2-100 12DC
G6HU-2-100 3DC
G6HU-2-100 5DC
G6HU-2-100 6DC
G6HU-2-108 9DC
G6HU-2-3 12DC
G6HU-2-U 3DC
G6HU-2-V23106 5DC
G6J-2FL-Y DC12
G6J-2FL-Y DC12 BY OMR
G6J-2FL-Y DC24
G6J-2FL-Y DC24 BY OMR
G6J-2FL-Y DC3 BY OMR
G6J-2FL-Y DC4.5 BY OMR
G6J-2FL-Y DC5 BY OMR
G6J-2FL-Y DC9

G6J-2FL-Y DC9 BY OMR
G6J-2FL-Y-5 DC4.5 BY OMR
G6J-2FL-Y-5-TR DC3 BY OMR
G6J-2FL-Y-5-TR DC4.5 BY OMR
G6J-2FL-Y-TR DC12 BY OMR
G6J-2FL-Y-TR DC24 BY OMR
G6J-2FL-Y-TR DC3 BY OMR
G6J-2FL-Y-TR DC4.5 BY OMR
G6J-2FL-Y-TR DC5
G6J-2FL-Y-TR DC5 BY OMR
G6J-2FL-Y-TR DC9 BY OMR
G6J-2FS-Y DC12
G6J-2FS-Y DC12 BY OMR
G6J-2FS-Y DC24 BY OMR
G6J-2FS-Y DC3
G6J-2FS-Y DC3 BY OMR
G6J-2FS-Y DC4.5
G6J-2FS-Y DC4.5 BY OMR
G6J-2FS-Y DC5
G6J-2FS-Y DC5 BY OMR
G6J-2FS-Y DC9 BY OMR
G6J-2FS-Y-5 DC4.5 BY OMR
G6J-2FS-Y-5-TR DC4.5
G6J-2FS-Y-5-TR DC4.5 BY OMR
G6J-2FS-Y-TR DC12
G6J-2FS-Y-TR DC12 BY OMR
G6J-2FS-Y-TR DC24 BY OMR
G6J-2FS-Y-TR DC3
G6J-2FS-Y-TR DC3 BY OMR
G6J-2FS-Y-TR DC4.5
G6J-2FS-Y-TR DC4.5 BY OMR
G6J-2FS-Y-TR DC5
G6J-2FS-Y-TR DC5 BY OMR
G6J-2FS-Y-TR DC9 BY OMR
G6J-2P-Y DC12 BY OMR
G6J-2P-Y DC12 BY OMR HOSIDEN
G6J-2P-Y DC24
G6J-2P-Y DC24 BY OMR
G6J-2P-Y DC3
G6J-2P-Y DC3 BY OMR
G6J-2P-Y DC4.5
G6J-2P-Y DC4.5 BY OMR
G6J-2P-Y DC5
G6J-2P-Y DC5 BY OMR
G6J-2P-Y DC9 BY OMR
G6JU-2FL-Y DC12 BY OMR
G6JU-2FL-Y DC3 BY OMR
G6JU-2FL-Y DC4.5
G6JU-2FL-Y DC4.5 BY OMR
G6JU-2FL-Y DC5 BY OMR
G6JU-2FL-Y-TR DC12
G6JU-2FL-Y-TR DC12 BY OMR

G6JU-2FL-Y-TR DC3 BY OMR
G6JU-2FL-Y-TR DC4.5 BY OMR
G6JU-2FL-Y-TR DC5 BY OMR
G6JU-2FS-Y DC12 BY OMR
G6JU-2FS-Y DC24 BY OMR
G6JU-2FS-Y DC3
G6JU-2FS-Y DC3 BY OMR
G6JU-2FS-Y DC4.5
G6JU-2FS-Y DC4.5 BY OMR
G6JU-2FS-Y DC5
G6JU-2FS-Y DC5 BY OMR
G6JU-2FS-Y-TR DC12 BY OMR
G6JU-2FS-Y-TR DC3 BY OMR
G6JU-2FS-Y-TR DC4.5 BY OMR
G6JU-2FS-Y-TR DC5 BY OMR
G6JU-2P-Y DC12 BY OMR
G6JU-2P-Y DC24 BY OMR
G6JU-2P-Y DC3
G6JU-2P-Y DC3 BY OMR
G6JU-2P-Y DC4.5 BY OMR
G6JU-2P-Y DC5
G6JU-2P-Y DC5 BY OMR
G6JU-2P-Y DC5 BY OMR UTEL
G6JU-2P-Y DC9 BY OMR
G6K-2F 12DC
G6K-2F 24DC
G6K-2F 3DC
G6K-2F 4.5DC
G6K-2F 5DC
G6K-2F 6DC
G6K-2F 9DC
G6K-2F-RF 12DC
G6K-2F-RF 24DC
G6K-2F-RF 3DC
G6K-2F-RF 4.5DC
G6K-2F-RF 5DC
G6K-2F-RF 6DC
G6K-2F-RF 9DC
G6K-2F-RF-S DC12
G6K-2F-RF-S DC24
G6K-2F-RF-S DC3
G6K-2F-RF-S DC4.5
G6K-2F-RF-S DC5
G6K-2F-RF-S DC6
G6K-2F-RF-S DC9
G6K-2F-RF-S-TR03 DC12
G6K-2F-RF-S-TR03 DC24
G6K-2F-RF-S-TR03 DC3
G6K-2F-RF-S-TR03 DC4.5
G6K-2F-RF-S-TR03 DC5
G6K-2F-RF-S-TR03 DC6
G6K-2F-RF-S-TR03 DC9

G6K-2F-RF-S-TR09 DC12
 G6K-2F-RF-S-TR09 DC24
 G6K-2F-RF-S-TR09 DC3
 G6K-2F-RF-S-TR09 DC4.5
 G6K-2F-RF-S-TR09 DC5
 G6K-2F-RF-S-TR09 DC6
 G6K-2F-RF-S-TR09 DC9
 G6K-2F-RF-TR03 DC12
 G6K-2F-RF-TR03 DC4.5
 G6K-2F-RF-TR03 DC5
 G6K-2F-RF-TR09 DC12
 G6K-2F-RF-TR09 DC4.5
 G6K-2F-TR 12DC
 G6K-2F-TR 24DC
 G6K-2F-TR 3DC
 G6K-2F-TR 4.5DC
 G6K-2F-TR 5DC
 G6K-2F-TR 6DC
 G6K-2F-TR 9DC
 G6K-2F-Y 12DC
 G6K-2F-Y 24DC
 G6K-2F-Y 3DC
 G6K-2F-Y 4.5DC
 G6K-2F-Y 5DC
 G6K-2F-Y 6DC
 G6K-2F-Y 9DC
 G6K-2F-Y-17-TR DC9
 G6K-2F-Y-ER-TR DC4.5
 G6K-2F-Y-S-TR DC4.5
 G6K-2F-Y-TR 12DC
 G6K-2F-Y-TR 24DC
 G6K-2F-Y-TR 3DC
 G6K-2F-Y-TR 4.5DC
 G6K-2F-Y-TR 5DC
 G6K-2F-Y-TR 6DC
 G6K-2F-Y-TR 9DC
 G6K-2G 12DC
 G6K-2G 3DC
 G6K-2G 4.5DC
 G6K-2G 5DC
 G6K-2G 6DC
 G6K-2G 9DC
 G6K-2G DC24
 G6K-2G-TR 12DC
 G6K-2G-TR 3DC
 G6K-2G-TR 4.5DC
 G6K-2G-TR 5DC
 G6K-2G-TR 6DC
 G6K-2G-TR 9DC
 G6K-2G-TR DC24
 G6K-2G-TR-1R DC4.5
 G6K-2G-TR2 DC5

G6K-2G-Y 12DC
G6K-2G-Y 24DC
G6K-2G-Y 3DC
G6K-2G-Y 4.5DC
G6K-2G-Y 5DC
G6K-2G-Y 6DC
G6K-2G-Y 9DC
G6K-2G-Y-TR 12DC
G6K-2G-Y-TR 3DC
G6K-2G-Y-TR 4.5DC
G6K-2G-Y-TR 5DC
G6K-2G-Y-TR 6DC
G6K-2G-Y-TR 9DC
G6K-2G-Y-TR DC24
G6K-2G-Y-TR DC24(K)
G6K-2P 12DC
G6K-2P 24DC
G6K-2P 3DC
G6K-2P 4.5DC
G6K-2P 5DC
G6K-2P 6DC
G6K-2P 9DC
G6K-2P-Y 12DC
G6K-2P-Y 24DC
G6K-2P-Y 3DC
G6K-2P-Y 4.5DC
G6K-2P-Y 5DC
G6K-2P-Y 6DC
G6K-2P-Y 9DC
G6KU-2F-RF 12DC
G6KU-2F-RF 24DC
G6KU-2F-RF 3DC
G6KU-2F-RF 4.5DC
G6KU-2F-RF 5DC
G6KU-2F-RF 9DC
G6KU-2F-RF-S DC3
G6KU-2F-RF-TR03 DC3
G6KU-2F-RF-TR03 DC4.5
G6KU-2F-RF-TR09 DC4.5
G6KU-2F-Y 12DC
G6KU-2F-Y 3DC
G6KU-2F-Y 4.5DC
G6KU-2F-Y 5DC
G6KU-2F-Y DC24
G6KU-2F-Y-17-TR DC4.5
G6KU-2F-Y-E-TR DC4.5
G6KU-2F-Y-TR 3DC
G6KU-2F-Y-TR 5DC
G6KU-2F-Y-TR DC12
G6KU-2F-Y-TR DC4.5
G6KU-2G-Y 12DC
G6KU-2G-Y 3DC

G6KU-2G-Y 5DC
G6KU-2G-Y DC4.5
G6KU-2G-Y-E-TR DC4.5
G6KU-2G-Y-TR 12DC
G6KU-2G-Y-TR 4.5DC
G6KU-2G-Y-TR DC3
G6KU-2G-Y-TR DC5
G6KU-2P-Y 12DC
G6KU-2P-Y 24DC
G6KU-2P-Y 5DC
G6KU-2P-Y DC3
G6KU-2P-Y DC4.5
G6L-1F 12DC BY OMZ
G6L-1F 24DC BY OMZ
G6L-1F 3DC BY OMZ
G6L-1F 4.5DC BY OMZ
G6L-1F 5DC BY OMZ
G6L-1F-TR 12DC BY OMZ
G6L-1F-TR 24DC BY OMZ
G6L-1F-TR 3DC BY OMZ
G6L-1F-TR 4.5DC BY OMZ
G6L-1F-TR 5DC BY OMZ
G6L-1P 12DC BY OMZ
G6L-1P 24DC BY OMZ
G6L-1P 3DC BY OMZ
G6L-1P 4.5DC BY OMZ
G6L-1P 5DC BY OMZ
G6M-1A 12DC BY OMZ
G6M-1A 24DC BY OMZ
G6M-1A 5DC BY OMZ
G6N-2-Y DC24
G6R-1A DC24
G6RL-1 DC12 BY OMI
G6RL-1 DC18 BY OMI
G6RL-1 DC24 BY OMI
G6RL-1 DC3 BY OMI
G6RL-1 DC48 BY OMI
G6RL-1 DC5 BY OMI
G6RL-1 DC6 (I)
G6RL-1 DC6 BY OMI
G6RL-1 DC9 BY OMI
G6RL-14-ASI DC12 BY OMI
G6RL-14-ASI DC24 BY OMI
G6RL-14-ASI DC3 BY OMI
G6RL-14-ASI DC48 BY OMI
G6RL-14-ASI DC5 BY OMI
G6RL-14-ASI DC6 BY OMI
G6RL-14-ASI DC9 BY OMI
G6RL-14-ASI DC9 BY OMI (HWL)
G6RL-14-ASI-PL DC24 BY OMI
G6RL-14-ASI-SP DC12 BY OMI
G6RL-14-ASI-SP DC24 BY OMI

G6RL-14-ASI-SP DC3 BY OMI
 G6RL-14-ASI-SP DC48 BY OMI
 G6RL-14-ASI-SP DC5 BY OMI
 G6RL-14-ASI-SP DC6 BY OMI
 G6RL-14-ASI-SP DC9 BY OMI
 G6RL-14-SR-ASI DC12 BY OMI
 G6RL-14-SR-ASI DC24 BY OMI
 G6RL-14-SR-ASI DC3 BY OMI
 G6RL-14-SR-ASI DC5 BY OMI
 G6RL-14-SR-ASI DC6 BY OMI
 G6RL-14-SR-ASI DC9 BY OMI
 G6RL-14-SR-ASI-AP1 DC12 BY OMI
 G6RL-14-SR-ASI-SP DC12 BY OMI
 G6RL-14-SR-ASI-SP DC24 BY OMI
 G6RL-14-SR-ASI-SP DC3 BY OMI
 G6RL-14-SR-ASI-SP DC5 BY OMI
 G6RL-14-SR-ASI-SP DC6 BY OMI
 G6RL-14-SR-ASI-SP DC9 BY OMI
 G6RL-1A DC12 BY OMI
 G6RL-1A DC24 (I)
 G6RL-1A DC3 BY OMI
 G6RL-1A DC5 (I)
 G6RL-1A DC5 BY OMI
 G6RL-1A DC6 BY OMI
 G6RL-1A DC9 BY OMI
 G6RL-1A4-ASI DC12 BY OMI
 G6RL-1A4-ASI DC24 BY OMI
 G6RL-1A4-ASI DC3 BY OMI
 G6RL-1A4-ASI DC48 BY OMI
 G6RL-1A4-ASI DC5 BY OMI
 G6RL-1A4-ASI DC6 BY OMI
 G6RL-1A4-ASI DC9 BY OMI
 G6RL-1A4-ASI-SP DC12 BY OMI
 G6RL-1A4-ASI-SP DC24 BY OMI
 G6RL-1A4-ASI-SP DC3 BY OMI
 G6RL-1A4-ASI-SP DC48 BY OMI
 G6RL-1A4-ASI-SP DC5 BY OMI
 G6RL-1A4-ASI-SP DC6 BY OMI
 G6RL-1A4-ASI-SP DC9 BY OMI
 G6RL-1A-ASI DC12 BY OMI
 G6RL-1A-ASI DC24 BY OMI
 G6RL-1A-ASI DC3 BY OMI
 G6RL-1A-ASI DC48 BY OMI
 G6RL-1A-ASI DC5 BY OMI
 G6RL-1A-ASI DC6 BY OMI
 G6RL-1A-ASI DC9 BY OMI
 G6RL-1A-ASI-PL DC12 BY OMI
 G6RL-1A-ASI-PL DC24 BY OMI
 G6RL-1A-ASI-PL DC3 BY OMI
 G6RL-1A-ASI-PL DC48 BY OMI
 G6RL-1A-ASI-PL DC5 BY OMI
 G6RL-1A-ASI-PL DC6 BY OMI

G6RL-1A-ASI-PL DC9 BY OMI
G6RL-1A-ASI-PL-SP DC12 BY OMI
G6RL-1A-ASI-PL-SP DC24 BY OMI
G6RL-1A-ASI-PL-SP DC24 OMIBSH
G6RL-1A-ASI-PL-SP DC3 BY OMI
G6RL-1A-ASI-PL-SP DC48 BY OMI
G6RL-1A-ASI-PL-SP DC5 BY OMI
G6RL-1A-ASI-PL-SP DC6 BY OMI
G6RL-1A-ASI-PL-SP DC9 BY OMI
G6RL-1A-ASI-SP DC12 BY OMI
G6RL-1A-ASI-SP DC24 BY OMI
G6RL-1A-ASI-SP DC3 BY OMI
G6RL-1A-ASI-SP DC48 BY OMI
G6RL-1A-ASI-SP DC5 BY OMI
G6RL-1A-ASI-SP DC6 BY OMI
G6RL-1A-ASI-SP DC9 BY OMI
G6RL-1-AP1 DC24 BY OMI
G6RL-1-AP2 DC24 BY OMI
G6RL-1-AP3 DC24 BY OMI
G6RL-1-AP4 DC24 BY OMI
G6RL-1-ASI DC12 (I)
G6RL-1-ASI DC12 BY OMI
G6RL-1-ASI DC24 BY OMI
G6RL-1-ASI DC3 BY OMI
G6RL-1-ASI DC48 BY OMI
G6RL-1-ASI DC5 (I)
G6RL-1-ASI DC5 BY OMI
G6RL-1-ASI DC6 BY OMI
G6RL-1-ASI DC9 BY OMI
G6RL-1-ASI-AP1 DC24 BY OMI
G6RL-1-ASI-AP2 DC24 BY OMI
G6RL-1-ASI-AP3 DC24 BY OMI
G6RL-1-ASI-AP4 DC24 BY OMI
G6RL-1-ASI-PL DC12 (I)
G6RL-1-ASI-PL DC12 BY OMI
G6RL-1-ASI-PL DC24 BY OMI
G6RL-1-ASI-PL DC3 BY OMI
G6RL-1-ASI-PL DC48 BY OMI
G6RL-1-ASI-PL DC5 (I)
G6RL-1-ASI-PL DC5 BY OMI
G6RL-1-ASI-PL DC6 BY OMI
G6RL-1-ASI-PL DC9 BY OMI
G6RL-1-ASI-PL-SP DC12 BY OMI
G6RL-1-ASI-PL-SP DC24 BY OMI
G6RL-1-ASI-PL-SP DC3 BY OMI
G6RL-1-ASI-PL-SP DC48 BY OMI
G6RL-1-ASI-PL-SP DC5 BY OMI
G6RL-1-ASI-PL-SP DC6 BY OMI
G6RL-1-ASI-PL-SP DC9 BY OMI
G6RL-1-ASI-SP DC12 BY OMI
G6RL-1-ASI-SP DC24 BY OMI
G6RL-1-ASI-SP DC3 BY OMI

G6RL-1-ASI-SP DC48 BY OMI
G6RL-1-ASI-SP DC5 BY OMI
G6RL-1-ASI-SP DC6 BY OMI
G6RL-1-ASI-SP DC9 BY OMI
G6RL-1A-SP DC12 BY OMI
G6RL-1A-SP DC24 BY OMI
G6RL-1A-SP DC3 BY OMI
G6RL-1A-SP DC48 BY OMI
G6RL-1A-SP DC5 BY OMI
G6RL-1A-SP DC6 BY OMI
G6RL-1A-SP DC9 BY OMI
G6RL-1-SP DC12 BY OMI
G6RL-1-SP DC24 BY OMI
G6RL-1-SP DC3 BY OMI
G6RL-1-SP DC48 BY OMI
G6RL-1-SP DC5 BY OMI
G6RL-1-SP DC6 BY OMI
G6RL-1-SP DC9 BY OMI
G6RL-1-SR-ASI DC12 BY OMI
G6RL-1-SR-ASI DC24 BY OMI
G6RL-1-SR-ASI DC3 BY OMI
G6RL-1-SR-ASI DC5 BY OMI
G6RL-1-SR-ASI DC6 BY OMI
G6RL-1-SR-ASI DC9 BY OMI
G6RL-1-SR-ASI-SP DC12 BY OMI
G6RL-1-SR-ASI-SP DC24 BY OMI
G6RL-1-SR-ASI-SP DC3 BY OMI
G6RL-1-SR-ASI-SP DC5 BY OMI
G6RL-1-SR-ASI-SP DC6 BY OMI
G6RL-1-SR-ASI-SP DC9 BY OMI
G6RN-1 12DC
G6RN-1 12DC-LAE BY OMB
G6RN-1 18DC
G6RN-1 24DC
G6RN-1 36DC
G6RN-1 48DC
G6RN-1 5DC
G6RN-1 6DC
G6RN-1 9DC
G6RN-1 DC20 BY OMB
G6RN-1 DC24 (VM) BY OMB
G6RN-1-2 24DC
G6RN-1A 12DC
G6RN-1A 18DC
G6RN-1A 24DC
G6RN-1A 36DC
G6RN-1A 48DC
G6RN-1A 5DC
G6RN-1A 6DC
G6RN-1A 9DC
G6RN-1A DC12 BY OMB (VEM)
G6RN-1A DC24 (VM) BY OMB

Heavy duty miniature relay, SPDT, 8 A

Heavy duty miniature relay, SPDT, 8 A

Heavy duty miniature relay, SPST-NO, 8 A

G6RN-1A-ACD 12DC
G6RN-1A-ACD 24DC
G6RN-1A-ACD 5DC
G6RN-1A-AP4 24DC
G6RN-1A-AP4 DC12 BY OMB
G6RN-1A-AP4 DC5 BY OMB
G6RN-1A-ASI DC12 BY OMB
G6RN-1A-ASI DC24 BY OMB
G6RN-1A-ASI DC5 BY OMB
G6RN-1A-ASI DC9 BY OMB
G6RN-1A-ASN DC24 BY OMB
G6RN-1-ACD 12DC
G6RN-1-ACD 24DC
G6RN-1-ACD 5DC
G6RN-1-ACD 6DC
G6RN-1-AP4 12DC
G6RN-1-AP4 24DC
G6RN-1-AP4 5DC
G6RN-1-AP4 DC9 BY OMB
G6RN-1A-RES DC12 BY OMB
G6RN-1-ASI DC12 BY OMB
G6RN-1-ASI DC24 BY OMB
G6RN-1-ASI DC5 BY OMB
G6RN-1-ASI DC6 BY OMB
G6RN-1-ASI DC9 BY OMB
G6RN-1-ASN DC12 BY OMB
G6RN-1-ASN DC24 BY OMB
G6RN-1-ASN DC5 BY OMB
G6RN-1-ASN DC6 BY OMB
G6S-2 12DC BY OMR
G6S-2 24DC BY OMR
G6S-2 3DC BY OMR
G6S-2 4.5DC
G6S-2 4.5DC BY OMR
G6S-2 48DC BY OMR
G6S-2 4DC BY OMR
G6S-2 5DC BY OMR
G6S-2 5DC*
G6S-2 5DC* BY OMR
G6S-2 6DC BY OMR
G6S-2 9DC
G6S-2 9DC BY OMR
G6S-2 DC12 BY OMR EU/ALCATEL
G6S-2 DC12 BY OMR I/AEB
G6S-2 DC12 BY OMR UK/TD
G6S-2 DC18
G6S-2 DC24 BY OMR EMA/EMPA
G6S-2 DC24 UK/HB
G6S-2 DC3 BY OMR E/AL
G6S-2 DC4.5 BY OMR E/AL
G6S-2 DC5 BY OMR E/AL
G6S-2 DC5 BY OMR EMA/MULTITEK

G6S-2-10 24DC
 G6S-2-10-300 24DC
 G6S-2-12 3DC BY OMR
 G6S-2-12 4DC
 G6S-2-12 4DC BY OMR
 G6S-2-14 4.5DC
 G6S-2-2 4.5DC
 G6S-2-2 4DC BY OMR
 G6S-2-3 4.5DC
 G6S-2-301 DC5
 G6S-2-5 12DC
 G6S-2-5-CT 12DC
 G6S-2-6 5DC
 G6S-2-8 4.5DC
 G6S-2-AQ3 DC9
 G6S-2-AQ7 DC9 BY OMR
 G6S-2-AQ8 DC12 BY OMR
 G6S-2-AQ9 DC12 BY OMR
 G6S-2F 12DC BY OMR
 G6S-2F 24DC BY OMR
 G6S-2F 3DC BY OMR
 G6S-2F 4.5DC BY OMR
 G6S-2F 48DC BY OMR
 G6S-2F 4DC BY OMR
 G6S-2F 5DC BY OMR
 G6S-2F 5DC+
 G6S-2F 6DC BY OMR
 G6S-2F 9DC BY OMR
 G6S-2F DC3 BY OMR ALCATEL
 G6S-2F DC5 BY OMR /ALCATEL
 G6S-2F-10 DC24
 G6S-2F-10-TR DC24
 G6S-2F-TR 12DC BY OMR
 G6S-2F-TR 24DC BY OMR
 G6S-2F-TR 3DC BY OMR
 G6S-2F-TR 4,5DC
 G6S-2F-TR 4.5DC BY OMR
 G6S-2F-TR 4.5DC BY OMR F/S
 G6S-2F-TR 48DC BY OMR
 G6S-2F-TR 4DC BY OMR
 G6S-2F-TR 5DC BY OMR
 G6S-2F-TR 6DC BY OMR
 G6S-2F-TR 9DC BY OMR
 G6S-2F-TR DC24 BY OMR EMA/KARE
 G6S-2F-TR DC24 BY OMR S/DANFOS
 G6S-2F-TR DC24 BY OMR SIEMENS
 G6S-2F-TR DC3 BY OMR /ALCATEL
 G6S-2F-TR DC3 BY OMR ERICSSON
 G6S-2F-TR DC4.5 BY OMR S/ERI
 G6S-2F-TR DC48 BY OMR ERICSSON
 G6S-2F-TR DC5 BY OMR EMA/ADAM
 G6S-2F-TR DC5 BY OMR EMA/ERIC

G6S-2F-TR DC5 BY OMR F/NOVATEC
G6S-2F-TR DC5 BY OMR S/DANFOSS
G6S-2F-TR10 4.5DC BY OMR
G6S-2F-TR2 12DC
G6S-2F-TR2 3DC
G6S-2F-TR2 48DC
G6S-2F-TR2 5DC
G6S-2F-TR-S DC4.5
G6S-2F-Y 12DC BY OMR
G6S-2F-Y 24DC BY OMR
G6S-2F-Y 3DC BY OMR
G6S-2F-Y 4.5DC BY OMR
G6S-2F-Y 5DC BY OMR
G6S-2F-Y 6DC BY OMR
G6S-2F-Y DC4.5 BY OMR EMA/EMPA
G6S-2F-Y-TR 12DC BY OMR
G6S-2F-Y-TR 24DC BY OMR
G6S-2F-Y-TR 3DC BY OMR
G6S-2F-Y-TR 4.5DC BY OMR
G6S-2F-Y-TR 5DC BY OMR
G6S-2F-Y-TR DC12 BY OMR EMA/RI
G6S-2G 12DC BY OMR
G6S-2G 24DC BY OMR
G6S-2G 3DC BY OMR
G6S-2G 4.5DC BY OMR
G6S-2G 48DC BY OMR
G6S-2G 4DC BY OMR
G6S-2G 5DC BY OMR
G6S-2G 6DC BY OMR
G6S-2G 9DC BY OMR
G6S-2G-10-TR DC24
G6S-2G-TR 12DC
G6S-2G-TR 12DC BY OMR
G6S-2G-TR 24DC BY OMR
G6S-2G-TR 3DC BY OMR
G6S-2G-TR 4,5DC
G6S-2G-TR 4.5DC BY OMR
G6S-2G-TR 48DC BY OMR
G6S-2G-TR 4DC BY OMR
G6S-2G-TR 5DC BY OMR
G6S-2G-TR 6DC BY OMR
G6S-2G-TR 9DC BY OMR
G6S-2G-TR2 4.5DC
G6S-2G-TR3 12DC
G6S-2G-TR3 4.5VDC
G6S-2G-TR-CS DC3 BY OMR
G6S-2G-TR-CS2 DC3 BY OMR
G6S-2G-Y 12DC
G6S-2G-Y 12DC BY OMR
G6S-2G-Y 24DC BY OMR
G6S-2G-Y 5DC BY OMR
G6S-2G-Y DC3 BY OMR

G6S-2G-Y DC4.5 BY OMR
G6S-2G-Y DC6 BY OMR
G6S-2G-Y-TR 12DC BY OMR
G6S-2G-Y-TR 24DC BY OMR
G6S-2G-Y-TR 5DC BY OMR
G6S2-UA-006004 4,5DC
G6S2-UA-006004 4.5DC OMR
G6S2-UA-006010 4,5DC
G6S2-UA-006010 4.5DC OMR
G6S-2-Y 12DC BY OMR
G6S-2-Y 24DC BY OMR
G6S-2-Y 3DC BY OMR
G6S-2-Y 4.5DC BY OMR
G6S-2-Y 5DC BY OMR
G6S-2-Y 6DC BY OMR
G6S-2-Y 9DC BY OMR
G6S-2-Y DC12 BY OMR EMA/FEK
G6S-2-Y DC24 BY OMR D/SIEMENS
G6S-2-Y DC3
G6S-2-Y DC3 BY OMR UK/MACKWELL
G6S-2-Y DC5 BY OMR FEK
G6S-2-Y DC5 BY OMR UK/MACKWELL
G6S-2-Y DC6 BY OMR I/SACCHI
G6S-2-Y DC9 BY OMR I/SACCHI
G6SK-2 12DC
G6SK-2 24DC
G6SK-2 3DC
G6SK-2 5DC
G6SK-2 9DC
G6SK-2 DC4.5
G6SK-2F 12DC
G6SK-2F 24DC
G6SK-2F 3DC
G6SK-2F 4.5DC
G6SK-2F 5DC
G6SK-2F 9DC
G6SK-2F-H DC12
G6SK-2F-H DC4.5
G6SK-2F-H DC5
G6SK-2F-H-TR 5DC
G6SK-2F-H-TR DC2.4
G6SK-2F-H-TR DC4.5
G6SK-2F-TR 24DC
G6SK-2F-TR 3DC
G6SK-2F-TR 4.5DC
G6SK-2F-TR 5DC
G6SK-2F-TR DC12
G6SK-2F-TR2 24DC
G6SK-2G 12DC
G6SK-2G 24DC
G6SK-2G 3DC
G6SK-2G 4.5DC

G6SK-2G 5DC
G6SK-2G-TR 12DC
G6SK-2G-TR 3DC
G6SK-2G-TR DC24
G6SK-2G-TR DC4.5
G6SK-2G-TR DC5
G6SK-2-H 5DC
G6SK-2-H DC3
G6SU-2 12DC
G6SU-2 24DC
G6SU-2 3DC
G6SU-2 4.5DC
G6SU-2 5DC
G6SU-2 DC9
G6SU-2F 12DC
G6SU-2F 24DC
G6SU-2F 3DC
G6SU-2F 4.5DC
G6SU-2F 5DC
G6SU-2F 9DC
G6SU-2F-TR 12DC
G6SU-2F-TR 3DC
G6SU-2F-TR 4.5DC
G6SU-2F-TR 5DC
G6SU-2F-TR DC24
G6SU-2F-Y 5DC
G6SU-2F-Y DC3
G6SU-2F-Y DC4.5
G6SU-2F-Y-TR 3DC
G6SU-2F-Y-TR DC4.5
G6SU-2G 12DC
G6SU-2G 24DC
G6SU-2G 5DC
G6SU-2G DC3
G6SU-2G DC4.5
G6SU-2G-TR DC12
G6SU-2G-TR DC24
G6SU-2G-TR DC3
G6SU-2G-TR DC4.5
G6SU-2G-TR DC5
G6W-1F 12DC
G6W-1F 24DC
G6W-1F 3DC
G6W-1F 4.5DC
G6W-1F 6DC
G6W-1F 9DC
G6W-1FE 12DC
G6W-1FE 24DC
G6W-1FE 3DC
G6W-1FE 4.5DC
G6W-1FE 6DC
G6W-1FE 9DC

G6W-1FE-R 12DC
G6W-1FE-R 24DC
G6W-1FE-R 3DC
G6W-1FE-R 4.5DC
G6W-1FE-R 6DC
G6W-1FE-R 9DC
G6W-1F-R 12DC
G6W-1F-R 24DC
G6W-1F-R 3DC
G6W-1F-R 4.5DC
G6W-1F-R 6DC
G6W-1F-R 9DC
G6W-1P 12DC
G6W-1P 24DC
G6W-1P 3DC
G6W-1P 4.5DC
G6W-1P 6DC
G6W-1P 9DC
G6W-1PE 12DC
G6W-1PE 24DC
G6W-1PE 3DC
G6W-1PE 4.5DC
G6W-1PE 6DC
G6W-1PE 9DC
G6W-1PE-R 12DC
G6W-1PE-R 24DC
G6W-1PE-R 3DC
G6W-1PE-R 4.5DC
G6W-1PE-R 6DC
G6W-1PE-R 9DC
G6W-1P-R 12DC
G6W-1P-R 24DC
G6W-1P-R 3DC
G6W-1P-R 4.5DC
G6W-1P-R 6DC
G6W-1P-R 9DC
G6WK-1F 12DC
G6WK-1F 24DC
G6WK-1F 3DC
G6WK-1F 4.5DC
G6WK-1F 6DC
G6WK-1F 9DC
G6WK-1FE 12DC
G6WK-1FE 24DC
G6WK-1FE 3DC
G6WK-1FE 4.5DC
G6WK-1FE 6DC
G6WK-1FE 9DC
G6WK-1P 12DC
G6WK-1P 24DC
G6WK-1P 3DC
G6WK-1P 4.5DC

G6WK-1P 6DC
G6WK-1P 9DC
G6WK-1PE 12DC
G6WK-1PE 24DC
G6WK-1PE 3DC
G6WK-1PE 4.5DC
G6WK-1PE 6DC
G6WK-1PE 9DC
G6WU-1F 12DC
G6WU-1F 24DC
G6WU-1F 3DC
G6WU-1F 4.5DC
G6WU-1F 6DC
G6WU-1F 9DC
G6WU-1FE 12DC
G6WU-1FE 24DC
G6WU-1FE 3DC
G6WU-1FE 4.5DC
G6WU-1FE 6DC
G6WU-1FE 9DC
G6WU-1P 12DC
G6WU-1P 24DC
G6WU-1P 3DC
G6WU-1P 4.5DC
G6WU-1P 6DC
G6WU-1P 9DC
G6WU-1PE 12DC
G6WU-1PE 24DC
G6WU-1PE 3DC
G6WU-1PE 4.5DC
G6WU-1PE 6DC
G6WU-1PE 9DC
G6Y-1 12DC BY OMZ
G6Y-1 12DC*
G6Y-1 24DC BY OMZ
G6Y-1 5DC BY OMZ
G6Y-1 9DC BY OMZ
G6Y-1 DC24
G6Y-1 DC4.5 BY OMZ
G6Z-1F DC12 BY OMZ
G6Z-1F DC24 BY OMZ
G6Z-1F DC3 BY OMZ
G6Z-1F DC4.5 BY OMZ
G6Z-1F DC5 BY OMZ
G6Z-1F DC9 BY OMZ
G6Z-1F-A DC12 BY OMZ
G6Z-1F-A DC24 BY OMZ
G6Z-1F-A DC3 BY OMZ
G6Z-1F-A DC4.5 BY OMZ
G6Z-1F-A DC5 BY OMZ
G6Z-1F-A DC9 BY OMZ
G6Z-1F-A-KA DC4.5 BY OMZ

G6Z-1F-AR DC12 BY OMZ
G6Z-1F-A-TR DC3 BY OMZ
G6Z-1F-A-TR DC4.5 BY OMZ
G6Z-1F-A-TR DC5 BY OMZ
G6Z-1F-A-TR DC9 BY OMZ
G6Z-1FE DC12 BY OMZ
G6Z-1FE DC24 BY OMZ
G6Z-1FE DC3 BY OMZ
G6Z-1FE DC4.5 BY OMZ
G6Z-1FE DC5 BY OMZ
G6Z-1FE-A DC12 BY OMZ
G6Z-1FE-A DC3 BY OMZ
G6Z-1FE-A DC4.5 BY OMZ
G6Z-1FE-A DC5 BY OMZ
G6Z-1FE-AR DC12 BY OMZ
G6Z-1FE-R DC12 BY OMZ
G6Z-1FE-TR DC12 BY OMZ
G6Z-1P DC12 BY OMZ
G6Z-1P DC24 BY OMZ
G6Z-1P DC3 BY OMZ
G6Z-1P DC4.5 BY OMZ
G6Z-1P DC5 BY OMZ
G6Z-1P DC9 BY OMZ
G6Z-1P-A DC12 BY OMZ
G6Z-1P-A DC24 BY OMZ
G6Z-1P-A DC3 BY OMZ
G6Z-1P-A DC4.5 BY OMZ
G6Z-1P-A DC5 BY OMZ
G6Z-1PE DC12 BY OMZ
G6Z-1PE DC24 BY OMZ
G6Z-1PE DC3 BY OMZ
G6Z-1PE DC4.5 BY OMZ
G6Z-1PE DC5 BY OMZ
G6Z-1PE DC9 BY OMZ
G6Z-1PE-A DC12 BY OMZ
G6Z-1PE-A DC24 BY OMZ
G6Z-1PE-A DC3 BY OMZ
G6Z-1PE-A DC4.5 BY OMZ
G6Z-1PE-A DC5 BY OMZ
G6Z-1PE-A DC9 BY OMZ
G6Z-1PE-AR DC12 BY OMZ
G6Z-1PE-AR DC24 BY OMZ
G6Z-1PE-AR DC3 BY OMZ
G6Z-1PE-AR DC4.5 BY OMZ
G6Z-1PE-AR DC5 BY OMZ
G6Z-1PE-AR DC9 BY OMZ
G6Z-1P-R DC12 BY OMZ
G6Z-1P-R DC24 BY OMZ
G6Z-1P-R DC3 BY OMZ
G6Z-1P-R DC4.5 BY OMZ
G6Z-1P-R DC5 BY OMZ
G6Z-1P-R DC9 BY OMZ

G6ZK-1F DC12 BY OMZ
G6ZK-1F DC24 BY OMZ
G6ZK-1F DC3 BY OMZ
G6ZK-1F DC4.5 BY OMZ
G6ZK-1F DC5 BY OMZ
G6ZK-1F-A DC12 BY OMZ
G6ZK-1F-A DC24 BY OMZ
G6ZK-1F-A DC3 BY OMZ
G6ZK-1F-A DC4.5 BY OMZ
G6ZK-1F-A DC5 BY OMZ
G6ZK-1F-A-TR DC4.5 BY OMZ
G6ZK-1FE DC12 BY OMZ
G6ZK-1FE DC3 BY OMZ
G6ZK-1FE DC4.5 BY OMZ
G6ZK-1FE DC5 BY OMZ
G6ZK-1FE-A DC12 BY OMZ
G6ZK-1FE-A DC24 BY OMZ
G6ZK-1FE-A DC3 BY OMZ
G6ZK-1FE-A DC4.5 BY OMZ
G6ZK-1FE-A DC5 BY OMZ
G6ZK-1FE-A DC9 BY OMZ
G6ZK-1FE-A-TR DC4.5 BY OMZ
G6ZK-1FE-TR DC3 BY OMZ
G6ZK-1FE-TR DC4.5 BY OMZ
G6ZK-1F-TR DC4.5 BY OMZ
G6ZK-1P DC12 BY OMZ
G6ZK-1P DC3 BY OMZ
G6ZK-1P DC4.5 BY OMZ
G6ZK-1P DC5 BY OMZ
G6ZK-1P-A DC12 BY OMZ
G6ZK-1P-A DC3 BY OMZ
G6ZK-1P-A DC4.5 BY OMZ
G6ZK-1P-A DC5 BY OMZ
G6ZK-1PE DC12 BY OMZ
G6ZK-1PE DC24 BY OMZ
G6ZK-1PE DC3 BY OMZ
G6ZK-1PE DC4.5 BY OMZ
G6ZK-1PE DC5 BY OMZ
G6ZK-1PE-A DC12 BY OMZ
G6ZK-1PE-A DC3 BY OMZ
G6ZK-1PE-A DC4.5 BY OMZ
G6ZK-1PE-A DC5 BY OMZ
G6ZU-1F DC12 BY OMZ
G6ZU-1F DC3 BY OMZ
G6ZU-1F DC4.5 BY OMZ
G6ZU-1F DC5 BY OMZ
G6ZU-1F-A DC12 BY OMZ
G6ZU-1F-A DC24 BY OMZ
G6ZU-1F-A DC3 BY OMZ
G6ZU-1F-A DC4.5 BY OMZ
G6ZU-1F-A DC5 BY OMZ
G6ZU-1FE DC12 BY OMZ

G6ZU-1FE DC3 BY OMZ
G6ZU-1FE DC4.5 BY OMZ
G6ZU-1FE DC5 BY OMZ
G6ZU-1FE-A DC12 BY OMZ
G6ZU-1FE-A DC3 BY OMZ
G6ZU-1FE-A DC4.5 BY OMZ
G6ZU-1FE-A DC5 BY OMZ
G6ZU-1FE-A DC9 BY OMZ
G6ZU-1P DC12 BY OMZ
G6ZU-1P DC3 BY OMZ
G6ZU-1P DC4.5 BY OMZ
G6ZU-1P DC5 BY OMZ
G6ZU-1P-A DC12 BY OMZ
G6ZU-1P-A DC3 BY OMZ
G6ZU-1P-A DC4.5 BY OMZ
G6ZU-1P-A DC5 BY OMZ
G6ZU-1PE DC12 BY OMZ
G6ZU-1PE DC3 BY OMZ
G6ZU-1PE DC4.5 BY OMZ
G6ZU-1PE DC5 BY OMZ
G6ZU-1PE-A DC12 BY OMZ
G6ZU-1PE-A DC3 BY OMZ
G6ZU-1PE-A DC4.5 BY OMZ
G6ZU-1PE-A DC5 BY OMZ
G700-CN050
G700-EID32 24DC
G700-EMD32 24DC
G700-EOD32 24DC
G700-TID04 24DC
G700-TOD04 24DC
G700-UID16 24DC
G700-UID16-1 24DC
G700-UMD16 24DC
G700-UOD16 24DC
G700-UOD16-1 24DC
G70A-ZIM16-5
G70A-ZOC16-3 DC24
G70A-ZOC16-4 DC24
G70D-ET
G70D-FOM16 24DC
G70D-FOM16-1 24DC
G70D-R6M11-B7A 24DC
G70D-R6M31-B7A 24DC
G70D-R6R11-B7A 24DC
G70D-R6R31-B7A 24DC
G70D-SOC08 DC24
G70D-SOC16 24DC
G70D-SOC16-1 24DC
G70D-VSOC16 DC24
G70R-SOC08 DC24
G71-IC16 24DC
G71-IC16-3

Relay output block base, NPN, 16 points

Relay output block base, PNP, 16 points (requires G2/3R relays)

Remote I/O

G71-ID16 24DC	
G71-OD16 24DC	Remote output interface for use with G7VC/G70A block
G71P-ID16-4	
G71P-OD16-4	
G72C-ID16 24DC	
G72C-ID16-1 24DC	Remote terminal, 16 x 24 VDC inputs PNP, flat type
G72C-OD16 24DC	
G72C-OD16-1 24DC	Remote output terminal, 16 point, PNP, 24 VDC
G72C-VID16 24DC	
G72C-VOD16 24DC	
G730-AOM08-B 24DC	
G730-RID04 DC24	
G730-RID04-B 24DC+	
G730-ROC04-A-B 24DC	
G730-ROC04-B 24DC	
G730-ROC08-B 24DC	
G730-ROC16-B 24DC	
G730-VID04-B 24DC	
G730-VID08-1-B 24DC	Remote terminal, 8x transistor inputs, PNP, 0.3 A, 24 VDC
G730-VID08-B 24DC	Remote terminal, 8x transistor inputs, NPN, 0.3 A, 24 VDC
G730-VID16 DC24	
G730-VID16-B 24DC	Remote terminal, 16x transistor inputs, NPN, 0.3 A, 24 VDC
G730-VOD04-B 24DC	
G730-VOD08-1-B 24DC	Remote terminal, 8x transistor outputs, PNP, 0.3 A, 24 VDC
G730-VOD08-B 24DC	Remote terminal, 8x transistor outputs, NPN, 0.3 A, 24 VDC
G730-VOD16-B 24DC	Remote terminal, 16x transistor outputs, NPN, 0.3 A, 24 VDC
G730-Y30	
G730-Y31	
G730-ZID04-B 5-24DC+	
G730-ZOM04-B 24DC	
G73Z-02Z	Auxiliary contact block, DPST-NC, for use with G7Z relay
G73Z-11Z	Auxiliary contact block, SPST-NO and SPST-NC, for use with G7Z relay
G73Z-20Z	Auxiliary contact block, DPST-NO, for use with G7Z relay
G77-S	
G78-04	
G78-16-E	
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base
G79-100C	Cable for 24 pin Fujitsu connector to 1 x G70A-ZOC16-3 / G70A-ZIM16-5, 1m
G79-150C	
G79-150C-125-100	Cable for 56 pin Fujitsu connector to 3 x G70A-ZOC16-3, 1.5m / 1.25m / 1m
G79-200C	Cable for 24 pin Fujitsu connector to 1 x G70A-ZOC16-3 / G70A-ZIM16-5, 2m
G79-200C-175-150	
G79-200C-175-ES1	
G79-200C-ES1	
G79-300C	
G79-300C-275-250	Cable for 56 pin Fujitsu connector to 3 x G70A-ZOC16-3, 3m / 2.75m / 2.5m
G79-300C-275-250-OE	
G79-500C	Cable for 24 pin Fujitsu connector to 1 x G70A-ZOC16-3 / G70A-ZIM16-5, 5m
G79-50C	
G79-A200C	
G79-I100C-75	
G79-I150C-100	

G79-I150C-125	
G79-I200C-175	
G79-I300C-275	
G79-I500C-475	
G79-I50C	
G79-O100C-75	Cable for 40 pin Fujitsu connector to 2 x G70A-ZOC16-3, 1m
G79-O150C-100	
G79-O150C-125	
G79-O200C-150	
G79-O200C-150-MN	
G79-O200C-175	Cable for 40 pin Fujitsu connector to 2 x G70A-ZOC16-3, 2m
G79-O300C-275	
G79-O500C-475	Cable for 40 pin Fujitsu connector to 2 x G70A-ZOC16-3, 5m
G79-O50C	Cable for 20 pin MIL connector to XW2*-20G* or 1 x G70A-ZOC16-3, 0.5m
G79-O75-50-D1	Cable for 40 pin MIL connector to 2 x G70A-ZOC16-3, 1m
G79-Y100C	
G79-Y150C	
G79-Y200C	Control system
G79-Y500C	
G7D-412S AC110	
G7HN-1A-C 12DC	
G7HN-1A-C 18DC	
G7HN-1A-C 24DC	
G7HN-1B 48DC	
G7HN-1B DC12	
G7J-2A2B-B 100/120AC	
G7J-2A2B-B 200/240AC	Power relay, W-bracket mounting, DPST-NO/DPST-NC, 25A, 200/240VAC
G7J-2A2B-B DC12	
G7J-2A2B-B DC24	Power relay, W-bracket mounting, DPST-NO/DPST-NC, 25A, 24VDC
G7J-2A2B-P 100/120AC	
G7J-2A2B-P 12DC	
G7J-2A2B-P 200/240AC	
G7J-2A2B-P 24AC	
G7J-2A2B-P 24DC	
G7J-2A2B-P 50AC	
G7J-2A2B-PZ-2B 24DC	
G7J-2A2B-T 12DC	
G7J-2A2B-T 200/240AC	
G7J-2A2B-T DC24	
G7J-3A1B-B 12DC	
G7J-3A1B-B 200/240AC	
G7J-3A1B-B 24DC	Power relay, W-bracket mounting, 3PST-NO/SPST-NC, 25 A, 24VDC
G7J-3A1B-B AC100/120	
G7J-3A1B-BZ 24DC	
G7J-3A1B-P 12DC	
G7J-3A1B-P 200/240AC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 200/240 VAC
G7J-3A1B-P 24AC	
G7J-3A1B-P 24DC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC
G7J-3A1B-P 50AC	
G7J-3A1B-P AC100/120	
G7J-3A1B-PZ 24DC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC
G7J-3A1B-T 200/240AC	Power relay, quick connect, 3PST-NO/SPST-NC, 25 A, 220/240 VAC

G7J-3A1B-T 24DC	
G7J-3A1B-T AC100/120	
G7J-3A1B-T AC24	Power relay, quick connect, 3PST-NO/SPST-NC, 25 A, 24 VAC
G7J-3A1B-T DC12	
G7J-4A-B AC200/240	
G7J-4A-B DC12	Power relay, W-bracket mounting, 4PST-NO, 25 A, 12 VDC
G7J-4A-B DC24	Power relay, W-bracket mounting, 4PST-NO, 25 A, 24 VDC
G7J-4A-P 12DC	
G7J-4A-P 200/240AC	Power relay, PCB mounting, 4PST-NO, 25 A, 200/240 VAC
G7J-4A-P 24AC	
G7J-4A-P 24DC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC
G7J-4A-P 48DC	
G7J-4A-P AC100/120	
G7J-4A-P-PH 24DC	
G7J-4A-PZ 24DC	
G7J-4A-PZ AC200/240	
G7J-4A-T 12DC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 12 VDC
G7J-4A-T 200/240AC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC
G7J-4A-T 24DC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC
G7J-4A-T AC100/120	
G7J-4A-T-KM 24DC	
G7K-412S DC125	
G7L-1A-B 100/120AC	
G7L-1A-B 12DC	
G7L-1A-B 200/240AC	
G7L-1A-B 24AC	
G7L-1A-B 48DC	
G7L-1A-B AC100/120 BY OMI	
G7L-1A-B AC12	
G7L-1A-B AC200/240 BY OMI	
G7L-1A-B DC100	
G7L-1A-B DC12 BY OMI	
G7L-1A-B DC24 BY OMI	
G7L-1A-B DC6	
G7L-1A-BJ 12DC	
G7L-1A-BJ 200-240AC	
G7L-1A-BJ 24DC	
G7L-1A-BJ AC100/120	
G7L-1A-BJ AC24	
G7L-1A-BUB 100/120AC	
G7L-1A-BUB 12DC	
G7L-1A-BUB 24AC	
G7L-1A-BUB AC200/240 BY OMI	
G7L-1A-BUB DC100	
G7L-1A-BUB DC12 BY OMI	
G7L-1A-BUB DC48	
G7L-1A-BUB DC48 BY OMI	
G7L-1A-BUB DC6	
G7L-1A-BUBJ 100/120AC	
G7L-1A-BUBJ AC200/240	
G7L-1A-BUBJ AC200/240 BY OMI	
G7L-1A-BUBJ AC24	

G7L-1A-BUBJ DC12
 G7L-1A-BUBJ DC24
 G7L-1A-BUBJ DC48
 G7L-1A-BUBJ DC6
 G7L-1A-BUBJ-CB DC12 BY OMI
 G7L-1A-P 100/120AC
 G7L-1A-P 100DC
 G7L-1A-P 12AC
 G7L-1A-P 12DC
 G7L-1A-P 200/240AC
 G7L-1A-P 24AC
 G7L-1A-P 24DC
 G7L-1A-P 48DC
 G7L-1A-P 50AC
 G7L-1A-P 6DC
 G7L-1A-P-01-CB 24DC
 G7L-1A-P-80-CB AC200/240 BY OM
 G7L-1A-P-80-CB DC12 BY OMI
 G7L-1A-P-80-CB DC24 BY OMI
 G7L-1A-T 100/120AC
 G7L-1A-T 12DC
 G7L-1A-T 200/240AC
 G7L-1A-T 24AC
 G7L-1A-T 24DC
 G7L-1A-T 48DC
 G7L-1A-T 50AC
 G7L-1A-T 6DC
 G7L-1A-T AC12 BY OMI
 G7L-1A-T DC100 BY OMI
 G7L-1A-T-80-CB AC100/120 BY OM
 G7L-1A-TJ AC100/120 BY OMI
 G7L-1A-TJ AC12 BY OMI
 G7L-1A-TJ AC200/240 BY OMI
 G7L-1A-TJ AC24 BY OMI
 G7L-1A-TJ AC50 BY OMI
 G7L-1A-TJ DC100 BY OMI
 G7L-1A-TJ DC12 BY OMI
 G7L-1A-TJ DC24 BY OMI
 G7L-1A-TJ DC48 BY OMI
 G7L-1A-TJ DC6 BY OMI
 G7L-1A-TJ-80-CB AC200/240 BY O
 G7L-1A-TJ-80-CB DC12 BY OMI
 G7L-1A-TJ-80-CB DC24 BY OMI
 G7L-1A-TUB 100/120AC
 G7L-1A-TUB 12DC
 G7L-1A-TUB 200/240AC
 G7L-1A-TUB 24AC OMI
 G7L-1A-TUB 24DC
 G7L-1A-TUB 48DC BY OMI
 G7L-1A-TUB 6DC
 G7L-1A-TUB AC12 BY OMI
 G7L-1A-TUB AC50 BY OMI

Power relay, quick-connect terminals, SPST-NO, 30 A, 100/120 VAC

Power relay, quick-connect terminals, SPST-NO, 30 A, 12 VDC

Power relay, quick-connect terminals, SPST-NO, 30 A, 200/240 VAC

Power relay, quick-connect terminals, SPST-NO, 30 A, 24 VAC

Power relay, quick-connect terminals, SPST-NO, 30 A, 24 VDC

Power relay, quick-connect terminals, upper mounting bracket, SPST-NO, 30 A, 100/

Power relay, quick-connect terminals, upper mounting bracket, SPST-NO, 30 A, 200/

Power relay, quick-connect terminals, upper mounting bracket, SPST-NO, 30 A, 24 V

G7L-1A-TUB DC100 BY OMI
 G7L-1A-TUB-80-CB AC100/120 BY
 G7L-1A-TUB-80-CB AC200/240 BY
 G7L-1A-TUB-80-CB AC24 BY OMI
 G7L-1A-TUB-80-CB DC24 BY OMI
 G7L-1A-TUB-CB 200/240AC BY OMI
 G7L-1A-TUB-CB AC100/120 BY OMI
 G7L-1A-TUB-CB DC12 BY OMI
 G7L-1A-TUBJ 12DC
 G7L-1A-TUBJ 200/240AC
 G7L-1A-TUBJ 24AC
 G7L-1A-TUBJ AC100/120 BY OMI
 G7L-1A-TUBJ AC12 BY OMI
 G7L-1A-TUBJ AC50 BY OMI
 G7L-1A-TUBJ DC100 BY OMI
 G7L-1A-TUBJ DC24 BY OMI
 G7L-1A-TUBJ DC48 BY OMI
 G7L-1A-TUBJ DC6 BY OMI
 G7L-1A-TUBJ-80-CB AC100/120 BY
 G7L-1A-TUBJ-80-CB AC200/240 BY
 G7L-1A-TUBJ-80-CB DC12 BY OMI
 G7L-1A-TUBJ-80-CB DC24 BY OMI
 G7L-1A-TUBJ-CB AC100/120 BY OM
 G7L-2A-B 100/120AC
 G7L-2A-B 48DC
 G7L-2A-B AC200/240 BY OMI
 G7L-2A-B AC24 BY OMI
 G7L-2A-B DC100
 G7L-2A-B DC24 BY OMI
 G7L-2A-BJ 100/120AC
 G7L-2A-BJ 24DC
 G7L-2A-BJ AC100/120 BY OMI
 G7L-2A-BJ AC200/240 BY OMI
 G7L-2A-BJ AC24
 G7L-2A-BJ DC100
 G7L-2A-BJ DC48
 G7L-2A-BJ-CB DC12
 G7L-2A-BUB 100/120AC
 G7L-2A-BUB 12AC
 G7L-2A-BUB 12DC
 G7L-2A-BUB 48DC
 G7L-2A-BUB AC200/240 BY OMI
 G7L-2A-BUB AC24 BY OMI
 G7L-2A-BUB DC100
 G7L-2A-BUB DC12 BY OMI
 G7L-2A-BUB DC24 BY OMI
 G7L-2A-BUB DC6
 G7L-2A-BUB DC6 BY OMI
 G7L-2A-BUB-CB DC12
 G7L-2A-BUB-CB DC18 BY OMI
 G7L-2A-BUB-CB DC24 BY OMI
 G7L-2A-BUBJ 12DC

Power relay, screw terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC

G7L-2A-BUBJ AC100/120	
G7L-2A-BUBJ AC200/240 BY OMI	
G7L-2A-BUBJ AC24	
G7L-2A-BUBJ AC24 BY OMI	
G7L-2A-BUBJ DC12 BY OMI	
G7L-2A-BUBJ DC24 BY OMI	
G7L-2A-BUBJ DC48	
G7L-2A-BUBJ-CB 200/240AC	
G7L-2A-BUBJ-CB AC200/240 BY OM	
G7L-2A-BUBJ-CB AC24 BY OMI	
G7L-2A-BUBJ-CB DC12	
G7L-2A-P 100/120AC	
G7L-2A-P 100DC BY OMI	
G7L-2A-P 110/124AC	
G7L-2A-P 12AC	
G7L-2A-P 12DC	
G7L-2A-P 200/240AC	Power relay, PCB mounting, DPST-NO, 25 A, 200/240 VAC
G7L-2A-P 24AC	
G7L-2A-P 24DC	Power relay, PCB mounting, DPST-NO, 25 A, 24 VDC
G7L-2A-P 48DC	Power relay, PCB mounting, DPST-NO, 25 A, 48 VDC
G7L-2A-P 50AC	
G7L-2A-P 6DC	
G7L-2A-P-80-CB 100/120AC BY OM	
G7L-2A-P-80-CB 200/240AC BY OM	
G7L-2A-P-80-CB AC24 BY OMI	
G7L-2A-P-80-CB DC12 BY OMI	
G7L-2A-P-80-CB DC24 BY OMI	
G7L-2A-P-CB 100/120AC BY OMI	
G7L-2A-P-CB 24DC	
G7L-2A-P-CB AC24 BY OMI	
G7L-2A-P-CB DC12 BY OMI	
G7L-2A-T 100/120AC	Power relay, quick-connect terminals, DPST-NO, 25 A, 100/120 VAC
G7L-2A-T 12DC	Power relay, quick-connect terminals, DPST-NO, 25 A, 12 VDC
G7L-2A-T 200/240AC	Power relay, quick-connect terminals, DPST-NO, 25 A, 200/240 VAC
G7L-2A-T 24AC	Power relay, quick-connect terminals, DPST-NO, 25 A, 24 VAC
G7L-2A-T 24DC	Power relay, quick-connect terminals, DPST-NO, 25 A, 24 VDC
G7L-2A-T 48DC	
G7L-2A-T 50AC	
G7L-2A-T AC12 BY OMI	
G7L-2A-T DC100 BY OMI	
G7L-2A-T DC6 BY OMI	
G7L-2A-TJ 100/120AC	
G7L-2A-TJ 200/240AC	
G7L-2A-TJ 24AC	
G7L-2A-TJ 24AC BY OMI	
G7L-2A-TJ 24DC	
G7L-2A-TJ AC12 BY OMI	
G7L-2A-TJ AC50 BY OMI	
G7L-2A-TJ DC100 BY OMI	
G7L-2A-TJ DC12 BY OMI	
G7L-2A-TJ DC48 BY OMI	
G7L-2A-TJ DC6 BY OMI	

G7L-2A-TJ-80-CB AC100/120 BY O	
G7L-2A-TJ-80-CB AC200/240 BY O	
G7L-2A-TJ-80-CB AC24 BY OMI	
G7L-2A-TJ-80-CB DC12 BY OMI	
G7L-2A-TJ-80-CB DC24 BY OMI	
G7L-2A-TJ-CB 100/120AC	
G7L-2A-TJ-CB 24DC	
G7L-2A-TJ-CB DC24 BY OMI	
G7L-2A-TJ-CB DC48 BY OMI	
G7L-2A-TUB 100/120AC	
G7L-2A-TUB 12DC	
G7L-2A-TUB 200/240AC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC
G7L-2A-TUB 24AC	
G7L-2A-TUB 24DC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 24 VDC
G7L-2A-TUB 48DC	
G7L-2A-TUB AC12 BY OMI	
G7L-2A-TUB AC50 BY OMI	
G7L-2A-TUB DC100 BY OMI	
G7L-2A-TUB DC48 BY OMI	
G7L-2A-TUB DC6 BY OMI	
G7L-2A-TUB-55 AC200/240 BY OMI	
G7L-2A-TUB-80-CB 200/240AC	Relay
G7L-2A-TUB-80-CB AC100/120 BY	
G7L-2A-TUB-80-CB DC24 BY OMI	
G7L-2A-TUB-CB 100/120AC	
G7L-2A-TUB-CB 200/240AC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC
G7L-2A-TUB-CB 24AC BY OMI	
G7L-2A-TUB-CB 24DC	
G7L-2A-TUB-CB 24DC+ JPN	
G7L-2A-TUBJ 100/120AC	
G7L-2A-TUBJ 200/240AC	
G7L-2A-TUBJ 24AC	
G7L-2A-TUBJ 48DC	
G7L-2A-TUBJ AC12 BY OMI	
G7L-2A-TUBJ AC50 BY OMI	
G7L-2A-TUBJ DC100 BY OMI	
G7L-2A-TUBJ DC12 BY OMI	
G7L-2A-TUBJ DC24 BY OMI	
G7L-2A-TUBJ DC48 BY OMI	
G7L-2A-TUBJ DC6 BY OMI	
G7L-2A-TUBJ-80 24DC	
G7L-2A-TUBJ-80 24DC+ JPN	
G7L-2A-TUBJ-80 AC200/240 BY OM	
G7L-2A-TUBJ-80-CB 24DC	
G7L-2A-TUBJ-80-CB AC100/120 BY	
G7L-2A-TUBJ-80-CB AC200/240 BY	
G7L-2A-TUBJ-80-CB AC24 BY OMI	
G7L-2A-TUBJ-80-CB DC12 BY OMI	
G7L-2A-TUBJ-CB 18DC	
G7L-2A-TUBJ-CB 200/240AC	Power relay, quick-connect terminals, upper bracket, test button, DPST-NO, 25 A, 200/240 VAC
G7L-2A-TUBJ-CB 24AC BY OMI	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 24 VAC
G7L-2A-TUBJ-CB 24DC	

G7L-UA-006015	
G7S-3A3B 24DC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts
G7S-3A3B-E DC24	
G7S-4A2B 24DC	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts
G7S-4A2B-E DC24	
G7SA-2A2B 24DC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 24 VDC
G7SA-2A2B DC12	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC
G7SA-2A2B DC18	
G7SA-2A2B DC21	
G7SA-2A2B DC48	
G7SA-3A1B 24DC	Safety relay, plug-in, 3PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 24 VDC
G7SA-3A1B DC12	Safety relay, plug-in, 3PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC
G7SA-3A1B DC21	
G7SA-3A1B DC48	
G7SA-3A3B 24DC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 24 VDC
G7SA-3A3B DC12	
G7SA-3A3B DC21	
G7SA-3A3B DC48	
G7SA-4A2B 24DC	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts, 24 VDC
G7SA-4A2B DC12	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC
G7SA-4A2B DC18	
G7SA-4A2B DC21	
G7SA-4A2B DC48	
G7SA-5A1B 24DC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 24 VDC
G7SA-5A1B DC12	
G7SA-5A1B DC21	
G7SA-5A1B DC48	
G7SB-2A2B DC12	
G7SB-2A2B DC18	
G7SB-2A2B DC21	
G7SB-2A2B DC24	
G7SB-2A2B-OCB DC12	
G7SB-2A2B-OCB DC18	
G7SB-3A1B DC12	
G7SB-3A1B DC18	
G7SB-3A1B DC21	
G7SB-3A1B DC24	
G7SB-3A1B-OCB DC12	
G7SB-3A1B-OCB DC18	
G7SB-3A1B-OCB DC24	
G7SB-4A2B DC12	
G7SB-4A2B DC18	
G7SB-4A2B DC21	
G7SB-4A2B DC24	
G7SB-4A2B-OCB DC12	
G7SB-4A2B-OCB DC18	
G7SB-5A1B DC12	
G7SB-5A1B DC18	
G7SB-5A1B DC21	
G7SB-5A1B DC24	
G7SB-5A1B-OCB DC12	
G7SB-5A1B-OCB DC18	

G7T-1012S DC12	
G7T-1012S DC24	
G7T-1112S AC200/220	
G7T-1112S DC12+	
G7T-1112S DC24	Slim style I/O relay, SPST-NO, 5 A, 24 VDC
G7T-1122S AC100/110	
G7T-1122S AC110/120	
G7T-1122S AC200/220	
G7T-1122S DC24	Slim style I/O relay, SPST-NO, 1 A, 24 VDC
G7T-112S AC100/110	
G7T-112S DC12	
G7T-112S DC24	
G7TC-IA16 100/110AC	
G7TC-IA16 200/220AC	
G7TC-IA16 220/240AC	
G7TC-ID16 12DC	
G7TC-ID16 24DC	I/O Block, 16 point input type, NPN, 24 VDC
G7TC-OC08 12DC	
G7TC-OC08 24DC	
G7TC-OC08-1 24DC	
G7TC-OC16 12DC	
G7TC-OC16 DC24	I/O Block, 16 point output type, NPN 24 VDC
G7TC-OC16-1 24VDC	
G7VC-OC16 24DC	
G7VC-OC16-1 24DC	
G7VC-OC16-B7	
G7VC-OD16 24DC	
G7X-4BP-JD 100/110DC	
G7X-4BP-JD 12DC	
G7X-4BP-JD 24DC	
G7X-4BP-JD 48DC	
G7Z-2A2B-02Z DC12	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.,
G7Z-2A2B-02Z DC24	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.,
G7Z-2A2B-11Z DC12	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC aux.,
G7Z-2A2B-11Z DC24	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC aux.,
G7Z-2A2B-20Z DC12	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.,
G7Z-2A2B-20Z DC24	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.,
G7Z-3A1B-02Z DC12	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.,
G7Z-3A1B-02Z DC24	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.,
G7Z-3A1B-11Z DC12	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC aux.,
G7Z-3A1B-11Z DC24	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC aux.,
G7Z-3A1B-20Z DC12	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,
G7Z-3A1B-20Z DC24	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,
G7Z-4A-02Z DC12	Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.,
G7Z-4A-02Z DC24	Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.,
G7Z-4A-11Z DC12	Power relays, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC aux.,
G7Z-4A-11Z DC24	Power relays, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC aux.,
G7Z-4A-20Z DC12	Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.,
G7Z-4A-20Z DC24	Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.,
G8H-1A7T-R DC12 R100	
G8H-1C4T-R 12DC	
G8HN-1A2T-DJ-SK DC12	

G8HN-1A2T-RH-SK DC12
 G8HN-1A2T-RJ-SK DC12
 G8HN-1A2T-RJ-SK DC24
 G8HN-1A4T-RJ-SK DC24
 G8HN-1C2T-DJ-SK DC12
 G8HN-1C2T-RJ-SK DC12
 G8HN-1C4T-RH-JB DC12
 G8JN-1C6T-F-R-DC12
 G8JN-1C7TD 12DC
 G8JN-1C7T-MF-R-DC12
 G8JN-1C7TR 12DC
 G8JN-1C7TR 12DC
 G8JR 1A7 TD 12DC
 G8JR-1A5TR 12DC
 G8JR-1A7TR 12DC
 G8MS-1A24T-R 12DC
 G8MS-1A25T-Z 12DC
 G8N-1 12DC SK
 G8N-1 DC12 GYO SK
 G8N-17HR DC12 SK K
 G8N-17UR DC12 SK K
 G8N-1F DC12 SK
 G8N-1H 12DC SI
 G8N-1L DC12 SK
 G8N-1S 12DC SI
 G8N-1S 12DC SK
 G8N-1U 12DC SK
 G8ND-2 12DC SK
 G8ND-27UR DC12 SK
 G8ND-2S 12DC SI
 G8ND-2U 12DC SK
 G8ND-2UK 12DC SK
 G8NW-2 12DC SK
 G8NW-27SR DC12 SK
 G8NW-27UR DC12 SK2
 G8NW-2H 12DC SI
 G8NW-2H DC12 SK
 G8NW-2L DC12 SK
 G8NW-2S 12DC SI
 G8NW-2U 12DC SK
 G8NW-2UR DC12 SK
 G8P-1A2P DC12 BY OMZ
 G8P-1A2P DC24 BY OMZ
 G8P-1A2P DC48 BY OMZ
 G8P-1A2P-FD DC24 BY OMI
 G8P-1A2T-F DC12 BY OMZ
 G8P-1A2T-F DC24 BY OMZ
 G8P-1A2T-F DC48 BY OMZ
 G8P-1A2T-F DC5 BY OMZ
 G8P-1A4P 110DC BY OMI
 G8P-1A4P DC110 BY OMZ
 G8P-1A4P DC12 BY OMZ

PCB Relay

Special purpose automotive plug in relay, 70 A
 Special purpose automotive plug in relay, 70 A

G8P-1A4P DC15 BY OMZ
 G8P-1A4P DC18 BY OMZ
 G8P-1A4P DC24 BY OMZ
 G8P-1A4P DC48 BY OMZ
 G8P-1A4P DC5 BY OMZ
 G8P-1A4P DC9 BY OMZ
 G8P-1A4P-ACD DC12 BY OMI
 G8P-1A4P-ACD DC18 BY OMI
 G8P-1A4P-FD 12DC BY OMI
 G8P-1A4P-LAE DC12 BY OMZ
 G8P-1A4P-VD DC12 BY OMZ
 G8P-1A4TP DC110 BY OMZ
 G8P-1A4TP DC12 BY OMZ
 G8P-1A4TP DC24 BY OMZ
 G8P-1A4TP DC5 BY OMZ
 G8P-1AP 12DC BY OMI
 G8P-1AP DC12 BY OMZ
 G8P-1AP DC24 BY OMZ
 G8P-1AP-P DC24 BY OMZ
 G8P-1ATP DC110 BY OMZ
 G8P-1ATP DC12 BY OMZ
 G8P-1ATP DC24 BY OMZ
 G8P-1C2P DC12 BY OMZ
 G8P-1C2P DC24 BY OMZ
 G8P-1C2T-F DC12 BY OMZ
 G8P-1C2T-F DC24 BY OMZ
 G8P-1C2T-F DC5 BY OMZ
 G8P-1C4P DC110 BY OMZ
 G8P-1C4P DC12 BY OMZ
 G8P-1C4P DC24 BY OMZ
 G8P-1C4P DC48 BY OMZ
 G8P-1C4P DC5 BY OMZ
 G8P-1C4P DC9 BY OMZ
 G8P-1C4TP DC12 BY OMZ
 G8P-1C4TP DC24 BY OMZ
 G8P-1C4TP DC48 BY OMZ
 G8P-1C4TP DC5 BY OMZ
 G8P-1C4TP DC9 BY OMZ
 G8P-1CP DC12 BY OMZ
 G8P-1CP DC24 BY OMZ
 G8P-1CP DC48 BY OMZ
 G8PA-1B4 12DC
 G8PE-1A4 DC12 SI
 G8PE-1A4 DC12 SK
 G8PE-1A4-Z DC12 SI
 G8PE-1C4 DC12 SI
 G8PE-1C4 DC12 SK
 G8PE-1C4-Z DC12 SI
 G8QN-1C4 12DC
 G8SE-1A4-L-SK DC12V
 G8V-1A7T-R-12DC
 G8V-1C7TR 12DC

G8VL-1A4T-R-L-B DC12

G9B-06 100AC

Stepping relay unit, 6-pole NO, 2 A

G9B-06 200AC

G9B-06 24DC

Stepping relay unit, 6-pole NO, 2 A

G9B-12 100AC

G9B-12 200AC

G9B-12 24DC

Stepping relay unit, 12-pole NO, 2 A

G9EA-1 DC100

G9EA-1 DC12

G9EA-1 DC24

G9EA-1 DC48

G9EA-1 DC60

G9EA-1-B 100DC

G9EA-1-B 12DC

G9EA-1-B 24DC

G9EA-1-B 48DC

G9EA-1-B 60DC

G9EA-1-B-CA DC100

G9EA-1-B-CA DC12

G9EA-1-B-CA DC24

G9EA-1-B-CA DC48

G9EA-1-B-CA DC60

G9EA-1-CA DC100

G9EA-1-CA DC12

G9EA-1-CA DC24

G9EA-1-CA DC48

G9EA-1-CA DC60

G9EB-1-B DC100

G9EB-1-B DC12

G9EB-1-B DC24

G9EB-1-B DC48

G9EB-1-B DC60

G9EC-1 DC100

G9EC-1 DC12

G9EC-1 DC24

G9EC-1 DC48

G9EC-1 DC60

G9EC-1-B DC100

G9EC-1-B DC12

G9EC-1-B DC24

G9EC-1-B DC48

G9EC-1-B DC60

G9H-205S 12DC

G9H-205S 24DC

G9H-205S 5DC

G9H-210S 12DC

G9H-210S 24DC

G9H-210S 5DC

G9S-2001 24DC

Safety relay unit, DPST-NO, 5 A, single channel input

G9S-2002 24DC

Safety relay unit, DPST-NO, 5 A, 2 channel input

G9S-301 100AC

G9S-301 120AC

Safety relay unit, 3PST-NO, 3 A, 120 VAC

G9S-301 200AC	Safety relay unit, 3PST-NO, 3 A, 200 VAC
G9S-301 240AC	Safety relay unit, 3PST-NO, 3 A, 240 VAC
G9S-301 24AC	Safety relay unit, 3PST-NO, 3 A, 24 VAC
G9S-301 24DC	Safety relay unit, 3PST-NO, 3 A, 24 VDC
G9S-321-T01 100AC	
G9S-321-T01 120AC	
G9S-321-T01 240AC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 1s, 240 VAC
G9S-321-T01 24AC	
G9S-321-T01 24DC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 1s, 24 VDC
G9S-321-T01 AC200	
G9S-321-T03 DC24	
G9S-321-T10 100AC	
G9S-321-T10 120AC	
G9S-321-T10 240AC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 10s, 240 VAC
G9S-321-T10 24AC	
G9S-321-T10 24DC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 10s, 24 VDC
G9S-321-T10 AC200	
G9S-321-T30 100AC	
G9S-321-T30 120AC	
G9S-321-T30 240AC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 30s, 240 VAC
G9S-321-T30 24AC	
G9S-321-T30 24DC	Safety relay unit, 3PST-NO, 3 A, off-delay DPST-NO, 30s, 24 VDC
G9S-321-T30 AC200	
G9S-501 120AC	Safety relay unit, 5PST-NO, 3 A, 120 VAC
G9S-501 240AC	Safety relay unit, 5PST-NO, 3 A, 240 VAC
G9S-501 24AC	
G9S-501 24DC	Safety relay unit, 5PST-NO, 3 A, 24 VDC
G9S-501 AC100	
G9S-501 AC200	
G9SA-300-SC 24DC	Safety relay unit (sensor connection type) 3PST-NO (Category 4) 5 A, dedicated E-stop
G9SA-301 24AC/DC	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input
G9SA-301 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input
G9SA-301-P DC24	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input
G9SA-321-T075 24AC/DC	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'C'
G9SA-321-T075 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'C'
G9SA-321-T15 24AC/DC	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF'
G9SA-321-T15 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF'
G9SA-321-T30 24AC/DC	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF'
G9SA-321-T30 AC100-240	
G9SA-501 24AC/DC	Safety relay unit, 5PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input
G9SA-501 AC100-240	Safety relay unit, 5PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input
G9SA-EX031-T075	Expansion unit for G9SA, 3PST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, SPST-NC aux
G9SA-EX031-T15	Expansion unit for G9SA, 3PST-NO 1 to 15sec 'OFF-delay' category 3 outputs, SPST-NC aux
G9SA-EX031-T30	Expansion unit for G9SA, 3PST-NO 2 to 30sec 'OFF-delay' category 3 outputs, SPST-NC aux
G9SA-EX301	Expansion unit for G9SA, 3PST-NO (Category 4) 5 A, SPST-NC aux
G9SA-TH301 24AC/DC	Two-hand controller, 3PST-NO (Category 4) 5 A, SPST-NC aux, 2 channel input
G9SA-TH301 AC100-240	Two-hand controller, 3PST-NO (Category 4) 5 A, SPST-NC aux, 2 channel input
G9SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4) 5 A, 2 channel input, auto-reset
G9SB-2002-C AC/DC24	Safety relay unit, DPST-NO (Category 4) 5 A, 2 channel input, manual-reset
G9SB-200-B AC/DC24	Safety relay unit, DIN17.5mm, DPST-NO (Category 4) 5 A, 1 or 2 channel input, auto-reset
G9SB-200-D AC/DC24	Safety relay unit, DIN17.5mm, DPST-NO (Category 4) 5 A, 1 or 2 channel input, manual-reset
G9SB-3010 DC24	Safety relay unit, DIN17.5mm, 3PST-NO (Category 3) 5 A, SPST-NC aux, direct break

G9SB-3012-A AC/DC24	Safety relay unit, 3PST-NO (Category 4) 5 A, 2 channel input, auto-reset
G9SB-3012-C AC/DC24	Safety relay unit, 3PST-NO (Category 4) 5 A, 2 channel input, manual-reset
G9SB-301-B AC/DC24	Safety relay unit, DIN22.5mm, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel
G9SB-301-D AC/DC24	Safety relay unit, DIN22.5mm, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel
G9SX-AD322-T150-RC DC24	
G9SX-AD322-T150-RT DC24	Flexible safety unit, advanced unit, 3 outputs (instantaneous), 2 outputs (OFF-delay)
G9SX-AD322-T15-RC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1A), 2 x NO o
G9SX-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1A), 2 x NO o
G9SX-ADA222-T150-RC DC24	
G9SX-ADA222-T150-RT DC24	Flexible safety unit, advanced unit, 2 outputs (instantaneous), 2 outputs (OFF-delay)
G9SX-ADA222-T15-RC DC24	Flexible safety unit, advanced unit, 2 outputs (instantaneous), 2 outputs (OFF-delay)
G9SX-ADA222-T15-RT DC24	Flexible safety unit, advanced unit, 2 outputs (instantaneous), 2 outputs (OFF-delay)
G9SX-BC202-RC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AN
G9SX-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AN
G9SX-EX041-T-RC DC24	Expansion unit (to be used with Advanced unit), 4PST-NO off delay relay outputs (3 .
G9SX-EX041-T-RT DC24	Expansion unit (to be used with Advanced unit), 4PST-NO off delay relay outputs (3 .
G9SX-EX401-RC DC24	Expansion unit (to be used with Advanced unit), 4PST-NO relay outputs (3 A), 1 x NC
G9SX-EX401-RT DC24	Expansion unit (to be used with Advanced unit), 4PST-NO relay outputs (3 A), 1 x NC
G9SX-GS226-T15-RC DC24	
G9SX-GS226-T15-RT DC24	
G9SX-LM224-F10-RC	
G9SX-LM224-F10-RT	
G9SX-NS202-RC DC24	
G9SX-NS202-RT DC24	
G9SX-NSA222-T03-RC DC24	
G9SX-NSA222-T03-RT DC24	
G9SX-SM032-RC	
G9SX-SM032-RT	
G9YA-12S-35 DC12	
G9YA-12S-45 DC12	
G9YA-12S-45 DC28	
G9YA-12S-45 DC4.5	
G9YAK-12S-35-N DC12	
G9YAK-12S-45-CD DC12	
G9YAK-12S-45-CD DC24	
G9YAT-12S-35 DC12	
G9YAT-12S-35-CN DC12	
G9YAT-12S-35-N DC12	
G9YAT-12S-35-ND DC12	
G9YAT-12S-35-PN DC12	
G9YAT-12S-45 DC12	
G9YAT-12S-45-P DC12	
G9YAT-12S-45-PN DC24	
GCN1-004A	
GCN1-010	
GCN1-030	
GCN1-100	Multiple I/O unit connecting cable, 1m
GCN1-MX005A	
GCN1-MX010A	
GCN2-100	SmartSlice turn-back cable (1m)
G-Kab CO.KZ	
GLS-1	

GLS-1 (Q)	
GLS-M1	
GLS-S1	
GRT1-AD2	SmartSlice 2 points analogue input, 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA,
GRT1-BT1-5	Set of 5 SmartSlice I/O connectors (12-points, screwless)
GRT1-CP1-L	SmartSlice 1 channel positioning unit, 100kHz 24 VDC PNP inputs (A/B/Z) / RS-422 li
GRT1-CRT	SmartSlice CompoNet Coupler
GRT1-CT1	SmartSlice 1 channel high speed counter unit, 60kHz 24 VDC NPN inputs (A/B/Z), 1 x
GRT1-CT1-1	SmartSlice 1 channel high speed counter unit, 60kHz 24 VDC PNP inputs (A/B/Z), 1 x
GRT1-DA2C	SmartSlice 2 points analog output, 0 to 20mA, 4 to 20mA, 1:6000 resolution
GRT1-DA2V	SmartSlice 2 points analog output, 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 1:6000 resol
GRT1-DRT	SmartSlice communication adapter for DeviceNet, connects up to 64 slice I/O units
GRT1-DRT V2 TEMP	SmartSlice communication adapter for DeviceNet, connects up to 64 slice I/O units
GRT1-END	SmartSlice end plate
GRT1-END-M	SmartSlice end plate for ProfiNet
GRT1-IA4-1	SmartSlice 4 points AC digital input 110V
GRT1-IA4-2	SmartSlice 4 points AC digital input 230V
GRT1-ID4	SmartSlice 4 points digital input NPN
GRT1-ID4-1	SmartSlice 4 points digital input PNP
GRT1-ID8	SmartSlice 8 points digital input NPN
GRT1-ID8-1	SmartSlice 8 points digital input PNP
GRT1-ML2	SmartSlice communication adaptor for Mechatrolink II, connects up to 64 slice I/O u
GRT1-OD4	SmartSlice 4 points digital output NPN, 0.5 A
GRT1-OD4-1	SmartSlice 4 points digital output PNP, 0.5 A
GRT1-OD4G-1	SmartSlice 4 points digital output PNP with overcurrent and short-circuit protection,
GRT1-OD4G-3	SmartSlice 4 points digital output PNP with overcurrent and short-circuit protection,
GRT1-OD8	SmartSlice 8 points digital output NPN, 0.5 A
GRT1-OD8-1	SmartSlice 8 points digital output PNP, 0.5 A
GRT1-OD8G-1	SmartSlice 8 points digital output PNP with overcurrent and short-circuit protection,
GRT1-PC8	SmartSlice I/O power connection module, 8 x V and 4 x G terminals
GRT1-PC8-1	SmartSlice I/O power connection module, 4 x V and 8 x G terminals
GRT1-PD2	SmartSlice I/O power feed module, 24 VDC input
GRT1-PD2G	SmartSlice I/O power feed module with electronic overload protection, 24 VDC input
GRT1-PD8	SmartSlice I/O power feed module, 24 VDC input, 8 x V and 4 x G terminals
GRT1-PD8-1	SmartSlice I/O power feed module, 24 VDC input, 4 x V and 8 x G terminals
GRT1-PNT	SmartSlice ProfiNet Coupler
GRT1-PRT NL	SmartSlice communication adapter for Profibus-DPV1, connects up to 64 slice I/O u
GRT1-ROS2	SmartSlice 2 points Relay output, 250 VAC/24 VDC, 2A
GRT1-ROS2-301	
GRT1-TBL	SmartSlice left-side turn-back unit
GRT1-TBR	SmartSlice right-side turn-back unit
GRT1-TS2P	SmartSlice 2 points temperature input, Pt100
GRT1-TS2PK	SmartSlice 2 points temperature input, Pt1000
GRT1-TS2T	SmartSlice 2 points temperature input, Thermocouple
GSM-SWRD-V1	
GT1-AD04	Multiple I/O analogue input terminal, 4x 0/4-20mA/ 0/1-5V/-10-+10V inputs
GT1-AD08MX	Multiple I/O analogue input terminal, 8x 0/4-20mA/ 0/1-5V/-10-+10V inputs (requires N
GT1-CT01	Multiple I/O high-speed counter terminal, 1x 50kHz, 24 VDC encoder input
GT1-DA04	Multiple I/O analogue output terminal, 4x 4-20mA/ 0/1-5V/-10-+10V outputs
GT1-DA04MX	Multiple I/O analogue output terminal, 4x 0/1-5V/-10-+10V outputs (requires Molex co
GT1-ID16	Multiple I/O remote terminal, 16x 24 VDC inputs, NPN
GT1-ID16-1	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP

GT1-ID16CST	
GT1-ID16CST-1	
GT1-ID16DS	
GT1-ID16DS-1	
GT1-ID16ML	
GT1-ID16ML-1	
GT1-ID16MX	
GT1-ID16MX-1	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP (requires Molex connectors)
GT1-ID32ML	Multiple I/O remote terminal, 32x 24 VDC inputs, NPN (requires C500-CE401 connect
GT1-ID32ML-1	Multiple I/O remote terminal, 32x 24 VDC inputs, PNP (requires C500-CE401 connect
GT1-OD16	Multiple I/O remote terminal, 16x transistor outputs, NPN, 0.5A, 24 VDC
GT1-OD16-1	Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC
GT1-OD16CST	
GT1-OD16CST-1	
GT1-OD16DS	
GT1-OD16DS-1	
GT1-OD16ML	
GT1-OD16ML-1	
GT1-OD16MX	
GT1-OD16MX-1	Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC (requires Mo
GT1-OD32ML	Multiple I/O remote terminal, 32x transistor outputs, NPN, 0.5A, 24 VDC (requires C5
GT1-OD32ML-1	Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5A, 24 VDC (requires C5
GT1-ROP08	Multiple I/O remote terminal, 8x relay outputs, 5A
GT1-ROS16	Multiple I/O remote terminal, 16x relay outputs, 2A
GT1-TS04P	
GT1-TS04T	Multiple I/O temperature input terminal, 4x thermocouple (R, S, K, J, T, L, or B)
GWY-00B	
GWY-100-LON	
GWY-S7	Gateway unit, converts 3rd-party protocols to Omron NT-Link 1:N
H2C 220AC A	
H2C-8-A 110AC	
H2C-8-A 120AC	
H2C-8-A 220AC	
H2C-8-B 110AC	
H2C-8-B 120AC	
H2C-8-B 220AC	
H2C-8-B 24AC	
H2C-8-C 110AC	
H2C-8-C 220AC	
H2C-8R-A 110AC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, SPDT, 6 A
H2C-8R-A 240AC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, SPDT, 6 A
H2C-8RA 24AC	
H2C-8RB 220AC	
H2C-8R-C 110AC	
H2C-8R-C 220AC	
H2C-8R-C 230AC	
H2C-A 240AC	
H2C-B 240AC	
H2C-B 24AC	
H2C-C 200/220AC	
H2C-C 220AC 12S	
H2C-F-C 100/110AC	

H2C-FRSB 220AC	
H2C-FSA 110AC	
H2C-FSA 220AC	
H2C-FSA 24AC	
H2C-FSB 110AC	
H2C-FSC 220AC	
H2C-RS-30B 24AC	
H2C-RSA 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, DPDT (inc. inst.), 6
H2C-RSA 220AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, DPDT (inc. inst.), 6
H2C-RSA 240AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, DPDT (inc. inst.), 6
H2C-RSA 24AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 1.25s-30h, DPDT (inc. inst.), 6
H2C-RSB 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-RSB 220AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-RSB 240AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-RSB 24AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-RSC 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.5s-12h, DPDT (inc. inst.), 6 A
H2C-RSC 220AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), off-delay, 0.5s-12h, DPDT (inc. inst.), 6 A
H2C-RSC 24AC	
H2C-SA 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 1.25s-30h, DPDT (inc. inst.), 6 .
H2C-SA 220AC	
H2C-SA 240AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 1.25s-30h, DPDT (inc. inst.), 6 .
H2C-SA 24AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 1.25s-30h, DPDT (inc. inst.), 6 .
H2C-SA 48AC	
H2C-SB 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-SB 220AC	
H2C-SB 240AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-SB 24AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.2s-6h, DPDT (inc. inst.), 6 A
H2C-SB 48AC	
H2C-SC 110AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.5s-12h, DPDT (inc. inst.), 6 A
H2C-SC 220AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.5s-12h, DPDT (inc. inst.), 6 A
H2C-SC 24AC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), on-delay, 0.5s-12h, DPDT (inc. inst.), 6 A
H2C-SC 48AC	
H2F-D 240AC	
H2F-DC 200-240AC	
H2F-DC AC100/110/120	
H2F-DF 220AC	
H2F-DFC 100/110/120AC	
H2F-DFC 200/220/240AC	
H2F-DM AC100-240	
H2F-DMC 100-240AC	
H2F-DMFC 100-240AC	
H2F-WMC 100-240AC	
H2F-WMFC 100-240AC	
H3AM-NS-A AC100-240	
H3AM-NS-A-300 100-240AC	Timer, panel mounting, on-delay, 0.5s-30h, DPDT (inc. inst.), 5 A, self-resetting
H3AM-NS-B-300 100-240AC	Timer, panel mounting, on-delay, 1s-60h, DPDT (inc. inst.), 5 A self-resetting
H3AM-NS-C AC100-240	
H3AM-NS-C-300 100-240AC	Timer, panel mounting, on-delay, 0.2s-12h, DPDT (inc. inst.), 5 A self-resetting
H3AM-NSR-A AC100-240	
H3AM-NSR-A-300 100-240AC	Timer, panel mounting, on-delay, 0.5s-30h, DPDT (inc. inst.), 5 A, electric-resetting
H3AM-NSR-B AC100-240	
H3AM-NSR-B-300 100-240AC	Timer, panel mounting, on-delay, 1s-60h, DPDT (inc. inst.), 5 A electric-resetting

H3AM-NSR-C AC100-240	
H3AM-NSR-C-300 100-240AC	Timer, panel mounting, on-delay, 0.2s-12h, DPDT (inc. inst.), 5 A electric-resetting
H3CA-8 100/110/120AC	
H3CA-8 AC100/110/120 DIN	
H3CA-8 AC200/220/240 DIN	
H3CA-8 DC24 DIN	
H3CA-8H AC100/110/120 DIN	
H3CA-8H AC200/220/240 DIN	
H3CA-8H DC110	
H3CA-8H-306 AC200/220/240	
H3CA-A	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, multifun
H3CA-A-306	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, multifun
H3CA-A-306 DIN	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, multifun
H3CA-FA DIN	
H3CA-FA-306	
H3CA-FA-306 DIN	
H3CR-A AC100-240 50/60HZ	
H3CR-A AC100-240/DC100-125	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), multifunction, 0.05s-300h, DPDT, 5 A
H3CR-A AC24/DC24+	
H3CR-A AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), multifunction, 0.05s-300h, DPDT, 5 A
H3CR-A-300 AC100-240/DC100-125	
H3CR-A-300 AC24-48/DC12-48	
H3CR-A-301 AC100-240/DC100-125	
H3CR-A-301 AC24-48/DC12-48	
H3CR-A-302 DC24	
H3CR-A8 AC100-240/DC100-125	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A
H3CR-A8 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A
H3CR-A8 DC/AC24 50/60HZ*	
H3CR-A8-301 AC100-240/DC100-125	
H3CR-A8-301 AC24-48/DC12-48	
H3CR-A8-302 DC24	
H3CR-A8E AC/DC24-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A
H3CR-A8E AC100-240/DC100-125	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A
H3CR-A8S AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A
H3CR-AP AC100-240/DC100-125	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A
H3CR-F AC/DC24	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F AC100-240	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F DC12	
H3CR-F DC48-125	
H3CR-F-300 AC/DC24	
H3CR-F-300 AC100-240	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 1.2s-300h, DPDT, 5 A
H3CR-F-300 DC12	
H3CR-F8 AC/DC24	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F8 AC100-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F8 DC12	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F8 DC48-125	Timer
H3CR-F8-300 AC/DC24	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 1.2s-300h, DPDT, 5 A
H3CR-F8-300 AC100-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 1.2s-300h, DPDT, 5 A
H3CR-F8-300 DC12	
H3CR-F8-300 DC48-125	

H3CR-F8N AC/DC24	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F8N AC100-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-F8N DC12	
H3CR-F8N DC48-125	
H3CR-F8N-300 AC/DC24	
H3CR-F8N-300 AC100-240	
H3CR-F8N-300 DC12	
H3CR-F8N-300 DC48-125	
H3CR-FN AC/DC24	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-FN AC100-240	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), twin on & off-delay, 0.05s-30h, DPDT, 5 A
H3CR-FN DC12	
H3CR-FN DC48-125	
H3CR-FN-300 AC/DC24	
H3CR-FN-300 AC100-240	
H3CR-FN-300 DC12	
H3CR-G8EL AC100-120	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO insta
H3CR-G8EL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A,
H3CR-G8L AC100-120	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A,
H3CR-G8L AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-H8L AC/DC24 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A
H3CR-H8L AC/DC24 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A
H3CR-H8L AC100-120 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-H8L AC100-120 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A
H3CR-H8L AC200-240 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-H8L AC200-240 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A
H3CR-H8L DC100-125 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-H8L DC100-125 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A
H3CR-H8L DC48 M	
H3CR-H8L DC48 S	
H3CR-H8RL AC/DC24 M	
H3CR-H8RL AC/DC24 S	
H3CR-H8RL AC100-120 M	
H3CR-H8RL AC100-120 S	
H3CR-H8RL AC200-240 M	
H3CR-H8RL AC200-240 S	
H3CR-H8RL DC100-125 M	
H3CR-H8RL DC100-125 S	
H3CR-H8RL DC48 M	
H3CR-H8RL DC48 S	
H3CR-HRL AC/DC24 M	
H3CR-HRL AC/DC24 S	
H3CR-HRL AC100-120 M	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-HRL AC100-120 S	
H3CR-HRL AC200-240 M	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A
H3CR-HRL AC200-240 S	
H3CR-HRL DC100-125 M	
H3CR-HRL DC100-125 S	
H3CR-HRL DC48 M	
H3CR-HRL DC48 S	
H3DE-F AC/DC24-230	Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 24-230 V
H3DE-G AC/DC24-230	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 24-230 VAC/D
H3DE-H AC/DC24 L	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC

H3DE-H AC/DC24 S	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC
H3DE-H AC/DC48 L	
H3DE-H AC/DC48 S	
H3DE-H AC100-120 L	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 100-120 VAC
H3DE-H AC100-120 S	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC
H3DE-H AC200-230 L	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC
H3DE-H AC200-230 S	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-230 VAC
H3DE-M1 AC/DC24-230	Timer, DIN rail mounting, 22.5mm, multifunction, 0.1s-120h, SPDT, 5 A, 24-230 VAC/L
H3DE-M2 AC/DC24-230	Timer, DIN rail mounting, 22.5mm, multifunction, 0.1s-120h, DPDT (inc. inst.), 5 A, 24
H3DE-M2 DC12	Timer, DIN rail mounting, 22.5mm, multifunction, 0.1s-120h, DPDT (inc. inst.), 5 A, 12
H3DE-S1 AC/DC24-230	Timer, DIN rail mounting, 22.5mm, on/flicker-on/interval/one-shot-delay, 0.1s-120h, S
H3DE-S2 AC/DC24-230	Timer, DIN rail mounting, 22.5mm, on/flicker-on/interval/one-shot-delay, 0.1s-120h, D
H3DG AC200/220/240 6/60S BYOTE	
H3DH AC100/110/120 60S BY OTE	
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, on-delay, 0.1s-120h, SPD1
H3DS-ALC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, on-delay, 0.1s-120h, SPD1
H3DS-FL	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1s-1
H3DS-FLC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1s-1
H3DS-GL	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, star-delta-delay, 1-120s, D
H3DS-GLC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, star-delta-delay, 1-120s, D
H3DS-ML AC/DC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, multifunction, 0.1s-120h, :
H3DS-MLC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, multifunction, 0.1s-120h, :
H3DS-SL AC/DC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, on/flicker-on/interval/one-
H3DS-SLC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/24-48 VDC, on/flicker-on/interval/one-
H3DS-XL	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/VDC, on-delay, 0.1s-120h, SCR output
H3DS-XLC	Timer, DIN rail mounting, 17.5mm, 24-230 VAC/VDC, on-delay, 0.1s-120h, SCR output
H3FA-A 12DC	
H3FA-A 24DC	Solid state timer, DIP model for PCB mounting, 1s to 10m
H3FA-A 5DC	
H3FA-A 6DC	
H3FA-AU 12DC	
H3FA-AU 24DC	
H3FA-AU 5DC	
H3FA-AU 6DC	
H3FA-B 12DC	
H3FA-B 24DC	Solid state timer, DIP model for PCB mounting, 6s to 60m
H3FA-B 6DC	
H3FA-BU 12DC	
H3FA-BU 24DC	
H3FA-SA 12/24DC	
H3FA-SA 5/6DC	
H3FA-SAU 12/24DC	Solid state timer, DIP model for PCB mounting, 1s to 10m
H3FA-SB 12/24DC	
H3FA-SB 5/6DC	
H3FA-SBU 12/24DC	
H3JA-8A AC100-120 10M	
H3JA-8A AC100-120 10S	
H3JA-8A AC100-120 1S	
H3JA-8A AC100-120 30M	
H3JA-8A AC100-120 30S	
H3JA-8A AC100-120 3H	
H3JA-8A AC100-120 3M	

H3JA-8A AC100-120 3S
H3JA-8A AC100-120 5M
H3JA-8A AC100-120 5S
H3JA-8A AC100-120 60M
H3JA-8A AC100-120 60S
H3JA-8A AC200-240 10M
H3JA-8A AC200-240 10S
H3JA-8A AC200-240 1S
H3JA-8A AC200-240 30M
H3JA-8A AC200-240 30S
H3JA-8A AC200-240 3H
H3JA-8A AC200-240 3M
H3JA-8A AC200-240 3S
H3JA-8A AC200-240 5M
H3JA-8A AC200-240 5S
H3JA-8A AC200-240 60M
H3JA-8A AC200-240 60S
H3JA-8A AC24 10M
H3JA-8A AC24 10S
H3JA-8A AC24 1S
H3JA-8A AC24 30M
H3JA-8A AC24 30S
H3JA-8A AC24 3H
H3JA-8A AC24 3M
H3JA-8A AC24 3S
H3JA-8A AC24 5M
H3JA-8A AC24 5S
H3JA-8A AC24 60M
H3JA-8A AC24 60S
H3JA-8A DC12 10M
H3JA-8A DC12 10S
H3JA-8A DC12 1S
H3JA-8A DC12 30M
H3JA-8A DC12 30S
H3JA-8A DC12 3H
H3JA-8A DC12 3M
H3JA-8A DC12 3S
H3JA-8A DC12 5M
H3JA-8A DC12 5S
H3JA-8A DC12 60M
H3JA-8A DC12 60S
H3JA-8A DC24 10M
H3JA-8A DC24 10S
H3JA-8A DC24 1S
H3JA-8A DC24 30M
H3JA-8A DC24 30S
H3JA-8A DC24 3H
H3JA-8A DC24 3M
H3JA-8A DC24 3S
H3JA-8A DC24 5M
H3JA-8A DC24 5S
H3JA-8A DC24 60M

H3JA-8A DC24 60S
H3JA-8C AC100-120 10M
H3JA-8C AC100-120 10S
H3JA-8C AC100-120 1S
H3JA-8C AC100-120 30M
H3JA-8C AC100-120 30S
H3JA-8C AC100-120 3H
H3JA-8C AC100-120 3M
H3JA-8C AC100-120 3S
H3JA-8C AC100-120 5M
H3JA-8C AC100-120 5S
H3JA-8C AC100-120 60M
H3JA-8C AC100-120 60S
H3JA-8C AC200-240 10M
H3JA-8C AC200-240 10S
H3JA-8C AC200-240 1S
H3JA-8C AC200-240 30M
H3JA-8C AC200-240 30S
H3JA-8C AC200-240 3H
H3JA-8C AC200-240 3M
H3JA-8C AC200-240 3S
H3JA-8C AC200-240 5M
H3JA-8C AC200-240 5S
H3JA-8C AC200-240 60M
H3JA-8C AC200-240 60S
H3JA-8C AC24 10M
H3JA-8C AC24 10S
H3JA-8C AC24 1S
H3JA-8C AC24 30M
H3JA-8C AC24 30S
H3JA-8C AC24 3H
H3JA-8C AC24 3M
H3JA-8C AC24 3S
H3JA-8C AC24 5M
H3JA-8C AC24 5S
H3JA-8C AC24 60M
H3JA-8C AC24 60S
H3JA-8C DC24 10M
H3JA-8C DC24 10S
H3JA-8C DC24 1S
H3JA-8C DC24 30M
H3JA-8C DC24 30S
H3JA-8C DC24 3H
H3JA-8C DC24 3M
H3JA-8C DC24 3S
H3JA-8C DC24 5M
H3JA-8C DC24 5S
H3JA-8C DC24 60M
H3JA-8C DC24 60S
H3M 100/110/120AC E
H3M-A 110AC.
H3M-A 110DC

H3M-A 220AC
H3M-A 24DC
H3M-B 110AC
H3M-B 110DC
H3M-B 200/220/240AC
H3M-B 24AC
H3M-B 24DC
H3M-B 48DC
H3M-C 100/110/120AC
H3M-C 12DC
H3M-C 200/220/240AC
H3M-C 24DC
H3M-C 48DC
H3M-D 100/110/120AC
H3M-D 110DC
H3M-D 12DC
H3M-D 200/220/240AC
H3M-D 24DC
H3M-E 12DC
H3M-E 200/220/240AC
H3M-E 24DC
H3M-H AC100/110/120 E
H3M-H-C 100/110AC
H3M-H-C 220AC
H3RN-1 12DC
H3RN-1 24AC
H3RN-1 24DC
H3RN-11 12DC
H3RN-11 24AC
H3RN-11 24DC
H3RN-2 12DC
H3RN-2 24AC
H3RN-2 24DC
H3RN-21 12DC
H3RN-21 24AC
H3RN-21 24DC
H3Y-2 AC100-120 0.5S
H3Y-2 AC100-120 10M
H3Y-2 AC100-120 10S
H3Y-2 AC100-120 120S
H3Y-2 AC100-120 1S
H3Y-2 AC100-120 30M
H3Y-2 AC100-120 30S
H3Y-2 AC100-120 3H
H3Y-2 AC100-120 3M
H3Y-2 AC100-120 5M
H3Y-2 AC100-120 5S
H3Y-2 AC100-120 60M
H3Y-2 AC100-120 60S
H3Y-2 AC200-230 0.5S
H3Y-2 AC200-230 10M
H3Y-2 AC200-230 10S

Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 12 VDC
 Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 24 VAC
 Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 24 VDC
 Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 12 VDC
 Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 24 VAC
 Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 24 VDC
 Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPST-NO, 3 A, 12 VDC
 Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPST-NO, 3 A, 24 VAC
 Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPST-NO, 3 A, 24 VDC
 Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPST-NO, 3 A, 12 VDC
 Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPST-NO, 3 A, 24 VAC
 Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPST-NO, 3 A, 24 VDC

 Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 100-120 VAC Supply, 0.5 - 10 Minutes
 Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 100-120 VAC Supply, 0.5 - 10 Seconds

H3Y-2 AC200-230 120S
H3Y-2 AC200-230 1S
H3Y-2 AC200-230 30M
H3Y-2 AC200-230 30S
H3Y-2 AC200-230 3H
H3Y-2 AC200-230 3M
H3Y-2 AC200-230 5M
H3Y-2 AC200-230 5S
H3Y-2 AC200-230 60M
H3Y-2 AC200-230 60S
H3Y-2 AC220 10M
H3Y-2 AC24 0.5S
H3Y-2 AC24 10M
H3Y-2 AC24 10S
H3Y-2 AC24 120S
H3Y-2 AC24 1S
H3Y-2 AC24 30M
H3Y-2 AC24 30S
H3Y-2 AC24 3H
H3Y-2 AC24 3M
H3Y-2 AC24 5M
H3Y-2 AC24 5S
H3Y-2 AC24 60M
H3Y-2 AC24 60S
H3Y-2 AC24 60S
H3Y-2 DC100-110 0.5S
H3Y-2 DC100-110 10M
H3Y-2 DC100-110 10S
H3Y-2 DC100-110 120S
H3Y-2 DC100-110 1S
H3Y-2 DC100-110 30M
H3Y-2 DC100-110 30S
H3Y-2 DC100-110 3H
H3Y-2 DC100-110 3M
H3Y-2 DC100-110 5M
H3Y-2 DC100-110 5S
H3Y-2 DC100-110 60M
H3Y-2 DC100-110 60S
H3Y-2 DC110 5S
H3Y-2 DC12 0.5S
H3Y-2 DC12 10M
H3Y-2 DC12 10S
H3Y-2 DC12 120S
H3Y-2 DC12 1S
H3Y-2 DC12 30M
H3Y-2 DC12 30S
H3Y-2 DC12 3H
H3Y-2 DC12 3M
H3Y-2 DC12 5M
H3Y-2 DC12 5S
H3Y-2 DC12 60M
H3Y-2 DC12 60S

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.1 - 30 Minutes

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.1 - 30 Seconds

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.1 - 5 Seconds

H3Y-2 DC125 0.5S

H3Y-2 DC125 10S

H3Y-2 DC24 0.5S

H3Y-2 DC24 10M

H3Y-2 DC24 10S

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VDC Supply, 0.5 - 10 Seconds

H3Y-2 DC24 120S

H3Y-2 DC24 1S

H3Y-2 DC24 30M

H3Y-2 DC24 30S

H3Y-2 DC24 3H

H3Y-2 DC24 3M

H3Y-2 DC24 5M

H3Y-2 DC24 5S

H3Y-2 DC24 60M

Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 1 - 60 Seconds

H3Y-2 DC24 60S

H3Y-2 DC48 0.5S

H3Y-2 DC48 10M

H3Y-2 DC48 10S

H3Y-2 DC48 120S

H3Y-2 DC48 30M

H3Y-2 DC48 30S

H3Y-2 DC48 3H

H3Y-2 DC48 3M

H3Y-2 DC48 60S

H3Y-2-0 DC12 5S

H3Y-2-0 DC24 10S

H3Y-2-0 DC24 1S

H3Y-2-0 DC24 5S

H3Y-4 AC100-120 0.5S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.5 - 10 Minutes

H3Y-4 AC100-120 10M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.5 - 10 Seconds

H3Y-4 AC100-120 10S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 5 - 120 Seconds

H3Y-4 AC100-120 120S

H3Y-4 AC100-120 1S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.1 - 1 Seconds

H3Y-4 AC100-120 30M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 1 - 30 Minutes

H3Y-4 AC100-120 30S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 1 - 30 Seconds

H3Y-4 AC100-120 3H

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.1 - 3 Hours

H3Y-4 AC100-120 3M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.1 - 3 Minutes

H3Y-4 AC100-120 5M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 0.2 - 5 Seconds

H3Y-4 AC100-120 5S

H3Y-4 AC100-120 60M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 100-120 VAC Supply, 2 - 60 Seconds

H3Y-4 AC100-120 60S

H3Y-4 AC200-230 0.5S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.5 - 10 Minutes

H3Y-4 AC200-230 10M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.5 - 10 Seconds

H3Y-4 AC200-230 10S

H3Y-4 AC200-230 120S

H3Y-4 AC200-230 1S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 1 - 30 Minutes

H3Y-4 AC200-230 30M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 1 - 30 Seconds

H3Y-4 AC200-230 30S

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.1 - 3 Hours

H3Y-4 AC200-230 3H

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.1 - 3 Minutes

H3Y-4 AC200-230 3M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.2 - 5 Minutes

H3Y-4 AC200-230 5M

Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 0.2 - 5 Seconds

H3Y-4 AC200-230 5S

OMRON Industrial

H3Y-4 AC200-230 60M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 2 - 60 Minutes
H3Y-4 AC200-230 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 200-230 VAC Supply, 2 - 60 Seconds
H3Y-4 AC24 10M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.5 - 10 Minutes
H3Y-4 AC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds
H3Y-4 AC24 120S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 5 - 120 Seconds
H3Y-4 AC24 1S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.1 - 1 Seconds
H3Y-4 AC24 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 1 - 30 Minutes
H3Y-4 AC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 1 - 30 Seconds
H3Y-4 AC24 3H	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.1 - 3 Hours
H3Y-4 AC24 3M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.1 - 3 Minutes
H3Y-4 AC24 5M	
H3Y-4 AC24 5S	
H3Y-4 AC24 60M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 2 - 60 Minutes
H3Y-4 AC24 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 2 - 60 Seconds
H3Y-4 AC240 120S	
H3Y-4 DC100-110 0.5S	
H3Y-4 DC100-110 10M	
H3Y-4 DC100-110 10S	
H3Y-4 DC100-110 120S	
H3Y-4 DC100-110 1S	
H3Y-4 DC100-110 30M	
H3Y-4 DC100-110 30S	
H3Y-4 DC100-110 3H	
H3Y-4 DC100-110 3M	
H3Y-4 DC100-110 5M	
H3Y-4 DC100-110 5S	
H3Y-4 DC100-110 60M	
H3Y-4 DC100-110 60S	
H3Y-4 DC12 10M	
H3Y-4 DC12 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 0.5 - 10 Seconds
H3Y-4 DC12 120S	
H3Y-4 DC12 1S	
H3Y-4 DC12 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 1 - 30 Minutes
H3Y-4 DC12 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 1 - 30 Seconds
H3Y-4 DC12 3H	
H3Y-4 DC12 3M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 0.1 - 3 Minutes
H3Y-4 DC12 5M	
H3Y-4 DC12 5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 0.2 - 5 Seconds
H3Y-4 DC12 60M	
H3Y-4 DC12 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 12 VDC Supply, 2 - 60 Seconds
H3Y-4 DC24 0.5S	
H3Y-4 DC24 10M	
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 0.5 - 10 Seconds
H3Y-4 DC24 120S	
H3Y-4 DC24 1S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 0.1 - 1 Seconds
H3Y-4 DC24 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 1 - 30 Minutes
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 1 - 30 Seconds
H3Y-4 DC24 3H	
H3Y-4 DC24 3M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 0.1 - 3 Minutes
H3Y-4 DC24 5M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 0.2 - 5 Minutes
H3Y-4 DC24 5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 0.2 - 5 Seconds
H3Y-4 DC24 60M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 2 - 60 Minutes

H3Y-4 DC24 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VDC Supply, 2 - 60 Seconds
H3Y-4 DC48 10S	
H3Y-4 DC48 120S	
H3Y-4 DC48 30S	
H3Y-4 DC48 5M	
H3Y-4 DC48 5S	
H3Y-4-0 DC24 5S	
H3YN-2 AC100-120	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 100-120 VAC Supply
H3YN-2 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 200-230 VAC Supply
H3YN-2 AC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VAC Supply
H3YN-2 DC100-110	
H3YN-2 DC12	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 12 VDC Supply
H3YN-2 DC125	
H3YN-2 DC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VDC Supply
H3YN-2 DC48	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 48 VDC Supply
H3YN-21 AC100-120	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 100-120 VAC Supply
H3YN-21 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 200-230 VAC Supply
H3YN-21 AC24	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 24 VAC Supply
H3YN-21 DC100-110	
H3YN-21 DC12	Timer, plug-in, 8-pin, multifunction, 0.1m-10m, DPDT, 5 A, 12 VDC Supply
H3YN-21 DC125	
H3YN-21 DC24	Timer, plug-in, 8-pin, multifunction, 0.1m-10m, DPDT, 5 A, 24 VDC Supply
H3YN-21 DC48	
H3YN-4 AC100-120	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 100-120 VAC Supply
H3YN-4 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 200-230 VAC Supply
H3YN-4 AC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 24 VAC Supply
H3YN-4 DC100-110	
H3YN-4 DC12	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 12 VDC Supply
H3YN-4 DC125	
H3YN-4 DC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 24 VDC Supply
H3YN-4 DC48	
H3YN-41 AC100-120	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 100-120 VAC Supply
H3YN-41 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 200-230 VAC Supply
H3YN-41 AC24	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 24 VAC Supply
H3YN-41 DC100-110	
H3YN-41 DC12	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 12 VDC Supply
H3YN-41 DC125	
H3YN-41 DC24	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 24 VDC Supply
H3YN-41 DC48	
H3YN-41-Z DC24	
H3YN-4-Z DC24	
H3Y-S DC24 0.5S	
H3Y-S DC24 10S	
H3Y-S DC24 30S	
H3Y-S DC24 5S	
H5CN-XAN AC100-240	
H5CN-XAN DC12-48	
H5CN-XANM AC100-240	
H5CN-XANS AC100-240	
H5CN-XANS DC12-48	
H5CN-XBN AC100-240	
H5CN-XBN DC12-48	

H5CN-XBNM AC100-240
H5CN-XBNM DC24
H5CN-XCN AC100-240
H5CN-XCN DC12-48
H5CN-XCNM AC100-240
H5CN-XCNM DC24
H5CN-XDN AC100-240
H5CN-XDN DC12-48
H5CN-XDNM AC100-240
H5CN-XDNM DC24
H5CN-XZNS AC100-240
H5CN-XZNS DC12-48
H5CN-YAN AC100-240
H5CN-YAN DC12-48
H5CN-YBN AC100-240
H5CN-YBN DC12-48
H5CN-YCN AC100-240
H5CN-YCN DC12-48
H5CN-YDN AC100-240
H5CN-YDN DC12-48
H5CX-A11D-N
H5CX-A11-N
H5CX-A11SD-N
H5CX-A11S-N
H5CX-AD-N
H5CX-A-N
H5CX-ASD-N
H5CX-AS-N
H5CX-BWSD-N
H5CX-L8D-N
H5CX-L8ED-N
H5CX-L8E-N
H5CX-L8-N
H5CX-L8SD-N
H5CX-L8S-N
H5F-B
H5F-FB
H5F-KB
H5L-A
H5S-WB2
H5S-WB2D
H5S-WFA2
H5S-WFB2
H5S-WFB2D
H7BX-A
H7BX-AD1
H7BX-AW
H7BX-AWD1
H7CX-A114D1-N
H7CX-A114-N
H7CX-A114S-N
H7CX-A11D1-G

Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h
 Timer, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h
 Timer, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h
 Timer, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h
 Timer, DIN48x48mm, IP66, 6 preset & 6 actual time digits, multi range 0.01s to 9999h
 Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range
 Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range

Counter, DIN72x72mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A
 Counter, DIN72x72mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A
 Counter, DIN72x72mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A
 Counter, DIN72x72mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A
 Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, 3 A
 Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, 3 A
 Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, 3 A

H7CX-A11D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifu
H7CX-A11-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifu
H7CX-A11SD1-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits,
H7CX-A11S-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 6 digits, multifunction: 1-stage & total, t
H7CX-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1
H7CX-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1
H7CX-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1
H7CX-A4S-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1
H7CX-A4W-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:2
H7CX-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1
H7CX-AD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction:1
H7CX-A-N	Counter, plug-in, screw terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual cour
H7CX-ASD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction:1
H7CX-AS-N	Counter, plug-in, screw terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual cour
H7CX-AUD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/
H7CX-AU-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/
H7CX-AWD1-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-AW-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-AWSD1-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-AWSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1
H7CX-R11D1-N	Tachometer, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, mu
H7CX-R11-N	Tachometer, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, mu
H7EC-N	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V in
H7EC-N-B	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V in
H7EC-NFV	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input
H7EC-NFV-B	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input
H7EC-NLP	
H7EC-NP	
H7EC-NV	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC in
H7EC-NV-B	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC in
H7EC-NV-BH	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 8-digit, 30cps.
H7EC-NV-H	Total counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 8-digit, 30cps.
H7ER-N	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD, 4-digit, 1/60ppr, no-V input, gr
H7ER-N-B	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD, 4-digit, 1/60ppr, no-V input, bl
H7ER-NV	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD, 4-digit, 1/60ppr, VDC input, gr
H7ER-NV1	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD, 5-digit, 1/60ppr, VDC input, gr
H7ER-NV1-B	
H7ER-NV1-BH	
H7ER-NV1-H	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 5-digit, 10/60/6l
H7ER-NV-B	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD, 4-digit, 1/60ppr, VDC input, bl:
H7ER-NV-BH	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 4-digit, 1/60ppr
H7ER-NV-H	Tachometer, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 4-digit, 1/60ppr
H7ET-N	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.
H7ET-N1	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-N1-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-N-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.
H7ET-NFV	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.
H7ET-NFV1	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-NFV1-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-NFV-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.

H7ET-NP	
H7ET-NV	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.
H7ET-NV1	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-NV1-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h5
H7ET-NV1-BH	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 7-digit, 999h5
H7ET-NV1-H	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 7-digit, 999h5
H7ET-NV-501	
H7ET-NV-B	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.
H7ET-NV-B-300	
H7ET-NV-BH	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 7-digit, 99999
H7ET-NV-H	Time counter, 1/32DIN (48 x 24mm), self-powered, LCD with backlight, 7-digit, 99999
H7GP-C	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN.
H7GP-CB	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN.
H7GP-CD	Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PI
H7GP-CDB	
H7GP-T	Time counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN.
H7GP-TB	
H7GP-TD	Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PI
H7GP-TDB	
H7HP-A	Total/time counter, DIN72x36mm, 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PI
H7HP-AB	
H7HP-AD	Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP
H7HP-ADB	Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP
H7HP-C8	
H7HP-C8B	Total counter, DIN72x36mm, 100-240 VAC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP in
H7HP-C8D	Total counter, DIN72x36mm, 12-24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP inpu
H7HP-C8DB	
H8BM-RB DC24	
H8BM-RBD DC24	
H8GN-AD	Counter/timer, 1/32DIN (48 x 24mm), 24 VDC, LCD, 2x 4-digit preset/timing or 8-digit
H8GN-AD-FLK	Counter/timer, 1/32DIN (48 x 24mm), 24 VDC, LCD, 2x 4-digit preset/timing or 8-digit
H8PS-16B	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x NPN outputs (re
H8PS-16BF	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x NPN out
H8PS-16BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP out
H8PS-16BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (re
H8PS-32B	
H8PS-32BF	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x NPN out
H8PS-32BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP out
H8PS-32BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (re
H8PS-8AF	
H8PS-8B	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 8x NPN outputs (req
H8PS-8BF	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 8x NPN out
H8PS-8BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 8x PNP out
H8PS-8BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 8x PNP outputs (req
H8PS-SOFT-V1	Software for programming, simulating and editing H8PS 16/32 controllers
HH2 UV-S UVEGREP.ELLENORZ.EGY.	
HH2 VIZUAL. ES MULTIMED. ALLOM	
HKA09SL-110-07BC	
HKA09SL-130-07BC	
HKA09SL-180-07BC	
HKA09-SL-300-07BC	
HL-1HPH01	

HL-1HPH100	
HL-1HPH500	
HL-3HPH100	
HL-5000G	Limit switch, roller lever, DPDB NO/NC, 10A
HL-5030G	Limit switch, variable roller lever, DPDB NO/NC, 10A
HL-5050G	Limit switch, variable rod lever, DPDB NO/NC, 10A
HL-5100G	Limit switch, sealed plunger, DPDB NO/NC, 10A
HL-5200G	Limit switch, sealed roller plunger, DPDB NO/NC, 10A
HL-5300G	Limit switch, coil spring, DPDB NO/NC, 10A
HMC-AP001	Memory card adapter (for memory card to PC PCMCIA port)
HMC-BAT01	
HMC-EE151	
HMC-EE641	
HMC-EF183	Flash memory card, 128MB
HMC-EF1GB	
HMC-EF283	Flash memory card, 256MB
HMC-EF583	Flash memory card, 512MB
HMC-ES252	
HMC-ES552	
HMI-GWY	Protocol converter/gateway NTLINK to 3rd party PLC
HMI-GWY500B	
HMI-MPI	Converter NTLINK to MPI(S7-300,S7-400)
HOELEM-J O5 GYURUS	
HOELEM-J L100O32	
HOELEM-J L1006	
HOELEM-J L5006	
HOELEM-J L806	
HÖELEM-J LCSSA-F-8X50 GLS300	
HOELEM-J RUGÓS	
HOELEM-K CSSK-B 6*100 GLS2000	
HOELEM-K KOMP.VEZETÉK 10M	
HOELEM-K KOMP.VEZETÉK 20M	
HOELEM-K KOMP.VEZETÉK 3M	
HOELEM-K KOMP.VEZETÉK 5M	
HÖELEM-K L100O5	
HOELEM-K L100O5 C600	
HÖELEM-K L100O6	
HOELEM-K L300O8C1200	
HOELEM-K ST-30 08X250/2M/k	
HTP(A)-B6*30/10*220B	
HTP(A)-B6*30/10*370B	
HTP-B 6X250	
HTP-B 8X650 1/4KS KO36	
HW-G	
HW-N	
IC(J) (Q)	
ICS-3 SJ200 operator cable	
IDSC-C1DR-A-E	
IDSC-C1DT-A-E	
IE-PS-RJ45-FH-BK	
INVRB2	
INVRF1102MD	

ISCT31034-1	
ITBC-CN001-CST	
ITBC-CN005-CST	
ITBC-CN012-CST	
ITBC-CST01	
ITBC-SC1W-CD	
ITNC-AP001	
ITNC-AP002	
ITNC-DIN01	ONC DIN rail mounting bracket
ITNC-DK1Q-E10L	
ITNC-DK1Q-E1L	
ITNC-DK1Q-E5L	
ITNC-DK1Q-ECD	
ITNC-DL1Q-E10L	
ITNC-DL1Q-E1L	
ITNC-DL1Q-ECD-V2	ONC Data collection/distribution software Development version (requires Compact F
ITNC-EIS01	
ITNC-EIS01-CST	
ITNC-EIS01-DRM	
ITNC-EIX01	ONC expandable model
ITNC-EIX01-CST	
ITNC-EIX01-DRM	ONC expandable model with DeviceNet
ITNC-EPX01	ONC version 2 model, 1x PCI expansion slot, 4x serial COM ports (3x RS-232C and 1
ITNC-EPX01-DRM	
ITNC-MD1Q-EF	
ITNC-NS1Q-EF	
ITNC-RK1Q-E10L	
ITNC-RK1Q-E1L	
ITNC-RK1Q-E5L	
ITNC-RK1Q-ECD	
ITNC-TG1Q-EF	ONC ISaGRAF Target software (requires ISaGRAF 3.x Workbench for development)
ITNC-WK1Q-E10L	
ITNC-WK1Q-E1L	ONC WebToolKit software 1 User License (requires Compact Flash card)
ITNC-WK1Q-E5L	
ITNC-WK1Q-ECD	ONC WebToolKit software development version (requires Compact Flash card)
J-7	
J73KN-A-02	Auxiliary contacts, 2-pole, 2B for J7KNA-AR relay
J73KN-A-04	
J73KN-A-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA-AR relay
J73KN-A-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA-AR relay
J73KN-A-40	Auxiliary contacts, 4-pole, 4M for J7KNA-AR relay
J73KN-AM-02	Auxiliary contacts, 2-pole, 2B for J7KNA contactor
J73KN-AM-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA contactor
J73KN-AM-11V-OEE	Auxiliary contacts, 2-pole, 1M1B for J7KNA**W reversing contactor pairs, for left-ha
J73KN-AM-11X-OEE	Auxiliary contacts, 2-pole, 1M1B for J7KNA**W reversing contactor pairs, for right-h
J73KN-AM-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA contactor
J73KN-B-01	Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74
J73KN-B-01A	Auxiliary contact, 1-pole, 1B, front mounting, 6A for J7KN10-74
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74 (EM & LM version)
J73KN-B-10	Auxiliary contact, 1-pole, 1M, front mounting, 10A for J7KN10-74
J73KN-B-10A	
J73KN-B-10U	Auxiliary contact, 1-pole, 1NO, EM and LB version, 10A for J7KN10-74

J73KN-C-11S	Auxiliary contacts, 2-pole, 1M1B side mounting, 10A for J7KN24-74
J73KN-D-11F	Auxiliary contact, 1-pole, 1NO, front mounting, 10A for J7KN150-175
J73KN-D-11S	Auxiliary contact, 1-pole, 1NO+1NC, side mounting, 10A for J7KN150-175
J73KN-D-22F	Auxiliary contact, 1-pole, 2NO+2NC, front mounting, 10A for J7KN150-175
J73KN-E-22F	Auxiliary contact, 1-pole, 2NO+2NC, front mounting, 10A for J7KN-200
J74KN-A-RC230	RC suppressor unit, 110-230 VAC/dc, fits between J7KNA(J7KN10-40) and DIN-rail
J74KN-A-VG230	Varistor suppressor unit, 110-230 VAC/dc, snap on to coil terminals, for J7KN10-22
J74KN-A-VG400	
J74KN-B-ML	Mechanical interlock for 2x J7KN10-40
J74KN-B-RC230	RC suppressor unit, 110-230 VAC/dc, universal (fixing band, adhesive strip), for J7K
J74KN-B-RC400	
J74KN-B-RC48	
J74KN-B-TP180DA	Pneumatic Timer, on-delay, 10-180sec, 1M1B
J74KN-B-TP180IA	Pneumatic Timer, off-delay, 10-1800sec, 1M1B
J74KN-B-TP40DA	Pneumatic Timer, on-delay, 0.1-40sec, 1M1B
J74KN-B-TP40IA	Pneumatic Timer, off-delay, 0.1-40sec, 1M1B
J74KN-B-VG230	Varistor suppressor unit, 110-230 VAC/dc, snap on to coil terminals, for J7KN10-74
J74KN-B-VG400	Varistor suppressor unit, 250-415 VAC/dc, snap on to coil terminals, for J7KN10-74
J74KN-C-ML	Mechanical interlock for 2x J7KN24-74
J74KN-C-RC110	RC suppressor unit, 48-127 VAC/dc, fits J7KN10-74
J74KN-C-RC230	RC suppressor unit, 110-250 VAC/dc, fits J7KN10-74
J74KN-C-RC24	RC suppressor unit, 12-48 VAC/dc, fits J7KN10-74
J74KN-D-ML	Mechanical interlock for 2x J7KN85-110
J74KN-D-RC 110	RC suppressor unit, 48-127 VAC/dc, fits J7KNA
J74KN-D-RC 230	RC suppressor unit, 110-250 VAC/dc, fits J7KNA
J74KN-D-RC 24	RC suppressor unit, 12-48 VAC/dc, fits J7KNA
J74KN-E-ML	
J74KN-F-ML	
J74KN-G-ML	
J74KN-H-ML	
J74KN-LG-10404	Additional terminal cover for motor contactor J7KN150-175
J74KN-LG-10405	
J74KN-LG-10406	
J74KN-LG-10407	
J74KN-LG-10408	
J74KN-LG-10409	
J74KN-LG-11224	Additional terminal for motor contactor J7KN150-175
J74KN-LG-9030	Additional terminal for motor contactor J7KN50-62
J74KN-P245-1	Marking plate for contactors
J74KN-P487-1	Marking plate for contactors
J74TK-SM	Separate mounting sets for J7TKN-B
J74TK-SU-176	
J74TK-SU-200	
J74TK-SU-550	
J74TK-SU-860	
J75-BTC-25-EC	Line side terminals to be used with busbars J75-CPM \dot{u} .6
J75-BTC-25-IC	Line side terminals to be used with busbars J75-CPM \dot{u} .6
J75-BTC-50-E	
J75-CPM-2-45-6	3-phase commoning link for 2x MPCB (J7MN3) (45mm spacing)
J75-CPM-2-54-12	3-phase commoning link for 2x MPCB (J7MN6) (54 mm spacing)
J75-CPM-2-54-6	3-phase commoning link for 2x MPCB (J7MN3) (54 mm spacing)
J75-CPM-2-63-12	3-phase commoning link for 2x MPCB (J7MN9) (63 mm spacing)

J75-CPM-3-45-6	3-phase commoning link for 3x MPCB (J7MN3) (45mm spacing)
J75-CPM-3-54-12	3-phase commoning link for 3x MPCB (J7MN6) (54mm spacing)
J75-CPM-3-54-6	3-phase commoning link for 3x MPCB (J7MN3) (54mm spacing)
J75-CPM-3-63-12	3-phase commoning link for 3x MPCB (J7MN9) (63mm spacing)
J75-CPM-4-45-6	3-phase commoning link for 4x MPCB (J7MN3) (45mm spacing)
J75-CPM-4-54-12	
J75-CPM-4-54-6	3-phase commoning link for 4x MPCB (J7MN3) (54mm spacing)
J75-CPM-4-63-12	
J75-CPM-5-45-6	3-phase commoning link for 5x MPCB (J7MN3) (45mm spacing)
J75-CPM-5-54-6	3-phase commoning link for 5x MPCB (J7MN3) (54mm spacing)
J75-K110/4.110	
J75-K110/4.230	
J75-K110/4.24	
J75-K110/4.400	
J75-K110/41.180	
J75-K110/47.110=	
J75-K110/47.24=	
J75-K2-23A0040230	
J75-K24/4.110	
J75-K24/4.230	
J75-K24/4.24	
J75-K24/4.400	
J75-K24/47.110=	
J75-K24/47.220=	
J75-K24/47.24=	
J75-K3-176/4.110	
J75-K3-176/4.230	
J75-K3-176/4.24	
J75-K3-176/4.400	
J75-K3-176/4.48	
J75-K3-201/4.110	
J75-K3-201/4.230	
J75-K3-201/4.24	
J75-K3-201/4.400	
J75-K3-201/4.48	
J75-K3-201/FG.110	
J75-K3-201/FG.230	
J75-K3-201/FG.24	
J75-K3-201/FG.400	
J75-K3-201/FG.48	
J75-K3-316/4.110	
J75-K3-316/4.230	
J75-K3-316/4.24	
J75-K3-316/4.400	
J75-K3-316/4.48	
J75-K3-316/FG.110	
J75-K3-316/FG.230	
J75-K3-316/FG.24	
J75-K3-316/FG.400	
J75-K3-316/FG.48	
J75-K3-550/4.110	
J75-K3-550/4.230	

J75-K3-550/4.24
J75-K3-550/4.400
J75-K3-550/4.48
J75-K3-550/FG.110
J75-K3-550/FG.230
J75-K3-550/FG.24
J75-K3-550/FG.400
J75-K3-550/FG.48
J75-K3-6/4.110
J75-K3-6/4.230
J75-K3-6/4.24
J75-K3-6/4.400
J75-K3-6/4.42
J75-K3-6/41.180
J75-K3-6/41.48
J75-K3-6/47.110=
J75-K3-6/47.220=
J75-K3-6/47.24
J75-K45/4.110
J75-K45/4.230
J75-K45/4.24
J75-K45/4.400
J75-K45/4.42
J75-K45/41.180
J75-K45/47.110=
J75-K45/47.220=
J75-K45/47.24=
J75-K85/4.110
J75-K85/4.230
J75-K85/4.24
J75-K85/4.400
J75-K85/4.42
J75-K85/41.180
J75-K85/47.110=
J75-K85/47.220=
J75-K85/47.24=
J75-TA-120
J75-TA-63
J75-WK-11
J75-WK-12
J75-WK-21
J75-WK-22
J75-WK-41
J77MN-02F
J77MN-02S
J77MN-11F
J77MN-11S
J77MN-20F
J77MN-20S
J77MN-DC-3R-115-B
J77MN-DC-3R-115-RY
J77MN-DC-3R-315-B

Shroud for unused linked terminals for J75-CPMú..6

Insulated wiring system for motor contactor

Auxiliary contacts, standard, 2B, for left hand side mounting for all J7MN*R/*P

Auxiliary contacts, standard, 1M1B, for top mounting for all J7MN*R/*P

Auxiliary contacts, standard, 1M1B, for left hand side mounting for all J7MN*R/*P

Auxiliary contacts, standard, 2M, for left hand side mounting for all J7MN*R/*P

J77MN-DC-3R-315-RY	
J77MN-DC-6R-115-B	
J77MN-DC-6R-115-RY	
J77MN-DC-6R-315-B	
J77MN-DC-6R-315-RY	
J77MN-DC-9R-115-B	
J77MN-DC-9R-115-RY	
J77MN-DC-9R-315-B	
J77MN-DC-9R-315-RY	
J77MN-HU-3	Din-rail adapter for mechanical fixing of J7MN-3 and J7KN10-40(G)
J77MN-HU-6	
J77MN-HU-9	Din-rail adapter for mechanical fixing of J7MN-9 and J7KN50-74
J77MN-K	Current setting cover for J7MN3 bag of 10pcs
J77MN-L	Push-in lugs for J7MN3 (2 per breaker) bag of 10pcs
J77MN-PF-3R	
J77MN-PFC-3R	
J77MN-S-110	
J77MN-S-230	Shunt release for right hand side mounting (220 - 230V 50Hz,240-260V 60 Hz)
J77MN-S-24	
J77MN-S-240	
J77MN-S-400	
J77MN-S-415	
J77MN-T-11S	Auxiliary contacts, trip-indicating, 1M1B for short circuit trip alarm, for left hand side
J77MN-TA-11S	Auxiliary contacts, trip-indicating, 1M1B for any trip alarm, for left hand side mounti
J77MN-TB100	
J77MN-TB32	Terminal Block, Up to 600V to UL489, For J7MN-3R
J77MN-U-110	
J77MN-U-230	
J77MN-U-24	
J77MN-U-240	
J77MN-U-400	
J77MN-U-415	
J77MN-VD-3	
J77MN-VD-6	Link modules (electrical connection only) MPCB (J7MN6) up to 63A
J77MN-VD-9	Link modules (electrical connection only) MPCB (J7MN9) up to 100A
J77MN-VDG-6	
J77MN-VKA-3	Link modules MPCB (J7MN3) to J7KNA (DIN-rail adapter not required)
J77MN-VKG-3	
J77MN-VKN-3	Link modules MPCB (J7MN3) to J7KN (DIN-rail adaptor not required)
J-7-A+	
J7KN-10-01 110	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1B auxiliary, 110 VAC
J7KN-10-01 110 VKN3	
J7KN-10-01 110D	
J7KN-10-01 110D VKN3	
J7KN-10-01 125D	
J7KN-10-01 125D VKN3	
J7KN-10-01 180	
J7KN-10-01 180 VKN3	
J7KN-10-01 230	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1B auxiliary, 230 VAC
J7KN-10-01 230 VKN3	
J7KN-10-01 24	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1B auxiliary, 24 VAC
J7KN-10-01 24 VKN3	

OMRON Industrial

J7KN-10-01 24D	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1B auxiliary, 24 VDC
J7KN-10-01 24D VKN3	
J7KN-10-01 400	
J7KN-10-01 400 VKN3	
J7KN-10-01 48	
J7KN-10-01 48 VKN3	
J7KN-10-01 48D	
J7KN-10-01 48D VKN3	
J7KN-10-01 500	
J7KN-10-01 500 VKN3	
J7KN-10-01 90	
J7KN-10-01 90 VKN3	
J7KN-10-10 110	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 110 VAC
J7KN-10-10 110 VKN3	
J7KN-10-10 110D	
J7KN-10-10 110D VKN3	
J7KN-10-10 125D	
J7KN-10-10 125D VKN3	
J7KN-10-10 180	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 180 VAC
J7KN-10-10 180 VKN3	
J7KN-10-10 230	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 230 VAC
J7KN-10-10 230 VKN3	
J7KN-10-10 24	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 24 VAC
J7KN-10-10 24 VKN3	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 24 VAC
J7KN-10-10 24D	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 24 VDC
J7KN-10-10 24D VKN3	
J7KN-10-10 400	Contactor, 3-pole, 10A/4kW AC3 (25A AC1) + 1M auxiliary, 400 VAC
J7KN-10-10 400 VKN3	
J7KN-10-10 48	
J7KN-10-10 48 VKN3	
J7KN-10-10 48D	
J7KN-10-10 48D VKN3	
J7KN-10-10 500	
J7KN-10-10 500 VKN3	
J7KN-10-10 90	
J7KN-10-10 90 VKN3	
J7KN-10-4 110	
J7KN-10-4 180	
J7KN-10-4 230	Contactor, 4-pole, 10A/4kW AC3 (25A AC1), 230 VAC
J7KN-10-4 24	Contactor, 4-pole, 10A/4kW AC3 (25A AC1), 24 VAC
J7KN-10-4 400	
J7KN-10-4 48	
J7KN-10-4 500	
J7KN-10-4 90	
J7KN-110-21 110D	
J7KN-110-21 125D	
J7KN-110-21 24D	
J7KN-110-21 48D	
J7KN-110-22 110	Contactor, 3-pole, 110A/55kW AC3 (170A AC1) + 2M2B auxiliaries, 110 VAC
J7KN-110-22 180	
J7KN-110-22 20	
J7KN-110-22 230	

OMRON Industrial

J7KN-110-22 24	Contactor, 3-pole, 110A/55kW AC3 (170A AC1) + 2M2B auxiliaries, 24 VAC	
J7KN-110-22 400		
J7KN-110-22 48		
J7KN-110-22 500		
J7KN-110-22 90		
J7KN-115 110		
J7KN-115 230		
J7KN-115 24		
J7KN-115 400		
J7KN-115 48		
J7KN-14-01 110	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1B auxiliary, 110 VAC	
J7KN-14-01 110 VKN3		
J7KN-14-01 110D		
J7KN-14-01 110D VKN3		
J7KN-14-01 125D		
J7KN-14-01 125D VKN3		
J7KN-14-01 180		
J7KN-14-01 180 VKN3		
J7KN-14-01 230		Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1B auxiliary, 230 VAC
J7KN-14-01 230 VKN3		Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1B auxiliary, 24 VAC
J7KN-14-01 24	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1B auxiliary, 24 VAC	
J7KN-14-01 24 VKN3		
J7KN-14-01 24D	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1B auxiliary, 24 VDC	
J7KN-14-01 24D VKN3		
J7KN-14-01 400		
J7KN-14-01 400 VKN3		
J7KN-14-01 48		
J7KN-14-01 48 VKN3		
J7KN-14-01 48D		
J7KN-14-01 48D VKN3		
J7KN-14-01 500		
J7KN-14-01 500 VKN3		
J7KN-14-01 90		
J7KN-14-01 90 VKN3		
J7KN-14-10 110	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 110 VAC, 110 VAC	
J7KN-14-10 110 VKN3		
J7KN-14-10 110D	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 110 VDC	
J7KN-14-10 110D VKN3		
J7KN-14-10 125D		
J7KN-14-10 125D VKN3		
J7KN-14-10 180		
J7KN-14-10 180 VKN3		
J7KN-14-10 230	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 230 VAC	
J7KN-14-10 230 VKN3		
J7KN-14-10 24	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 24 VAC	
J7KN-14-10 24 VKN3		
J7KN-14-10 24D	Contactor, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 24 VDC	
J7KN-14-10 24D VKN3		
J7KN-14-10 400		
J7KN-14-10 400 VKN3		
J7KN-14-10 48		
J7KN-14-10 48 VKN3		

J7KN-14-10 48D
J7KN-14-10 48D VKN3
J7KN-14-10 500
J7KN-14-10 500 VKN3
J7KN-14-10 90
J7KN-14-10 90 VKN3
J7KN-14-4 110
J7KN-14-4 180
J7KN-14-4 230
J7KN-14-4 24
J7KN-14-4 400
J7KN-14-4 48
J7KN-14-4 500
J7KN-14-4 90
J7KN-151 110
J7KN-151 230
J7KN-151 24
J7KN-151 400
J7KN-151 48
J7KN-151-4 110
J7KN-151-4 230
J7KN-151-4 24
J7KN-151-4 400
J7KN-151-4 48
J7KN-176 110
J7KN-176 230
J7KN-176 24
J7KN-176 400
J7KN-176 48
J7KN-176-4 110
J7KN-176-4 230
J7KN-176-4 24
J7KN-176-4 400
J7KN-176-4 48
J7KN-18-01 110
J7KN-18-01 110 VKN3
J7KN-18-01 110D
J7KN-18-01 110D VKN3
J7KN-18-01 125D
J7KN-18-01 125D VKN3
J7KN-18-01 180
J7KN-18-01 180 VKN3
J7KN-18-01 230
J7KN-18-01 230 VKN3
J7KN-18-01 24
J7KN-18-01 24 VKN3
J7KN-18-01 24D
J7KN-18-01 24D VKN3
J7KN-18-01 400
J7KN-18-01 400 VKN3
J7KN-18-01 48
J7KN-18-01 48 VKN3

Contactor, 4-pole, 14A/5.5kW AC3 (25A AC1), 230 VAC

Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1B auxiliary, 110 VAC

Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1B auxiliary, 180 VAC

Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1B auxiliary, 230 VAC

Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1B auxiliary, 24 VAC

Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1B auxiliary, 24 VDC

J7KN-18-01 48D	
J7KN-18-01 48D VKN3	
J7KN-18-01 500	
J7KN-18-01 500 VKN3	
J7KN-18-01 90	
J7KN-18-01 90 VKN3	
J7KN-18-10 110	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 110 VAC
J7KN-18-10 110 VKN3	
J7KN-18-10 110D	
J7KN-18-10 110D VKN3	
J7KN-18-10 125D	
J7KN-18-10 125D VKN3	
J7KN-18-10 180	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 180 VAC
J7KN-18-10 180 VKN3	
J7KN-18-10 230	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 230 VAC
J7KN-18-10 230 VKN3	
J7KN-18-10 24	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 24 VAC
J7KN-18-10 24 VKN3	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 24 VAC
J7KN-18-10 24D	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 24 VDC
J7KN-18-10 24D VKN3	
J7KN-18-10 400	Contactor, 3-pole, 18A/7.5kW AC3 (32A AC1) + 1M auxiliary, 400 VAC
J7KN-18-10 400 VKN3	
J7KN-18-10 48	
J7KN-18-10 48 VKN3	
J7KN-18-10 48D	
J7KN-18-10 48D VKN3	
J7KN-18-10 500	
J7KN-18-10 500 VKN3	
J7KN-18-10 90	
J7KN-18-10 90 VKN3	
J7KN-18-4 110	
J7KN-18-4 180	
J7KN-18-4 230	Contactor, 4-pole, 18A/7.5kW AC3 (32A AC1), 230 VAC
J7KN-18-4 24	
J7KN-18-4 400	
J7KN-18-4 48	
J7KN-18-4 500	
J7KN-18-4 90	
J7KN-210 110	
J7KN-210 230	
J7KN-210 24	
J7KN-210 400	
J7KN-210 48	
J7KN-22-01 110	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1B auxiliary, 110 VAC
J7KN-22-01 110 VKN3	
J7KN-22-01 110D	
J7KN-22-01 110D VKN3	
J7KN-22-01 125D	
J7KN-22-01 125D VKN3	
J7KN-22-01 180	
J7KN-22-01 180 VKN3	
J7KN-22-01 230	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1B auxiliary, 230 VAC

OMRON Industrial

J7KN-22-01 230 VKN3	
J7KN-22-01 24	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1B auxiliary, 24 VAC
J7KN-22-01 24 VKN3	
J7KN-22-01 24D	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1B auxiliary, 24 VDC
J7KN-22-01 24D VKN3	
J7KN-22-01 400	
J7KN-22-01 400 VKN3	
J7KN-22-01 48	
J7KN-22-01 48 VKN3	
J7KN-22-01 48D	
J7KN-22-01 48D VKN3	
J7KN-22-01 500	
J7KN-22-01 500 VKN3	
J7KN-22-01 90	
J7KN-22-01 90 VKN3	
J7KN-22-10 110	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1M auxiliary, 110 VAC
J7KN-22-10 110 VKN3	
J7KN-22-10 110D	
J7KN-22-10 110D VKN3	
J7KN-22-10 125D	
J7KN-22-10 125D VKN3	
J7KN-22-10 180	
J7KN-22-10 180 VKN3	
J7KN-22-10 230	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1M auxiliary, 230 VAC
J7KN-22-10 230 VKN3	
J7KN-22-10 24	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1M auxiliary, 24 VAC
J7KN-22-10 24 VKN3	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1M auxiliary, 24 VAC
J7KN-22-10 24D	Contactor, 3-pole, 22A/11kW AC3 (32A AC1) + 1M auxiliary, 24 VDC
J7KN-22-10 24D VKN3	
J7KN-22-10 400	
J7KN-22-10 400 VKN3	
J7KN-22-10 48	
J7KN-22-10 48 VKN3	
J7KN-22-10 48D	
J7KN-22-10 48D VKN3	
J7KN-22-10 500	
J7KN-22-10 500 VKN3	
J7KN-22-10 90	
J7KN-22-10 90 VKN3	
J7KN-22-4 110	
J7KN-22-4 180	
J7KN-22-4 230	Contactor, 4-pole, 22A/11kW AC3 (32A AC1), 230 VAC
J7KN-22-4 24	Contactor, 4-pole, 22A/11kW AC3 (32A AC1), 24 VAC
J7KN-22-4 400	
J7KN-22-4 48	
J7KN-22-4 500	
J7KN-22-4 90	
J7KN-24 110	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 110 VAC
J7KN-24 110D	
J7KN-24 125D	
J7KN-24 180	
J7KN-24 230	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 230 VAC

OMRON Industrial

J7KN-24 24	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VAC
J7KN-24 24D	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC
J7KN-24 24D T	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC
J7KN-24 400	
J7KN-24 48	
J7KN-24 48D	
J7KN-24 500	
J7KN-24 90	
J7KN-260 110	
J7KN-260 230	
J7KN-260 24	
J7KN-260 400	
J7KN-260 48	
J7KN-315-21 110	
J7KN-315-21 24	
J7KN-315-21 400	
J7KN-315-21 48	
J7KN-316 110	
J7KN-316 230	
J7KN-316 24	
J7KN-316 400	
J7KN-316 48	
J7KN-32 110	Contactor, 3-pole, 32A/15kW AC-3 (65A AC1), 110 VAC
J7KN-32 110D	Contactor, 3-pole, 32A/15kW AC-3 (65A AC1), 110 VDC
J7KN-32 125D	
J7KN-32 180	
J7KN-32 230	Contactor, 3-pole, 32A/15kW AC-3 (65A AC1), 230 VAC
J7KN-32 24	Contactor, 3-pole, 32A/15kW AC-3 (65A AC1), 24 VAC
J7KN-32 24D	Contactor, 3-pole, 32A/15kW AC-3 (65A AC1), 24 VDC
J7KN-32 400	
J7KN-32 48	
J7KN-32 48D	
J7KN-32 500	
J7KN-32 90	
J7KN-40 110	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 110 VAC
J7KN-40 110D	
J7KN-40 125D	
J7KN-40 180	
J7KN-40 230	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 230 VAC
J7KN-40 24	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 24 VAC
J7KN-40 24D	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 24 VDC
J7KN-40 24D T	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 24 VDC
J7KN-40 400	Contactor, 3-pole, 40A/18.5kW AC-3 (80A AC1), 400 VAC
J7KN-40 48	
J7KN-40 48D	
J7KN-40 500	
J7KN-40 90	
J7KN-450-22 110	
J7KN-450-22 230	
J7KN-450-22 24	
J7KN-450-22 400	
J7KN-450-22 48	

OMRON Industrial

J7KN-50 110	Contactor, 3-pole, 50A/22kW AC-3 (110A AC1), 110 VAC
J7KN-50 110D	
J7KN-50 125D	
J7KN-50 180	
J7KN-50 230	Contactor, 3-pole, 50A/22kW AC-3 (110A AC1), 230 VAC
J7KN-50 24	Contactor, 3-pole, 50A/22kW AC-3 (110A AC1), 24 VAC
J7KN-50 24D	Contactor, 3-pole, 50A/22kW AC-3 (110A AC1), 24 VDC
J7KN-50 400	Contactor, 3-pole, 50A/22kW AC-3 (110A AC1), 400 VAC
J7KN-50 48	
J7KN-50 48D	
J7KN-50 500	
J7KN-50 90	
J7KN-550-22 110	
J7KN-550-22 230	
J7KN-550-22 24	
J7KN-550-22 400	
J7KN-550-22 48	
J7KN-62 110	Contactor, 3-pole, 62A/30kW AC-3 (120A AC1), 110 VAC
J7KN-62 110D	
J7KN-62 125D	
J7KN-62 180	
J7KN-62 230	Contactor, 3-pole, 62A/30kW AC-3 (120A AC1), 230 VAC
J7KN-62 24	Contactor, 3-pole, 62A/30kW AC-3 (120A AC1), 24 VAC
J7KN-62 24D	Contactor, 3-pole, 62A/30kW AC-3 (120A AC1), 24 VDC
J7KN-62 24D T	Contactor, 3-pole, 62A/30kW AC-3 (120A AC1), 24 VDC
J7KN-62 400	
J7KN-62 48	
J7KN-62 48D	
J7KN-62 500	
J7KN-62 90	
J7KN-700-22 110	
J7KN-700-22 230	
J7KN-700-22 24	
J7KN-700-22 400	
J7KN-700-22 48	
J7KN-74 110	Contactor, 3-pole, 74A/37kW AC-3 (130A AC1), 110 VAC
J7KN-74 110D	
J7KN-74 125D	
J7KN-74 180	
J7KN-74 230	Contactor, 3-pole, 74A/37kW AC-3 (130A AC1), 230 VAC
J7KN-74 24	Contactor, 3-pole, 74A/37kW AC-3 (130A AC1), 24 VAC
J7KN-74 24D	Contactor, 3-pole, 74A/37kW AC-3 (130A AC1), 24 VDC
J7KN-74 400	
J7KN-74 48	
J7KN-74 48D	
J7KN-74 500	
J7KN-74 90	
J7KN-85-21 110D	
J7KN-85-21 125D	
J7KN-85-21 24D	Contactor, 3-pole, 85A/45kW AC3 (150A AC1) + 2M1B auxiliaries, 24 VDC
J7KN-85-21 48D	
J7KN-85-22 110	Contactor, 3-pole, 85A/45kW AC3 (150A AC1) + 2M2B auxiliaries, 110 VAC

J7KN-85-22 180	
J7KN-85-22 20	
J7KN-85-22 230	Contactor, 3-pole, 85A/45kW AC3 (150A AC1) + 2M2B auxiliaries, 230 VAC
J7KN-85-22 24	Contactor, 3-pole, 85A/45kW AC3 (150A AC1) + 2M2B auxiliaries, 24 VAC
J7KN-85-22 400	
J7KN-85-22 48	
J7KN-85-22 500	
J7KN-85-22 90	
J7KN-860-22 110	
J7KN-860-22 230	
J7KN-860-22 24	
J7KN-860-22 400	
J7KN-860-22 48	
J7KN-90 110	
J7KN-90 230	
J7KN-90 24	
J7KN-90 400	
J7KN-90 48	
J7KNA-09-01 110	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 110 VAC
J7KNA-09-01 110D	
J7KNA-09-01 110VS	
J7KNA-09-01 125D	
J7KNA-09-01 125VS	
J7KNA-09-01 180	
J7KNA-09-01 230	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 230 VAC
J7KNA-09-01 24	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 24 VAC
J7KNA-09-01 240	
J7KNA-09-01 24D	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 24 VDC
J7KNA-09-01 24VS	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary with diode suppressor, 24 V
J7KNA-09-01 400	
J7KNA-09-01 415	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 415 VAC
J7KNA-09-01 48	
J7KNA-09-01 48D	
J7KNA-09-01 48VS	
J7KNA-09-01 550	
J7KNA-09-01 60D	
J7KNA-09-01 80VS	
J7KNA-09-01 90	
J7KNA-09-01R 110	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 110 VAC
J7KNA-09-01R 110D	
J7KNA-09-01R 110VS	
J7KNA-09-01R 125D	
J7KNA-09-01R 125VS	
J7KNA-09-01R 180	
J7KNA-09-01R 230	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 230 VAC
J7KNA-09-01R 24	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 24 VAC
J7KNA-09-01R 240	
J7KNA-09-01R 24D	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 24 VDC
J7KNA-09-01R 24VS	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 24 VDC
J7KNA-09-01R 400	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 400 VAC
J7KNA-09-01R 415	
J7KNA-09-01R 48	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 48 VAC

OMRON Industrial

J7KNA-09-01R 48D	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 48 VDC
J7KNA-09-01R 48VS	
J7KNA-09-01R 550	
J7KNA-09-01R 90	
J7KNA-09-01W 60D	
J7KNA-09-10 110	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary, 110 VAC
J7KNA-09-10 110D	
J7KNA-09-10 110VS	
J7KNA-09-10 125D	
J7KNA-09-10 125VS	
J7KNA-09-10 180	
J7KNA-09-10 230	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary, 230 VAC
J7KNA-09-10 24	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary, 24 VAC
J7KNA-09-10 240	
J7KNA-09-10 24D	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary, 24 VDC
J7KNA-09-10 24VS	Contactor, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary with diode suppressor, 24 V
J7KNA-09-10 400	
J7KNA-09-10 415	
J7KNA-09-10 48	
J7KNA-09-10 48D	
J7KNA-09-10 48VS	
J7KNA-09-10 550	
J7KNA-09-10 60D	
J7KNA-09-10 90	
J7KNA-09-4 110	
J7KNA-09-4 180	
J7KNA-09-4 230	Contactor, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC
J7KNA-09-4 24	Contactor, 4-pole, 9A/4kW AC3 (20A AC1), 24 VAC
J7KNA-09-4 240	
J7KNA-09-4 24D	Contactor, 4-pole, 9A/4kW AC3 (20A AC1), 24 VDC
J7KNA-09-4 400	
J7KNA-09-4 415	
J7KNA-09-4 48	
J7KNA-09-4 550	
J7KNA-09-4 90	
J7KNA-12-01 110	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1B auxiliary, 110 VAC
J7KNA-12-01 110D	
J7KNA-12-01 110VS	
J7KNA-12-01 125D	
J7KNA-12-01 125VS	
J7KNA-12-01 180	
J7KNA-12-01 230	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1B auxiliary, 230 VAC
J7KNA-12-01 24	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1B auxiliary, 24 VAC
J7KNA-12-01 240	
J7KNA-12-01 24D	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1B auxiliary, 24 VDC
J7KNA-12-01 24VS	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1B auxiliary with diode suppressor, 24 V
J7KNA-12-01 400	
J7KNA-12-01 415	
J7KNA-12-01 48	
J7KNA-12-01 48D	
J7KNA-12-01 48VS	
J7KNA-12-01 550	

J7KNA-12-01 90	
J7KNA-12-01R 110	
J7KNA-12-01R 110D	
J7KNA-12-01R 110VS	
J7KNA-12-01R 125D	
J7KNA-12-01R 125VS	
J7KNA-12-01R 180	
J7KNA-12-01R 230	
J7KNA-12-01R 24	
J7KNA-12-01R 240	
J7KNA-12-01R 24D	
J7KNA-12-01R 24VS	
J7KNA-12-01R 400	
J7KNA-12-01R 415	
J7KNA-12-01R 48	
J7KNA-12-01R 48D	
J7KNA-12-01R 48VS	
J7KNA-12-01R 550	
J7KNA-12-01R 90	
J7KNA-12-10 110	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary, 110 VAC
J7KNA-12-10 110D	
J7KNA-12-10 110VS	
J7KNA-12-10 125D	
J7KNA-12-10 125VS	
J7KNA-12-10 180	
J7KNA-12-10 230	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary, 230 VDC
J7KNA-12-10 24	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary, 24 VAC
J7KNA-12-10 240	
J7KNA-12-10 24D	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary, 24 VDC
J7KNA-12-10 24VS	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary with diode suppressor, 2
J7KNA-12-10 400	
J7KNA-12-10 415	
J7KNA-12-10 48	
J7KNA-12-10 48D	Contactor, 3-pole, 12A/5.5kW AC3 (20A AC1) + 1M auxiliary, 48 VDC
J7KNA-12-10 48VS	
J7KNA-12-10 550	
J7KNA-12-10 90	
J7KNA-AR-22 110	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 110 VAC
J7KNA-AR-22 110D	
J7KNA-AR-22 110VS	
J7KNA-AR-22 125D	
J7KNA-AR-22 125VS	
J7KNA-AR-22 180	
J7KNA-AR-22 230	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 230 VAC
J7KNA-AR-22 24	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 24 VAC
J7KNA-AR-22 240	
J7KNA-AR-22 24D	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 24 VDC
J7KNA-AR-22 24VS	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15 with diode suppressor,
J7KNA-AR-22 400	
J7KNA-AR-22 415	
J7KNA-AR-22 48	
J7KNA-AR-22 48D	

J7KNA-AR-22 48VS	
J7KNA-AR-22 550	
J7KNA-AR-22 80VS	
J7KNA-AR-22 90	
J7KNA-AR-31 110	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 110 VAC
J7KNA-AR-31 110D	
J7KNA-AR-31 110VS	
J7KNA-AR-31 125D	
J7KNA-AR-31 125VS	
J7KNA-AR-31 180	
J7KNA-AR-31 230	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 230 VAC
J7KNA-AR-31 24	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VAC
J7KNA-AR-31 240	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 240 VAC
J7KNA-AR-31 24D	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC
J7KNA-AR-31 24VS	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15 with diode suppressor,
J7KNA-AR-31 400	
J7KNA-AR-31 415	
J7KNA-AR-31 48	
J7KNA-AR-31 48D	
J7KNA-AR-31 48VS	
J7KNA-AR-31 550	
J7KNA-AR-31 80VS	
J7KNA-AR-31 90	
J7KNA-AR-40 110	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 110 VAC
J7KNA-AR-40 110D	
J7KNA-AR-40 110VS	
J7KNA-AR-40 125D	
J7KNA-AR-40 125VS	
J7KNA-AR-40 180	
J7KNA-AR-40 230	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 230 VAC
J7KNA-AR-40 24	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 24 VAC
J7KNA-AR-40 240	
J7KNA-AR-40 24D	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 24 VDC
J7KNA-AR-40 24VS	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 24 VDC with diode suppressor,
J7KNA-AR-40 400	
J7KNA-AR-40 415	
J7KNA-AR-40 48	
J7KNA-AR-40 48D	
J7KNA-AR-40 48VS	
J7KNA-AR-40 550	
J7KNA-AR-40 90	
J7KNG-10-01 110D	
J7KNG-10-01 125D	
J7KNG-10-01 220D	
J7KNG-10-01 24D	
J7KNG-10-01 48D	
J7KNG-10-01 60D	
J7KNG-10-10 110D	
J7KNG-10-10 125D	
J7KNG-10-10 220D	
J7KNG-10-10 24D	
J7KNG-10-10 48D	DC operated solenoid motor contactor, 3-pole, 10A/4kW AC3 + 1M auxiliary

OMRON Industrial

J7KNG-10-10 60D	
J7KNG-10-4 110D	DC solenoid motor contactor, 4-pole, 10A, 110 VDC
J7KNG-10-4 125D	
J7KNG-10-4 220D	
J7KNG-10-4 24D	DC solenoid motor contactor, 4-pole, 10A, 24 VDC
J7KNG-10-4 48D	
J7KNG-10-4 60D	
J7KNG-14-01 110D	
J7KNG-14-01 125D	
J7KNG-14-01 220D	
J7KNG-14-01 24D	
J7KNG-14-01 48D	
J7KNG-14-01 60D	
J7KNG-14-10 110D	
J7KNG-14-10 125D	
J7KNG-14-10 220D	
J7KNG-14-10 24D	DC operated solenoid motor contactor, 3-pole, 14A/5.5kW AC3 + 1M auxiliary
J7KNG-14-10 48D	
J7KNG-14-10 60D	
J7KNG-14-4 110D	DC solenoid motor contactor, 4-pole, 14A, 110 VDC
J7KNG-14-4 125D	
J7KNG-14-4 220D	
J7KNG-14-4 24D	DC solenoid motor contactor, 4-pole, 14A, 110 VDC
J7KNG-14-4 48D	
J7KNG-14-4 60D	
J7KNG-18-01 110D	
J7KNG-18-01 125D	
J7KNG-18-01 220D	
J7KNG-18-01 24D	DC operated solenoid motor contactor, 3-pole, 18A/7.5kW AC3 + 1B auxiliary
J7KNG-18-01 48D	
J7KNG-18-01 60D	
J7KNG-18-10 110D	
J7KNG-18-10 125D	
J7KNG-18-10 220D	
J7KNG-18-10 24D	DC operated solenoid motor contactor, 3-pole, 18A/7.5kW AC3 + 1M auxiliary
J7KNG-18-10 48D	
J7KNG-18-10 60D	
J7KNG-18-4 110D	DC solenoid motor contactor, 4-pole, 18A, 110 VDC
J7KNG-18-4 125D	
J7KNG-18-4 220D	
J7KNG-18-4 24D	DC solenoid motor contactor, 4-pole, 18A, 24 VDC
J7KNG-18-4 48D	
J7KNG-18-4 60D	
J7KNG-22-01 110D	
J7KNG-22-01 125D	
J7KNG-22-01 220D	
J7KNG-22-01 24D	
J7KNG-22-01 48D	
J7KNG-22-01 60D	
J7KNG-22-10 110D	
J7KNG-22-10 125D	
J7KNG-22-10 220D	

J7KNG-22-10 24D	DC operated solenoid motor contactor, 3-pole, 22A/11kW AC3 + 1M auxiliary
J7KNG-22-10 48D	
J7KNG-22-10 60D	
J7KNG-22-4 110D	DC solenoid motor contactor, 4-pole, 22A, 110 VDC
J7KNG-22-4 125D	
J7KNG-22-4 220D	
J7KNG-22-4 24D	DC solenoid motor contactor, 4-pole, 22A, 24 VDC
J7KNG-22-4 48D	
J7KNG-22-4 60D	
J7KNG-24 110D	DC solenoid motor contactor, 24A, 110 VDC
J7KNG-24 125D	DC solenoid motor contactor, 24A, 125 VDC
J7KNG-24 220D	DC solenoid motor contactor, 24A, 220 VDC
J7KNG-24 24D	DC operated solenoid motor contactor, 3-pole, 24A/11kW AC3
J7KNG-24 48D	DC solenoid motor contactor, 24A, 48 VDC
J7KNG-24 60D	DC solenoid motor contactor, 24A, 60 VDC
J7KNG-32 110D	DC solenoid motor contactor, 32A, 110 VDC
J7KNG-32 125D	DC solenoid motor contactor, 32A, 125 VDC
J7KNG-32 220D	DC solenoid motor contactor, 32A, 220 VDC
J7KNG-32 24D	DC operated solenoid motor contactor, 3-pole, 32A/15kW AC3
J7KNG-32 48D	DC solenoid motor contactor, 32A, 48 VDC
J7KNG-32 60D	DC solenoid motor contactor, 32A, 60 VDC
J7KNG-40 110D	DC solenoid motor contactor, 40A, 110 VDC
J7KNG-40 125D	DC solenoid motor contactor, 40A, 125 VDC
J7KNG-40 220D	DC solenoid motor contactor, 40A, 220 VDC
J7KNG-40 24D	DC operated solenoid motor contactor, 3-pole, 40A/18.5kW AC3
J7KNG-40 48D	DC solenoid motor contactor, 40A, 48 VDC
J7KNG-40 60D	DC solenoid motor contactor, 40A, 60 VDC
J7MN-3P-1	Motor-protective circuit breaker, switch type, 3-pole, 0.63-1A
J7MN-3P-10	Motor-protective circuit breaker, switch type, 3-pole, 6-10A
J7MN-3P-13	Motor-protective circuit breaker, switch type, 3-pole, 9-13A
J7MN-3P-17	Motor-protective circuit breaker, switch type, 3-pole, 11-17A
J7MN-3P-1E6	Motor-protective circuit breaker, switch type, 3-pole, 1-1.6A
J7MN-3P-22	Motor-protective circuit breaker, switch type, 3-pole, 14-22A
J7MN-3P-26	Motor-protective circuit breaker, switch type, 3-pole, 18-26A
J7MN-3P-2E5	Motor-protective circuit breaker, switch type, 3-pole, 1.6-2.5A
J7MN-3P-32	Motor-protective circuit breaker, switch type, 3-pole, 22-32A
J7MN-3P-4	Motor-protective circuit breaker, switch type, 3-pole, 2.5-4A
J7MN-3P-6	Motor-protective circuit breaker, switch type, 3-pole, 4-6A
J7MN-3P-8	Motor-protective circuit breaker, switch type, 3-pole, 5-8A
J7MN-3P-E16	Motor-protective circuit breaker, switch type, 3-pole, 0.10-0.16A
J7MN-3P-E25	Motor-protective circuit breaker, switch type, 3-pole, 0.16-0.25A
J7MN-3P-E4	Motor-protective circuit breaker, switch type, 3-pole, 0.25-0.4A
J7MN-3P-E63	Motor-protective circuit breaker, switch type, 3-pole, 0.4A-0.63A
J7MN-3R-1	Motor-protective circuit breaker, rotary type, 3-pole, 0.63-1A
J7MN-3R-10	Motor-protective circuit breaker, rotary type, 3-pole, 6-10A
J7MN-3R-13	Motor-protective circuit breaker, rotary type, 3-pole, 9-13A
J7MN-3R-17	Motor-protective circuit breaker, rotary type, 3-pole, 11-17A
J7MN-3R-1E6	Motor-protective circuit breaker, rotary type, 3-pole, 1-1.6A
J7MN-3R-22	Motor-protective circuit breaker, rotary type, 3-pole, 14-22A
J7MN-3R-26	Motor-protective circuit breaker, rotary type, 3-pole, 18-26A
J7MN-3R-2E5	Motor-protective circuit breaker, rotary type, 3-pole, 1.6-2.5A
J7MN-3R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32A

J7MN-3R-4	Motor-protective circuit breaker, rotary type, 3-pole, 2.5-4A
J7MN-3R-6	Motor-protective circuit breaker, rotary type, 3-pole, 4-6A
J7MN-3R-8	Motor-protective circuit breaker, rotary type, 3-pole, 5-8A
J7MN-3R-E16	Motor-protective circuit breaker, rotary type, 3-pole, 0.10-0.16A
J7MN-3R-E25	Motor-protective circuit breaker, rotary type, 3-pole, 0.16-0.25A
J7MN-3R-E4	Motor-protective circuit breaker, rotary type, 3-pole, 0.25-0.4A
J7MN-3R-E63	Motor-protective circuit breaker, rotary type, 3-pole, 0.4-0.63A
J7MN-6R-26	Motor-protective circuit breaker, rotary type, 3-pole, 18-26A
J7MN-6R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32A
J7MN-6R-40	Motor-protective circuit breaker, rotary type, 3-pole, 28-40A
J7MN-6R-50	Motor-protective circuit breaker, rotary type, 3-pole, 34-50A
J7MN-6R-63	Motor-protective circuit breaker, rotary type, 3-pole, 45-63A
J7MN-9R-100	Motor-protective circuit breaker, rotary type, 3-pole, 80-100A
J7MN-9R-63	Motor-protective circuit breaker, rotary type, 3-pole, 45-63A
J7MN-9R-75	Motor-protective circuit breaker, rotary type, 3-pole, 55-75A
J7MN-9R-90	Motor-protective circuit breaker, rotary type, 3-pole, 70-90A
J7TKN-A-11	Overload relay, 3-pole, 8-11A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-14	Overload relay, 3-pole, 10-14A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-1E2	Overload relay, 3-pole, 0.8-1.2A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-1E8	Overload relay, 3-pole, 1.2-1.8A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-2E7	Overload relay, 3-pole, 1.8-2.7A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-4	Overload relay, 3-pole, 2.7-4A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-6	Overload relay, 3-pole, 4-6A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-9	Overload relay, 3-pole, 6-9A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-AA-11	
J7TKN-AA-14	
J7TKN-AA-1E2	
J7TKN-AA-1E8	
J7TKN-AA-2E7	
J7TKN-AA-4	
J7TKN-AA-6	
J7TKN-AA-9	
J7TKN-AA-E18	
J7TKN-AA-E27	
J7TKN-AA-E4	
J7TKN-AA-E6	
J7TKN-AA-E9	
J7TKN-A-E18	Overload relay, 3-pole, 0.12-0.18A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-E27	Overload relay, 3-pole, 0.18-0.27A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-E4	Overload relay, 3-pole, 0.27-0.4A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-E6	Overload relay, 3-pole, 0.4-0.6A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-A-E9	Overload relay, 3-pole, 0.6-0.9A, direct mounting on J7KNA or J7KN10-22, hand reset
J7TKN-B-11	Overload relay, 3-pole, 8-11A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-14	Overload relay, 3-pole, 10-14A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-18	Overload relay, 3-pole, 13-18A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-1E2	Overload relay, 3-pole, 0.8-1.2A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-1E8	Overload relay, 3-pole, 1.2-1.8A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-24	Overload relay, 3-pole, 17-24A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-2E7	Overload relay, 3-pole, 1.8-2.7A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-32	Overload relay, 3-pole, 23-32A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-4	Overload relay, 3-pole, 2.7-4A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-6	Overload relay, 3-pole, 4-6A, direct mounting on J7KN10-40, hand and auto reset

J7TKN-B-9	Overload relay, 3-pole, 6-9A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-E18	Overload relay, 3-pole, 0.12-0.18A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-E27	Overload relay, 3-pole, 0.18-0.27A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-E4	Overload relay, 3-pole, 0.27-0.4A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-E6	Overload relay, 3-pole, 0.4-0.6A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-B-E9	Overload relay, 3-pole, 0.6-0.9A, direct mounting on J7KN10-40, hand and auto reset
J7TKN-C-42	Overload relay, 3-pole, 28-42A, direct mounting on J7KN24-40, hand and auto reset
J7TKN-D-52	Overload relay, 3-pole, 40-52A, direct mounting on J7KN50-74, hand and auto reset
J7TKN-D-65	Overload relay, 3-pole, 52-65A, direct mounting on J7KN50-74, hand and auto reset
J7TKN-D-74	Overload relay, 3-pole, 60-74A, direct mounting on J7KN50-74, hand and auto reset
J7TKN-E- 120	
J7TKN-E- 90	Overload relay, 3-pole, 60-90A, separate mounting, hand reset
J7TKN-F- 210	
J7TKN-G-310	
J7TKN-H-360	
J7TKN-H-480	
J7TKN-H-620	
J7TKN-H-800	
J-7-V	
J-7-V2	
J-7-V22	
J-7-V3	
J-7-V4	
J-7Y	
JA08A-20-29S-J1-EB	Right-angle motor encoder connector (female) for SGMGH and SGMSH
JAL	
JAL2	
JAMSC-120AVI02030	
JAMSC-120AVO01030	
JAMSC-120DAI53330	
JAMSC-120DAI73330	
JAMSC-120DAO83330	
JAMSC-120DDI34330	
JAMSC-120DDO34340	
JAMSC-120DRA83030	
JAMSC-120EHC21140	
JAMSC-120MMB20230	
JAPMC-AN2300	
JAPMC-AN2310-E	
JAPMC-CM2300-E	
JAPMC-CM2302-E	
JAPMC-CM2310-E	
JAPMC-CM2320	DeviceNet communication module
JAPMC-CM2330	
JAPMC-CP2200-E	
JAPMC-CP2210	
JAPMC-CP2220-E	
JAPMC-CP2230-E	
JAPMC-EX2200	Expansion Module
JAPMC-IO2300-E	
JAPMC-IO2301-E	
JAPMC-IO2303	32-point input and 32-point output

JAPMC-IO2304	
JAPMC-MC2100-E	
JAPMC-MC2140	
JAPMC-MC2300 1	
JAPMC-MC2310-E	
JAPMC-PL2300-E	Counter Mod 2 Ch
JAPMC-PL2310-E	Pulse Output 4 Ch
JASP-NT001M	
JASP-NT001UI 1	
JASP-NT001UP 1	
JEPMC-AN200	
JEPMC-AN2900	Distributed I/O modules, Analogue input, -10 VDC to +10 VDC, 4 channels
JEPMC-AN2910	
JEPMC-BU2200-E	
JEPMC-BU2210-E	MP series base unit, 24VDC
JEPMC-BU2220-E	
JEPMC-CP200	
JEPMC-IO220	
JEPMC-IO2310	Distributed I/O modules, 64 point digital input and 64 point digital output [24 VDC]
JEPMC-IO2330	
JEPMC-MB210	
JEPMC-MC200	
JEPMC-MC400	MP940 Motion Controller
JEPMC-MC410	
JEPMC-MP2300-E	
JEPMC-MP2310-E	
JEPMC-MP2400-E	
JEPMC-OP2300	MP series, empty slot cover
JEPMC-OP300	Motion accessory
JEPMC-OPM2SK-1E	
JEPMC-OPM2SK-2E	
JEPMC-PL2900-E	
JEPMC-PL2910	
JEPMC-PL2910	
JEPMC-PS210	
JEPMC-REP2000-E	
JEPMC-W2040-01	
JEPMC-W2040-03	
JEPMC-W2040-A5	
JEPMC-W2041-01	
JEPMC-W2041-03	
JEPMC-W2041-A5	
JEPMC-W2060-01	
JEPMC-W2060-03	
JEPMC-W2060-A5	
JEPMC-W2061-01-E	Motion accessory
JEPMC-W2061-03	
JEPMC-W2061-A5	
JEPMC-W2062-01	
JEPMC-W2062-03	
JEPMC-W2062-A5	
JEPMC-W2063-03-E	Cable w/conn 3m

JEPMC-W2090-01	
JEPMC-W2091-01	Cable
JEPMC-W2091-2A5	
JEPMC-W2091-A5-E	
JEPMC-W5310-03	
JEPMC-W5310-15	
JEPMC-W5311-03	
JEPMC-W5311-15	
JEPMC-W5314-03	
JEPMC-W5410-05	
JEPMC-W5410-10	
JEPMC-W5410-30	
JEPMC-W6000-01	Mechatrolink-I cable with USB connector on both ends, 1m
JEPMC-W6000-03	
JEPMC-W6000-05	
JEPMC-W6000-A5-E	Mechatrolink 1 Cable 0.5m (use with NS100) 4Mb
JEPMC-W6002-01-E	
JEPMC-W6002-03	
JEPMC-W6002-03-E	
JEPMC-W6002-05-E	
JEPMC-W6002-10	
JEPMC-W6002-10-E	
JEPMC-W6002-20-E	
JEPMC-W6002-30	
JEPMC-W6002-30-E	
JEPMC-W6002-A5-E	
JEPMC-W6003-01-E	Mechatrolink II connecting cable, 1m
JEPMC-W6003-03-E	Mechatrolink II connecting cable, 3m
JEPMC-W6003-05-E	Mechatrolink II connecting cable, 5m
JEPMC-W6003-10-E	Mechatrolink II connecting cable, 10m
JEPMC-W6003-20-E	Mechatrolink II connecting cable, 20m
JEPMC-W6003-30-E	Mechatrolink II connecting cable, 30m
JEPMC-W6003-40	
JEPMC-W6003-40-E	
JEPMC-W6003-50-E	
JEPMC-W6003-A5-E	Mechatrolink II connecting cable, 0.5m
JEPMC-W6010-01	
JEPMC-W6020	Mechatrolink-I Terminator
JEPMC-W6022-E	Terminating resistor for Mechatrolink II network
JEPMC-W6060-05	
JEPMC-W6060-10	
JEPMC-W6060-30	Cable for counter
JKPM-9ZFG 1/100	
JL04-2022CK(12)	
JL04-2022CK(14)	
JL04-2022CKE(09)	Motor encoder cable clamp for SGMGH and SGMSH
JL04-2022CKE(12)	
JL04V-6A32-17SE	Straight motor power connector (female) for SGMGH-55/75/1A/1E
JL04V-8A10SL-3SE-EB	
JL04V-8A22-22SE-EB	Right-angle motor power connector (female) for SGMGH-20/30/44 and SGMSH-30/40,
JL04V-8A24-10SE-EB	
JL-098B ML2ASICMASTER 300PCS	

JL-12C	
Junma-MLII-Democase V1	
JUSP-ACP08GD	
JUSP-BA01	
JUSP-DB03	DB Resistor Unit 180watt,0.8 ohm(for SGDH-2BDE,3ZDE)
JUSP-DB04	
JUSP-DB05	
JUSP-DB06	
JUSP-FC100	
JUSP-JC001	
JUSP-NP115	
JUSP-NS100	Mechatrolink-I interface option unit for Sigma II servo drivers
JUSP-NS115	Mechatrolink-II interface option unit for Sigma II servo drivers
JUSP-NS300-E	DeviceNet Application Module option unit for Sigma II servo drivers (equivalent to R
JUSP-NS500-E	Profibus Application Module option unit for Sigma II servo drivers(ROSH Compliant)
JUSP-NS600	Indexer Application Module option unit for Sigma II servo drivers
JUSP-OP02A-1	Hand Held Digital Operator Panel 1 metre cable forSigma II indexer
JUSP-OP02A-2	Hand Held Digital Operator Panel 1 metre cable forSigma II indexer
JUSP-OP02A-2-E	
JUSP-OP05A	
JUSP-OP05A-1-E	
JUSP-RA04	Sigma II Regenerative Resistor Unit, 400V 3-phase, Must be connected externally
JUSP-RA05	
JUSP-RA07	
JUSP-RA12	
JUSP-RA13	
JUSP-RA14	
JUSP-RA15	
JUSP-RA16	
JUSP-RA18	Sigma II Regenerative Resistor Unit, 400V 3-phase for SGDH-60DE & SGDH-75DE. M
JUSP-RA19-E	Sigma II Regenerative Resistor Unit, 400V 3-phase for SGDH-1ADE & SGDH-1EDE. M
JUSP-RG08E-E	
JUSP-TA26P	
JUSP-TA36P	Servo accessory
JVOP-100	
JVOP-120	
JVOP-122A	
JVOP-125	
JVOP-130	Replacement digital operator for 3G3FV (G5) (equivalent to 3G3FV-PJVOP130)
JVOP-132	
JVOP-135	
JVOP-136	
JVOP-140	Spare digital operator (with potentiometer) for 3G3MV (V7) (equivalent to 3G3MV-JV
JVOP-147	
JVOP-160*	Multilingual LCD operator for E7, F7 & L7 (equivalent to 3G3IV-PJVOP160)
JVOP-160-OY	Multilingual LCD operator for E7, F7 & L7 (equivalent to 3G3IV-PJVOP160)
JVOP-160-OY GBR	Multilingual LCD operator for E7, F7 & L7 (equivalent to 3G3IV-PJVOP160)
JVOP-161*	
JVOP-161-OY	Spare LED operator for E7, F7 & L7 (equivalent to 3G3IV-PJVOP161)
JVOP-162	
JVOP-163	
JVOP-180	LCD remote operator

JVOP-181	USB converter unit with copy and backup function
JVOP-182	LED remote operator
JX-A2002-E	JX Inverter drive, 0.2kW, 1.4A, 200VAC, 3-phase
JX-A2004-E	JX Inverter drive, 0.4kW, 2.6A, 200VAC, 3-phase
JX-A2007-E	JX Inverter drive, 0.75kW, 4.0A, 200VAC, 3-phase
JX-A2015-E	JX Inverter drive, 1.5kW, 7.1A, 200VAC, 3-phase
JX-A2022-E	JX Inverter drive, 2.2kW, 10.0A, 200VAC, 3-phase
JX-A2037-E	JX Inverter drive, 3.7kW, 15.9A, 200VAC, 3-phase
JX-A2055-E	JX Inverter drive, 5.5kW, 24.0A, 200VAC, 3-phase
JX-A2075-E	JX Inverter drive, 7.5kW, 32.0A, 200VAC, 3-phase
JX-A4004-EF	JX Inverter drive, 0.4kW, 1.5A, 400VAC, 3-phase
JX-A4007-EF	JX Inverter drive, 0.75kW, 2.5A, 400VAC, 3-phase
JX-A4015-EF	JX Inverter drive, 1.5kW, 3.8A, 400VAC, 3-phase
JX-A4022-EF	JX Inverter drive, 2.2kW, 5.5A, 400VAC, 3-phase
JX-A4040-EF	JX Inverter drive, 4kW, 8.6A, 400VAC, 3-phase
JX-A4055-EF	JX Inverter drive, 5.5kW, 13.0A, 400VAC, 3-phase
JX-A4075-EF	JX Inverter drive, 7.5kW, 16.0A, 400VAC, 3-phase
JX-AB002-E	
JX-AB002-EF	JX Inverter drive, 0.2kW, 1.4A, 200VAC, single-phase
JX-AB004-E	
JX-AB004-EF	JX Inverter drive, 0.4kW, 2.6A, 200VAC, single-phase
JX-AB007-E	
JX-AB007-EF	JX Inverter drive, 0.75kW, 4.0A, 200VAC, single-phase
JX-AB015-E	
JX-AB015-EF	JX Inverter drive, 1.5kW, 7.1A, 200VAC, single-phase
JX-AB022-E	JX Inverter drive, 2.2kW, 10A, 200VAC, single-phase
JX-AB022-EF	JX Inverter drive, 2.2kW, 10A, 200VAC, single-phase
JZA20P1BAA	Inverter drive, 0.1kW, 0.8A, 200 VAC, 3-phase
JZA20P2BAA	Inverter drive, 0.25kW, 1.6A, 200 VAC, 3-phase
JZA20P4BAA	Inverter drive, 0.55kW, 3.0A, 200 VAC, 3-phase
JZA20P7BAA	Inverter drive, 1.1kW, 5.0A, 200 VAC, 3-phase
JZA21P5BAA	Inverter drive, 1.5kW, 8.0A, 200 VAC, 3-phase
JZA22P2BAA	Inverter drive, 2.2kW, 11.0A, 200 VAC, 3-phase
JZA24P0BAA	Inverter drive, 4.0kW, 9.2A, 200 VAC, 3-phase
JZA40P2BAA	Inverter drive, 0.37kW, 1.2A, 415 VAC, 3-phase
JZA40P4BAA	Inverter drive, 0.55kW, 1.8A, 415 VAC, 3-phase
JZA40P7BAA	Inverter drive, 1.1kW, 3.4A, 415 VAC, 3-phase
JZA41P5BAA	Inverter drive, 1.5kW, 4.8A, 415 VAC, 3-phase
JZA42P2BAA	Inverter drive, 2.2kW, 5.5A, 415 VAC, 3-phase
JZA43P0BAA	Inverter drive, 3.0kW, 7.2A, 415 VAC, 3-phase
JZA44P0BAA	Inverter drive, 4.0kW, 9.2A, 415 VAC, 3-phase
JZAB0P1BAA	Inverter drive, 0.1kW, 0.8A, 240 VAC, single-phase
JZAB0P2BAA	Inverter drive, 0.25kW, 1.6A, 240 VAC, single-phase
JZAB0P4BAA	Inverter drive, 0.55kW, 3A, 240 VAC, single-phase
JZAB0P7BAA	Inverter drive, 1.1kW, 5A, 240 VAC, single-phase
JZAB1P5BAA	Inverter drive, 1.5kW, 8A, 240 VAC, single-phase
JZCP-317131(1.0M)	
JZDP-D005-000	Serial Converter
JZDP-D006-220	Serial Converter
JZDP-D006-221	
JZDP-D008-017-E	
JZDP-D008-018-E	

JZDP-D008-019	Serial Converter
JZDP-D008-019-E	
JZDP-D008-020	Serial Converter
JZDP-D008-020-E	
JZDP-D008-023	
JZDP-D008-181	Serial Converter
JZDP-D008-181-E	
JZDP-D008-182	Serial Converter
JZDP-D008-182-E	
JZDP-D008-183	Serial Converter
JZDP-D008-183-E	
JZDP-D008-189	Serial Converter
JZDP-D008-189-E	
JZDP-D008-190	Serial Converter
JZDP-D008-190-E	
JZDP-D008-191	Serial Converter
JZDP-D008-191-E	
JZDP-D008-192	Serial Converter
JZDP-D008-192-E	
JZDP-D008-193	Serial Converter
JZDP-D008-194	Serial Converter
JZDP-D008-195	Serial Converter
JZDP-D008-196	Serial Converter
JZDP-D008-197	Serial Converter
JZDP-D008-198	Serial Converter
JZDP-D008-199	Serial Converter
JZDP-D008-200	Serial Converter
JZDP-D008-211-E	
JZDP-D008-212	Serial Converter
JZDP-D008-212-E	
JZDP-D008-250	Serial Converter
JZDP-D008-250-E	
JZDP-D008-251-E	
JZDP-D008-252	Serial Converter
JZDP-D008-252-E	
JZDP-D008-253-E	
JZDP-D008-254	Serial Converter
JZDP-D008-255	Serial Converter
JZDP-D008-255-E	
JZDP-D008-256	Serial Converter
JZDP-D008-257	Serial Converter
JZDP-D008-258-E	
JZDP-D008-259-E	
JZDP-D008-260	Serial Converter
JZDP-D008-260-E	
JZDP-D008-261	Serial Converter
JZDP-D008-261-E	
JZDP-D008-262	Serial Converter
JZDP-D008-262-E	
JZDP-D008-263	Serial Converter
JZDP-D008-263-E	
JZDP-D008-264-E	

JZDP-D008-285-E	
JZDP-D008-333	Serial Converter
JZDP-D008-333-E	
JZDP-D008-334	Serial Converter
JZDP-D008-334-E	
JZDP-D008-338-E	
JZDP-D008-E05	
JZDP-D008-E05-E	
JZDP-D008-E06-E	
JZDP-D008-E07-E	
JZDP-D008-E12	Serial Converter
JZDP-D008-E14	
JZDP-G008-192-E	
JZMSZ-120W0402-03	
JZMSZ-120W0402-05	
JZSP-BA01	Sigma II/V servo driver battery for AC Servomotor with Absolute Encoder (equivalen
JZSP-BA01-1	
JZSP-CEB02-6	
JZSP-CEB02-8	
JZSP-CEC02-1-E	
JZSP-CEC02-2-E	
JZSP-CEM02-1	
JZSP-CFG9-E	
JZSP-CFM00-03-E	
JZSP-CFM00-05-E	
JZSP-CHI003-01	Junma series Control cable, non-IP67 connectors, 1m [R7A CPZ001 S]
JZSP-CHI003-02	Junma series Control cable, non-IP67 connectors, 2m [R7A CPZ002 S]
JZSP-CHI003-03	Junma series Control cable, non-IP67 connectors, 3m [R7A CPZ003 S]
JZSP-CHM000-01-5E	Junma series power cable, non-IP67 connectors, flexible type, 1.5m
JZSP-CHM000-01-5ME	Junma series power cable, IP67 connectors, flexible type, 1.5m
JZSP-CHM000-03-E	Junma series power cable, non-IP67 connectors, flexible type, 3m
JZSP-CHM000-03-ME	Junma series power cable, IP67 connectors, flexible type, 3m
JZSP-CHM000-05-E	Junma series power cable, non-IP67 connectors, flexible type, 5m
JZSP-CHM000-05-ME	Junma series power cable, IP67 connectors, flexible type, 5m
JZSP-CHM000-10	
JZSP-CHM000-10-E	Junma series power cable, non-IP67 connectors, flexible type, 10m
JZSP-CHM000-10-ME	Junma series power cable, IP67 connectors, flexible type, 10m
JZSP-CHM000-15	
JZSP-CHM000-15-E	Junma series power cable, non-IP67 connectors, flexible type, 15m
JZSP-CHM000-15-ME	Junma series power cable, IP67 connectors, flexible type, 15m
JZSP-CHM000-20	
JZSP-CHM000-20-E	Junma series power cable, non-IP67 connectors, flexible type, 20m
JZSP-CHM000-20-ME	Junma series power cable, IP67 connectors, flexible type, 20m
JZSP-CHM030-01-5E	Junma series power cable, non-IP67 connectors, flexible type, 1.5m, braked motors
JZSP-CHM030-01-5ME	Junma series power cable, IP67 connectors, flexible type, 1.5m, braked motors
JZSP-CHM030-03	
JZSP-CHM030-03-E	Junma series power cable, non-IP67 connectors, flexible type, 3m, braked motors
JZSP-CHM030-03-ME	Junma series power cable, IP67 connectors, flexible type, 3m, braked motors
JZSP-CHM030-05	
JZSP-CHM030-05-E	Junma series power cable, non-IP67 connectors, flexible type, 5m, braked motors
JZSP-CHM030-05-ME	Junma series power cable, IP67 connectors, flexible type, 5m, braked motors
JZSP-CHM030-10	

JZSP-CHM030-10-E	Junma series power cable, non-IP67 connectors, flexible type, 10m, braked motors
JZSP-CHM030-10-ME	Junma series power cable, IP67 connectors, flexible type, 10m, braked motors
JZSP-CHM030-15	
JZSP-CHM030-15-E	Junma series power cable, non-IP67 connectors, flexible type, 15m, braked motors
JZSP-CHM030-15-ME	Junma series power cable, IP67 connectors, flexible type, 15m, braked motors
JZSP-CHM030-20	
JZSP-CHM030-20-E	Junma series power cable, non-IP67 connectors, flexible type, 20m, braked motors
JZSP-CHM030-20-ME	Junma series power cable, IP67 connectors, flexible type, 20m, braked motors
JZSP-CHM9-1	Junma series, power cable connector for Junma motor, non-IP67 connectors
JZSP-CHM9-2	Junma series, power cable connector for Junma drive
JZSP-CHP800-01-5E	Junma series encoder cable, non-IP67 connectors, flexible type, 1.5m
JZSP-CHP800-01-5ME	Junma series encoder cable, IP67 connectors, flexible type, 1.5m
JZSP-CHP800-03-E	Junma series encoder cable, non-IP67 connectors, flexible type, 3m
JZSP-CHP800-03-ME	Junma series encoder cable, IP67 connectors, flexible type, 3m
JZSP-CHP800-05	
JZSP-CHP800-05-E	Junma series encoder cable, non-IP67 connectors, flexible type, 5m
JZSP-CHP800-05-ME	Junma series encoder cable, IP67 connectors, flexible type, 5m
JZSP-CHP800-10	
JZSP-CHP800-10-E	Junma series encoder cable, non-IP67 connectors, flexible type, 10m
JZSP-CHP800-10-ME	Junma series encoder cable, IP67 connectors, flexible type, 10m
JZSP-CHP800-15	
JZSP-CHP800-15-E	Junma series encoder cable, non-IP67 connectors, flexible type, 15m
JZSP-CHP800-15-ME	Junma series encoder cable, IP67 connectors, flexible type, 15m
JZSP-CHP800-20	
JZSP-CHP800-20-E	Junma series encoder cable, non-IP67 connectors, flexible type, 20m
JZSP-CHP800-20-ME	Junma series encoder cable, IP67 connectors, flexible type, 20m
JZSP-CHP9-1	Junma series, encoder cable connector for Junma motor, non-IP67 connectors
JZSP-CHP9-2	Junma series, encoder cable connector for Junma drive
JZSP-CKI01-1-E	Sigma II servo driver CN1 interface cable with flying leads, 1 m
JZSP-CKI01-2-E	
JZSP-CKI01-3-E	
JZSP-CKI9-E	Sigma II servo driver CN1 (control I/O) connector kit (equivalent to R88A-CNU11C)
JZSP-CLL00-01-E	
JZSP-CLL00-03-E	Extension cable for Renishaw Linear Encoders
JZSP-CLL00-05-E	
JZSP-CLL00-10-E	
JZSP-CLL00-15-E	
JZSP-CLL10-01-E	Extension cable for Hall Sensor
JZSP-CLL10-03-E	Extension cable for Hall Sensor
JZSP-CLL10-05-E	
JZSP-CLL10-10-E	
JZSP-CLL10-15-E	
JZSP-CLL20-01-E	
JZSP-CLL20-03-E	Conversion cable for Heidenhain linear encoders
JZSP-CLL20-05-E	
JZSP-CLL20-10-E	
JZSP-CLL20-15-E	
JZSP-CLN11-01-E	
JZSP-CLN11-03-E	
JZSP-CLN11-05-E	
JZSP-CLN11-10-E	
JZSP-CLN11-15-E	

JZSP-CLN11-20-E
JZSP-CLN21-01
JZSP-CLN21-03
JZSP-CLN21-05
JZSP-CLN21-10
JZSP-CLN21-15
JZSP-CLN21-20
JZSP-CLN39-01
JZSP-CLN39-03
JZSP-CLN39-10
JZSP-CLN39-15
JZSP-CLN39-20
JZSP-CLP20-01
JZSP-CLP20-20
JZSP-CLP70-03-E
JZSP-CLP70-05-E
JZSP-CLP70-10-E
JZSP-CLP70-15-E
JZSP-CLP70-20-E
JZSP-CMM00-03
JZSP-CMM00-15
JZSP-CMM00-20
JZSP-CMM02BR-10G
JZSP-CMM02D15-10G
JZSP-CMM02D15-15G
JZSP-CMM02D15-30G
JZSP-CMM02D15-3G
JZSP-CMM02D30-15G
JZSP-CMM02D30-20G
JZSP-CMM02D30-3G
JZSP-CMM02D30-5G
JZSP-CMM02D44-20G
JZSP-CMM02D44-5G
JZSP-CMM10-03
JZSP-CMM10-05
JZSP-CMM10-10
JZSP-CMM10-15
JZSP-CMM10-20
JZSP-CMM20D15-15G
JZSP-CMM20D15-3G
JZSP-CMM20D15-5G
JZSP-CMM60-03-E
JZSP-CMM60-05-E
JZSP-CMM60-10-E
JZSP-CMM60-15-E
JZSP-CMM60-20-E
JZSP-CMM9-1
JZSP-CMM9-2
JZSP-CMP00-03
JZSP-CMP00-05
JZSP-CMP00-10
JZSP-CMP00-15

CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors

CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors

JZSP-CMP00-20	
JZSP-CMP01-03	
JZSP-CMP01-05	
JZSP-CMP01-10	
JZSP-CMP01-15	
JZSP-CMP01-20	
JZSP-CMP02-03	
JZSP-CMP02-05	
JZSP-CMP02-10	
JZSP-CMP02-15	
JZSP-CMP02-20	
JZSP-CMP02-20G	
JZSP-CMP02-25G	
JZSP-CMP02-5G	
JZSP-CMP03-03	
JZSP-CMP03-05	
JZSP-CMP03-10	
JZSP-CMP03-15	
JZSP-CMP03-20	
JZSP-CMP09-05	
JZSP-CMP09-10	
JZSP-CMP09-15	
JZSP-CMP09-20	
JZSP-CMP19-50-E	
JZSP-CMP60-03-E	
JZSP-CMP60-05-E	
JZSP-CMP60-10-E	
JZSP-CMP60-15-E	
JZSP-CMP60-20-E	
JZSP-CMP9-1-E	Sigma II servo driver CN2 (encoder) connector kit
JZSP-CMP9-1-E-G1	Sigma V servo driver CN2 (encoder) connector
JZSP-CMP9-2-E	
JZSP-CMS00-1-E	
JZSP-CMS00-2 YASK BRAND	
JZSP-CMS01-E	
JZSP-CMS02-E	Sigma II servo PC programming cable, 2m (equivalent to R88A-CCW002P2)
JZSP-CMS03-E	
JZSP-CVB12Y-03-E-G1	
JZSP-CVB12Y-05-E-G1	
JZSP-CVB12Y-10-E-G1	
JZSP-CVB12Y-15-E-G1	
JZSP-CVB12Y-20-E-G1	
JZSP-CVH03-03-E	Sigma V Cable(CN8) for safety functions(3 metre cable)
JZSP-CVH05-E	
JZSP-CVM9-1-E	
JZSP-CVMCA03-05-E-G1	
JZSP-CVMCA11-03-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 3m(for SGM
JZSP-CVMCA11-05-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 5m(for SGM
JZSP-CVMCA11-10-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 10m(for SG
JZSP-CVMCA11-15-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 15m(for SG
JZSP-CVMCA11-20-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 20m(for SG
JZSP-CVMCA12-03-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 3m(for SGM

JZSP-CVMCA12-05-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 5m(for SGM
JZSP-CVMCA12-10-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 10m(for SG
JZSP-CVMCA12-15-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 15m(for SG
JZSP-CVMCA12-20-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 20m(for SG
JZSP-CVMCA13-03-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 3m(for SGM
JZSP-CVMCA13-05-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 5m(for SGM
JZSP-CVMCA13-10-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 10m(for SG
JZSP-CVMCA13-15-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 15m(for SG
JZSP-CVMCA13-20-E-G1	Sigma V servo motor (with(extra cable required) & without brake) cable, 20m(for SG
JZSP-CVP02-05-E	Sigma V encoder cable for SGMGV/SV servomotors (non flexible type and non meta
JZSP-CVP07-05-E	Sigma V encoder cable with a battery case) for SGMGV/SV servomotors (non flexibl
JZSP-CVP12-03-E-G1	Sigma V 3m encoder cable incremental for SGMGV/SV
JZSP-CVP12-05-E-G1	Sigma V 5m encoder cable incremental for SGMGV/SV
JZSP-CVP12-10-E-G1	Sigma V 10m encoder cable incremental for SGMGV/SV
JZSP-CVP12-15-E-G1	Sigma V 15m encoder cable incremental for SGMGV/SV
JZSP-CVP12-20-E-G1	Sigma V 20m encoder cable incremental for SGMGV/SV
JZSP-CVP27-03-G1	Sigma V 3m encoder cable absolute(with battery case) for SGMGV/SV
JZSP-CVP27-05-G1	Sigma V 5m encoder cable absolute(with battery case) for SGMGV/SV
JZSP-CVP27-10-G1	Sigma V 10m encoder cable absolute(with battery case) for SGMGV/SV
JZSP-CVP27-15-G1	Sigma V 15m encoder cable absolute(with battery case) for SGMGV/SV
JZSP-CVP27-20-G1	Sigma V 20m encoder cable absolute(with battery case) for SGMGV/SV
JZSP-CVS05-A3-E	
JZSP-CVS06-02-E	
JZSP-CSI01-1-E	
JZSP-CSI01-1-E	
JZSP-CSI01-2-E	
JZSP-CSI01-2-E	
JZSP-CSI01-3-E	
JZSP-CSI01-3-E	
JZSP-CSI9-1-E	
JZSP-CSI9-1-E	
JZSP-CSI9-2-E	
JZSP-CSM01-03-E	
JZSP-CSM01-05-E	
JZSP-CSM01-10-E	
JZSP-CSM01-15-E	
JZSP-CSM01-20-E	
JZSP-CSM02-03-E	
JZSP-CSM02-05-E	
JZSP-CSM02-10-E	
JZSP-CSM02-15-E	
JZSP-CSM02-20-E	
JZSP-CSM03-03-E	
JZSP-CSM03-05-E	
JZSP-CSM03-10-E	
JZSP-CSM03-15-E	
JZSP-CSM03-20-E	
JZSP-CSM11-03-E	
JZSP-CSM11-05-E	
JZSP-CSM11-10-E	
JZSP-CSM11-15-E	
JZSP-CSM11-20-E	

Sigma V, USB Mini Connector cable

Sigma V servo driver CN1 (control I/O) connector kit MLII type

JZSP-CSM12-03-E	
JZSP-CSM12-05-E	
JZSP-CSM12-10-E	
JZSP-CSM12-15-E	
JZSP-CSM12-20-E	
JZSP-CSM13-03	
JZSP-CSM13-05	
JZSP-CSM13-10	
JZSP-CSM13-15	
JZSP-CSM13-20	
JZSP-CSM21-03-E	
JZSP-CSM21-03-E-G1	Sigma V servo motor (without brake) cable, 3m(for SGMJV-(A5/01)A@@@1-OY,SGM
JZSP-CSM21-05-E	
JZSP-CSM21-05-E-G1	Sigma V servo motor (without brake) cable, 5m(for SGMJV-(A5/01)A@@@1-OY,SGM
JZSP-CSM21-10-E	
JZSP-CSM21-10-E-G1	Sigma V servo motor (without brake) cable, 10m(for SGMJV-(A5/01)A@@@1-OY,SGI
JZSP-CSM21-15-E-G1	Sigma V servo motor (without brake) cable, 15m(for SGMJV-(A5/01)A@@@1-OY,SGI
JZSP-CSM21-20-E	
JZSP-CSM21-20-E-G1	Sigma V servo motor (without brake) cable, 20m(for SGMJV-(A5/01)A@@@1-OY,SGI
JZSP-CSM22-03-E-G1	Sigma V servo motor (without brake) cable, 3m(for SGMJV-(02/04)A@@@1-OY,SGM.
JZSP-CSM22-05-E	
JZSP-CSM22-05-E-G1	Sigma V servo motor (without brake) cable, 5m(for SGMJV-(02/04)A@@@1-OY,SGM.
JZSP-CSM22-10-E	
JZSP-CSM22-10-E-G1	Sigma V servo motor (without brake) cable, 10m(for SGMJV-(02/04)A@@@1-OY,SGM
JZSP-CSM22-15-E	
JZSP-CSM22-15-E-G1	Sigma V servo motor (without brake) cable, 15m(for SGMJV-(02/04)A@@@1-OY,SGM
JZSP-CSM22-20-E	
JZSP-CSM22-20-E-G1	Sigma V servo motor (without brake) cable, 20m(for SGMJV-(02/04)A@@@1-OY,SGM
JZSP-CSM23-03-E-G1	Sigma V servo motor (without brake) cable, 3m(for SGMJV-08A@@@1-OY,SGMAV-0
JZSP-CSM23-05-E	
JZSP-CSM23-05-E-G1	Sigma V servo motor (without brake) cable, 5m(for SGMJV-08A@@@1-OY,SGMAV-0
JZSP-CSM23-10-E	
JZSP-CSM23-10-E-G1	Sigma V servo motor (without brake) cable, 10m(for SGMJV-08A@@@1-OY,SGMAV-
JZSP-CSM23-15-E	
JZSP-CSM23-15-E-G1	Sigma V servo motor (without brake) cable, 15m(for SGMJV-08A@@@1-OY,SGMAV-
JZSP-CSM23-20-E	
JZSP-CSM23-20-E-G1	Sigma V servo motor (without brake) cable, 20m(for SGMJV-08A@@@1-OY,SGMAV-
JZSP-CSM31-03-E-G1	Sigma V servo motor (with brake) cable, 3m(for SGMJV-(A5/01)A@@@C-OY,SGMAV
JZSP-CSM31-05	
JZSP-CSM31-05-E-G1	Sigma V servo motor (with brake) cable, 5m(for SGMJV-(A5/01)A@@@C-OY,SGMAV
JZSP-CSM31-10-E-G1	Sigma V servo motor (with brake) cable, 10m(for SGMJV-(A5/01)A@@@C-OY,SGMA
JZSP-CSM31-15-E-G1	Sigma V servo motor (with brake) cable, 15m(for SGMJV-(A5/01)A@@@C-OY,SGMA
JZSP-CSM31-20-E-G1	Sigma V servo motor (with brake) cable, 20m(for SGMJV-(A5/01)A@@@C-OY,SGMA
JZSP-CSM32-03-E	
JZSP-CSM32-03-E-G1	Sigma V servo motor (with brake) cable, 3m(for SGMJV-(02/04)A@@@C-OY,SGMAV-
JZSP-CSM32-05-E	
JZSP-CSM32-05-E-G1	Sigma V servo motor (with brake) cable, 5m(for SGMJV-(02/04)A@@@C-OY,SGMAV-
JZSP-CSM32-10-E	
JZSP-CSM32-10-E-G1	Sigma V servo motor (with brake) cable, 10m(for SGMJV-(02/04)A@@@C-OY,SGMA
JZSP-CSM32-15-E	
JZSP-CSM32-15-E-G1	Sigma V servo motor (with brake) cable, 15m(for SGMJV-(02/04)A@@@C-OY,SGMA
JZSP-CSM32-20-E	

OMRON Industrial

JZSP-CSM32-20-E-G1	Sigma V servo motor (with brake) cable, 20m(for SGMJV-(02/04)A@A@C-OY,SGMAV-08A)
JZSP-CSM33-03-E-G1	Sigma V servo motor (with brake) cable, 3m(for SGMJV-08A@A@C-OY,SGMAV-08A)
JZSP-CSM33-05-E	
JZSP-CSM33-05-E-G1	Sigma V servo motor (with brake) cable, 5m(for SGMJV-08A@A@C-OY,SGMAV-08A)
JZSP-CSM33-10-E	
JZSP-CSM33-10-E-G1	Sigma V servo motor (with brake) cable, 10m(for SGMJV-08A@A@C-OY,SGMAV-08A)
JZSP-CSM33-15-E	
JZSP-CSM33-15-E-G1	Sigma V servo motor (with brake) cable, 15m(for SGMJV-08A@A@C-OY,SGMAV-08A)
JZSP-CSM33-20-E	
JZSP-CSM33-20-E-G1	Sigma V servo motor (with brake) cable, 20m(for SGMJV-08A@A@C-OY,SGMAV-08A)
JZSP-CSM60-10-E	
JZSP-CSM60-15-E	
JZSP-CSM90-05	
JZSP-CSM90-10	
JZSP-CSM90-15	
JZSP-CSM90-20	
JZSP-CSM91-05	
JZSP-CSM91-10	
JZSP-CSM91-15	
JZSP-CSM91-20	
JZSP-CSM9-1-E	
JZSP-CSM9-1-E-G1	Motor Power conn Sigma V Power conector kit
JZSP-CSM9-2-E	
JZSP-CSM9-2-E-G1	Sigma V Power conector kit
JZSP-CSM9-3-E	
JZSP-CSM9-3-E-G1	Sigma V Power conector kit
JZSP-CSP01-03-E	Sigma V 3m encoder cable incremental, (20metres or less)
JZSP-CSP01-05-E	Sigma V 5m encoder cable incremental, (20metres or less)
JZSP-CSP01-10-E	Sigma V 10m encoder cable incremental, (20metres or less)
JZSP-CSP01-15-E	Sigma V 15m encoder cable incremental, (20metres or less)
JZSP-CSP01-20-E	Sigma V 20m encoder cable incremental, (20metres or less)
JZSP-CSP04-03	
JZSP-CSP04-05	
JZSP-CSP04-10	
JZSP-CSP04-15	
JZSP-CSP04-20	
JZSP-CSP05-03-E	Sigma V 3m encoder cable absolute(with battery and holder), (20metres or less)
JZSP-CSP05-05-E	Sigma V 5m encoder cable absolute(with battery and holder), (20metres or less)
JZSP-CSP05-10-E	Sigma V 10m encoder cable absolute(with battery and holder), (20metres or less)
JZSP-CSP05-15-E	Sigma V 15m encoder cable absolute(with battery and holder), (20metres or less)
JZSP-CSP05-20-E	Sigma V 20m encoder cable absolute(with battery and holder), (20metres or less)
JZSP-CSP06-03	
JZSP-CSP06-05	
JZSP-CSP06-10	
JZSP-CSP06-15	
JZSP-CSP06-20	
JZSP-CSP07-03	
JZSP-CSP07-05	
JZSP-CSP07-10	
JZSP-CSP07-15	
JZSP-CSP07-20	
JZSP-CSP12-E	Sigma V 0.3m absolute encoder cable extension with a battery case (still require R8)

JZSP-CSP19-03	
JZSP-CSP19-05	
JZSP-CSP19-10	
JZSP-CSP19-15	
JZSP-CSP19-20	
JZSP-CSP21-03-E	
JZSP-CSP21-03-E-G1	Sigma V 3m incremental encoder cable
JZSP-CSP21-05-E	
JZSP-CSP21-05-E-G1	Sigma V 5m incremental encoder cable
JZSP-CSP21-10-E	
JZSP-CSP21-10-E-G1	Sigma V 10m incremental encoder cable
JZSP-CSP21-15-E	
JZSP-CSP21-15-E-G1	Sigma V 15m incremental encoder cable
JZSP-CSP21-20-E	
JZSP-CSP21-20-E-G1	Sigma V 20m incremental encoder cable
JZSP-CSP25-03-E	
JZSP-CSP25-03-G1	Sigma V 3m absolute encoder cable(with a battery case) for SGMJV/AV Servo motor
JZSP-CSP25-05-G1	Sigma V 5m absolute encoder cable(with a battery case) for SGMJV/AV Servo motor
JZSP-CSP25-10-E	
JZSP-CSP25-10-G1	Sigma V 10m absolute encoder cable(with a battery case) for SGMJV/AV Servo motor
JZSP-CSP25-15-G1	Sigma V 15m absolute encoder cable(with a battery case) for SGMJV/AV Servo motor
JZSP-CSP25-20-E	
JZSP-CSP25-20-G1	Sigma V 20m absolute encoder cable(with a battery case) for SGMJV/AV Servo motor
JZSP-CSP60-10-E	
JZSP-CSP60-15-E	
JZSP-CSP9-2-E	
JZSP-CSP9-2-E-G1S-5 motor conn. kit	Sigma V Encoder connector kit for SGMJV-@,SGMAV-@
JZSP-VEI02-E	
JZSP-VEP02	Sigma II and Sigma I (SGDA, SGDB, SGDC) servo driver CN2 connector kit for full cl
JZSP-VF101-03	
JZSP-VFP00-03-E	
JZSP-VFP00-05-E	
JZSP-VFP9	
JZSP-VJI9-1	
JZSP-VVM21-03-E	Sigma V servo motor (without brake) cable, 3m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM21-05-E	Sigma V servo motor (without brake) cable, 5m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM21-05-E	Sigma V servo motor (without brake) cable, 5m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM21-10-E	Sigma V servo motor (without brake) cable, 10m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM21-15-E	Sigma V servo motor (without brake) cable, 15m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM21-20-E	Sigma V servo motor (without brake) cable, 20m(for SGMGV-(03/05)D@@1-OY
JZSP-VVM41-03-E	Sigma V servo motor (with brake) cable, 3m(for SGMGV-(03/05)D@@C-OY
JZSP-VVM41-05-E	Sigma V servo motor (with brake) cable, 5m(for SGMGV-(03/05)D@@C-OY
JZSP-VVM41-10-E	Sigma V servo motor (with brake) cable, 10m(for SGMGV-(03/05)D@@C-OY
JZSP-VVM41-15-E	Sigma V servo motor (with brake) cable, 15m(for SGMGV-(03/05)D@@C-OY
JZSP-VVM41-20-E	Sigma V servo motor (with brake) cable, 20m(for SGMGV-(03/05)D@@C-OY
JZSP-WP001	
JZSP-WP002	
K2CG-A-F1	
K2CM-1L	
K2CM-1M	
K2CM-2H	
K2CM-2HA	

K2CM-2L
K2CM-2LS
K2CM-2M
K2CM-2MA
K2CM-4H
K2CM-4L
K2CM-4LA
K2CM-Q1H
K2CM-Q1L
K2CM-Q1LA
K2CM-Q1LS
K2CM-Q1LSA
K2CM-Q1MA
K2CM-Q2H
K2CM-Q2L
K2CM-Q2LA
K2CM-Q2LS
K2CM-Q2LSA
K2CM-Q2M
K2CM-Q2MA
K2CM-Q4H
K2CM-Q4L
K2CM-Q4M
K2CU-F10A-C AC4-10A AC100
K2CU-F10A-CGS
K2CU-F10A-E 200AC
K2CU-F10A-EGS
K2CU-F10A-F
K2CU-F10A-FGS
K2CU-F20A-C AC8-20A 100AC
K2CU-F20A-DGS
K2CU-F20A-E
K2CU-F20A-EGS
K2CU-F20A-F
K2CU-F20A-FGS
K2CU-F40A-C AC16-40A 100AC
K2CU-F40A-D AC16-40A 110AC
K2CU-F40A-DGS
K2CU-F40A-E
K2CU-F40A-F
K2CU-F40A-FGS
K2CU-F80A-D AC32-80A AC110
K2CU-F80A-E AC32-80A AC200
K2CU-P0.5A-A
K2CU-P0.5A-B
K2CU-P1A-A
K2CU-P1A-B
K2CU-P1-B
K2CU-P2A-A
K2CU-P2A-B
K2CU-P2-B
K2CU-P4A-A

K2CU-P4A-B	
K2CU-P4-B	
K2FW-S1-F4 110V	
K2WR-R-F1	
K2WR-R-S5	
K32 -L24SC	
K32-23209	
K32-49HC	Hard cover for use with 96x48mm panel meter
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter
K32-BCD	Special BDC output cable for use with K3HB panel meters
K32-DICN	
K32-L49MB	
K32-L49SC	
K32-L49TC	
K33-A	Option board (Slot B), not compatible with K3N models, 12 VDC 80mA sensor power
K33-B	Option board (Slot B), not compatible with K3N models, 10 VDC 100mA sensor power
K33-CPA	Option board (Slot B), not compatible with K3N models, 1 relay (PASS) SPDT and 12
K33-CPB	Option board (Slot B), not compatible with K3N series, 1 relay (PASS) SPDT and 10 V
K33-FLK1A	Option board (Slot B), not compatible with K3N models, Communications RS232C and
K33-FLK1B	Option board (Slot B), not compatible with K3N models, Communications RS232C and
K33-FLK3A	Option board (Slot B), not compatible with K3N models, Communications RS485 and
K33-FLK3B	Option board (Slot B), not compatible with K3N models, Communications RS485 and
K33-L1A	Option board (Slot B), not compatible with K3N models, Linear DC (0)4-20mA Output
K33-L1B	Option board (Slot B), not compatible with K3N models, Linear DC (0)4-20mA Output
K33-L2A	Option board (Slot B), not compatible with K3N models, Linear DC(0)1-5V or 0 to 10V
K33-L2B	Option board (Slot B), not compatible with K3N models, Linear DC(0)1-5V or 0 to 10V
K34-BCD	Option board (Slot C), not compatible with K3N models, BCD + 5 transistor output for
K34-C1	Option board (Slot C), not compatible with K3N models, 2 relays (High/Low) SPDT for
K34-C2	Option board (Slot C), not compatible with K3N models, 4 relays (HH/H/L/LL) SPNO for
K34-DRT	Option board (Slot B), device net communications
K34-T1	Option board (Slot C), not compatible with K3N models, 5 NPN open collector output
K34-T2	Option board (Slot C), not compatible with K3N models, 5 PNP open collector output
K35-1	Option board (Slot D), not compatible with K3N models, NPN open collector event input
K35-2	
K35-3	Option board (Slot D), not compatible with K3N models, PNP open collector event input
K35-4	Option board (Slot D), not compatible with K3N models, PNP open collector event input
K3FK-C-5A-J	
K3FK-PRU-11-B	
K3FK-SL-15-B	
K3FK-TG-64-R	
K3FK-VS-04W-J	
K3FK-VS-14-C	
K3FK-VS-165-B/K	
K3FK-VS-165-R/K	
K3FK-VS-2A-C	
K3FK-VS-44-J	
K3FK-VS-4A-H	
K3FK-VS-5A	
K3FK-VS-AA-J	
K3FK-VS-AC-J	
K3GN-NDC 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 2x relay outputs,
K3GN-NDC-400 2	

K3GN-NDC-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 2x relay outputs,
K3GN-NDC-FLK-400 24DC	
K3GN-NDC-L1 24DC	
K3GN-NDC-L1-400 24DC	
K3GN-NDC-L2 24DC	
K3GN-NDC-L2-400 24DC	
K3GN-NDT1 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 3x NPN transisto
K3GN-NDT1-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 3x NPN transisto
K3GN-NDT1-L1 24DC	
K3GN-NDT1-L2 24DC	
K3GN-PDC 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + PNP input, 2x relay outputs,
K3GN-PDC-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + PNP input, 2x relay outputs,
K3GN-PDT2 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + PNP input, 3x PNP transistor
K3GN-PDT2-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + PNP input, 3x PNP transistor
K3HB-CNB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-CNB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-CPB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-CPB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-HTA 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-HTA 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-PNB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-PNB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-PPB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-PPB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-RNB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-RNB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-RPB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-RPB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-SSD AC/DC24	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-SSD AC100-240	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-VLC 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-VLC 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-VLC CPBC21	
K3HB-XAA 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XAA 24VAC/VDC	
K3HB-XAD 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XAD 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XAD-K33-L1A-K34-T1	
K3HB-XVA 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XVA 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XVD 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3HB-XVD 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for
K3MA-F 100-240AC	
K3MA-F 24AC/DC	
K3MA-F-A2 100-240AC	Frequency/rate meter, DIN 96x48mm, colour change display, pulse input, 2NO relay
K3MA-F-A2 24AC/DC	Frequency/rate meter, DIN 96x48mm, colour change display, pulse input, 2NO relay
K3MA-J 100-240AC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input
K3MA-J 24AC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input
K3MA-J-A2 100-240AC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input, 2NC
K3MA-J-A2 24AC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input, 2NC
K3MA-L 100-240AC	
K3MA-L 24AC/DC	

K3MA-L-C 100-240AC

K3MA-L-C 24AC/DC

K3SC-10 AC/DC24

K3SC-10 AC100-240

K3TC-NB12A

K3TE-A114 CHN

K3TE-A115 CHN

K3TE-A116 CHN

K3TE-A118 CHN

K3TE-A214 CHN

K3TE-A215 CHN

K3TE-A216 CHN

K3TE-A218 CHN

K3TE-A314 CHN

K3TE-A315 CHN

K3TE-A316 CHN

K3TE-A318 CHN

K3TE-A414 CHN

K3TE-A415 CHN

K3TE-A416 CHN

K3TE-A418 CHN

K3TE-A514 CHN

K3TE-A515 CHN

K3TE-A516 CHN

K3TE-A518 CHN

K3TE-V114 CHN

K3TE-V115 CHN

K3TE-V116 CHN

K3TE-V118 CHN

K3TE-V214 CHN

K3TE-V215 CHN

K3TE-V216 CHN

K3TE-V218 CHN

K3TE-V314 CHN

K3TE-V315 CHN

K3TE-V316 CHN

K3TE-V318 CHN

K3TE-V414 CHN

K3TE-V415 CHN

K3TE-V416 CHN

K3TE-V418 CHN

K3TF-A614 CHN

K3TF-A615 CHN

K3TF-A618 CHN

K3TF-A714 CHN

K3TF-A715 CHN

K3TF-A718 CHN

K3TF-A814 CHN

K3TF-A815 CHN

K3TF-A818 CHN

K3TF-A914 CHN

K3TF-A915 CHN

Temperature meter, DIN 96x48mm, colour change display, thermocouple/ RTD input.

Temperature meter, DIN 96x48mm, colour change display, thermocouple/ RTD input.

Communications converter, RS-232C/USB to RS-422/RS-485, DIN rail, or direct panel

Communications converter, RS-232C/USB to RS-422/RS-485, DIN rail or direct panel

K3TF-A918 CHN
 K3TF-V514 CHN
 K3TF-V515 CHN
 K3TF-V518 CHN
 K3TF-V614 CHN
 K3TF-V615 CHN
 K3TF-V618 CHN
 K3TF-V714 CHN
 K3TF-V715 CHN
 K3TF-V718 CHN
 K3TF-V814 CHN
 K3TF-V815 CHN
 K3TF-V818 CHN
 K3TF-V914 CHN
 K3TF-V915 CHN
 K3TF-V918 CHN
 K3TG-V117 CHN
 K3TG-V217 CHN
 K3TG-V317 CHN
 K3TG-V417 CHN
 K3TH-TA13A-C1
 K3TR-NB11A
 K3TR-NB12A
 K3TR-PB11A
 K3TX-AD22A
 K3TX-VA22A-C2
 K3TX-VD21A-L1
 K3TX-VD21B-C1
 K3TX-VD31A
 K6EL-30
 K7L-AT50
 K7L-AT50D
 K7L-AT50D-S
 K7L-U
 K7L-UD
 K8AB-AS1 100/115VAC
 K8AB-AS1 200/230VAC
 K8AB-AS1 24VAC/DC
 K8AB-AS2 100/115VAC
 K8AB-AS2 200/230VAC
 K8AB-AS2 24VAC/DC
 K8AB-AS3 100/115VAC
 K8AB-AS3 200/230VAC
 K8AB-AS3 24VAC/DC
 K8AB-PA1
 K8AB-PA2
 K8AB-PH1
 K8AB-PM1
 K8AB-PM2
 K8AB-PW1
 K8AB-PW2
 K8AB-TH11S AC/DC24

Liquid leakage sensor, conductive, minature plug-in, adjustable sensitivity settings ·
 Liquid leakage sensor, conductive, minature plug-in, adjustable sensitivity settings ·
 Liquid leakage sensor, conductive, minature plug-in, adjustable sensitivity settings ·
 K7L-U
 K7L-UD
 Monitoring relay 22.5mm wide, Single phase over or under current 2-500mA AC or D
 Monitoring relay 22.5mm wide, Single phase over or under current 2-500mA AC or D
 Monitoring relay 22.5mm wide, Single phase over or under current 2-500mA AC or D
 Monitoring relay 22.5mm wide, Single phase over or under current 0.1-8A AC or DC
 Monitoring relay 22.5mm wide, Single phase over or under current 0.1-8A AC or DC
 Monitoring relay 22.5mm wide, Single phase over or under current 0.1-8A AC or DC
 Monitoring relay 22.5mm wide, Single phase over or under current 10-200A AC or DC
 Monitoring relay 22.5mm wide, Single phase over or under current 10-200A AC or DC
 Monitoring relay 22.5mm wide, Single phase over or under current 10-200A AC or DC
 Monitoring relay 22.5mm wide, voltage asymmerty, phase sequence,and phase loss,
 Monitoring relay 22.5mm wide, voltage asymmerty, phase sequence,and phase loss,
 Monitoring relay 22.5mm wide, simultanious monitoring of phase sequence and loss
 Monitoring relay 22.5mm wide, simultanious monitoring of over voltage, under volta
 Monitoring relay 22.5mm wide, simultanious monitoring of over voltage, under volta
 Monitoring relay 22.5mm wide, 3phase voltage monitoring, over and under voltages
 Monitoring relay 22.5mm wide, 3phase voltage monitoring, over and under voltages
 Monitoring relay 22.5mm wide, over or under temperature,0-399 °C/F Thermocouple

K8AB-TH11S AC100-240
 K8AB-TH12S AC/DC24
 K8AB-TH12S AC100-240
 K8AB-VS1 100/115VAC
 K8AB-VS1 200/230VAC
 K8AB-VS1 24VAC/DC
 K8AB-VS2 100/115VAC
 K8AB-VS2 200/230VAC
 K8AB-VS2 24VAC/DC
 K8AB-VS3 100/115VAC
 K8AB-VS3 200/230VAC
 K8AB-VS3 24VAC/DC
 K8AB-VW1 100/115VAC
 K8AB-VW1 200/230VAC
 K8AB-VW1 24VAC/DC
 K8AB-VW2 100/115VAC
 K8AB-VW2 200/230VAC
 K8AB-VW2 24VAC/DC
 K8AB-VW3 100/115VAC
 K8AB-VW3 200/230VAC
 K8AB-VW3 24VAC/DC
 K8AC-CT200
 K8AC-CT200L
 K8AC-CT20L
 K8AC-CT20S
 KEZELŐI TERMINÁL
 KM20-A11
 KM20-A12
 KM20-CT050-CE
 KS1-AA1T
 KS1-ANDC10
 KS1-ANDC20
 KS1-ANDC30
 KS1-ANDC40
 KS1-ANDC50
 KS1-ANDC-FT90
 KS1-ANDC-SW60
 KS1-ANDC-SW90
 KS1-ANFT90
 KS1-ANNS01
 KS1-ANNS-F
 KS1-ANNS-S
 KS1-ANNS-U
 KS1-ANSB10
 KS1-ANSB20
 KS1-ANSB30
 KS1-ANSB40
 KS1-ANSB50
 KS1-ANSW60
 KS1-ANSW90
 KS1-AZ01T (QTY 5)
 KS1-AZ02

Monitoring relay 22.5mm wide, over or under temperature,0-399 °C/F Thermocouple
 Monitoring relay 22.5mm wide, over or under temperature,0-1,700 °C/F(minimum set
 Monitoring relay 22.5mm wide, over or under temperature,0-1,700 °C/F(minimum set
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte
 Monitoring relay 22.5mm wide, Single phase over or under voltage monitoring bewte

Monitoring relay 22.5mm wide, 3-phase over and under voltage monitoring bewteen

Monitoring relay 22.5mm wide, 3-phase over or under voltage monitoring bewteen 1'
 Monitoring relay 22.5mm wide, 3-phase over or under voltage monitoring bewteen 1'
 Monitoring relay 22.5mm wide, 3-phase over or under voltage monitoring bewteen 1'
 Monitoring relay 22.5mm wide, 3-phase over or under voltage monitoring bewteen 2'
 Monitoring relay 22.5mm wide, 3-phase over or under voltage monitoring bewteen 2'

Current transormer, 12mm dia, 20 - 200 A

Current transormer, 30mm dia, 20 - 200 A

Current transormer, 12mm dia, 0.2 - 22 A

Current transormer, 5.8mm dia, 0.2 - 22 A

KS1-AZ03 (QTY 10)
KS1-AZ04
KZL71A(H3DE-S1-30)
KZL72A(H3DE-S2-30)
KZL91B(H3DE-M1-30)
L200-002NFEF2
L200-004HFEF2
L200-004NFEF2
L200-005NFEF2
L200-007NFEF2
L200-011NFEF2
L200-015HFEF2
L200-015NFEF2
L200-022HFEF2
L200-022NFEF2
L200-030HFEF2
L200-040HFEF2
L200-055HFEF2
L200-075HFEF2
L-2C2-2(1) BY OMI
L300P-015HFE2
L300P-022HFE2
L300P-040HFE2
L300P-055HFE2
L300P-075HFE2
L300P-110HFE2
L300P-110HFE2
L300P-1320HFE2
L300P-150HFE2
L300P-185HFE2
L300P-220HFE2
L300P-300HFE2
L300P-370HFE2
L300P-450HFE2
L300P-550HFE2
L300P-750HFE2
L300P-900HFE2
L-3C2-2(1)
L7Z-PUZ2011-CE
L7Z-PUZ2015-CE
L7Z-PUZ2018-CE
L7Z-PUZ2022-CE
L7Z-PUZ2030-CE
L7Z-PUZ2037-CE
L7Z-PUZ2045-CE
L7Z-PUZ2055-CE
L7Z-PUZ23P7-CE
L7Z-PUZ25P5-CE
L7Z-PUZ27P5-CE
L7Z-PUZ4011-CE
L7Z-PUZ4015-CE
L7Z-PUZ4018-CE

L7Z-PUZ4022-CE
L7Z-PUZ4030-CE
L7Z-PUZ4037-CE
L7Z-PUZ4045-CE
L7Z-PUZ4055-CE
L7Z-PUZ44P0-CE
L7Z-PUZ45P5-CE
L7Z-PUZ47P5-CE
L84-E1-3 H3CR-A DS
LBM-15-450
LC-R123R4PG

Battery, for S8TDCBU back-up unit

LED Spacer C200H-CT021
LETLA-C-F1ZA200-0104-NA0020-DC
LETLA-C-F1ZA200-0644-NA0020-DC
LETLA-C-F1ZD200-0374-NA0020-DC
LETLA-C-F1ZD200-0509-NA0020-DC
LETLA-C-F1ZD200-1049-NA0020-DC
LETLA-C-F1ZD200-1184-NA0020-DC
LETLA-C-F1ZD200-1589-NA0020-DC
LETLA-C-F1ZD380-0454-NA0020-DC
LETLA-C-F1ZD380-0589-NA0020-DC
LETLA-C-F1ZD380-0724-NA0020-DC
LETLA-C-F1ZD380-1129-NA0020-DC
LETLA-C-F1ZD380-1534-NA0020-DC
LETLA-C-F1ZD380-2074-NA0020-DC
LETLA-C-F35A120-0103-NA0020-DC
LETLA-C-F35A120-0319-NA0020-DC
LETLA-C-F35A120-0427-NA0020-DC
LETLA-C-F35A120-0535-NA0020-DC
LETLA-C-F35A120-0643-NA0020-DC
LETLA-C-F35A120-0751-NA0020-DC
LETLA-C-F35A120-0967-NA0020-DC
LETLA-C-F35A120-1075-NA0020-DC
LETLA-C-F35A120-1183-NA0020-DC
LETLA-C-F35A120-1507-NA0020-DC
LETLA-C-F35A120-2047-NA0020-DC
LETLA-C-F35A230-0239-NA0020-DC
LETLA-C-F35A230-0347-NA0020-DC
LETLA-C-F35A230-0563-NA0020-DC
LETLA-C-F35A230-0995-NA0020-DC
LETLA-C-F35A230-1103-NA0020-DC
LETLA-C-F35A230-2183-NA0020-DC
LETLA-C-F35D120-0967-NA0020-DC
LETLA-C-F35D230-0887-NA0020-DC
LETLA-C-F50A200-0144-NA0020-DC
LETLA-C-F50A200-0414-NA0020-DC
LETLA-C-F50A200-0684-NA0020-DC
LETLA-C-F50A200-0954-NA0020-DC
LETLA-C-F50A200-1089-NA0020-DC
LETLA-C-F50A200-1629-NA0020-DC
LETLA-C-F50A200-2034-NA0020-DC
LETLA-C-F50A380-0214-NA0020-DC

LETLA-C-F50A380-1024-NA0020-DC
LETLA-C-F50D200-0144-NA0020-DC
LETLA-C-F50D200-0549-NA0020-DC
LETLA-C-F50D200-0684-NA0020-DC
LETLA-C-F50D200-0819-NA0020-DC
LETLA-C-F50D200-1089-NA0020-DC
LETLA-C-F50D200-1224-NA0020-DC
LETLA-C-F50D200-1629-NA0020-DC
LETLA-C-F50D200-2034-NA0020-DC
LETLA-C-F50D380-0349-NA0020-DC
LETLA-C-F50D380-1024-NA0020-DC
LETLA-C-F50D380-1564-NA0020-DC
LETLA-C-F50D380-1699-NA0020-DC
LETLA-O-F1ZD200-0509-NA0020-DC
LEV-C2 B-41-B01-B1A000A
LEVER ASSY SG-L2
LEVER ASSY VG-L2
LEVER ASSY VG-L2A
LEVER D3V1
LEVER D3V2
LEVER D3V3
LEVER D3V4
LEVER D3V5
LEVER D3V6
LEVER FOR DZ-10GW
LEVER SG-L1
LEVER SG-L16
LEVER SG-L3
LEVER V-15FLW15
LEVER VG-L1B
LEVER VG-L3
LEVER(A) D2VW-L1
LEVER(B) D2VW-L1A
LEVER(C) D2VW-L1B
LEVER(D) D2VW-L3
LEVERASSY(E) D2VW-L2A
LEVERASSY(F) D2VW-L2
LF-310KB
LF-3110KB
LF-320KB
LF-335KB
LF-345KB
LF-375KB
LG2-AB 100AC
LG2-AB 110AC
LG2-AB 200AC
LG2-AB 220AC
LG2-DB 100DC
LG2-DB 12DC
LG2-DB 24DC
LG2-DB 48DC
LKA06SL-110-04BC

LKA06SL-130-04BC
LKA06SL-300-04BC
LKB06SL-180-04BC

LKEB-2011
LKEB-2015
LKEB-2018
LKEB-2022
LKEB-20P7
LKEB-21P5
LKEB-22P2
LKEB-23P7
LKEB-25P5
LKEB-27P5

LKEB-4011
LKEB-4015
LKEB-4018

Braking Unit 4800W, 32ohms

LKEB-4022
LKEB-4030
LKEB-4037

Braking Unit, 9600W, 13.6 ohms(X4)

LKEB-4045
LKEB-40P7
LKEB-41P5
LKEB-42P2
LKEB-43P7
LKEB-45P5
LKEB-47P5

LKT1-AD16P

LP050-M01-10-1/R88M-W10030H
LP050-M01-5-1/R88M-W10030H-S1
LP050-MO1-005-111/R88M-U10030
LP050-MO1-010-111/R7M-A10030
LP050-MO2-025-111/R7M-A10030
LP070-MO1-003-111/R7M-A75030
LP070-MO1-003-111/SGMAH02
LP070-MO1-005-111/SGMAH08A
LP070-MO1-010-111/R88M-U40030
LP070-MO1-010-111/R88M-W20030H
LP070-MO2-100-111/R88M-W40030
LP070-MO2-100-111/SGMAHA5A
LP090-M01-10-1/R88M-U75030
LP090-M01-10-111/R88M-U40030
LP090-MO1-005-111/SGMGH09
LP090-MO1-010-111/R7M-A75030
LP090-MO1-010-111/SGMGH05
LP090-MO2-025-111/R7MA75030S1
LP090-MO2-50-111/R7M-A10030
LP120-MO1-010-111/SGMGH05
LP155-MO1-010-111/R88M-W1K315
LP155-MO1-010-111/SGMGH20

LPRA-06B-FRBN170+

LRA06AMRPN182

LS-112

LS-612	
LY1 110/120AC	
LY1 12AC	
LY1 12DC	
LY1 220/240AC	
LY1 24AC	
LY1 24DC	Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC
LY1 24DC+	
LY1 AC200/220	
LY1 AC24	
LY1-0 110/120AC	
LY1-0 12DC	
LY1-0 220/240AC	
LY1-0 24AC	
LY1-0 24DC	
LY1-0-EU AC110/120 BY OMI	
LY1-0-EU AC220/240 BY OMI	
LY1-0-EU AC24 BY OMI	
LY1-0-EU DC12 BY OMI	
LY1-0-EU DC24 BY OMI	
LY1-D 100/110DC	
LY1-D DC12	
LY1-D DC24	
LY1F 12DC	
LY1F 220/240AC	
LY1F 24AC	
LY1F 24DC	
LY1F AC200/220	
LY1F AC220/240	
LY1F-EU AC110/120 BY OMI	
LY1F-EU AC200/220 BY OMI	
LY1F-EU AC220/240 BY OMI	
LY1F-EU AC24 BY OMI	
LY1F-EU DC12 BY OMI	
LY1F-EU DC24 BY OMI	
LY1F-HIB 220/240AC	
LY1F-HIB 220/240AC GU5	
LY1I4 AC24	
LY1N AC110/120	
LY1N AC220/240	
LY1N AC24	
LY1N DC12	
LY1N-D2 24DC	Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC
LY2 100/110AC	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC
LY2 100/110DC	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VDC
LY2 110/120AC	Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC
LY2 120DC	
LY2 12AC	Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC
LY2 12DC	Relay, plug-in, 8-pin, DPDT, 10A, 12 VDC
LY2 200/220AC	
LY2 220/240AC	Relay, plug-in, 8-pin, DPDT, 10A, 220/240 VAC
LY2 24AC	Relay, plug-in, 8-pin, DPDT, 10A, 24 VAC

OMRON Industrial

LY2 24DC	Relay, plug-in, 8-pin, DPDT, 10A, 24 VDC
LY2 48AC	Relay, plug-in, 8-pin, DPDT, 10A, 48 VAC
LY2 48DC	Relay, plug-in, 8-pin, DPDT, 10A, 48 VDC
LY2 6AC	Relay, plug-in, 8-pin, DPDT, 10A, 6 VAC
LY2 6AC -JPN-	
LY2 6DC	Relay, plug-in, 8-pin, DPDT, 10A, 6 VDC
LY2 DC125	
LY2 DC32	
LY2-0 100/110DC	
LY2-0 110/120AC	
LY2-0 12DC	
LY2-0 220/240AC	Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC
LY2-0 24AC	Relay, PCB pins, 8-pin, DPDT, 10A, 24 VAC
LY2-0 24DC	Relay, PCB pins, 8-pin, DPDT, 10A, 24 VDC
LY2-0 48DC	Relay, PCB pins, 8-pin, DPDT, 10A, 48 VDC
LY2-0 6DC	
LY2-0 AC100/110	
LY2-0-EU AC100/110 BY OMI	
LY2-0-EU AC110/120 BY OMI	
LY2-0-EU AC200/220 BY OMI	
LY2-0-EU AC220/240 BY OMI	
LY2-0-EU AC24 BY OMI	
LY2-0-EU DC100/110 BY OMI	
LY2-0-EU DC12 BY OMI	
LY2-0-EU DC24 BY OMI	
LY2-0-EU DC48 BY OMI	
LY2-0-EU DC6 BY OMI	
LY2-AP10 12DC	
LY2-CR 200/220AC	
LY2-D 12DC	
LY2-D 24DC	Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC
LY2-D 48DC	
LY2F 110/120AC	
LY2F 12AC	
LY2F 12DC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 12 VDC
LY2F 200/220AC	
LY2F 220/240AC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC
LY2F 24AC	
LY2F 24DC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 24 VDC
LY2F 48DC	
LY2F AC100/110	
LY2F-ACA 200AC	
LY2F-ACA-US 220/240AC	
LY2-FD 24DC	
LY2-FD 6DC	
LY2F-EU AC110/120 BY OMI	
LY2F-EU AC12 BY OMI	
LY2F-EU AC200/220 BY OMI	
LY2F-EU AC220/240 BY OMI	
LY2F-EU AC24 BY OMI	
LY2F-EU DC12 BY OMI	
LY2F-EU DC24 BY OMI	

LY2F-EU DC48 BY OMI	
LY2F-T2 220/240AC	
LY2F-VD 220AC	
LY2I4 AC110/120	
LY2I4N 100/110AC	
LY2I4N 110/120AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button
LY2I4N 12DC	
LY2I4N 220/240AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button
LY2I4N 24AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button
LY2I4N 24DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button
LY2I4N 48DC	
LY2I4N AC200/220	
LY2I4N DC100/110	
LY2N 100/110AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC
LY2N 100/110DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VDC
LY2N 12AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 12 VAC
LY2N 12DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 12 VDC
LY2N 200/220AC	
LY2N 220/240AC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC
LY2N 24DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC
LY2N 48AC	
LY2N 48DC	
LY2N 50AC	
LY2N 6DC	
LY2N AC24	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC
LY2N DC48	
LY2N-CR 100/110AC	
LY2N-CR 220/240AC	
LY2N-CR AC110/120	
LY2N-D2 100/110DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor
LY2N-D2 12DC	
LY2N-D2 24DC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor
LY2N-D2 DC48	
LY2N-FD 24DC	
LY2N-TU 100/110AC	
LY2S 100/110AC	
LY2S 220/240AC	
LY2-TU 24DC	
LY2-TU-MSV 24DC	
LY2-VD 24DC	
LY2Z 100/110AC	
LY2Z 110DC	
LY2Z 12DC	
LY2Z 24DC	
LY2Z 48DC	
LY2Z-0 24DC	
LY2Z-0 DC48	
LY2ZD 24DC	
LY2ZF 12DC	
LY2ZF 24DC	
LY2ZN 100/110AC	
LY2ZN 24DC	

LY2ZN-D2 24DC	
LY3 100/110AC	Relay, plug-in, 11-pin, 3PDT, 10A, 100/110 VAC
LY3 100/110DC	
LY3 12AC	
LY3 12DC	Relay, plug-in, 11-pin, 3PDT, 10A, 12 VDC
LY3 24AC	Relay, plug-in, 11-pin, 3PDT, 10A, 24 VAC
LY3 24DC	Relay, plug-in, 11-pin, 3PDT, 10A, 24 VDC
LY3 48DC	
LY3 AC120	
LY3 AC220/240 BY OMI	
LY3 AC240	
LY3-0 12DC	
LY3-0 24AC	
LY3-0 24DC	Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC
LY3-0 48DC	
LY3-0 AC120	
LY3-0 AC200/220	
LY3-0 AC240	
LY3-0 DC100/110	
LY3-0 DC48	
LY3-0 DC6	
LY3-0-EU AC12 BY OMI	
LY3-0-EU AC120 BY OMI	
LY3-0-EU AC200/220 BY OMI	
LY3-0-EU AC24 BY OMI	
LY3-0-EU AC240 BY OMI	
LY3-0-EU DC100/110 BY OMI	
LY3-0-EU DC12 BY OMI	
LY3-0-EU DC24 BY OMI	
LY3-0-EU DC48 BY OMI	
LY3-0-EU DC6 BY OMI	
LY3-D 100/110DC	
LY3-D DC24	
LY3F 240AC	
LY3F 24AC	
LY3F 24DC	
LY3F AC120	
LY3F AC200/220	
LY3F AC24	
LY3F DC12	
LY3F DC24	
LY3F-30-JT-HTQ 220AC	
LY3F-EU AC120 BY OMI	
LY3F-EU AC24 BY OMI	
LY3F-EU AC240 BY OMI	
LY3F-EU DC12 BY OMI	
LY3F-EU DC24 BY OMI	
LY3I4 24AC	
LY3I4N AC110/120	
LY3N 100/110AC	
LY3N 100/110DC	
LY3N 200/220AC	

LY3N 24DC	Relay, plug-in, 11-pin, 3PDT, LED indicator, 10A, 24 VDC
LY3N 48DC	
LY3N AC110/120	
LY3N AC24	
LY3N DC12	
LY3N-D2 24DC	Relay, plug-in, 11-pin, 3PDT, LED indicator and diode, 10A, 24 VDC
LY4 100/110AC	Relay, plug-in, 14-pin, 4PDT, 10A100/110 VAC
LY4 100/110DC	Relay, plug-in, 14-pin, 4PDT, 10A, 100/110 VDC
LY4 120AC	
LY4 125DC	
LY4 12AC	Relay, plug-in, 14-pin, 4PDT, 10A, 12 VAC
LY4 12DC	Relay, plug-in, 14-pin, 4PDT, 10A, 12 VDC
LY4 200/220AC	
LY4 230AC	Relay, plug-in, 14-pin, 4PDT, 10A, 230 VAC
LY4 24AC	Relay, plug-in, 14-pin, 4PDT, 10A, 24 VAC
LY4 24DC	Relay, plug-in, 14-pin, 4PDT, 10A, 24 VDC
LY4 32DC	
LY4 48AC	Relay, plug-in, 14-pin, 4PDT, 10A, 48 VAC
LY4 48DC	Relay, plug-in, 14-pin, 4PDT, 10A, 48 VDC
LY4 6AC	
LY4 6DC	
LY4 DC36	
LY4-0 12DC	
LY4-0 230AC	
LY4-0 24AC	
LY4-0 24DC	Relay, PCB terminals, 14-pin, 4PDT, 10A, 24 VDC
LY4-0 AC120	
LY4-0 AC240	
LY4-0 DC100/110	
LY4-0 DC48	
LY4-0-EU AC120 BY OMI	
LY4-0-EU AC200/220 BY OMI	
LY4-0-EU AC230 BY OMI	
LY4-0-EU AC24 BY OMI	
LY4-0-EU AC240 BY OMI	
LY4-0-EU DC100/110 BY OMI	
LY4-0-EU DC12 BY OMI	
LY4-0-EU DC24 BY OMI	
LY4-0-EU DC48 BY OMI	
LY4-D 100/110DC	
LY4-D 12DC	
LY4-D 24DC	Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC
LY4-D DC48	
LY4F 12DC	
LY4F 200/220AC	
LY4F 24DC	
LY4F AC120	
LY4F AC24	
LY4F AC240	
LY4F DC100/110	
LY4F DC48	
LY4F-EU AC120 BY OMI	

LY4F-EU AC24 BY OMI	
LY4F-EU AC240 BY OMI	
LY4F-EU DC12 BY OMI	
LY4F-EU DC24 BY OMI	
LY4F-EU DC48 BY OMI	
LY4I2N 100/110DC	
LY4I4N 110/120AC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, test button
LY4I4N 12DC	
LY4I4N 230AC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, test button
LY4I4N 24AC	
LY4I4N 24DC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, test button
LY4I4N 48DC	
LY4I4N AC200/220	
LY4I4N AC240	
LY4I4N DC100/110	
LY4N 100/110AC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC
LY4N 100/110DC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VDC
LY4N 12DC	
LY4N 200/220AC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC
LY4N 240AC -JPN+	
LY4N 24AC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VAC
LY4N 24DC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC
LY4N AC110/120	
LY4N AC12	
LY4N AC230	
LY4N AC240	
LY4N DC48	
LY4N-D2 100/110DC	
LY4N-D2 12DC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 12 VDC
LY4N-D2 24DC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC
LY4N-D2 48DC	
LYQ2 12DC	
LYQ2-0 DC12	
LYQ2-UA-006288 12DC	
M16-0	Solder terminal socket for use with M16 range of indicators
M16-0P	PCBr terminal socket for use with M16 range of indicators
M165-AA-12D	
M165-AA-24D	
M165-AA-5D	
M165-AG-24D	
M165-AR-24D	
M165-AW-24D	
M165-AW-5	
M165-AW-5D	
M165-AY-12	
M165-AY-12D	
M165-AY-24	
M165-AY-24D	
M165-AY-5	
M165-AY-5D	
M165-JA-12	
M165-JA-12D	

M165-JA-24
M165-JA-24D
M165-JA-5
M165-JA-5D
M165-JG-12
M165-JG-12D
M165-JG-24
M165-JG-24D
M165-JG-5
M165-JG-5D
M165-JR-12
M165-JR-12D
M165-JR-24
M165-JR-24D
M165-JR-5
M165-JR-5D
M165-JW-12
M165-JW-12D
M165-JW-24
M165-JW-24D
M165-JW-5
M165-JW-5D
M165-JY-12
M165-JY-12D
M165-JY-24
M165-JY-24D
M165-JY-5
M165-JY-5D
M165-TA-12
M165-TA-12D
M165-TA-24
M165-TA-24D
M165-TA-5
M165-TA-5D
M165-TG-12
M165-TG-12D
M165-TG-24
M165-TG-24D
M165-TG-5
M165-TG-5D
M165-TR-12
M165-TR-12D
M165-TR-24
M165-TR-24D
M165-TR-5
M165-TR-5D
M165-TW-12
M165-TW-12D
M165-TW-24
M165-TW-24D
M165-TW-5
M165-TW-5D

M165-TY-12	
M165-TY-12D	
M165-TY-24	
M165-TY-24D	
M165-TY-5	
M165-TY-5D	
M16-AA-12D	
M16-AA-24D	
M16-AA-5D	
M16-AG-24D	
M16-AR-12D	
M16-AR-24D	
M16-AY-24D	
M16-JA-12D	
M16-JA-24D	
M16-JA-5D	
M16-JG-24D	
M16-JR-24D	
M16-JW-24D	
M16-JY-24D	
M16-S	Screwless terminal socket for use with M16 range of indicators
M16-T1	Lamp socket, solder terminal
M16-T2-S	Lamp socket, 200V, screw terminal
M16-TA-12D	
M16-TA-24	
M16-TA-24D	
M16-TA-5D	
M16-TG-24	
M16-TG-24D	
M16-TR-24	
M16-TR-24D	
M16-TY-24D	
M22-00	Indicator socket unit
M22-00-T1	Indicator socket unit 100V
M22-00-T2	Indicator socket unit 200V
M22-CA	
M22-CG	
M22-CG-24A	
M22-CR	
M22-CR-24A	
M22-CW	
M22-CY	
M22-FA	Indicator, round, IP65, blue
M22-FA-24A	
M22-FA-T2	
M22-FG	Indicator, round, IP65, green
M22-FG-24A	
M22-FG-T2	
M22-FR	Indicator, round, IP65, red
M22-FR-24A	
M22-FR-T2	
M22-FW	Indicator, round, IP65, white

M22-FW-24A	
M22-FW-T2	
M22-FY	Indicator, round, IP65,yellow
M22-FY-24A	
M22-FY-T2	
M2BJ-B06	
M2BJ-B06A	
M2BJ-B06B	
M2BJ-B06C	
M2BJ-B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply
M2BJ-B24A	Panel mount buzzer, intermittent (short/long) sound, 12-24 VAC/DC supply
M2BJ-B24B	
M2BJ-B24C	
M2BJ-B24-D	
M2BJ-BH24D	Panel mount buzzer, intermittent/ continuous (high pitched) high sound, 12-24 VAC//
M2BJ-BH24E	
M2CA-7001	Square socket unit for indicator only, solder terminal, IP40
M2CJ-7001	Rectangular socket unit for indicator only, solder terminal, IP40
M2CT-7001	Round socket unit for indicator only, solder terminal, IP40
M2CT-90A1-24EG	
M2DA-500GY	Indicator display, square, green, built-in LED
M2DA-500R	Indicator display, square, red, built-in LED
M2DA-500Y	Indicator display, square, yellow, built-in LED
M2DA-7001	Square socket unit, IP40, solder terminals
M2DA-90A1-00ER	
M2DJ-500GY	Indicator display, rectangular, green, built-in LED
M2DJ-500R	Indicator display, rectangular, red, built-in LED
M2DJ-500Y	Indicator display, rectangular, yellow, built-in LED
M2DJ-7001	Rectangular socket unit, IP40, solder terminals
M2DT-500GY	Indicator display, round, green, built-in LED
M2DT-500R	Indicator display, round, red, built-in LED
M2DT-500W	
M2DT-500Y	Indicator display, round, yellow, built-in LED
M2DT-7001	Round socket unit, IP40, solder terminals
M2DT-7002	
M2PA-5011	
M2PA-5012	
M2PA-5701-24E	
M2PA-5702-24E	
M2PA-5703-24E	
M2PA-5706-05E	
M2PA-5706-24E	
M2PA-5711-05E	
M2PA-5722-24E	
M2PA-5732-24E	
M2PA-5736-05E	
M2PA-5800-24E	
M2PA-7010-1	
M2PA-90AG1-24EK	
M2PJ-5011	
M2PJ-5012	
M2PJ-5013	

M2PJ-5021
M2PJ-5022
M2PJ-5701-24E
M2PJ-5702-24E
M2PJ-5703-24E
M2PJ-5706-24E
M2PJ-5712-24E
M2PJ-5721-12E
M2PJ-5732-12E
M2PJ-5732-24E
M2PJ-5736-24E
M2PJ-7010-1
M2PJ-7011
M2PJ-90A11-24CR
M2PJ-90A11-24CW
M2PJ-90A11-24EW
M2SA-5302
M2SA-5801
M2SA-5802
M2SA-5803
M2SA-5805
M2SA-7010
M2SJ-5321
M2SJ-5322
M2SJ-5801
M2SJ-5802
M2SJ-5805
M2SJ-5905
M2SJ-5907
M2SJ-5909
M2SJ-8010
M500-E2-01 COUNTER FOLDER

M-614T

M7E-012M

Digital display end plate, light grey

M7E-012M-1

Digital display,

M7E-012PA

M7E-012PA-1

M7E-01BGN2

M7E-01BGP2

M7E-01BRD2

M7E-01BRN2

M7E-01BRP2

M7E-01DGN2

M7E-01DGP2

M7E-01DRD2

M7E-01DRGN2

M7E-01DRN2

M7E-01DRP2

Digital display, decimal, positive logic input, Red display colour

M7E-01HGN2

Digital display, 14mm high 7 segment, hexadecimal, green, negative type

M7E-01HGP2

M7E-01HRN2

M7E-01HRP2

Digital display, Hexadecimal, positive logic input, Red display colour

M7E-01MB2-S2	Digital display mother board, 2 digit, static type
M7E-01MB3-S2	
M7E-01MB4-D	
M7E-01MB4-S2	Digital display mother board, 4 digit, static type
M7E-01UG2-A	
M7E-01UG2-B	
M7E-01UG2-D	
M7E-01UG2-E	
M7E-01UG2-F	
M7E-01UG2-G	
M7E-01UG2-H	
M7E-01UG2-J	
M7E-01UG2-K	
M7E-01UG2-L	
M7E-01UR2-A	
M7E-01UR2-B	
M7E-01UR2-C	
M7E-01UR2-D	
M7E-01UR2-F	
M7E-01UR2-G	
M7E-01UR2-H	
M7E-01UR2-J	
M7E-01UR2-K	
M7E-01UR2-L	
M7E-01UR2-M	
M7E-01UR2-N	
M7E-01UR2-P	
M7E-01UR2-Q	
M7E-01UR2-S	
M7E-022M-1	
M7E-02DGN2	
M7E-02DRGN2	
M7E-02DRN2	
M7E-02UR2-B	
M7E-02UR2-F	
M7E-08DRN2	Digital display, negative type
M7E-08HRN2	
M7E-12DGN1	
M7E-12DGN2	
M7E-12DKN1	
M7E-12DKN2	
M7E-12DRN1	
M7E-12DRN2	
M7E-12HGN2	
M7E-12HKN1	
M7E-12HKN2	
M7E-12HRN1	
M7E-20DGN1	
M7E-20DKN1	
M7E-20DRN1	
M7E-20HGN1	
M7E-20HKN1	

M7E-20HRN1	
M7E-WH0111A	
M7F-3P1GT	
M7F-4D1R	
M7F-4D1RF	
M7F-4N1G	
M7F-4N1R	
M7F-4P1R	
M7F-5D1R	
MA15BL-15SL	
MACNIT 3.99.3.02.100	
MCF47-141050-30300-LCM1-30X-30	
ME03-OM40S10-D4	
MG50Q1BS11	
MK2KP 110AC	Latching relay, plug-in, 11-pin, DPDT, 5A, operation indicator, 110 VAC
MK2KP 110DC	Latching relay, plug-in, 11-pin, DPDT, 5A, operation indicator, 110 VDC
MK2KP 125DC	
MK2KP 12AC	
MK2KP 12DC	
MK2KP 230AC	Latching relay, plug-in, 11-pin, DPDT, 5A, operation indicator, 230 VAC
MK2KP 240AC	
MK2KP 24AC	Latching relay, plug-in, 11-pin, DPDT, 5A, operation indicator, 24 VAC
MK2KP 24DC	Latching relay, plug-in, 11-pin, DPDT, 5A, operation indicator, 24 VDC
MK2KP 48DC	
MK2KP 50AC	
MK2KP 6AC	
MK2KP 6DC	
MK2KP-TC 220AC	
MK2P 100/110AC	
MK2P 110AC 40W	
MK2P 12DC	
MK2P 220AC 40W	
MK2P 220AC 60W	
MK2P 240AC	
MK2P 24AC	
MK2P 24DC	
MK2P 24DC 40W	
MK2P 380DCMA	
MK2P 6DC	
MK2P AC100 60W	
MK2P AC220	
MK2P AC230	
MK2P DC100	
MK2P DC110	
MK2P DC24 60W	
MK2P-2 100DC	
MK2P-2 12DC	
MK2PD-S 110DC	
MK2PE 220AC	
MK2PE-US DC12	
MK2PE-US-SV 12DC	
MK2PE-US-SV 24DC	

MK2PN 12AC
MK2P-N 220AC
MK2P-N 24DC
MK2PN DC6
MK2P-S DC48
MK2P-S DC60
MK2PV-I 230AC
MK2ZP 110AC
MK2ZP 12DC
MK2ZP 24DC
MK2ZP 48DC
MK3LP-5-SV 220AC
MK3LP-5-SV 24AC
MK3LP-5-SV 24DC
MK3P 110AC
MK3P 125DC
MK3P 220AC
MK3P 220AC 65W
MK3P-13 24DC
MK3P5 110AC
MK3P5 12DC
MK3P5-I 230AC *GYÛJTÕ/60
MK3P5-S 230AC*GYÛJTÕ/60
MK3P5-S 24DC **GYÛJTÕ/60**
MK3P5-S DC48
MK3P5-US 24AC
MK3P5-US 24DC,
MK3PA 110AC
MK3PA 200/220AC
MK3P-AD 24DC
MK3P-AD 48DC
MK3PD-5-S DC12
MK3P-DO 100/110DC
MK3PE-5-US 110AC
MK3PE-5-US 220AC
MK3PE-5-US 24DC
MK3PE-US 220AC
MK3PE-US 24DC
MK3PN 12AC
MK3PN 220/240AC
MK3PN 24DC
MK3PN 48DC
MK3PN DC200
MK3PN-5 220AC
MK3PN-5 24AC
MK3PN-5 24DC
MK3PN-5 42AC
MK3P-S DC24
MK3P-TC 110AC
MK3PV-5-I 24AC
MK3ZP 110DC
MK3ZP 115AC 60W

MK3ZP 125DC
MK3ZP 220AC
MK3ZP 24DC
MK3ZP 48DC
MK3ZP-2 24DC
MK3ZP2-US 24DC
MK3ZP-5 24AC
MK3ZP-5 24DC
MKA15SL-110-17BC
MKA15SL-130-17BC
MKA15SL-180-17BC
MKA15SL-300-17BC
MKS1TIN-10 AC110
MKS1TIN-10 AC230
MKS1TIN-10 AC24
MKS1TIN-10 DC12
MKS1TIN-10 DC24
MKS1TIN-10 DC48
MKS1XTIN-10 AC110
MKS1XTIN-10 AC230
MKS1XTIN-10 AC24
MKS1XTIN-10 DC110
MKS1XTIN-10 DC12
MKS1XTIN-10 DC220
MKS1XTIN-10 DC24
MKS1XTIN-10 DC48
MKS2P AC100
MKS2P AC110
MKS2P AC12
MKS2P AC120
MKS2P AC200
MKS2P AC220
MKS2P AC230
MKS2P AC24
MKS2P AC240
MKS2P AC48
MKS2P AC50
MKS2P AC6
MKS2P DC100
MKS2P DC110
MKS2P DC12
MKS2P DC125
MKS2P DC24
MKS2P DC32
MKS2P DC48
MKS2P DC6
MKS2P1-D DC100
MKS2P1-D DC110
MKS2P1-D DC12
MKS2P1-D DC24
MKS2P1-D DC48
MKS2P1-D DC6

MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO, with Test Button and Built-in Opera
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and
MK-S(X) series DC Switching Relay (220 VDC, 10 A), SPST-NO, with Test Button and

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator

MKS2P1-D-2 DC100
MKS2P1-D-2 DC110
MKS2P1-D-2 DC12
MKS2P1-D-2 DC24
MKS2P1-D-2 DC48
MKS2P1-D-2 DC6
MKS2P-2 AC100
MKS2P-2 AC110
MKS2P-2 AC12
MKS2P-2 AC120
MKS2P-2 AC200
MKS2P-2 AC220
MKS2P-2 AC230
MKS2P-2 AC24
MKS2P-2 AC240
MKS2P-2 AC50
MKS2P-2 AC6
MKS2P-2 DC100
MKS2P-2 DC110
MKS2P-2 DC12
MKS2P-2 DC24
MKS2P-2 DC48
MKS2P-2 DC6
MKS2P-D DC100
MKS2P-D DC110
MKS2P-D DC12
MKS2P-D DC24
MKS2P-D DC48
MKS2P-D DC6
MKS2P-D-2 DC100
MKS2P-D-2 DC110
MKS2P-D-2 DC12
MKS2P-D-2 DC24
MKS2P-D-2 DC48
MKS2P-D-2 DC6
MKS2PI AC100
MKS2PI AC110
MKS2PI AC12
MKS2PI AC120
MKS2PI AC200
MKS2PI AC220
MKS2PI AC230
MKS2PI AC24
MKS2PI AC240
MKS2PI AC48
MKS2PI AC50
MKS2PI AC6
MKS2PI DC100
MKS2PI DC110
MKS2PI DC12
MKS2PI DC125
MKS2PI DC24

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, coil suppression

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button

MKS2PI DC48	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button
MKS2PI DC6	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button
MKS2PI DC60	
MKS2PI1-D DC100	
MKS2PI1-D DC110	
MKS2PI1-D DC12	
MKS2PI1-D DC24	
MKS2PI1-D DC48	
MKS2PI1-D DC6	
MKS2PI1-D-2 DC100	
MKS2PI1-D-2 DC110	
MKS2PI1-D-2 DC12	
MKS2PI1-D-2 DC24	
MKS2PI1-D-2 DC48	
MKS2PI1-D-2 DC6	
MKS2PI-2 AC100	
MKS2PI-2 AC110	
MKS2PI-2 AC12	
MKS2PI-2 AC120	
MKS2PI-2 AC200	
MKS2PI-2 AC220	
MKS2PI-2 AC230	
MKS2PI-2 AC24	
MKS2PI-2 AC240	
MKS2PI-2 AC50	
MKS2PI-2 AC6	
MKS2PI-2 DC100	
MKS2PI-2 DC110	
MKS2PI-2 DC12	
MKS2PI-2 DC24	
MKS2PI-2 DC48	
MKS2PI-2 DC6	
MKS2PI-D DC100	
MKS2PI-D DC110	
MKS2PI-D DC12	
MKS2PI-D DC24	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button, coil suppression
MKS2PI-D DC48	
MKS2PI-D DC6	
MKS2PI-D-2 DC100	
MKS2PI-D-2 DC110	
MKS2PI-D-2 DC12	
MKS2PI-D-2 DC24	
MKS2PI-D-2 DC48	
MKS2PI-D-2 DC6	
MKS2PIN AC100	
MKS2PIN AC110	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button
MKS2PIN AC12	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button
MKS2PIN AC120	
MKS2PIN AC200	
MKS2PIN AC220	
MKS2PIN AC230	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button
MKS2PIN AC24	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button

MKS2PIN AC240	
MKS2PIN AC50	
MKS2PIN AC6	
MKS2PIN DC100	
MKS2PIN DC110	
MKS2PIN DC12	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button
MKS2PIN DC125	
MKS2PIN DC24	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators,latchable test button, 24 VI
MKS2PIN DC48	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button
MKS2PIN DC6	
MKS2PIN1 DC100	
MKS2PIN1 DC110	
MKS2PIN1 DC12	
MKS2PIN1 DC24	
MKS2PIN1 DC48	
MKS2PIN1 DC6	
MKS2PIN1-2 DC100	
MKS2PIN1-2 DC110	
MKS2PIN1-2 DC12	
MKS2PIN1-2 DC24	
MKS2PIN1-2 DC48	
MKS2PIN1-2 DC6	
MKS2PIN-2 AC100	
MKS2PIN-2 AC110	
MKS2PIN-2 AC12	
MKS2PIN-2 AC120	
MKS2PIN-2 AC200	
MKS2PIN-2 AC220	
MKS2PIN-2 AC230	
MKS2PIN-2 AC24	
MKS2PIN-2 AC240	
MKS2PIN-2 AC50	
MKS2PIN-2 AC6	
MKS2PIN-2 DC100	
MKS2PIN-2 DC110	
MKS2PIN-2 DC12	
MKS2PIN-2 DC24	
MKS2PIN-2 DC48	
MKS2PIN-2 DC6	
MKS2PIN-D DC100	
MKS2PIN-D DC110	
MKS2PIN-D DC12	
MKS2PIN-D DC24	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button, coil suppression
MKS2PIN-D DC48	
MKS2PIN-D DC6	
MKS2PIN-D-2 DC100	
MKS2PIN-D-2 DC110	
MKS2PIN-D-2 DC12	
MKS2PIN-D-2 DC24	
MKS2PIN-D-2 DC48	
MKS2PIN-D-2 DC6	
MKS2PIN-V AC100	

MKS2PIN-V AC110
MKS2PIN-V AC12
MKS2PIN-V AC120
MKS2PIN-V AC200
MKS2PIN-V AC220
MKS2PIN-V AC230
MKS2PIN-V AC24
MKS2PIN-V AC240
MKS2PIN-V AC50
MKS2PIN-V AC6
MKS2PIN-V-2 AC100
MKS2PIN-V-2 AC110
MKS2PIN-V-2 AC12
MKS2PIN-V-2 AC120
MKS2PIN-V-2 AC200
MKS2PIN-V-2 AC220
MKS2PIN-V-2 AC230
MKS2PIN-V-2 AC24
MKS2PIN-V-2 AC240
MKS2PIN-V-2 AC50
MKS2PIN-V-2 AC6
MKS2PI-V AC100
MKS2PI-V AC110
MKS2PI-V AC12
MKS2PI-V AC120
MKS2PI-V AC200
MKS2PI-V AC220
MKS2PI-V AC230
MKS2PI-V AC24
MKS2PI-V AC240
MKS2PI-V AC50
MKS2PI-V AC6
MKS2PI-V-2 AC100
MKS2PI-V-2 AC110
MKS2PI-V-2 AC12
MKS2PI-V-2 AC120
MKS2PI-V-2 AC200
MKS2PI-V-2 AC220
MKS2PI-V-2 AC230
MKS2PI-V-2 AC24
MKS2PI-V-2 AC240
MKS2PI-V-2 AC50
MKS2PI-V-2 AC6
MKS2PN AC100
MKS2PN AC110
MKS2PN AC12
MKS2PN AC120
MKS2PN AC200
MKS2PN AC220
MKS2PN AC230
MKS2PN AC24
MKS2PN AC240

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator

MKS2PN AC50
MKS2PN AC6
MKS2PN DC100
MKS2PN DC110
MKS2PN DC12
MKS2PN DC125
MKS2PN DC24
MKS2PN DC48
MKS2PN DC6
MKS2PN1 DC100
MKS2PN1 DC110
MKS2PN1 DC12
MKS2PN1 DC24
MKS2PN1 DC48
MKS2PN1 DC6
MKS2PN1-2 DC100
MKS2PN1-2 DC110
MKS2PN1-2 DC12
MKS2PN1-2 DC24
MKS2PN1-2 DC48
MKS2PN1-2 DC6
MKS2PN-2 AC100
MKS2PN-2 AC110
MKS2PN-2 AC12
MKS2PN-2 AC120
MKS2PN-2 AC200
MKS2PN-2 AC220
MKS2PN-2 AC230
MKS2PN-2 AC24
MKS2PN-2 AC240
MKS2PN-2 AC50
MKS2PN-2 AC6
MKS2PN-2 DC100
MKS2PN-2 DC110
MKS2PN-2 DC12
MKS2PN-2 DC24
MKS2PN-2 DC48
MKS2PN-2 DC6
MKS2PN-D DC100
MKS2PN-D DC110
MKS2PN-D DC12
MKS2PN-D DC24
MKS2PN-D DC48
MKS2PN-D DC6
MKS2PN-D-2 DC100
MKS2PN-D-2 DC110
MKS2PN-D-2 DC12
MKS2PN-D-2 DC24
MKS2PN-D-2 DC48
MKS2PN-D-2 DC6
MKS2PN-V AC100
MKS2PN-V AC110

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, coil suppression

MKS2PN-V AC12
MKS2PN-V AC120
MKS2PN-V AC200
MKS2PN-V AC220
MKS2PN-V AC230
MKS2PN-V AC24
MKS2PN-V AC240
MKS2PN-V AC50
MKS2PN-V AC6
MKS2PN-V-2 AC100
MKS2PN-V-2 AC110
MKS2PN-V-2 AC12
MKS2PN-V-2 AC120
MKS2PN-V-2 AC200
MKS2PN-V-2 AC220
MKS2PN-V-2 AC230
MKS2PN-V-2 AC24
MKS2PN-V-2 AC240
MKS2PN-V-2 AC50
MKS2PN-V-2 AC6
MKS2P-V AC100
MKS2P-V AC110
MKS2P-V AC12
MKS2P-V AC120
MKS2P-V AC200
MKS2P-V AC220
MKS2P-V AC230
MKS2P-V AC24
MKS2P-V AC240
MKS2P-V AC50
MKS2P-V AC6
MKS2P-V-2 AC100
MKS2P-V-2 AC110
MKS2P-V-2 AC12
MKS2P-V-2 AC120
MKS2P-V-2 AC200
MKS2P-V-2 AC220
MKS2P-V-2 AC230
MKS2P-V-2 AC24
MKS2P-V-2 AC240
MKS2P-V-2 AC50
MKS2P-V-2 AC6
MKS2TIN-11 AC110
MKS2TIN-11 AC230
MKS2TIN-11 AC24
MKS2TIN-11 DC12
MKS2TIN-11 DC24
MKS2TIN-11 DC48
MKS2XTIN-11 AC110
MKS2XTIN-11 AC230
MKS2XTIN-11 AC24
MKS2XTIN-11 DC110

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, coil suppression

MK-S(X) series Relay (250 VAC, 15 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series Relay (250 VAC, 15 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Button and Built-in LED Indicator

MKS2XTIN-11 DC12
MKS2XTIN-11 DC220
MKS2XTIN-11 DC24
MKS2XTIN-11 DC48
MKS3P AC100
MKS3P AC110
MKS3P AC12
MKS3P AC120
MKS3P AC200
MKS3P AC220
MKS3P AC230
MKS3P AC24
MKS3P AC240
MKS3P AC48
MKS3P AC50
MKS3P AC6
MKS3P DC100
MKS3P DC110
MKS3P DC12
MKS3P DC125
MKS3P DC220
MKS3P DC24
MKS3P DC32
MKS3P DC48
MKS3P DC6
MKS3P1-D DC100
MKS3P1-D DC110
MKS3P1-D DC12
MKS3P1-D DC24
MKS3P1-D DC48
MKS3P1-D DC6
MKS3P1-D-2 DC100
MKS3P1-D-2 DC110
MKS3P1-D-2 DC12
MKS3P1-D-2 DC24
MKS3P1-D-2 DC48
MKS3P1-D-2 DC6
MKS3P1-D-5 DC100
MKS3P1-D-5 DC110
MKS3P1-D-5 DC12
MKS3P1-D-5 DC24
MKS3P1-D-5 DC48
MKS3P1-D-5 DC6
MKS3P-2 AC100
MKS3P-2 AC110
MKS3P-2 AC12
MKS3P-2 AC120
MKS3P-2 AC200
MKS3P-2 AC220
MKS3P-2 AC230
MKS3P-2 AC24
MKS3P-2 AC240

MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Bu
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Bu
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Bu
MK-S(X) series DC Switching Relay (220 VDC, 5 A), SPST-NO/SPST-NC, with Test Bu

Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator

Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator

Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator

MKS3P-2 AC50	
MKS3P-2 AC6	
MKS3P-2 DC100	
MKS3P-2 DC110	
MKS3P-2 DC12	
MKS3P-2 DC24	
MKS3P-2 DC48	
MKS3P-2 DC6	
MKS3P-5 AC100	
MKS3P-5 AC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 AC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 AC120	
MKS3P-5 AC200	
MKS3P-5 AC220	
MKS3P-5 AC230	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 AC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 AC240	
MKS3P-5 AC48	
MKS3P-5 AC50	
MKS3P-5 AC6	
MKS3P-5 DC100	
MKS3P-5 DC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 DC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 DC125	
MKS3P-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 DC48	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator
MKS3P-5 DC6	
MKS3P-5 DC60	
MKS3P-D DC100	
MKS3P-D DC110	
MKS3P-D DC12	
MKS3P-D DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, coil suppression
MKS3P-D DC48	
MKS3P-D DC6	
MKS3P-D-2 DC100	
MKS3P-D-2 DC110	
MKS3P-D-2 DC12	
MKS3P-D-2 DC24	
MKS3P-D-2 DC48	
MKS3P-D-2 DC6	
MKS3P-D-5 DC100	
MKS3P-D-5 DC110	
MKS3P-D-5 DC12	
MKS3P-D-5 DC24	
MKS3P-D-5 DC48	
MKS3P-D-5 DC6	
MKS3PI AC100	
MKS3PI AC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI AC12	
MKS3PI AC120	
MKS3PI AC200	
MKS3PI AC220	

MKS3PI AC230	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI AC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI AC240	
MKS3PI AC50	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI AC6	
MKS3PI DC100	
MKS3PI DC110	
MKS3PI DC12	
MKS3PI DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI DC48	
MKS3PI DC6	
MKS3PI1-D DC100	
MKS3PI1-D DC110	
MKS3PI1-D DC12	
MKS3PI1-D DC24	
MKS3PI1-D DC48	
MKS3PI1-D DC6	
MKS3PI1-D-2 DC100	
MKS3PI1-D-2 DC110	
MKS3PI1-D-2 DC12	
MKS3PI1-D-2 DC24	
MKS3PI1-D-2 DC48	
MKS3PI1-D-2 DC6	
MKS3PI1-D-5 DC100	
MKS3PI1-D-5 DC110	
MKS3PI1-D-5 DC12	
MKS3PI1-D-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, reverse coil polarity, c
MKS3PI1-D-5 DC48	
MKS3PI1-D-5 DC6	
MKS3PI-2 AC100	
MKS3PI-2 AC110	
MKS3PI-2 AC12	
MKS3PI-2 AC120	
MKS3PI-2 AC200	
MKS3PI-2 AC220	
MKS3PI-2 AC230	
MKS3PI-2 AC24	
MKS3PI-2 AC240	
MKS3PI-2 AC50	
MKS3PI-2 AC6	
MKS3PI-2 DC100	
MKS3PI-2 DC110	
MKS3PI-2 DC12	
MKS3PI-2 DC24	
MKS3PI-2 DC48	
MKS3PI-2 DC6	
MKS3PI-5 AC100	
MKS3PI-5 AC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 AC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 AC120	
MKS3PI-5 AC200	
MKS3PI-5 AC220	

MKS3PI-5 AC230	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 AC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 AC240	
MKS3PI-5 AC48	
MKS3PI-5 AC50	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 AC6	
MKS3PI-5 DC100	
MKS3PI-5 DC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 DC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 DC125	
MKS3PI-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 DC48	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 DC6	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button
MKS3PI-5 DC60	
MKS3PI-D DC100	
MKS3PI-D DC110	
MKS3PI-D DC12	
MKS3PI-D DC24	
MKS3PI-D DC48	
MKS3PI-D DC6	
MKS3PI-D-2 DC100	
MKS3PI-D-2 DC110	
MKS3PI-D-2 DC12	
MKS3PI-D-2 DC24	
MKS3PI-D-2 DC48	
MKS3PI-D-2 DC6	
MKS3PI-D-5 DC100	
MKS3PI-D-5 DC110	
MKS3PI-D-5 DC12	
MKS3PI-D-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, coil suppression
MKS3PI-D-5 DC48	
MKS3PI-D-5 DC6	
MKS3PIN AC100	
MKS3PIN AC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN AC12	
MKS3PIN AC120	
MKS3PIN AC200	
MKS3PIN AC220	
MKS3PIN AC230	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN AC24	
MKS3PIN AC240	
MKS3PIN AC50	
MKS3PIN AC6	
MKS3PIN DC100	
MKS3PIN DC110	
MKS3PIN DC12	
MKS3PIN DC24	
MKS3PIN DC48	
MKS3PIN DC6	
MKS3PIN1 DC100	
MKS3PIN1 DC110	
MKS3PIN1 DC12	

MKS3PIN1 DC24	
MKS3PIN1 DC48	
MKS3PIN1 DC6	
MKS3PIN1-2 DC100	
MKS3PIN1-2 DC110	
MKS3PIN1-2 DC12	
MKS3PIN1-2 DC24	
MKS3PIN1-2 DC48	
MKS3PIN1-2 DC6	
MKS3PIN1-5 DC100	
MKS3PIN1-5 DC110	
MKS3PIN1-5 DC12	
MKS3PIN1-5 DC24	
MKS3PIN1-5 DC48	
MKS3PIN1-5 DC6	
MKS3PIN-2 AC100	
MKS3PIN-2 AC110	
MKS3PIN-2 AC12	
MKS3PIN-2 AC120	
MKS3PIN-2 AC200	
MKS3PIN-2 AC220	
MKS3PIN-2 AC230	
MKS3PIN-2 AC24	
MKS3PIN-2 AC240	
MKS3PIN-2 AC50	
MKS3PIN-2 AC6	
MKS3PIN-2 DC100	
MKS3PIN-2 DC110	
MKS3PIN-2 DC12	
MKS3PIN-2 DC24	
MKS3PIN-2 DC48	
MKS3PIN-2 DC6	
MKS3PIN-5 AC100	
MKS3PIN-5 AC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 AC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 AC120	
MKS3PIN-5 AC200	
MKS3PIN-5 AC220	
MKS3PIN-5 AC230	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 AC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 AC240	
MKS3PIN-5 AC48	
MKS3PIN-5 AC50	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 AC6	
MKS3PIN-5 DC100	
MKS3PIN-5 DC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 DC12	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 DC48	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button
MKS3PIN-5 DC6	
MKS3PIN-D DC100	
MKS3PIN-D DC110	

MKS3PIN-D DC12	
MKS3PIN-D DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppressic
MKS3PIN-D DC48	
MKS3PIN-D DC6	
MKS3PIN-D-2 DC100	
MKS3PIN-D-2 DC110	
MKS3PIN-D-2 DC12	
MKS3PIN-D-2 DC24	
MKS3PIN-D-2 DC48	
MKS3PIN-D-2 DC6	
MKS3PIN-D-5 DC100	
MKS3PIN-D-5 DC110	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppressic
MKS3PIN-D-5 DC12	
MKS3PIN-D-5 DC125	
MKS3PIN-D-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppressic
MKS3PIN-D-5 DC48	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppressic
MKS3PIN-D-5 DC6	
MKS3PIN-V AC100	
MKS3PIN-V AC110	
MKS3PIN-V AC12	
MKS3PIN-V AC120	
MKS3PIN-V AC200	
MKS3PIN-V AC220	
MKS3PIN-V AC230	
MKS3PIN-V AC24	
MKS3PIN-V AC240	
MKS3PIN-V AC50	
MKS3PIN-V AC6	
MKS3PIN-V-2 AC100	
MKS3PIN-V-2 AC110	
MKS3PIN-V-2 AC12	
MKS3PIN-V-2 AC120	
MKS3PIN-V-2 AC200	
MKS3PIN-V-2 AC220	
MKS3PIN-V-2 AC230	
MKS3PIN-V-2 AC24	
MKS3PIN-V-2 AC240	
MKS3PIN-V-2 AC50	
MKS3PIN-V-2 AC6	
MKS3PIN-V-5 AC100	
MKS3PIN-V-5 AC110	
MKS3PIN-V-5 AC12	
MKS3PIN-V-5 AC120	
MKS3PIN-V-5 AC200	
MKS3PIN-V-5 AC220	
MKS3PIN-V-5 AC230	
MKS3PIN-V-5 AC24	
MKS3PIN-V-5 AC240	
MKS3PIN-V-5 AC50	
MKS3PIN-V-5 AC6	
MKS3PI-V AC100	
MKS3PI-V AC110	

MKS3PI-V AC12
MKS3PI-V AC120
MKS3PI-V AC200
MKS3PI-V AC220
MKS3PI-V AC230
MKS3PI-V AC24
MKS3PI-V AC240
MKS3PI-V AC50
MKS3PI-V AC6
MKS3PI-V-2 AC100
MKS3PI-V-2 AC110
MKS3PI-V-2 AC12
MKS3PI-V-2 AC120
MKS3PI-V-2 AC200
MKS3PI-V-2 AC220
MKS3PI-V-2 AC230
MKS3PI-V-2 AC24
MKS3PI-V-2 AC240
MKS3PI-V-2 AC50
MKS3PI-V-2 AC6
MKS3PI-V-5 AC100
MKS3PI-V-5 AC110
MKS3PI-V-5 AC12
MKS3PI-V-5 AC120
MKS3PI-V-5 AC200
MKS3PI-V-5 AC220
MKS3PI-V-5 AC230
MKS3PI-V-5 AC24
MKS3PI-V-5 AC240
MKS3PI-V-5 AC50
MKS3PI-V-5 AC6
MKS3PN AC100
MKS3PN AC110
MKS3PN AC12
MKS3PN AC120
MKS3PN AC200
MKS3PN AC220
MKS3PN AC230
MKS3PN AC24
MKS3PN AC240
MKS3PN AC50
MKS3PN AC6
MKS3PN DC100
MKS3PN DC110
MKS3PN DC12
MKS3PN DC24
MKS3PN DC48
MKS3PN DC6
MKS3PN1 DC100
MKS3PN1 DC110
MKS3PN1 DC12
MKS3PN1 DC24

Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, coil suppression

MKS3PN1 DC48
MKS3PN1 DC6
MKS3PN1-2 DC100
MKS3PN1-2 DC110
MKS3PN1-2 DC12
MKS3PN1-2 DC24
MKS3PN1-2 DC48
MKS3PN1-2 DC6
MKS3PN1-5 DC100
MKS3PN1-5 DC110
MKS3PN1-5 DC12
MKS3PN1-5 DC24
MKS3PN1-5 DC48
MKS3PN1-5 DC6
MKS3PN-2 AC100
MKS3PN-2 AC110
MKS3PN-2 AC12
MKS3PN-2 AC120
MKS3PN-2 AC200
MKS3PN-2 AC220
MKS3PN-2 AC230
MKS3PN-2 AC24
MKS3PN-2 AC240
MKS3PN-2 AC50
MKS3PN-2 AC6
MKS3PN-2 DC100
MKS3PN-2 DC110
MKS3PN-2 DC12
MKS3PN-2 DC24
MKS3PN-2 DC48
MKS3PN-2 DC6
MKS3PN-5 AC100
MKS3PN-5 AC110
MKS3PN-5 AC12
MKS3PN-5 AC120
MKS3PN-5 AC200
MKS3PN-5 AC220
MKS3PN-5 AC230
MKS3PN-5 AC24
MKS3PN-5 AC240
MKS3PN-5 AC50
MKS3PN-5 AC6
MKS3PN-5 DC100
MKS3PN-5 DC110
MKS3PN-5 DC12
MKS3PN-5 DC24
MKS3PN-5 DC32
MKS3PN-5 DC48
MKS3PN-5 DC6
MKS3PN-D DC100
MKS3PN-D DC110
MKS3PN-D DC12

Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator

Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator

Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator

Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator

MKS3PN-D DC24
MKS3PN-D DC48
MKS3PN-D DC6
MKS3PN-D-2 DC100
MKS3PN-D-2 DC110
MKS3PN-D-2 DC12
MKS3PN-D-2 DC24
MKS3PN-D-2 DC48
MKS3PN-D-2 DC6
MKS3PN-D-5 DC100
MKS3PN-D-5 DC110
MKS3PN-D-5 DC12
MKS3PN-D-5 DC24
MKS3PN-D-5 DC48
MKS3PN-D-5 DC6
MKS3PN-V AC100
MKS3PN-V AC110
MKS3PN-V AC12
MKS3PN-V AC120
MKS3PN-V AC200
MKS3PN-V AC220
MKS3PN-V AC230
MKS3PN-V AC24
MKS3PN-V AC240
MKS3PN-V AC50
MKS3PN-V AC6
MKS3PN-V-2 AC100
MKS3PN-V-2 AC110
MKS3PN-V-2 AC12
MKS3PN-V-2 AC120
MKS3PN-V-2 AC200
MKS3PN-V-2 AC220
MKS3PN-V-2 AC230
MKS3PN-V-2 AC24
MKS3PN-V-2 AC240
MKS3PN-V-2 AC50
MKS3PN-V-2 AC6
MKS3PN-V-5 AC100
MKS3PN-V-5 AC110
MKS3PN-V-5 AC12
MKS3PN-V-5 AC120
MKS3PN-V-5 AC200
MKS3PN-V-5 AC220
MKS3PN-V-5 AC230
MKS3PN-V-5 AC24
MKS3PN-V-5 AC240
MKS3PN-V-5 AC50
MKS3PN-V-5 AC6
MKS3P-V AC100
MKS3P-V AC110
MKS3P-V AC12
MKS3P-V AC120

Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, coil suppression
Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, coil suppression
Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, coil suppression
Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, coil suppression

MKS3P-V AC200
MKS3P-V AC220
MKS3P-V AC230
MKS3P-V AC24
MKS3P-V AC240
MKS3P-V AC50
MKS3P-V AC6
MKS3P-V-2 AC100
MKS3P-V-2 AC110
MKS3P-V-2 AC12
MKS3P-V-2 AC120
MKS3P-V-2 AC200
MKS3P-V-2 AC220
MKS3P-V-2 AC230
MKS3P-V-2 AC24
MKS3P-V-2 AC240
MKS3P-V-2 AC50
MKS3P-V-2 AC6
MKS3P-V-5 AC100
MKS3P-V-5 AC110
MKS3P-V-5 AC12
MKS3P-V-5 AC120
MKS3P-V-5 AC200
MKS3P-V-5 AC220
MKS3P-V-5 AC230
MKS3P-V-5 AC24
MKS3P-V-5 AC240
MKS3P-V-5 AC50
MKS3P-V-5 AC6
MM2 100/110DC
MM2 110AC
MM2 12AC
MM2 12DC
MM2 220AC
MM2 230AC
MM2 24AC
MM2 24DC
MM2 48DC
MM2 6AC
MM2B 12DC
MM2B 200/220DC
MM2B 230AC
MM2B 240AC
MM2B 24DC
MM2B 48DC
MM2K 110AC
MM2KP 110AC
MM2KP 12AC
MM2KP 12DC
MM2KP 220AC
MM2KP 24AC
MM2KP 24DC

MM2KP 48DC
MM2P 100/110DC
MM2P 110AC
MM2P 12AC
MM2P 12DC
MM2P 200/220DC
MM2P 220AC
MM2P 230AC
MM2P 24AC
MM2P 24DC
MM2P 48DC
MM2P-D 24DC
MM2X 100/110AC
MM2X 24DC
MM2XB 100/110DC
MM2XB 200/220DC
MM2XB 24DC
MM2XKB 24DC
MM2XKP 100/110DC
MM2XKP 12DC
MM2XKP 200/220DC
MM2XKP 24DC
MM2XKP 48DC
MM2XP 100/110DC
MM2XP 110AC
MM2XP 12DC
MM2XP 200/220DC
MM2XP 220AC
MM2XP 24DC
MM2XP 48DC
MM2XP-D 100/110DC
MM2XP-D 200/220DC
MM2XP-D 24DC
MM2XP-D 48DC
MM2XPN 100/110DC
MM2XPN 12DC
MM2XPN 200/220AC
MM2XPN 24DC
MM2XPN DC125
MM2XPN DC200/220
MM2XPN-D 100/110DC
MM3 12DC
MM3 220AC
MM3 24DC
MM3 48DC
MM3KP 110AC
MM3KP 12DC
MM3KP 220AC
MM3KP 24AC
MM3KP 24DC
MM3KP 48DC
MM3KP DC100/110

MM3P 100/110DC
MM3P 110AC
MM3P 200/220DC
MM3P 220AC
MM3P 24AC
MM3P 24DC
MM3P 48DC
MM3X 100/110DC
MM3X 24DC
MM3XKP 100/110DC
MM3XKP 24DC
MM3XKP 48DC
MM3XP 100/110DC
MM3XP 110AC
MM3XP 240AC
MM3XP 24DC
MM3XP 48DC
MM3XP DC200/220
MM3XPN 24DC
MM3XPN DC100/110
MM3XP-NK08 30DC
MM4 100/110DC
MM4 12DC
MM4 24AC
MM4 24DC
MM4 48DC
MM4 6DC
MM4B 12DC
MM4KP 100/110DC
MM4KP 110AC
MM4KP 12DC
MM4KP 200/220 DC
MM4KP 220AC
MM4KP 24AC
MM4KP 48DC
MM4P 100/110DC
MM4P 110AC
MM4P 125DC
MM4P 12DC
MM4P 200/220DC
MM4P 220AC
MM4P 240AC
MM4P 24AC
MM4P 24DC
MM4P 48DC
MM4PN 110AC
MM4XKP 100/110DC
MM4XKP 110AC
MM4XKP 125DC
MM4XKP 12DC
MM4XKP 200/220DC
MM4XKP 24DC

Relay

MM4XKP 48DC
MM4XKP-JK 100/110DC
MM4XP 100/110DC
MM4XP 110AC
MM4XP 125DC
MM4XP 200/220DC
MM4XP 220AC
MM4XP 24AC
MM4XP 24DC
MM4XP 48DC
MM4XP-D 100/110DC Power Relay
MM4XP-D 24DC
MM4XP-JD 125DC
MM4XP-JD DC100/110 Relay
MM4XP-JE 125DC
MM4XPN 200/220DC
MM4XPN 24DC
MM4XPN DC100/110
MMF 08D24ES ANF
MMF-06D24DM-AC4300-017-252
MMF-06D24DS-A17FAN - FAN001048
MMF-06D24DS-AC7
MMF-06D24DS-ACA300-017-254
MMF-06D24ES-AOK300-017-257
MMF-12D24DS-RN8FAN - FAN001044
MODEM RS232
MODEM WESTERMO GDW-11
MODEM WESTERMO GDW11-485
MODEM ZYXEL 56K
MOLEX 55100-0800
MONITOR 9"SAMSUNG
MONITOR ACER AL1511 TFT
MONITOR SAMSUNG 15" TFT
MONITOR SAMSUNG 741 MP 17" LCD
Motion Tools V1.2 CD containing software & documentation for Sigma II and SMARTSTEP series (inclu
MOUNTING BRACKET FOR E3C-C
MR-16F CN,OVER2.51 FOR HNS 102
MR-16L
MR-25F CN,OVER2.51 FOR HNS 107
MR-34FG (1079775-0)
MR-34L (0085648-1)
MR-8F
MR-8L4
MS25 MOLLE
MS2800F-E-014-0240
MS2800F-E-014-0280
MS2800F-E-014-0320
MS2800F-E-014-0360
MS2800F-E-014-0400
MS2800F-E-014-0440
MS2800F-E-014-0480
MS2800F-E-014-0520

MS2800F-E-014-0560
MS2800F-E-014-0600
MS2800F-E-014-0640
MS2800F-E-014-0680
MS2800F-E-014-0720
MS2800F-E-014-0760
MS2800F-E-014-0800
MS2800F-E-014-0840
MS2800F-E-014-0880
MS2800F-E-014-0920
MS2800F-E-014-0960
MS2800F-E-014-1000
MS2800F-E-014-1040
MS2800F-E-014-1080
MS2800F-E-014-1120
MS2800F-E-014-1160
MS2800F-E-014-1200
MS2800F-E-014-1240
MS2800F-E-014-1280
MS2800F-E-030-0280
MS2800F-E-030-0320
MS2800F-E-030-0360
MS2800F-E-030-0400
MS2800F-E-030-0440
MS2800F-E-030-0480
MS2800F-E-030-0520
MS2800F-E-030-0560
MS2800F-E-030-0600
MS2800F-E-030-0640
MS2800F-E-030-0680
MS2800F-E-030-0720
MS2800F-E-030-0760
MS2800F-E-030-0800
MS2800F-E-030-0840
MS2800F-E-030-0880
MS2800F-E-030-0920
MS2800F-E-030-0960
MS2800F-E-030-1000
MS2800F-E-030-1040
MS2800F-E-030-1080
MS2800F-E-030-1120
MS2800F-E-030-1160
MS2800F-E-030-1200
MS2800F-E-030-1240
MS2800F-E-030-1280
MS2800F-E-030-1320
MS2800F-E-030-1360
MS2800F-E-030-1400
MS2800F-E-030-1440
MS2800F-E-030-1480
MS2800F-E-030-1520
MS2800F-E-030-1560

Safety light curtain,Slave, category 2, hand protection (30mm), 280mm height, DC, 2

Safety light curtain,Slave, category 2, hand protection (30mm), 320mm height, DC, 2

Safety light curtain,Slave, category 2, hand protection (30mm), 1520mm height, DC, :

Safety light curtain,Slave, category 2, hand protection (30mm), 1560mm height, DC, :

MS2800F-E-030-1600
MS2800F-E-030-1640
MS2800F-E-030-1680
MS2800F-E-030-1720
MS2800F-E-030-1760
MS2800F-E-030-1800
MS2800F-E-030-1840
MS2800F-E-030-1880
MS2800F-E-030-1920
MS2800F-E-030-1960
MS2800F-E-030-2000
MS2800F-E-030-2040
MS2800F-E-030-2080
MS2800F-E-030-2120
MS2800FS-EA-014-0280
MS2800FS-EA-014-0320
MS2800FS-EA-014-0360
MS2800FS-EA-014-0400
MS2800FS-EA-014-0440
MS2800FS-EA-014-0480
MS2800FS-EA-014-0520
MS2800FS-EA-014-0560
MS2800FS-EA-014-0600
MS2800FS-EA-014-0640
MS2800FS-EA-014-0680
MS2800FS-EA-014-0720
MS2800FS-EA-014-0760
MS2800FS-EA-014-0800
MS2800FS-EA-014-0840
MS2800FS-EA-014-0880
MS2800FS-EA-014-0920
MS2800FS-EA-014-0960
MS2800FS-EA-014-1000
MS2800FS-EA-014-1040
MS2800FS-EA-014-1080
MS2800FS-EA-014-1120
MS2800FS-EA-014-1160
MS2800FS-EA-014-1200
MS2800FS-EA-014-1240
MS2800FS-EA-014-1280
MS2800FS-EA-014-1320
MS2800FS-EA-014-1360
MS2800FS-EA-014-1400
MS2800FS-EA-014-1440
MS2800FS-EA-014-1480
MS2800FS-EA-014-1520
MS2800FS-EA-014-1560
MS2800FS-EA-014-1600
MS2800FS-EA-014-1640
MS2800FS-EA-014-1680
MS2800FS-EA-014-1720
MS2800FS-EA-014-1760

MS2800FS-EA-014-1800
MS2800FS-EA-030-0280
MS2800FS-EA-030-0320
MS2800FS-EA-030-0360
MS2800FS-EA-030-0400
MS2800FS-EA-030-0440
MS2800FS-EA-030-0480
MS2800FS-EA-030-0520
MS2800FS-EA-030-0560
MS2800FS-EA-030-0600
MS2800FS-EA-030-0640
MS2800FS-EA-030-0680
MS2800FS-EA-030-0720
MS2800FS-EA-030-0760
MS2800FS-EA-030-0800
MS2800FS-EA-030-0840
MS2800FS-EA-030-0880
MS2800FS-EA-030-0920
MS2800FS-EA-030-0960
MS2800FS-EA-030-1000
MS2800FS-EA-030-1040
MS2800FS-EA-030-1080
MS2800FS-EA-030-1120
MS2800FS-EA-030-1160
MS2800FS-EA-030-1200
MS2800FS-EA-030-1240
MS2800FS-EA-030-1280
MS2800FS-EA-030-1320
MS2800FS-EA-030-1360
MS2800FS-EA-030-1400
MS2800FS-EA-030-1440
MS2800FS-EA-030-1480
MS2800FS-EA-030-1520
MS2800FS-EA-030-1560
MS2800FS-EA-030-1600
MS2800FS-EA-030-1640
MS2800FS-EA-030-1680
MS2800FS-EA-030-1720
MS2800FS-EA-030-1760
MS2800FS-EA-030-1800
MS2800FS-EA-030-1840
MS2800FS-EA-030-1880
MS2800FS-EA-030-1920
MS2800FS-EA-030-1960
MS2800FS-EA-030-2000
MS2800FS-EA-030-2040
MS2800FS-EA-030-2080
MS2800FS-EA-030-2120
MS2800FS-EB-014-0280
MS2800FS-EB-014-0320
MS2800FS-EB-014-0360
MS2800FS-EB-014-0400

MS2800FS-EB-014-0440
MS2800FS-EB-014-0480
MS2800FS-EB-014-0520
MS2800FS-EB-014-0560
MS2800FS-EB-014-0600
MS2800FS-EB-014-0640
MS2800FS-EB-014-0680
MS2800FS-EB-014-0720
MS2800FS-EB-014-0760
MS2800FS-EB-014-0800
MS2800FS-EB-014-0840
MS2800FS-EB-014-0880
MS2800FS-EB-014-0920
MS2800FS-EB-014-0960
MS2800FS-EB-014-1000
MS2800FS-EB-014-1040
MS2800FS-EB-014-1080
MS2800FS-EB-014-1120
MS2800FS-EB-014-1160
MS2800FS-EB-014-1200
MS2800FS-EB-014-1240
MS2800FS-EB-014-1280
MS2800FS-EB-014-1320
MS2800FS-EB-014-1360
MS2800FS-EB-014-1400
MS2800FS-EB-014-1440
MS2800FS-EB-014-1480
MS2800FS-EB-014-1520
MS2800FS-EB-014-1560
MS2800FS-EB-014-1600
MS2800FS-EB-014-1640
MS2800FS-EB-014-1680
MS2800FS-EB-014-1720
MS2800FS-EB-014-1760
MS2800FS-EB-014-1800
MS2800FS-EB-030-0280
MS2800FS-EB-030-0320
MS2800FS-EB-030-0360
MS2800FS-EB-030-0400
MS2800FS-EB-030-0440
MS2800FS-EB-030-0480
MS2800FS-EB-030-0520
MS2800FS-EB-030-0560
MS2800FS-EB-030-0600
MS2800FS-EB-030-0640
MS2800FS-EB-030-0680
MS2800FS-EB-030-0720
MS2800FS-EB-030-0760
MS2800FS-EB-030-0800
MS2800FS-EB-030-0840
MS2800FS-EB-030-0880
MS2800FS-EB-030-0920

Safety light curtain, Master, Basic, category 2, finger protection (30mm), 600mm height

MS2800FS-EB-030-0960	
MS2800FS-EB-030-1000	
MS2800FS-EB-030-1040	
MS2800FS-EB-030-1080	
MS2800FS-EB-030-1120	
MS2800FS-EB-030-1160	
MS2800FS-EB-030-1200	
MS2800FS-EB-030-1240	
MS2800FS-EB-030-1280	
MS2800FS-EB-030-1320	
MS2800FS-EB-030-1360	
MS2800FS-EB-030-1400	
MS2800FS-EB-030-1440	
MS2800FS-EB-030-1480	
MS2800FS-EB-030-1520	Safety light curtain, Master, Basic, category 2, finger protection (30mm), 1520mm he
MS2800FS-EB-030-1560	Safety light curtain, Master, Basic, category 2, finger protection (30mm), 1560mm he
MS2800FS-EB-030-1600	
MS2800FS-EB-030-1640	
MS2800FS-EB-030-1680	
MS2800FS-EB-030-1720	
MS2800FS-EB-030-1760	
MS2800FS-EB-030-1800	
MS2800FS-EB-030-1840	
MS2800FS-EB-030-1880	
MS2800FS-EB-030-1920	
MS2800FS-EB-030-1960	
MS2800FS-EB-030-2000	
MS2800FS-EB-030-2040	
MS2800FS-EB-030-2080	
MS2800FS-EB-030-2120	
MS2800S-EA-014-0280	
MS2800S-EA-014-0320	Safety light curtain, Advanced, category 2, finger protection (14mm), 320mm height,
MS2800S-EA-014-0360	
MS2800S-EA-014-0400	Safety light curtain, Advanced, category 2, finger protection (14mm), 400mm height,
MS2800S-EA-014-0440	
MS2800S-EA-014-0480	
MS2800S-EA-014-0520	Safety light curtain, Advanced, category 2, finger protection (14mm), 520mm height,
MS2800S-EA-014-0560	
MS2800S-EA-014-0600	Safety light curtain, Advanced, category 2, finger protection (14mm), 600mm height,
MS2800S-EA-014-0640	
MS2800S-EA-014-0680	
MS2800S-EA-014-0720	Safety light curtain, Advanced, category 2, finger protection (14mm), 720mm height,
MS2800S-EA-014-0760	
MS2800S-EA-014-0800	Safety light curtain, Advanced, category 2, finger protection (14mm), 800mm height,
MS2800S-EA-014-0840	
MS2800S-EA-014-0880	
MS2800S-EA-014-0920	Safety light curtain, Advanced, category 2, finger protection (14mm), 920mm height,
MS2800S-EA-014-0960	
MS2800S-EA-014-1000	Safety light curtain, Advanced, category 2, finger protection (14mm), 1000mm height
MS2800S-EA-014-1040	
MS2800S-EA-014-1080	
MS2800S-EA-014-1120	

MS2800S-EA-014-1160	
MS2800S-EA-014-1200	Safety light curtain, Advanced, category 2, finger protection (14mm), 1200mm height
MS2800S-EA-014-1240	
MS2800S-EA-014-1280	
MS2800S-EA-014-1320	
MS2800S-EA-014-1360	
MS2800S-EA-014-1400	Safety light curtain, Advanced, category 2, finger protection (14mm), 1400mm height
MS2800S-EA-014-1440	
MS2800S-EA-014-1480	
MS2800S-EA-014-1520	
MS2800S-EA-014-1560	
MS2800S-EA-014-1600	Safety light curtain, Advanced, category 2, finger protection (14mm), 1600mm height
MS2800S-EA-014-1640	
MS2800S-EA-014-1680	
MS2800S-EA-014-1720	
MS2800S-EA-014-1760	
MS2800S-EA-014-1800	Safety light curtain, Advanced, category 2, finger protection (14mm), 1800mm height
MS2800S-EA-030-0280	
MS2800S-EA-030-0320	Safety light curtain, Advanced, category 2, hand protection (30mm), 320mm height, I
MS2800S-EA-030-0360	
MS2800S-EA-030-0400	Safety light curtain, Advanced, category 2, hand protection (30mm), 400mm height, I
MS2800S-EA-030-0440	
MS2800S-EA-030-0480	
MS2800S-EA-030-0520	Safety light curtain, Advanced, category 2, hand protection (30mm), 520mm height, I
MS2800S-EA-030-0560	
MS2800S-EA-030-0600	Safety light curtain, Advanced, category 2, hand protection (30mm), 600mm height, I
MS2800S-EA-030-0640	
MS2800S-EA-030-0680	
MS2800S-EA-030-0720	Safety light curtain, Advanced, category 2, hand protection (30mm), 720mm height, I
MS2800S-EA-030-0760	
MS2800S-EA-030-0800	Safety light curtain, Advanced, category 2, hand protection (30mm), 800mm height, I
MS2800S-EA-030-0840	
MS2800S-EA-030-0880	
MS2800S-EA-030-0920	Safety light curtain, Advanced, category 2, hand protection (30mm), 920mm height, I
MS2800S-EA-030-0960	
MS2800S-EA-030-1000	Safety light curtain, Advanced, category 2, hand protection (30mm), 1000mm height,
MS2800S-EA-030-1040	
MS2800S-EA-030-1080	
MS2800S-EA-030-1120	
MS2800S-EA-030-1160	
MS2800S-EA-030-1200	Safety light curtain, Advanced, category 2, hand protection (30mm), 1200mm height,
MS2800S-EA-030-1240	
MS2800S-EA-030-1280	
MS2800S-EA-030-1320	
MS2800S-EA-030-1360	
MS2800S-EA-030-1400	Safety light curtain, Advanced, category 2, hand protection (30mm), 1400mm height,
MS2800S-EA-030-1440	
MS2800S-EA-030-1480	
MS2800S-EA-030-1520	
MS2800S-EA-030-1560	
MS2800S-EA-030-1600	Safety light curtain, Advanced, category 2, hand protection (30mm), 1600mm height,
MS2800S-EA-030-1640	

MS2800S-EA-030-1680	Safety light curtain, Advanced, category 2, hand protection (30mm), 1680mm height,
MS2800S-EA-030-1720	
MS2800S-EA-030-1760	
MS2800S-EA-030-1800	Safety light curtain, Advanced, category 2, hand protection (30mm), 1800mm height,
MS2800S-EA-030-1840	
MS2800S-EA-030-1880	
MS2800S-EA-030-1920	
MS2800S-EA-030-1960	
MS2800S-EA-030-2000	Safety light curtain, Advanced, category 2, hand protection (30mm), 2000mm height,
MS2800S-EA-030-2040	
MS2800S-EA-030-2080	
MS2800S-EA-030-2120	
MS2800S-EB-014-0280	Safety light curtain, Basic, category 2, finger protection (14mm), 280mm height, DC,
MS2800S-EB-014-0320	Safety light curtain, Basic, category 2, finger protection (14mm), 320mm height, DC,
MS2800S-EB-014-0360	
MS2800S-EB-014-0400	Safety light curtain, Basic, category 2, finger protection (14mm), 400mm height, DC,
MS2800S-EB-014-0440	
MS2800S-EB-014-0480	
MS2800S-EB-014-0520	Safety light curtain, Basic, category 2, finger protection (14mm), 520mm height, DC,
MS2800S-EB-014-0560	
MS2800S-EB-014-0600	Safety light curtain, Basic, category 2, finger protection (14mm), 600mm height, DC,
MS2800S-EB-014-0640	
MS2800S-EB-014-0680	
MS2800S-EB-014-0720	Safety light curtain, Basic, category 2, finger protection (14mm), 720mm height, DC,
MS2800S-EB-014-0760	
MS2800S-EB-014-0800	Safety light curtain, Basic, category 2, finger protection (14mm), 800mm height, DC,
MS2800S-EB-014-0840	
MS2800S-EB-014-0880	
MS2800S-EB-014-0920	Safety light curtain, Basic, category 2, finger protection (14mm), 920mm height, DC,
MS2800S-EB-014-0960	
MS2800S-EB-014-1000	Safety light curtain, Basic, category 2, finger protection (14mm), 1000mm height, DC
MS2800S-EB-014-1040	
MS2800S-EB-014-1080	
MS2800S-EB-014-1120	
MS2800S-EB-014-1160	
MS2800S-EB-014-1200	Safety light curtain, Basic, category 2, finger protection (14mm), 1200mm height, DC
MS2800S-EB-014-1240	
MS2800S-EB-014-1280	
MS2800S-EB-014-1320	
MS2800S-EB-014-1360	
MS2800S-EB-014-1400	Safety light curtain, Basic, category 2, finger protection (14mm), 1400mm height, DC
MS2800S-EB-014-1440	
MS2800S-EB-014-1480	
MS2800S-EB-014-1520	
MS2800S-EB-014-1560	
MS2800S-EB-014-1600	Safety light curtain, Basic, category 2, finger protection (14mm), 1600mm height, DC
MS2800S-EB-014-1640	
MS2800S-EB-014-1680	
MS2800S-EB-014-1720	
MS2800S-EB-014-1760	
MS2800S-EB-014-1800	Safety light curtain, Basic, category 2, finger protection (14mm), 1800mm height, DC
MS2800S-EB-030-0280	

OMRON Industrial

MS2800S-EB-030-0320	Safety light curtain, Basic, category 2, hand protection (30mm), 320mm height, DC, 2
MS2800S-EB-030-0360	
MS2800S-EB-030-0400	Safety light curtain, Basic, category 2, hand protection (30mm), 400mm height, DC, 2
MS2800S-EB-030-0440	
MS2800S-EB-030-0480	Safety light curtain, Basic, category 2, hand protection (30mm), 480mm height, DC, 2
MS2800S-EB-030-0520	Safety light curtain, Basic, category 2, hand protection (30mm), 520mm height, DC, 2
MS2800S-EB-030-0560	
MS2800S-EB-030-0600	Safety light curtain, Basic, category 2, hand protection (30mm), 600mm height, DC, 2
MS2800S-EB-030-0640	
MS2800S-EB-030-0680	
MS2800S-EB-030-0720	Safety light curtain, Basic, category 2, hand protection (30mm), 720mm height, DC, 2
MS2800S-EB-030-0760	
MS2800S-EB-030-0800	Safety light curtain, Basic, category 2, hand protection (30mm), 800mm height, DC, 2
MS2800S-EB-030-0840	
MS2800S-EB-030-0880	
MS2800S-EB-030-0920	Safety light curtain, Basic, category 2, hand protection (30mm), 920mm height, DC, 2
MS2800S-EB-030-0960	
MS2800S-EB-030-1000	Safety light curtain, Basic, category 2, hand protection (30mm), 1000mm height, DC,
MS2800S-EB-030-1040	
MS2800S-EB-030-1080	
MS2800S-EB-030-1120	
MS2800S-EB-030-1160	
MS2800S-EB-030-1200	Safety light curtain, Basic, category 2, hand protection (30mm), 1200mm height, DC,
MS2800S-EB-030-1240	
MS2800S-EB-030-1280	
MS2800S-EB-030-1320	
MS2800S-EB-030-1360	
MS2800S-EB-030-1400	Safety light curtain, Basic, category 2, hand protection (30mm), 1400mm height, DC,
MS2800S-EB-030-1440	
MS2800S-EB-030-1480	
MS2800S-EB-030-1520	Safety light curtain, Basic, category 2, hand protection (30mm), 1520mm height, DC,
MS2800S-EB-030-1560	
MS2800S-EB-030-1600	Safety light curtain, Basic, category 2, hand protection (30mm), 1600mm height, DC,
MS2800S-EB-030-1640	
MS2800S-EB-030-1680	
MS2800S-EB-030-1720	
MS2800S-EB-030-1760	
MS2800S-EB-030-1800	Safety light curtain, Basic, category 2, hand protection (30mm), 1800mm height, DC,
MS2800S-EB-030-1840	
MS2800S-EB-030-1880	
MS2800S-EB-030-1920	
MS2800S-EB-030-1960	
MS2800S-EB-030-2000	Safety light curtain, Basic, category 2, hand protection (30mm), 2000mm height, DC,
MS2800S-EB-030-2040	
MS2800S-EB-030-2080	
MS2800S-EB-030-2120	
MS3108E10SL-3S	
MS3108E18-10S	
MS3108E20-29S	
MS3108E20-4S	G5 power cable connector, motor side
MS3108E22-22S	Servo accessory
MS3108E24-11S	

MS3108E32-17S	
MS46LR-30-870-Q1-R-NC-FN	
MS46SR-14-1045-Q2-15X-15R-NOFP	
MS46SR-14-870-Q2-15X-15R-NO-FP	
MS46SR-14-955-Q2-15X-15R-NO-FP	
MS46SR-30-870-Q2-15X-15R-NO-FP	
MS4800-CBLMT-10M	
MS4800-CBLMT-15M	
MS4800-CBLMT-30M	
MS4800-EPKT-0320	Explosion area enclosure for MS2800/4800 300mm length
MS4800-EPKT-0640	Explosion area enclosure for MS2800/4800 600mm length
MS4800-EPKT-0960	Explosion area enclosure for MS2800/4800 900mm length
MS4800-EPKT-1240	Explosion area enclosure for MS2800/4800 1200mm length
MS4800F-E-014-0240	
MS4800F-E-014-0280	
MS4800F-E-014-0320	Safety light curtain,Slave, category 4, finger protection (14mm), 320mm height, DC, 7
MS4800F-E-014-0360	
MS4800F-E-014-0400	
MS4800F-E-014-0440	
MS4800F-E-014-0480	Safety light curtain,Slave, category 4, finger protection (14mm), 480mm height, DC, 7
MS4800F-E-014-0520	
MS4800F-E-014-0560	
MS4800F-E-014-0600	
MS4800F-E-014-0640	
MS4800F-E-014-0680	
MS4800F-E-014-0720	Safety light curtain,Slave, category 4, finger protection (14mm), 720mm height, DC, 7
MS4800F-E-014-0760	
MS4800F-E-014-0800	
MS4800F-E-014-0840	
MS4800F-E-014-0880	
MS4800F-E-014-0920	
MS4800F-E-014-0960	
MS4800F-E-014-1000	
MS4800F-E-014-1040	
MS4800F-E-014-1080	
MS4800F-E-014-1120	
MS4800F-E-014-1160	
MS4800F-E-014-1200	
MS4800F-E-014-1240	
MS4800F-E-014-1280	
MS4800F-E-030-0280	
MS4800F-E-030-0320	Safety light curtain,Slave, category 4, hand protection (30mm), 320mm height, DC, 21
MS4800F-E-030-0360	
MS4800F-E-030-0400	
MS4800F-E-030-0440	
MS4800F-E-030-0480	
MS4800F-E-030-0520	
MS4800F-E-030-0560	
MS4800F-E-030-0600	Safety light curtain,Slave, category 4, hand protection (30mm), 600mm height, DC, 21
MS4800F-E-030-0640	
MS4800F-E-030-0680	
MS4800F-E-030-0720	

MS4800F-E-030-0760
MS4800F-E-030-0800
MS4800F-E-030-0840
MS4800F-E-030-0880
MS4800F-E-030-0920
MS4800F-E-030-0960
MS4800F-E-030-1000
MS4800F-E-030-1040
MS4800F-E-030-1080
MS4800F-E-030-1120
MS4800F-E-030-1160
MS4800F-E-030-1200
MS4800F-E-030-1240
MS4800F-E-030-1280
MS4800F-E-030-1320
MS4800F-E-030-1360
MS4800F-E-030-1400
MS4800F-E-030-1440
MS4800F-E-030-1480
MS4800F-E-030-1520
MS4800F-E-030-1560
MS4800F-E-030-1600
MS4800F-E-030-1640
MS4800F-E-030-1680
MS4800F-E-030-1720
MS4800F-E-030-1760
MS4800F-E-030-1800
MS4800F-E-030-1840
MS4800F-E-030-1880
MS4800F-E-030-1920
MS4800F-E-030-1960
MS4800F-E-030-2000
MS4800F-E-030-2040
MS4800F-E-030-2080
MS4800F-E-030-2120
MS4800FS-EA-014-0280
MS4800FS-EA-014-0320
MS4800FS-EA-014-0360
MS4800FS-EA-014-0400
MS4800FS-EA-014-0440
MS4800FS-EA-014-0480
MS4800FS-EA-014-0520
MS4800FS-EA-014-0560
MS4800FS-EA-014-0600
MS4800FS-EA-014-0640
MS4800FS-EA-014-0680
MS4800FS-EA-014-0720
MS4800FS-EA-014-0760
MS4800FS-EA-014-0800
MS4800FS-EA-014-0840
MS4800FS-EA-014-0880
MS4800FS-EA-014-0920

Safety light curtain, Master, Advanced, category 4, finger protection (14mm), 520mm

MS4800FS-EA-014-0960
MS4800FS-EA-014-1000
MS4800FS-EA-014-1040
MS4800FS-EA-014-1080
MS4800FS-EA-014-1120
MS4800FS-EA-014-1160
MS4800FS-EA-014-1200
MS4800FS-EA-014-1240
MS4800FS-EA-014-1280
MS4800FS-EA-014-1320
MS4800FS-EA-014-1360
MS4800FS-EA-014-1400
MS4800FS-EA-014-1440
MS4800FS-EA-014-1480
MS4800FS-EA-014-1520
MS4800FS-EA-014-1560
MS4800FS-EA-014-1600
MS4800FS-EA-014-1640
MS4800FS-EA-014-1680
MS4800FS-EA-014-1720
MS4800FS-EA-014-1760
MS4800FS-EA-014-1800
MS4800FS-EA-030-0280
MS4800FS-EA-030-0320
MS4800FS-EA-030-0360
MS4800FS-EA-030-0400
MS4800FS-EA-030-0440
MS4800FS-EA-030-0480
MS4800FS-EA-030-0520
MS4800FS-EA-030-0560
MS4800FS-EA-030-0600
MS4800FS-EA-030-0640
MS4800FS-EA-030-0680
MS4800FS-EA-030-0720
MS4800FS-EA-030-0760
MS4800FS-EA-030-0800
MS4800FS-EA-030-0840
MS4800FS-EA-030-0880
MS4800FS-EA-030-0920
MS4800FS-EA-030-0960
MS4800FS-EA-030-1000
MS4800FS-EA-030-1040
MS4800FS-EA-030-1080
MS4800FS-EA-030-1120
MS4800FS-EA-030-1160
MS4800FS-EA-030-1200
MS4800FS-EA-030-1240
MS4800FS-EA-030-1280
MS4800FS-EA-030-1320
MS4800FS-EA-030-1360
MS4800FS-EA-030-1400
MS4800FS-EA-030-1440

Safety light curtain, Master, Advanced, category 4, hand protection (30mm), 1120mm

MS4800FS-EA-030-1480
MS4800FS-EA-030-1520
MS4800FS-EA-030-1560
MS4800FS-EA-030-1600
MS4800FS-EA-030-1640
MS4800FS-EA-030-1680
MS4800FS-EA-030-1720
MS4800FS-EA-030-1760
MS4800FS-EA-030-1800
MS4800FS-EA-030-1840
MS4800FS-EA-030-1880
MS4800FS-EA-030-1920
MS4800FS-EA-030-1960
MS4800FS-EA-030-2000
MS4800FS-EA-030-2040
MS4800FS-EA-030-2080
MS4800FS-EA-030-2120
MS4800FS-EB-014-0280
MS4800FS-EB-014-0320
MS4800FS-EB-014-0360
MS4800FS-EB-014-0400
MS4800FS-EB-014-0440
MS4800FS-EB-014-0480
MS4800FS-EB-014-0520
MS4800FS-EB-014-0560
MS4800FS-EB-014-0600
MS4800FS-EB-014-0640
MS4800FS-EB-014-0680
MS4800FS-EB-014-0720
MS4800FS-EB-014-0760
MS4800FS-EB-014-0800
MS4800FS-EB-014-0840
MS4800FS-EB-014-0880
MS4800FS-EB-014-0920
MS4800FS-EB-014-0960
MS4800FS-EB-014-1000
MS4800FS-EB-014-1040
MS4800FS-EB-014-1080
MS4800FS-EB-014-1120
MS4800FS-EB-014-1160
MS4800FS-EB-014-1200
MS4800FS-EB-014-1240
MS4800FS-EB-014-1280
MS4800FS-EB-014-1320
MS4800FS-EB-014-1360
MS4800FS-EB-014-1400
MS4800FS-EB-014-1440
MS4800FS-EB-014-1480
MS4800FS-EB-014-1520
MS4800FS-EB-014-1560
MS4800FS-EB-014-1600
MS4800FS-EB-014-1640

Safety light curtain,Master, Basic, category 4, finger protection (14mm), 320mm heig

Safety light curtain,Master, Basic, category 4, finger protection (14mm), 1480mm hei

MS4800FS-EB-014-1680
MS4800FS-EB-014-1720
MS4800FS-EB-014-1760
MS4800FS-EB-014-1800
MS4800FS-EB-030-0280
MS4800FS-EB-030-0320
MS4800FS-EB-030-0360
MS4800FS-EB-030-0400
MS4800FS-EB-030-0440
MS4800FS-EB-030-0480
MS4800FS-EB-030-0520
MS4800FS-EB-030-0560
MS4800FS-EB-030-0600
MS4800FS-EB-030-0640
MS4800FS-EB-030-0680
MS4800FS-EB-030-0720
MS4800FS-EB-030-0760
MS4800FS-EB-030-0800
MS4800FS-EB-030-0840
MS4800FS-EB-030-0880
MS4800FS-EB-030-0920
MS4800FS-EB-030-0960
MS4800FS-EB-030-1000
MS4800FS-EB-030-1040
MS4800FS-EB-030-1080
MS4800FS-EB-030-1120
MS4800FS-EB-030-1160
MS4800FS-EB-030-1200
MS4800FS-EB-030-1240
MS4800FS-EB-030-1280
MS4800FS-EB-030-1320
MS4800FS-EB-030-1360
MS4800FS-EB-030-1400
MS4800FS-EB-030-1440
MS4800FS-EB-030-1480
MS4800FS-EB-030-1520
MS4800FS-EB-030-1560
MS4800FS-EB-030-1600
MS4800FS-EB-030-1640
MS4800FS-EB-030-1680
MS4800FS-EB-030-1720
MS4800FS-EB-030-1760
MS4800FS-EB-030-1800
MS4800FS-EB-030-1840
MS4800FS-EB-030-1880
MS4800FS-EB-030-1920
MS4800FS-EB-030-1960
MS4800FS-EB-030-2000
MS4800FS-EB-030-2040
MS4800FS-EB-030-2080
MS4800FS-EB-030-2120
MS4800-IP67-0280

Safety light curtain,Master, Basic, category 4, finger protection (14mm), 1800mm hei

Safety light curtain,Master, Basic, category 4, hand protection (30mm), 1800mm heiç

MS4800-IP67-0440	
MS4800-IP67-0600	
MS4800-IP67-0960	
MS4800-IP67-1000	
MS4800-IP67-1800	
MS4800-RM6	Muting controller for MS2800/MS4800
MS4800S-EA-014-0280	
MS4800S-EA-014-0320	Safety light curtain, Advanced, category 4, finger protection (14mm), 320mm height,
MS4800S-EA-014-0360	
MS4800S-EA-014-0400	Safety light curtain, Advanced, category 4, finger protection (14mm), 400mm height,
MS4800S-EA-014-0440	
MS4800S-EA-014-0480	
MS4800S-EA-014-0520	Safety light curtain, Advanced, category 4, finger protection (14mm), 520mm height,
MS4800S-EA-014-0560	
MS4800S-EA-014-0600	Safety light curtain, Advanced, category 4, finger protection (14mm), 600mm height,
MS4800S-EA-014-0640	
MS4800S-EA-014-0680	
MS4800S-EA-014-0720	Safety light curtain, Advanced, category 4, finger protection (14mm), 720mm height,
MS4800S-EA-014-0760	
MS4800S-EA-014-0800	Safety light curtain, Advanced, category 4, finger protection (14mm), 800mm height,
MS4800S-EA-014-0840	
MS4800S-EA-014-0880	
MS4800S-EA-014-0920	Safety light curtain, Advanced, category 4, finger protection (14mm), 920mm height,
MS4800S-EA-014-0960	
MS4800S-EA-014-1000	Safety light curtain, Advanced, category 4, finger protection (14mm), 1000mm height
MS4800S-EA-014-1040	
MS4800S-EA-014-1080	
MS4800S-EA-014-1120	
MS4800S-EA-014-1160	
MS4800S-EA-014-1200	Safety light curtain, Advanced, category 4, finger protection (14mm), 1200mm height
MS4800S-EA-014-1240	Safety light curtain, Advanced, category 4, finger protection (14mm), 1240mm height
MS4800S-EA-014-1280	
MS4800S-EA-014-1320	
MS4800S-EA-014-1360	
MS4800S-EA-014-1400	Safety light curtain, Advanced, category 4, finger protection (14mm), 1400mm height
MS4800S-EA-014-1440	
MS4800S-EA-014-1480	
MS4800S-EA-014-1520	
MS4800S-EA-014-1560	
MS4800S-EA-014-1600	Safety light curtain, Advanced, category 4, finger protection (14mm), 1600mm height
MS4800S-EA-014-1640	
MS4800S-EA-014-1680	
MS4800S-EA-014-1720	
MS4800S-EA-014-1760	
MS4800S-EA-014-1800	Safety light curtain, Advanced, category 4, finger protection (14mm), 1800mm height
MS4800S-EA-030-0280	
MS4800S-EA-030-0320	Safety light curtain, Advanced, category 4, hand protection (30mm), 320mm height, I
MS4800S-EA-030-0360	
MS4800S-EA-030-0400	Safety light curtain, Advanced, category 4, hand protection (30mm), 400mm height, I
MS4800S-EA-030-0440	
MS4800S-EA-030-0480	
MS4800S-EA-030-0520	Safety light curtain, Advanced, category 4, hand protection (30mm), 520mm height, I

MS4800S-EA-030-0560	
MS4800S-EA-030-0600	Safety light curtain, Advanced, category 4, hand protection (30mm), 600mm height, I
MS4800S-EA-030-0640	
MS4800S-EA-030-0680	
MS4800S-EA-030-0720	Safety light curtain, Advanced, category 4, hand protection (30mm), 720mm height, I
MS4800S-EA-030-0760	
MS4800S-EA-030-0800	Safety light curtain, Advanced, category 4, hand protection (30mm), 800mm height, I
MS4800S-EA-030-0840	
MS4800S-EA-030-0880	
MS4800S-EA-030-0920	Safety light curtain, Advanced, category 4, hand protection (30mm), 920mm height, I
MS4800S-EA-030-0960	
MS4800S-EA-030-1000	Safety light curtain, Advanced, category 4, hand protection (30mm), 1000mm height,
MS4800S-EA-030-1040	
MS4800S-EA-030-1080	
MS4800S-EA-030-1120	
MS4800S-EA-030-1160	
MS4800S-EA-030-1200	Safety light curtain, Advanced, category 4, hand protection (30mm), 1200mm height,
MS4800S-EA-030-1240	
MS4800S-EA-030-1280	
MS4800S-EA-030-1320	
MS4800S-EA-030-1360	
MS4800S-EA-030-1400	Safety light curtain, Advanced, category 4, hand protection (30mm), 1400mm height,
MS4800S-EA-030-1440	
MS4800S-EA-030-1480	
MS4800S-EA-030-1520	
MS4800S-EA-030-1560	
MS4800S-EA-030-1600	Safety light curtain, Advanced, category 4, hand protection (30mm), 1600mm height,
MS4800S-EA-030-1640	
MS4800S-EA-030-1680	
MS4800S-EA-030-1720	
MS4800S-EA-030-1760	
MS4800S-EA-030-1800	Safety light curtain, Advanced, category 4, hand protection (30mm), 1800mm height,
MS4800S-EA-030-1840	
MS4800S-EA-030-1880	
MS4800S-EA-030-1920	
MS4800S-EA-030-1960	
MS4800S-EA-030-2000	Safety light curtain, Advanced, category 4, hand protection (30mm), 2000mm height,
MS4800S-EA-030-2040	
MS4800S-EA-030-2080	
MS4800S-EA-030-2120	
MS4800S-EB-014-0280	Safety light curtain, Basic, category 4, finger protection (14mm), 280mm height, DC,
MS4800S-EB-014-0320	Safety light curtain, Basic, category 4, finger protection (14mm), 320mm height, DC,
MS4800S-EB-014-0360	
MS4800S-EB-014-0400	Safety light curtain, Basic, category 4, finger protection (14mm), 400mm height, DC,
MS4800S-EB-014-0440	
MS4800S-EB-014-0480	
MS4800S-EB-014-0520	Safety light curtain, Basic, category 4, finger protection (14mm), 520mm height, DC,
MS4800S-EB-014-0560	
MS4800S-EB-014-0600	Safety light curtain, Basic, category 4, finger protection (14mm), 600mm height, DC,
MS4800S-EB-014-0640	
MS4800S-EB-014-0680	
MS4800S-EB-014-0720	Safety light curtain, Basic, category 4, finger protection (14mm), 720mm height, DC,

OMRON Industrial

MS4800S-EB-014-0760	
MS4800S-EB-014-0800	Safety light curtain, Basic, category 4, finger protection (14mm), 800mm height, DC,
MS4800S-EB-014-0840	
MS4800S-EB-014-0880	Safety light curtain, Basic, category 4, finger protection (14mm), 880mm height, DC,
MS4800S-EB-014-0920	Safety light curtain, Basic, category 4, finger protection (14mm), 920mm height, DC,
MS4800S-EB-014-0960	
MS4800S-EB-014-1000	Safety light curtain, Basic, category 4, finger protection (14mm), 1000mm height, DC
MS4800S-EB-014-1040	
MS4800S-EB-014-1080	
MS4800S-EB-014-1120	
MS4800S-EB-014-1160	
MS4800S-EB-014-1200	Safety light curtain, Basic, category 4, finger protection (14mm), 1200mm height, DC
MS4800S-EB-014-1240	
MS4800S-EB-014-1280	
MS4800S-EB-014-1320	
MS4800S-EB-014-1360	
MS4800S-EB-014-1400	Safety light curtain, Basic, category 4, finger protection (14mm), 1400mm height, DC
MS4800S-EB-014-1440	
MS4800S-EB-014-1480	
MS4800S-EB-014-1520	Safety light curtain, Basic, category 4, finger protection (14mm), 1520mm height, DC
MS4800S-EB-014-1560	
MS4800S-EB-014-1600	Safety light curtain, Basic, category 4, finger protection (14mm), 1600mm height, DC
MS4800S-EB-014-1640	
MS4800S-EB-014-1680	
MS4800S-EB-014-1720	
MS4800S-EB-014-1760	
MS4800S-EB-014-1800	Safety light curtain, Basic, category 4, finger protection (14mm), 1800mm height, DC
MS4800S-EB-030-0280	
MS4800S-EB-030-0320	Safety light curtain, Basic, category 4, hand protection (30mm), 320mm height, DC, 2
MS4800S-EB-030-0360	
MS4800S-EB-030-0400	Safety light curtain, Basic, category 4, hand protection (30mm), 400mm height, DC, 2
MS4800S-EB-030-0440	
MS4800S-EB-030-0480	
MS4800S-EB-030-0520	Safety light curtain, Basic, category 4, hand protection (30mm), 520mm height, DC, 2
MS4800S-EB-030-0560	
MS4800S-EB-030-0600	Safety light curtain, Basic, category 4, hand protection (30mm), 600mm height, DC, 2
MS4800S-EB-030-0640	
MS4800S-EB-030-0680	
MS4800S-EB-030-0720	Safety light curtain, Basic, category 4, hand protection (30mm), 720mm height, DC, 2
MS4800S-EB-030-0760	
MS4800S-EB-030-0800	Safety light curtain, Basic, category 4, hand protection (30mm), 800mm height, DC, 2
MS4800S-EB-030-0840	
MS4800S-EB-030-0880	Safety light curtain, Basic, category 4, hand protection (30mm), 880mm height, DC, 2
MS4800S-EB-030-0920	Safety light curtain, Basic, category 4, hand protection (30mm), 920mm height, DC, 2
MS4800S-EB-030-0960	
MS4800S-EB-030-1000	Safety light curtain, Basic, category 4, hand protection (30mm), 1000mm height, DC,
MS4800S-EB-030-1040	
MS4800S-EB-030-1080	
MS4800S-EB-030-1120	
MS4800S-EB-030-1160	
MS4800S-EB-030-1200	Safety light curtain, Basic, category 4, hand protection (30mm), 1200mm height, DC,
MS4800S-EB-030-1240	Safety light curtain, Basic, category 4, hand protection (30mm), 1240mm height, DC,

MS4800S-EB-030-1280	
MS4800S-EB-030-1320	
MS4800S-EB-030-1360	
MS4800S-EB-030-1400	Safety light curtain, Basic, category 4, hand protection (30mm), 1400mm height, DC,
MS4800S-EB-030-1440	
MS4800S-EB-030-1480	
MS4800S-EB-030-1520	
MS4800S-EB-030-1560	
MS4800S-EB-030-1600	Safety light curtain, Basic, category 4, hand protection (30mm), 1600mm height, DC,
MS4800S-EB-030-1640	
MS4800S-EB-030-1680	
MS4800S-EB-030-1720	
MS4800S-EB-030-1760	
MS4800S-EB-030-1800	Safety light curtain, Basic, category 4, hand protection (30mm), 1800mm height, DC,
MS4800S-EB-030-1840	
MS4800S-EB-030-1880	
MS4800S-EB-030-1920	
MS4800S-EB-030-1960	
MS4800S-EB-030-2000	Safety light curtain, Basic, category 4, hand protection (30mm), 2000mm height, DC,
MS4800S-EB-030-2040	
MS4800S-EB-030-2080	
MS4800S-EB-030-2120	
MS4800WS-0280	
MS4800WS-0440	
MS4800WS-0600	
MS4800WS-0920	
MSF4800-IP67-0280	
MSR FILTER FOR E3S-R86	
MSTB 2.5/5-STF-5.08 AU	
MUTE LAMP KIT 43987-0010	
MX2-A2001-E	MX Inverter drive, 0.1/0.18KW(HD/ND), 1.0/1.2A(HD/ND), 200VAC, three phase input, s
MX2-A2001-E-OPT	
MX2-A2002-E	MX Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200VAC, three phase input,
MX2-A2002-E-OPT	
MX2-A2004-E	MX Inverter drive, 0.55/0.75KW(HD/ND), 3.0/3.5A(HD/ND), 200VAC, three phase input,
MX2-A2004-E-OPT	
MX2-A2007-E	MX Inverter drive, 1.1/1.1KW(HD/ND), 5.0/6.0A(HD/ND), 200VAC, three phase input, s
MX2-A2007-E-OPT	
MX2-A2015-E	MX Inverter drive, 1.5/2.2KW(HD/ND), 8.0/9.6A(HD/ND), 200VAC, three phase input, s
MX2-A2015-E-OPT	
MX2-A2022-E	MX Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.00A(HD/ND), 200VAC, three phase inpu
MX2-A2022-E-OPT	
MX2-A2037-E	MX Inverter drive, 4.0/5.5KW(HD/ND), 17.5/19.6A(HD/ND), 200VAC, three phase input,
MX2-A2037-E-OPT	
MX2-A2055-E	MX Inverter drive, 5.5/7.5KW(HD/ND), 25/30A(HD/ND), 200VAC, three phase input, sei
MX2-A2055-E-OPT	
MX2-A2075-E	MX Inverter drive, 7.5/11.0KW(HD/ND), 33/40A(HD/ND), 200VAC, three phase input, s
MX2-A2075-E-OPT	
MX2-A2110-E	MX Inverter drive, 11/15KW(HD/ND), 47/56A(HD/ND), 200VAC, three phase input, sen:
MX2-A2110-E-OPT	
MX2-A2150-E	MX Inverter drive, 15/18.5KW(HD/ND), 60/69A(HD/ND), 200VAC, three phase input, se
MX2-A2150-E-OPT	

MX2-A4004-E	MX Inverter drive, 0.55/0.75KW(HD/ND), 1.8/2.1A(HD/ND), 400VAC, three phase input,
MX2-A4004-E-OPT	
MX2-A4007-E	MX Inverter drive, 1.1/1.5KW(HD/ND), 3.4/4.1A(HD/ND), 400VAC, three phase input, s
MX2-A4007-E-OPT	MX Inverter drive, 1.1/1.5KW(HD/ND), 3.4/4.1A(HD/ND), 400VAC, three phase input, s
MX2-A4015-E	MX Inverter drive, 1.5/2.2KW(HD/ND), 4.8/5.4A(HD/ND), 400VAC, three phase input, s
MX2-A4015-E-OPT	
MX2-A4022-E	MX Inverter drive, 2.2/3.0KW(HD/ND), 5.5/6.9A(HD/ND), 400VAC, three phase input, s
MX2-A4022-E-OPT	
MX2-A4030-E	MX Inverter drive, 3.0/4.0KW(HD/ND), 7.2/8.8A(HD/ND), 400VAC, three phase input, s
MX2-A4030-E-OPT	
MX2-A4040-E	MX Inverter drive, 4.0/5.5KW(HD/ND), 9.2/11.1A(HD/ND), 400VAC, three phase input, :
MX2-A4040-E-OPT	
MX2-A4055-E	MX Inverter drive, 5.5/7.5KW(HD/ND), 14.8/17.5A(HD/ND), 400VAC, three phase input,
MX2-A4055-E-OPT	
MX2-A4075-E	MX Inverter drive, 7.5/11.0KW(HD/ND), 18/23A(HD/ND), 400VAC, three phase input, s
MX2-A4075-E-OPT	
MX2-A4110-E	MX Inverter drive, 11/15KW(HD/ND), 24/31A(HD/ND), 400VAC, three phase input, sen:
MX2-A4110-E-OPT	
MX2-A4150-E	MX Inverter drive, 15/18.5KW(HD/ND), 31/38A(HD/ND), 400VAC, three phase input, se
MX2-A4150-E-OPT	
MX2-AB001-E	MX Inverter drive, 0.12/0.18KW(HD/ND), 1.0/1.2A(HD/ND), 200VAC, single phase inpu
MX2-AB001-E-OPT	MX Inverter drive, 0.12/0.18KW(HD/ND), 1.0/1.2A(HD/ND), 200VAC, single phase inpu
MX2-AB002-E	MX Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200VAC, single phase inpu
MX2-AB002-E-OPT	MX Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200VAC, single phase inpu
MX2-AB004-E	MX Inverter drive, 0.4/0.55KW(HD/ND), 3.0/3.5A(HD/ND), 200VAC, single phase input,
MX2-AB004-E-OPT	
MX2-AB007-E	MX Inverter drive, 0.75/1.1KW(HD/ND), 5.0/6.0A(HD/ND), 200VAC, single phase input,
MX2-AB007-E-OPT	
MX2-AB015-E	MX Inverter drive, 1.5/2.2KW(HD/ND), 8.0/9.6A(HD/ND), 200VAC, single phase input, s
MX2-AB015-E-OPT	
MX2-AB022-E	MX Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.0A(HD/ND), 200VAC, single phase inpu
MX2-AB022-E-OPT	
MY1 AC110/120	
MY2 100/110DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 100/110 VDC
MY2 110/120AC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 110/120 VAC
MY2 12AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 12 VAC
MY2 12DC(S)+	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 12 VDC
MY2 220/240AC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 220/240 VAC
MY2 24AC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 24 VAC
MY2 24DC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 24 VDC
MY2 48/50AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 48/50 VAC
MY2 48DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 48 VDC
MY2 6AC(S)	
MY2 6DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 6 VDC
MY2 AC110/120	
MY2 DC12	
MY2-02 100/110DC	
MY2-02 200/220AC	
MY2-02 AC220/240	
MY2-02-EU AC100/110	
MY2-02-EU AC200/220 BY OMZ	
MY2-02-EU AC220/240 BY OMZ	

MY2-02-EU DC100/110 BY OMZ
MY2-02-SL AC220/240
MY2-02-SL-EU AC220/240 BY OMZ
MY2-02-US-SV 110/120AC
MY2-02-US-SV 12AC
MY2-02-US-SV 12DC
MY2-02-US-SV 220/240AC
MY2-02-US-SV 24AC
MY2-02-US-SV 24DC
MY2-02-US-SV 48AC
MY2-02-US-SV 6DC
MY2-02-US-SV-EU AC110/120 OMZ
MY2-02-US-SV-EU AC12 BY OMZ
MY2-02-US-SV-EU AC220/240 OMZ
MY2-02-US-SV-EU AC24 BY OMZ
MY2-02-US-SV-EU AC48 BY OMZ
MY2-02-US-SV-EU DC12 BY OMZ
MY2-02-US-SV-EU DC24 BY OMZ
MY2-02-US-SV-EU DC6 BY OMZ
MY2-CR 24AC
MY2F 220/240AC
MY2F 24AC
MY2F 24DC
MY2F-EU AC220/240 BY OMZ
MY2F-EU AC24 BY OMZ
MY2F-EU DC24 BY OMZ
MY2F-US-SV 110/120AC
MY2F-US-SV 220AC
MY2F-US-SV 24DC
MY2F-US-SV-EU AC110/120 BY OMZ
MY2I4N 220/240AC BY OMB
MY2I4N 24DC BY OMB+
MY2I4N DC12 BY OMB
MY2IN 100/110DC(S)
MY2IN 110/120AC (S)
MY2IN 12DC(S)
MY2IN 220/240AC (S)
MY2IN 24AC (S)
MY2IN 24DC (S)
MY2IN 48DC(S)
MY2IN 6AC(S)
MY2IN 6DC(S)
MY2IN1 100/110DC(S)
MY2IN1 12DC(S)
MY2IN1 24DC(S)
MY2IN1 48DC(S)
MY2IN1 6DC(S)
MY2IN1-D2 100/110DC(S)
MY2IN1-D2 12DC(S)
MY2IN1-D2 24DC(S)
MY2IN1-D2 48DC(S)
MY2IN1-D2 6DC(S)

Relay, PCB terminals, 8-pin, DPDT, 10A, label facility, 24 VDC

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, test button, label facility, 1'
 Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test butto
 Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test butto
 Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, test button, label facility, 2'
 Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test butto
 Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test butto

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test butto

Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil spuuessor, lockable |

MY2IN-CR 110/120AC(S)	
MY2IN-CR 220/240AC(S)	
MY2IN-D2 12DC(S)	
MY2IN-D2 24DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil spuressor, lockable
MY2IN-D2 48DC(S)	
MY2IN-D2 6DC(S)	
MY2K 110AC	Latching relay, plug-in, 14-pin, DPDT, 3A, LED indicator
MY2K 12AC	
MY2K 12DC	Latching relay, plug-in, 14-pin, DPDT, 3A, LED indicator
MY2K 24AC	Latching relay, plug-in, 14-pin, DPDT, 3A, LED indicator
MY2K 24DC	Latching relay, plug-in, 14-pin, DPDT, 3A, LED indicator
MY2K 48DC	Latching relay, plug-in, 14-pin, DPDT, 3A, LED indicator
MY2K 6DC	
MY2K-02 24DC	
MY2N 100/110AC BY OMB	
MY2N 100/110DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 100/110 VDC
MY2N 110/120AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 110/120 VAC
MY2N 12AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 12 VAC
MY2N 12DC BY OMB	
MY2N 12DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 12 VDC
MY2N 200/220AC BY OMB	
MY2N 220/240AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 220/240 VAC
MY2N 24AC(S)+	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 24 VAC
MY2N 24DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 24 VDC
MY2N 48/50AC(S)	
MY2N 48DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 48 VDC
MY2N 6AC(S)	
MY2N 6DC BY OMB	
MY2N 6DC(S)	
MY2N AC50 BY OMB	
MY2N1 100/110DC(S)	
MY2N1 12DC(S)	
MY2N1 24DC(S)	
MY2N1 48DC(S)	
MY2N1 6DC(S)	
MY2N1-D2 100/110DC(S)	
MY2N1-D2 12DC(S)	Relay, plug-in, 8-pin, DPDT, reverse coil polarity, 10A, mech & LED indicators, coil si
MY2N1-D2 24DC(S)	Relay, plug-in, 8-pin, DPDT, reverse coil polarity, 10A, mech & LED indicators, coil si
MY2N1-D2 48DC(S)	
MY2N1-D2 6DC(S)	
MY2N-CR 110/120AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facili
MY2N-CR 220/240AC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facili
MY2N-CR 24AC	
MY2N-CR AC200/220	
MY2N-D2 100/110DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facili
MY2N-D2 12DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facili
MY2N-D2 24DC(S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facili
MY2N-D2 48DC(S)	
MY2N-D2 6DC(S)	
MY2N-D2 DC24	
MY2N-Y.24DC	
MY2-US-SV 110/120AC BY OMB	

MY2-US-SV 12DC BY OMB	
MY2-US-SV 24DC BY OMB+	
MY2-US-SV AC220/240 BY OMB	
MY2-US-SV AC24 BY OMB	
MY2-US-SV AC48 BY OMB	
MY2-US-SV DC48 BY OMB	
MY2Z 100/110DC	
MY2Z 110-120AC	
MY2Z 12DC	
MY2Z 220/240AC	
MY2Z 24AC	
MY2Z 24DC	
MY2Z 50AC	
MY2Z 6DC	
MY2Z-02 24DC	
MY2Z-D 24DC	
MY2ZN 110/120AC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, label f
MY2ZN 220/240AC	
MY2ZN-D2 24DC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, coil su
MY3 100/110AC	
MY3 100/110DC	
MY3 110/120AC	
MY3 12AC	
MY3 12DC	
MY3 220/240AC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 220/240 VAC
MY3 24AC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VAC
MY3 24DC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VDC
MY3 48DC	
MY3 50AC	
MY3 6AC	
MY3 6DC	
MY3 AC200/220	
MY3-02 110/120AC	
MY3-02 220/240AC	
MY3-02 24AC	
MY3-02 24DC	
MY3-02 AC100/110	
MY3-02-EU AC220/240	
MY3-02-EU AC24	
MY3-02-EU DC24	
MY3-02-PC AC220/240	
MY3-02-US-SV 24AC	
MY3-02-US-SV 24DC	
MY3-CR 220/240AC	
MY3-D 24DC	
MY3N 100/110DC	
MY3N 110/120AC	
MY3N 12DC	
MY3N 220/240AC	
MY3N 24AC	
MY3N 24DC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 24 VDC
MY3N 6DC	

MY3N-D2 24DC	
MY3N-D2 DC12	
MY3N-D2 DC48	
MY3-US-SV 100/110DC	
MY3-US-SV 110/120AC	
MY3-US-SV 12DC	
MY3-US-SV 220/240AC	
MY3-US-SV 24DC	
MY4 100/110DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 100/110 VDC
MY4 110/120AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 110/120 VAC
MY4 125DC(S)	
MY4 12AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 12 VAC
MY4 12DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 12 VDC
MY4 220/240AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 220/240 VAC
MY4 24AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 24 VAC
MY4 24DC	
MY4 24DC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 24 VDC
MY4 24DC(S)*GYÛJTÖ/50*	
MY4 48/50AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 48/50 VAC
MY4 48DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 48 VDC
MY4 60DC	
MY4 6AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 6 VAC
MY4 6DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 6 VDC
MY4 AC12	
MY4 AC220/240	
MY4 AC220/240 BY OMB	
MY4 AC24	
MY4 AC48 BY OMB	
MY4 AC50 BY OMB	
MY4 DC100/110	
MY4 DC100/110 BY OMB	
MY4 DC12 BY OMB	
MY4 DC24	
MY4 DC24 BY OMB	
MY4 DC48	
MY4 DC6 BY OMB	
MY4-02 100/110DC	
MY4-02 110/120AC	Relay, PCB mount, 14-pin, 4PDT, 5A, label facility
MY4-02 12DC	Relay, PCB mount, 14-pin, 4PDT, 5A, label facility
MY4-02 200/220AC	
MY4-02 220/240AC	Relay, PCB mount, 14-pin, 4PDT, 5A, label facility
MY4-02 24AC	Relay, PCB mount, 14-pin, 4PDT, 5A, label facility
MY4-02 24DC	Relay, PCB mount, 14-pin, 4PDT, 5A, label facility
MY4-02 48AC	
MY4-02 48DC	
MY4-02 AP10 12DC	
MY4-02 AP10-EU DC12 BY OMZ	
MY4-02-1 24DC	
MY4-02-EU AC110/120 BY OMZ	
MY4-02-EU AC200/220 BY OMZ	
MY4-02-EU AC220/240 BY OMZ	
MY4-02-EU AC24 BY OMZ	

MY4-02-EU AC48 BY OMZ	
MY4-02-EU DC100/110 BY OMZ	
MY4-02-EU DC12 BY OMZ	
MY4-02-EU DC24 BY OMZ	
MY4-02-EU DC48 BY OMZ	
MY4-02-LS 42DC	
MY4-CR 24AC	
MY4-D-RS 24DC	
MY4F 110/120AC	
MY4F AC220/240	
MY4F-EU AC220/240 BY OMZ	
MY4H 100/110DC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed
MY4H 110/120AC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed
MY4H 12DC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed
MY4H 24AC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed
MY4H 24DC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed
MY4H-0 24DC	
MY4H-US 100/110DC	
MY4H-US 110/120AC	
MY4H-US 12DC	
MY4H-US 24AC	
MY4H-US 24DC	
MY4I DC220 (S)	
MY4I4 60DC	
MY4I4N AC110/120 BY OMB	
MY4I4N AC220/240 BY OMB	
MY4I4N AC24 BY OMB	
MY4I4N DC24 BY OMB	
MY4IN 100/110DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 110/120AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, test button, label facility, 24
MY4IN 12AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 12DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 220/240AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 24AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, test button, label facility, 24
MY4IN 24DC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 24DC(S) **GYÛJTÖ/50**	
MY4IN 48/50AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 48DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button
MY4IN 6AC(S)	
MY4IN 6DC(S)	
MY4IN AC200/220 (S)	
MY4IN AC24	
MY4IN DC125 (S)	
MY4IN1 100/110DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable
MY4IN1 12DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable
MY4IN1 24DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable
MY4IN1 48DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable
MY4IN1 6DC(S)	
MY4IN1-D2 100/110DC(S)	
MY4IN1-D2 12DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil status
MY4IN1-D2 24DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil status
MY4IN1-D2 48DC(S)	

MY4IN1-D2 6DC(S)	
MY4IN1-D2 DC125 (S)	
MY4IN220/240AC(S)**GYÛJTÕ/50**	
MY4IN-CR 110/120AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable p
MY4IN-CR 220/240AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable p
MY4IN-D2 100/110DC(S)	
MY4IN-D2 12DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable p
MY4IN-D2 24DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable p
MY4IN-D2 48DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable p
MY4IN-D2 6DC(S)	
MY4N 100/110DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 100/110 VDC
MY4N 110/120AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 110/120 VAC
MY4N 12AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 12 VAC
MY4N 12DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 12 VDC
MY4N 220/240AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 220/240 VAC
MY4N 24AC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 24 VAC
MY4N 24DC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 24 VDC
MY4N 48/50AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 48/50 VAC
MY4N 48DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 48 VDC
MY4N 6AC(S)	
MY4N 6DC(S)	
MY4N AC110/120 BY OMB	
MY4N AC24 BY OMB	
MY4N AC48 BY OMB	
MY4N DC100/110 BY OMB	
MY4N DC12	
MY4N DC125 (S)	
MY4N DC24	
MY4N DC24 BY OMB	
MY4N1 100/110DC(S)	
MY4N1 12DC(S)	
MY4N1 24DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, label f
MY4N1 48DC(S)	
MY4N1 6DC(S)	
MY4N1-D2 100/110DC(S)	
MY4N1-D2 12DC(S)	
MY4N1-D2 24DC(S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil su
MY4N1-D2 48DC(S)	
MY4N1-D2 6DC(S)	
MY4N-CR 110/120AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-CR 220/240AC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-CR 24AC	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-CR AC24 (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-D2 100/110DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-D2 12DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-D2 24DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-D2 48DC(S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facili
MY4N-D2 6DC(S)	
MY4N-D2 DC24	
MY4-TF 100/110AC 60W	
MY4-TF 200/220AC 60W	
MY4-TF 24DC 40W	

MY4-TF AC115 60W	
MY4-TMY4Z 110DC	
MY4Z 100/110DC(S)	
MY4Z 110/120AC(S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 1
MY4Z 12AC(S)	
MY4Z 12DC(S)	
MY4Z 24DC(S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 2
MY4Z 48/50AC(S)	
MY4Z 48DC(S)	
MY4Z 6AC(S)	
MY4Z 6DC(S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 6
MY4Z DC24	
MY4Z-02 12DC	
MY4Z-02 24DC	
MY4Z-02-CBG DC12	
MY4ZH 100/110AC	
MY4ZH 24AC	
MY4ZH 24DC	
MY4ZH-US 110/120AC	
MY4ZH-US 12DC	
MY4ZH-US 24AC	
MY4ZH-US 24DC	
MY4ZIN 100/110DC(S)	
MY4ZIN 110/120AC(S)	
MY4ZIN 12AC(S)	
MY4ZIN 12DC(S)	
MY4ZIN 220/240AC(S)	
MY4ZIN 24DC(S)	
MY4ZIN 48/50AC(S)	
MY4ZIN 48DC(S)	
MY4ZIN 6AC(S)	
MY4ZIN 6DC(S)	
MY4ZIN1 100/110DC(S)	
MY4ZIN1 12DC(S)	
MY4ZIN1 24DC(S)	
MY4ZIN1 48DC(S)	
MY4ZIN1 6DC(S)	
MY4ZIN1-D2 100/110DC(S)	
MY4ZIN1-D2 12DC(S)	
MY4ZIN1-D2 24DC(S)	
MY4ZIN1-D2 48DC(S)	
MY4ZIN1-D2 6DC(S)	
MY4ZIN-CR 110/120AC(S)	
MY4ZIN-CR 220/240AC(S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil su
MY4ZIN-D2 100/110DC(S)	
MY4ZIN-D2 24DC(S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil su
MY4ZIN-D2 48DC(S)	
MY4ZIN-D2 6DC(S)	
MY4ZN 100/110DC(S)	
MY4ZN 110/120AC(S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label f
MY4ZN 12AC(S)	
MY4ZN 12DC(S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label f

MY4ZN 220/240AC(S)

MY4ZN 24AC(S)

MY4ZN 24DC(S)

Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label f

MY4ZN 48/50AC(S)

MY4ZN 48DC(S)

MY4ZN 6AC(S)

MY4ZN 6DC(S)

MY4ZN AC100/110

MY4ZN1 100/110DC(S)

MY4ZN1 12DC(S)

MY4ZN1 24DC(S)

MY4ZN1 48DC(S)

MY4ZN1 6DC(S)

MY4ZN1-D2 100/110DC(S)

MY4ZN1-D2 12DC(S)

MY4ZN1-D2 24DC(S)

MY4ZN1-D2 48DC(S)

MY4ZN1-D2 6DC(S)

MY4ZN-CR 110/120AC(S)

MY4ZN-CR 220/240AC(S)

MY4ZN-D2 100/110DC(S)

Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil su

MY4ZN-D2 12DC(S)

MY4ZN-D2 24DC(S)

Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil su

MY4ZN-D2 48DC(S)

MY4ZN-D2 6DC(S)

MY4ZN-TU 24DC

MY4ZN-TU AC220/240

MYA-BMTC1 24AC

MYA-D115B 24DC

MYA-D80 24DC

MYA-DMTE1L DC24

MYA-LA1 200/220AC

MYA-LA12 100/110AC

MYA-LA12 100/110DC

MYA-LA12 220AC

MYA-LA12 48DC

MYA-LA12 DC24

MYA-LA2 100/110AC

MYA-LA2 200-220AC

MYA-LA2 24DC

MYA-LA2 48DC

MYA-LA2-D1 24DC

MYA-LB1 24DC

MYA-LB12 220/240AC

MYA-LB12 24DC

MYA-LB12 AC100/110

MYA-LB2 100/110AC

MYA-LB2 110/120AC

MYA-LB2 115AC

MYA-LB2 200/220AC

MYA-LB2 24AC

MYA-LB2.24DC

MYA-LBDE DC24	
MYA-LBDE-D DC24	
MYA-NA1 200/220AC	
MYA-NA1 24DC	
MYA-NA2 100/110AC	
MYA-NA2 100/110DC	
MYA-NA2 200/220AC	
MYA-NA2 24DC	
MYA-NA2-D1 24DC	
MYA-NB1 200/220AC	
MYA-NB2 100-110AC	
MYA-NB2 200/220AC	
MYA-NB2 24DC	
MYA-NB2 AC24	
MYA-NB2-D1 24DC	
MYQ4 110/120AC	
MYQ4 220/240AC	
MYQ4 24DC	
MYQ4 DC12	
MYQ4N 110/120AC	
MYQ4N 220/240AC	
MYQ4N 24AC	
MYQ4N 24DC	
MYQ4N AC48	
MYQ4N-D2 24DC	
MYQ4Z 200/220AC	
N/MS3057-6A	
N/MS3108B14S-6S	
NE0A-SCPU01 VER1.0	
NE1A-EDR01	Ethernet/IP - Devicenet Router
NE1A-SCPU01-EIP VER1.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs, Ethernet
NE1A-SCPU01L	Standalone Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs
NE1A-SCPU01-V1 VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs
NE1A-SCPU02 VER2.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs
NE1A-SCPU02-EIP VER1.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs, IP
NE1A-SCPU02L	Standalone Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs
NETOP MOBILE AND EMBEDDED RC	
NETOP RC 1 GUEST VERS.9,0	
NF 2003A-YN	
NL1-C 1M	
NL1-S 1M	
NL1-SC 1M	
NL2-C	
NL2-SC 1M	
NL3-C 100AC	
NPORT 5110	
NQ3-MQ000-B	3.8 inch QVGA (320 x 240 pixel) STN blue monochrome (8 shades) HMI, 1 x RS-232C
NQ3-TQ000-B	3.5 inch QVGA (320 x 240 pixel) TFT colour HMI, 256 colour (4,096 for bitmaps), 1 x F
NQ5-MQ000-B	5.7 inch QVGA (320 x 240 pixel) STN monochrome (blue, 16 shades) touch-screen HI
NQ5-MQ001-B	5.7 inch QVGA (320 x 240 pixel) STN monochrome (blue, 16 shades) touch-screen HI
NQ5-SQ000-B	5.7 inch QVGA (320 x 240 pixel) STN colour HMI, 256 colour (4,096 for bitmaps), 2 x F
NQ5-SQ001-B	5.7 inch QVGA (320 x 240 pixel) STN colour HMI, 256 colour (4,096 for bitmaps), 2 x F

NQ-BAT01	
NQ-CN221	Mini-peripheral port cable, CJ1/CS1/CQM1H/CPM2C PLC, 2m
NQ-CN222	NQ serial port to CJ1/CS1/CP1/CQM1H PLC (RS232) port cable, 2m
NQ-CN521	NQ serial port to CJ1/CS1/CP1/CQM1H PLC (RS232) port cable, 5m
NRT-C	thumb wheel switch
NRT-CN	
NRT-CP	
NS10-TV00B-V2	Programmable terminal (HMI), 10.4 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS10-TV00B-V2 DIM	
NS10-TV00-V2	Programmable terminal (HMI), 10.4 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS10-TV01B-V2	Programmable terminal (HMI), 10.4 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS10-TV01B-V2 DIMM	
NS10-TV01-V2	Programmable terminal (HMI), 10.4 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS12-ATT01	
NS12-ATT01B	
NS12-KBA04	Anti-reflective sheets for NS10/12, pack of 5
NS12-KBA05	Protective covers (anti-reflective coating) for NS10/12, pack of 5
NS12-KBA05N	Protective covers (transparent) for NS10/12, pack of 5
NS12-TS00B-V2	Programmable terminal (HMI), 12.1 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS12-TS00B-V2 DIMM	
NS12-TS00-V2	Programmable terminal (HMI), 12.1 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS12-TS01B-V2	Programmable terminal (HMI), 12.1 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS12-TS01B-V2 DIMM	
NS12-TS01-V2	Programmable terminal (HMI), 12.1 inch, TFT, 256 colours (32,768 colours for .BMP/..
NS15-KBA04	Anti-reflection sheets (5 Surface sheets)
NS15-KBA05N	
NS15-TX01B-V2	Programmable terminal (HMI), 15 inch XGA, TFT, 256 colours, 1024x768 pixels, 1 x R
NS15-TX01S-V2	Programmable terminal (HMI), 15 inch XGA, TFT, 256 colours, 1024x768 pixels, 1 x R
NS5-MQ10B-V2	Programmable terminal (HMI), 5.7 inch, STN, Monochrome (16 shades of grey), 320x:
NS5-MQ10B-V2 DIMM	
NS5-MQ10-V2	Programmable terminal (HMI), 5.7 inch, STN, Monochrome (16 shades of grey), 320x:
NS5-MQ11B-V2	Programmable terminal (HMI), 5.7 inch, STN, Monochrome (16 shades of grey), 320x:
NS5-MQ11-V2	Programmable terminal (HMI), 5.7 inch, STN, Monochrome (16 shades of grey), 320x:
NS5-SQ10B-V2	Programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours for .BMP/.JP
NS5-SQ10-V2	Programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours for .BMP/.JP
NS5-SQ11B-V2	Programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours for .BMP/.JP
NS5-SQ11-V2	Programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours for .BMP/.JP
NS5-TQ10B-V2	Programmable terminal (HMI), 5.7 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS5-TQ10-V2	Programmable terminal (HMI), 5.7 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS5-TQ11B-V2	Programmable terminal (HMI), 5.7 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS5-TQ11B-V2 DIMM	
NS5-TQ11-V2	Programmable terminal (HMI), 5.7 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS7-KBA04	Anti-reflective sheets for NS8 (pack of 5)
NS7-KBA05	Protective covers (anti-reflective coating) for NS8, pack of 5
NS7-KBA05N	Protective covers (transparent) for NS8, pack of 5
NS8-ATT01	NS8 adapter plate for NT620S/NT620C/NT600S cutout, beige
NS8-ATT02	NS8 adapter plate for NT610G/NT612G/NT600M/NT600G cutout, beige
NS8-TV00B-V2	Programmable terminal (HMI), 8.4 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS8-TV00B-V2 DIM	
NS8-TV00-V2	Programmable terminal (HMI), 8.4 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS8-TV01B-V2	Programmable terminal (HMI), 8.4 inch, TFT, 256 colours (32,768 colours for .BMP/.Jl
NS8-TV01B-V2 DIMM	

NS8-TV01-V2	Programmable terminal (HMI), 8.4 inch, TFT, 256 colours (32,768 colours for .BMP/.J
NSA01NSR	NSA-CPU01-E & NS-Runtime bundle
NSA01SUME	NSA-CPU01-E & Supervisor ME bundle
NSA01SUPLS	NSA-CPU01-E & Supervisor Plus
NSA02NSR	NSA-CPU02-E & NS-Runtime bundle
NSA02SUME	NSA-CPU02-E & Supervisor ME bundle
NSA02SUPLS	NSA-CPU02-E & Supervisor Plus
NSA03NSR	NSA-CPU03-E & NS-Runtime bundle
NSA03SUME	NSA-CPU03-E & Supervisor ME bundle
NSA03SUPLS	NSA-CPU03-E & Supervisor Plus
NSA04NSR	NSA-CPU04-E & NS-Runtime bundle
NSA04SUME	NSA-CPU04-E & Supervisor ME bundle
NSA04SUPLS	NSA-CPU04-E & Supervisor Plus
NSA12-TX01B-E	Industrial PC, 1.3GHz Intel Celeron M, 2GB Disk-on-Module, 12.1" touchscreen TFT c
NSA12TX01BNSR	NSA12-TX01B-E & NS-Runtime bundle
NSA12TX01BSUME	NSA12-TX01B-E & Supervisor ME bundle
NSA12TX01BSUPLS	NSA12-TX01B-E & Supervisor Plus
NSA12-TX01S-E	Industrial PC, 1.3GHz Intel Celeron M, 2GB Disk-on-Module, 12.1" touchscreen TFT c
NSA12TX01SNSR	NSA12-TX01S-E & NS-Runtime bundle
NSA12TX01SSUME	NSA12-TX01S-E & Supervisor ME bundle
NSA12TX01SSUPLS	NSA12-TX01S-E & Supervisor Plus
NSA12-TX11B	Industrial PC, 600MHz Intel Celeron M, 256MB, 12.1" touchscreen TFT colour LCD (1,
NSA12-TX11S	Industrial PC, 600MHz Intel Celeron M, 256MB, 12.1" touchscreen TFT colour LCD (1,
NSA12-TX12B	Industrial PC, 600MHz Intel Celeron M, 512MB, 12.1" touchscreen TFT colour LCD (1,
NSA12TX12BCEX2NSR	NSA12-TX12B-E & 2GB CF with NS-Runtime bundle
NSA12TX12BCEX2SUME	NSA12-TX12B-E & 2GB CF with Supervisor ME bundle
NSA12-TX12B-CEX4-EPRO	
NSA12TX12BCEX4NSR	NSA12-TX12B-E & 4GB CF with NS-Runtime bundle
NSA12TX12BCEX4SUME	NSA12-TX12B-E & 4GB CF with Supervisor ME bundle
NSA12-TX12B-CEX8-EPRO	
NSA12TX12BCEX8NSR	NSA12-TX12B-E & 8GB CF with NS-Runtime bundle
NSA12TX12BCEX8SUME	NSA12-TX12B-E & 8GB CF with Supervisor ME bundle
NSA12-TX12S	Industrial PC, 600MHz Intel Celeron M, 512MB, 12" touchscreen TFT colour LCD (1,0
NSA12TX12SCEX2NSR	NSA12-TX12S-E & 2GB CF with NS-Runtime bundle
NSA12TX12SCEX2SUME	NSA12-TX12S-E & 2GB CF with Supervisor ME bundle
NSA12-TX12S-CEX4-EPRO	
NSA12TX12SCEX4NSR	NSA12-TX12S-E & 4GB CF with NS-Runtime bundle
NSA12TX12SCEX4SUME	NSA12-TX12S-E & 4GB CF with Supervisor ME bundle
NSA12-TX12S-CEX8-EPRO	
NSA12TX12SCEX8NSR	NSA12-TX12S-E & 8GB CF with NS-Runtime bundle
NSA12TX12SCEX8SUME	NSA12-TX12S-E & 8GB CF with Supervisor ME bundle
NSA15-TX01B-E	Industrial PC, 1.3GHz Intel Celeron M, 2GB Disk-on-Module, 15" touchscreen TFT co
NSA15TX01BNSR	NSA15-TX01B-E & NS-Runtime bundle
NSA15TX01BSUME	NSA15-TX01B-E & Supervisor ME bundle
NSA15TX01BSUPLS	NSA15-TX01B-E & Supervisor Plus
NSA15-TX01S-E	Industrial PC, 1.3GHz Intel Celeron M, 2GB Disk-on-Module, 15" touchscreen TFT co
NSA15TX01SNSR	NSA15-TX01S-E & NS-Runtime bundle
NSA15TX01SSUME	NSA15-TX01S-E & Supervisor ME bundle
NSA15TX01SSUPLS	NSA15-TX01S-E & Supervisor ME Plus
NSA15-TX11B	Industrial PC, 600MHz Intel Celeron M, 256MB, 15" touchscreen TFT colour LCD (1,0
NSA15-TX11S	Industrial PC, 600MHz Intel Celeron M, 256MB, 15" touchscreen TFT colour LCD (1,0
NSA15-TX12B	Industrial PC, 600MHz Intel Celeron M, 512MB, 15" touchscreen TFT colour LCD (1,0

NSA15TX12BCEX2NSR	NSA15-TX12B-E & 2GB CF with NS-Runtime bundle
NSA15TX12BCEX2SUME	NSA15-TX12B-E & 2GB CF with Supervisor ME bundle
NSA15-TX12B-CEX4-EPRO	
NSA15TX12BCEX4NSR	NSA15-TX12B-E & 4GB CF with NS-Runtime bundle
NSA15TX12BCEX4SUME	NSA15-TX12B-E & 4GB CF with Supervisor ME bundle
NSA15TX12BCEX8NSR	NSA15-TX12B-E & 8GB CF with NS-Runtime bundle
NSA15TX12BCEX8SUME	NSA15-TX12B-E & 8GB CF with Supervisor ME bundle
NSA15-TX12S	Industrial PC, 600MHz Intel Celeron M, 512MB, 15" touchscreen TFT colour LCD (1,0
NSA15TX12SCEX2NSR	NSA15-TX12S-E & 2GB CF with NS-Runtime bundle
NSA15TX12SCEX2SUME	NSA15-TX12S-E & 2GB CF with Supervisor ME bundle
NSA15-TX12S-CEX4-EPRO	
NSA15TX12SCEX4NSR	NSA15-TX12S-E & 4GB CF with NS-Runtime bundle
NSA15TX12SCEX4SUME	NSA15-TX12S-E & 4GB CF with Supervisor ME bundle
NSA15-TX12S-CEX8-EPRO	
NSA15TX12SCEX8NSR	NSA15-TX12S-E & 8GB CF with NS-Runtime bundle
NSA15TX12SCEX8SUME	NSA15-TX12S-E & 8GB CF with Supervisor ME bundle
NSA-BAT01	Industrial PC motherboard battery
NSA-BAT03	Industrial PC RAS board battery
NSA-CEX02-E	2 GB Compact Flashcard with XP Embedded English
NSA-CEX04-E	4 GB Compact Flashcard with XP Embedded English
NSA-CEX08-E	8 GB Compact Flashcard with XP Embedded English
NSA-CPU01-E	Industrial PC, 1.3GHz Intel Celeron M, 512MB RAM, 2GB Disk-on-Module, Windows X
NSA-CPU02-E	Industrial PC unit, 1.3GHz Intel Celeron M, 512MB RAM, 4GB Disk-on-Module, Windo
NSA-CPU03-E	Industrial PC unit, 1.3GHz Intel Celeron M, 1GB RAM, 2GB Disk-on-Module, Windows
NSA-CPU04-E	Industrial PC unit, 1.3GHz Intel Celeron M, 1GB RAM, 4GB Disk-on-Module, Windows
NSA-CPU05-E-PRO	Industrial PC unit, 1.3GHz Intel Celeron M, 1GB RAM, 8GB Disk-on-Module, Windows
NSA-DU02	DVI+USB cable to connect NSA-Txxx touchscreen to NSA-CPUxx, 0.1m
NSA-DU22	DVI+USB cable to connect NSA-Txxx touchscreen to NSA-CPUxx, 2m
NSA-DU52	DVI+USB cable to connect NSA-Txxx touchscreen to NSA-CPUxx, 5m
NSA-DV101	DVI-D Single-link SLAC 10m
NSA-HEX80	80 GB Hard drive, no operating system
NS-AL002	RS-232/422 adapter for NS-series and NT21, 1 max.
NSA-MR191	1 GB DDR-SD RAM(non- ECC)
NSA-MR581	512 MB DDR-SD RAM(non- ECC)
NSA-TX151B	Touchscreen for NSA-CPUxx, 15", black case, requires DVI+USB cable
NSA-TX151S	Touchscreen for NSA-CPUxx, 15", silver case, requires DVI+USB cable
NSA-TY171B	Touchscreen for NSA-CPUxx, 17", black case, requires DVI+USB cable
NSA-TY171S	Touchscreen for NSA-CPUxx, 17", silver case, requires DVI+USB cable
NS-CA001	Video option board, 4 channels, NTSC/PAL, for NS8/10/12
NS-CA002	RGB and Video option board, 2 channels video input (NTSC/PAL), 1 channel analog
NS-CLK21	Controller Link option board for NS10/12
NS-CXDC1-V2	CX-Designer V2.x software for configuration of NS-series HMIs, for Windows 98/NT/
NS-CXDC1-V2S	
NSH5-232CN-10M	
NSH5-232CN-3M	
NSH5-232UL-10M	NSH5 cable, 10m (RS-232C communications, 24 VDC, function key + E-stop + enabli
NSH5-232UL-3M	NSH5 cable, 3m (RS-232C communications, 24 VDC, function key + E-stop + enablin
NSH5-422UL-10M	NSH5 cable, 10m (RS-422A communications, 24 VDC, function key + E-stop + enabli
NSH5-AL001	NS5 5 inch Hand held
NSH5-ATT01	NSH5 wall mounting bracket
NSH5-ATT02	NSH5 mounting bracket with E-stop protective cover
NSH5-SQG10B-V2	Handheld programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours fo

NSH5-SQR10B-V2	Handheld programmable terminal (HMI), 5.7 inch, STN, 256 colours (4,096 colours fo
NSI TBL50F1	
NSJ10-TV00B-G5D	SYSMAC One Controller, 10.4" TFT screen with 60MB application memory, 60K step:
NSJ10-TV00B-G5P	
NSJ10-TV00-G5D	SYSMAC One Controller, 10.4" TFT screen with 60MB application memory, 60K step:
NSJ10-TV00-G5P	
NSJ10-TV01B-G5D	SYSMAC One Controller, 10.4" TFT screen with 60MB application memory, 60K step:
NSJ10-TV01B-G5P	
NSJ10-TV01-G5D	SYSMAC One Controller, 10.4" TFT screen with 60MB application memory, 60K step:
NSJ10-TV01-G5P	
NSJ12-TS00B-G5D	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS00B-G5P	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS00-G5D	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS00-G5P	
NSJ12-TS01B-G5D	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS01B-G5P	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS01-G5D	SYSMAC One Controller, 12.1" TFT screen with 60MB application memory, 60K step:
NSJ12-TS01-G5P	
NSJ5-SQ00B-G5P	
NSJ5-SQ00B-M3P	
NSJ5-SQ00-G5P	
NSJ5-SQ00-M3P	
NSJ5-SQ01B-G5P	
NSJ5-SQ01B-M3P	
NSJ5-SQ01-G5P	
NSJ5-SQ01-M3P	
NSJ5-SQ10B-G5D	
NSJ5-SQ10B-M3D	
NSJ5-SQ10-G5D	
NSJ5-SQ10-M3D	
NSJ5-SQ11B-G5D	
NSJ5-SQ11B-M3D	
NSJ5-SQ11-G5D	
NSJ5-SQ11-M3D	
NSJ5-TQ00B-G5P	
NSJ5-TQ00B-M3P	
NSJ5-TQ00-G5P	
NSJ5-TQ00-M3P	
NSJ5-TQ01B-G5P	
NSJ5-TQ01B-M3P	
NSJ5-TQ01-G5P	
NSJ5-TQ01-M3P	
NSJ5-TQ10B-G5D	
NSJ5-TQ10B-M3D	
NSJ5-TQ10-G5D	
NSJ5-TQ10-M3D	
NSJ5-TQ11B-G5D	
NSJ5-TQ11B-M3D	
NSJ5-TQ11-G5D	
NSJ5-TQ11-M3D	
NSJ8-TV00B-G5D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 60K steps
NSJ8-TV00B-G5P	

NSJ8-TV00B-M3D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 20K steps
NSJ8-TV00B-M3P	
NSJ8-TV00-G5D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 60K steps
NSJ8-TV00-G5P	
NSJ8-TV00-M3D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 20K steps
NSJ8-TV00-M3P	
NSJ8-TV01B-G5D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 60K steps
NSJ8-TV01B-G5P	
NSJ8-TV01B-M3D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 20K steps
NSJ8-TV01B-M3P	
NSJ8-TV01-G5D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 60K steps
NSJ8-TV01-G5P	
NSJ8-TV01-M3D	SYSMAC One Controller, 8.4" TFT screen with 60MB application memory, 20K steps
NSJ8-TV01-M3P	
NSJW-CLK21-V1	SYSMAC One Controller Link option unit, wire type, data links and message commu
NSJW-ETN21	SYSMAC One Ethernet option unit, 100Base-TX, TCP/IP & UDP/IP socket services, F
NSJW-IC101	SYSMAC One Expansion I/O control unit, connects to CJ1 expansion I/O racks
NS-NSDC1-V6	NS-Designer programming software for NS-series HMIs, for Windows 95/98/NT/2000/
NS-NSDC1-V6S	
NS-NSRCL10	
NS-NSRCL3	NS-Runtime software, for Windows XP, 3 x USB Dongles
NS-US22	NS-Series USB cable, 2m
NS-US52	NS-Series USB cable, 5m
NT11-CKF01	
NT11-CKF01B	
NT11-SF121B-EV1	Programmable terminal (HMI), monochrome LCD, 160 x 64 pixels, integrated numeri
NT11-SF121-EV1	Programmable terminal (HMI), monochrome LCD, 160 x 64 pixels, integrated numeri
NT2000M-DT131B	
NT20-ATT01	Attachment for NT20M replacement
NT20-IF001	Interface board, use with NT600M-LB122-V2 for NT20S-ST122-V1 replacement
NT20-KBA01	NT20 anti-reflection sheets, 5pcs
NT20-KBA04	
NT20M-CFL01	
NT20M-KBA01	
NT20M-KBA02	
NT20M-KBA03	
NT20M-KBA04	
NT20S-ATT01	Reflection-suppressing protective sheet for NT20M/S, pack of 5
NT20S-CFL01	Replacement backlight unit for NT20S
NT20S-KBA01	Chemical resistant silicon cover for NT20S
NT20S-ST121B-V1	
NT20-ST121B-E	HMI, Monochrome STN, black, replacement for NT20S/NT20M
NT20-ST121-E	HMI, Monochrome STN, beige, replacement for NT20S/NT20M
NT21-ST121B-E	Programmable terminal (HMI), STN monochrome LCD, 260 x 140 pixels, touch scree
NT21-ST121-E	Programmable terminal (HMI), STN monochrome LCD, 260 x 140 pixels, touch scree
NT2S-CN002	Cable, 2m, for programming NT2S and NT3S HMI (not for NT2S-SF123 or NT2S-SF12
NT2S-CN212-V1	Cable, 2m, for connecting NT2S-SF121/125 and NT3S HMI to CPM1(A)/CPM2A periph
NT2S-CN215-V1	Cable, 5m, for connecting NT2S-SF121/125 and NT3S HMI to CPM1(A)/CPM2A periph
NT2S-CN222-V1	Cable, 2m, for connecting NT2S-SF122/123/126/127 HMI to CPM1(A)/CPM2A peripher
NT2S-CN223-V2	Cable, 2m, for connecting NT2S-SF121/125 and NT3S HMI to CPM2C/CQM1H/CS1/CJ
NT2S-CN224-V1	Cable, 2m, for connecting NT2S-SF122/123/126/127 HMI to CPM2C/CQM1H/CS1/CJ1
NT2S-CN225-V2	Cable, 5m, for connecting NT2S-SF122/123/126/127 HMI to CPM1(A)/CPM2A peripher

NT2S-CN232-V1	Cable, 2m, for connecting NT3S and NT2S-SF121/125 HMI to PLC 9-pin RS-232C seri
NT2S-CN235-V1	Cable, 5m, for connecting NT3S and NT2S-SF121/125 HMI to PLC 9-pin RS-232C seri
NT2S-CN242-V1	Cable, 2m, for connecting NT2S-SF122/126 HMI to PLC 9-pin RS-232C serial port
NT2S-SF121B-EV2	Programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, RTC,
NT2S-SF122B-EV2	Programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, 6 fun
NT2S-SF123B-EV2	Non-programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, i
NT2S-SF123B-EV2-TALIMEX	
NT2S-SF125B-E	Programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, RTC,
NT2S-SF126B-E	Programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, nume
NT2S-SF126B-E-SECTOR	
NT2S-SF127B-E	Non-programmable terminal (HMI), monochrome LCD, 2 line x 16 character display, i
NT30C-CFL01	Replacement backlight
NT30-CFL01	Replacement backlight
NT30-KBA01	Chemical resistant silicon cover for NT31
NT30-KBA04	Anti-reflective sheets for NT31 and NS5, pack of 5
NT31C-CFL01	Replacement backlight unit for NT31-ST121 and NT31C-ST141 (not for NT31-ST122 o
NT31C-KBA05	Protective covers (anti-reflective coating) for NS5, pack of 5
NT31C-KBA05N	Protective covers (transparent) for NS5, pack of 5
NT31C-ST143B-EV3 CHN	Programmable terminal (HMI), STN colour LCD, 320 x 240 pixels, touch screen, black
NT31C-ST143-EV3 CHN	Programmable terminal (HMI), STN colour LCD, 320 x 240 pixels, touch screen, beig
NT31-ST123B-EV3 CHN	Programmable terminal (HMI), STN monochrome LCD, 320 x 240 pixels, touch scree
NT31-ST123-EV3 CHN	Programmable terminal (HMI), STN monochrome LCD, 320 x 240 pixels, touch scree
NT3S-ST121B-E	Programmable terminal (HMI), monochrome LCD, 192 x 64 pixels, touch screen, 24 V
NT3S-ST123B-E	Programmable terminal (HMI), monochrome LCD, 192 x 64 pixels, touch screen, 24 V
NT3S-ST124B-E	Programmable terminal (HMI), monochrome LCD, 192 x 64 pixels, touch screen, 24 V
NT3S-ST126B-E	Programmable terminal (HMI), monochrome LCD, 192 x 64 pixels, touch screen, 24 V
NT600M-KBA01	
NT600M-KBA03	
NT600M-KBA04	
NT600M-LB121*	
NT600M-LB122-V1	
NT600S-CFL01	REPLACEMENT BACKLGT FOR NT600
NT600S-KBA01	
NT610C-CFL02	
NT610C-KBA04	
NT612G-KBA01	
NT620C-CFL01	Replacement backlight unit
NT620C-KBA01	
NT620C-KBA04	
NT620S-KBA05N	
NT625-KBA01	
NT631C-CFL01	HMI accessory
NT631C-CFL02	
NT631C-KBA05	
NT631C-ST153B-EV3 CHN	Programmable terminal (HMI), 10.4 inch display, TFT LCD, 8 colours, 640 x 480 pixel:
NT631C-ST153-EV3 CHN	Programmable terminal (HMI), 10.4 inch display, TFT LCD, 8 colours, 640 x 480 pixel:
NT-AL001	Link adapter, RS-232C to RS-422 (requires 5 VDC supply)
NT-CN221	Cable, RS-232C, 2m, for connecting NT/NS HMI 9-pin port to CPM2C/CQM1H/CS1/CJ
NT-CNT121	NT31/631 printer cable
NT-DRT21	
NT-MF261	
NT-ZJ3AT1-EV1*	MEMORY MODULE NT31/631 2 BANK

NT-ZJCAT1-EV4
NT-ZJCAT1-EV4S
OAC-C
OAC-H20
OAC-H3
OAC-J
OAC-R3
OAS-102
OAS-129
OD-502-19P(A)TERMINAL BLOCK
OD-503-24P(A)TERMINAL BLOCK
OD-504-29P(A)TERMINAL BLOCK
OD-505-34P(A)TERMINAL BLOCK
OD-506-41P(A)TERMINAL BLOCK
OER-04
OIL S. KIT SGMP-01
OIL S. KIT SGMP-02
OIL S. KIT SGMP-04
OIL S. KIT SGMP-08
OIL S. KIT SGMP-15
OKTATO SZETT
OMRON PLC TESZTRENDSZER
OPE-Q AC110/220
OPE-S10 5M
OPE-S100 1M+
OPE-SRMINI
OPE-VX
OPTIKA KÉZI 6.0-13.
ORE-S20 1M
ORE-S20 5M
ORE-S20-33 5M+
ORE-XS10 1M
ORE-XS10 5M
P0010
P0020
P1C16A-MHAU1
P1C32A-MHAU1
P1C4A-MFAU1/G
P1C8A-MHAU1/G
P1D54A
P1L12A-C1
P1L12A-C2
P1L12A-F1
P1L12A-F2
P1L12C-F1
P1L12C-F2
P1S12A-L3-FC
P1S12A-L3-SC
P1S12A-L5
P1S12A-L5-FC
P1S12A-L5-SC
P1S12B-D

Programming software (NT-Support Tool V4.7) for NT11, NT20S, NT21, NT30, NT31, I

P1S12B-D-FC
P1S12B-D-SC
P1S12B-LD
P1S12B-LD-FC
P1S12B-LD-LC
P1S12B-LD-SC
P1S18B-LD6S
P1S22A-L3
P1S22A-L3-FC
P1S22A-L3-LC
P1S22A-L3-MU
P1S22A-L3-SC
P1S22A-L5
P1S22A-L5-FC
P1S22A-L5-LC
P1S22A-L5-MU
P1S22A-L5-SC
P1S22A-LD
P1S22A-LD-FC
P1S22A-LD-MU
P1S22A-LD-SC
P1S22A-L-FC
P1S22A-L-LC
P1S22A-L-SC
P1S22B-D
P1S22B-D-FC
P1S22B-D-LC
P1S22B-D-SC
P1S22B-LD
P1S22B-LD-FC
P1S22B-LD-LC
P1S22B-LD-SC
P1S22B-LD-SCAPC
P1X
P1X2B-C2-T/R
P1X2B-K3/SAMPLE
P1X2B-K5/SAMPLE
P1X4A-DX1510S20
P1X4A-DX1510S20-FC
P1X4A-DX1510S20-LC
P1X4A-DX1510S20-MU
P1X4A-DX1510S20-SC
P1X4A-DX1511S20
P1X4A-DX1511S20-FC
P1X4A-MX1510S20
P1X4A-MX1510S20-FC
P1X4A-MX1510S20-LC
P1X4A-MX1510S20-MU
P1X4A-MX1510S20-SC
P1X4A-MX1511S20
P1X4A-MX1511S20-FC
P1X4A-MX1511S20-FCAPC

P1X4A-MX1511S20-LC	
P1X4A-MX1531S20	
P1X4A-MX1531S20-PT	
P1X4A-MXLX4UA-CNA	
P1X8A-DX1471S20	
P1X8A-MX1471S20	
P1X8A-MX1471S20-LC	
P1X8A-MX1471S20-SC	
P2CF-08+	
P2CF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals
P2CF-08-E+	
P2CF-11	
P2CF-11-E+	Socket, DIN rail/surface mounting, 11-pin, screw terminals
P2CM-S	Clip for use with P2RF-S
P2R-057P	Socket, back-connecting, 5-pin, PCB terminals
P2R-05A	
P2R-05P	Socket, back-connecting, 5-pin, PCB terminals
P2R-087P	Socket, back-connecting, 8-pin, PCB terminals
P2R-08A	
P2R-08A BY CHINA	
P2R-08P	Socket, back-connecting, 8-pin, PCB terminals
P2R-08P BY CHINA	
P2R-08P(C)*	
P2RF-05	
P2RF-05-E	Socket, DIN rail/surface mounting, 5-pin, screw terminals
P2RF-05-E BY OMB	
P2RF-05-E(G)	
P2RF-05-E-M	
P2RF-05-S	Socket, DIN rail/surface mounting, 5-pin, screwless terminals
P2RF-08	
P2RF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals
P2RF-08-E	
P2RF-08-E BY OMB	
P2RF-08-E-M	
P2RF-08-S	Socket, DIN rail/surface mounting, 8-pin, screwless terminals
P2RM-SB (50 pcs)	Socket bridge (for use with P2RF_S)
P2RM-SR (50 pcs)	Socket bridge (for use with P2RF_S)
P2R-P	
P2RV-200C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F m
P2RV-200C-SIM S7/400	Connecting interface cable for use between Siemens S7/400 unit and P2RV-8-O-F m
P2RV-250C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F m
P2RV-250C-SIM S7/400	Connecting interface cable for use between Siemens S7/400 unit and P2RV-8-O-F m
P2RV-300C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F m
P2RV-300C-SIM S7/400	Connecting interface cable for use between Siemens S7/400 unit and P2RV-8-O-F m
P2RV-4-100C	Connecting interface cable for use between CJ1W-OD232 O/P unit and 4 P2RV-8-O-F
P2RV-4-200C	Connecting interface cable for use between CJ1W-OD232 O/P unit and 4 P2RV-8-O-F
P2RV-4-300C	
P2RV-4-500C	
P2RV-500C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F m
P2RV-500C-SIM S7/400	Connecting interface cable for use between Siemens S7/400 unit and P2RV-8-O-F m
P2RV-A050C-OMR GRT1-NL	
P2RV-A100C-NL	Connecting cable for use with P2RV-8-O-F module, 1m length + flying leads

P2RV-A100C-OMR GRT1-NL	
P2RV-A200C-NL	Connecting cable for use with P2RV-8-O-F module, 2m length + flying leads
P2RV-A300C-NL	Connecting cable for use with P2RV-8-O-F module, 3m length + flying leads
P2RV-A500C-NL	Connecting cable for use with P2RV-8-O-F module, 5m length + flying leads
P2RVC-8-O-F	8 way relay module, for simple connection of 8 G2RV-SL700 24 VDC connects direct
P2RVM-020B	Cross connector to reduce wiring, 2 pole, Black, Order in multiples of 60 (List price is
P2RVM-020R	Cross connector to reduce wiring, 2 pole, Red, Order in multiples of 60 (List price is
P2RVM-020S	Cross connector to reduce wiring, 2 pole, Blue, Order in multiples of 60 (List price is
P2RVM-030B	Cross connector to reduce wiring, 3 pole, Black, Order in multiples of 60 (list price is
P2RVM-030R	Cross connector to reduce wiring, 3 pole, Red, Order in multiples of 60 (list price is
P2RVM-030S	Cross connector to reduce wiring, 3 pole, Blue, Order in multiples of 60 (list price is
P2RVM-040B	Cross connector to reduce wiring, 4 pole, Black, Order in multiples of 60 (Price is pe
P2RVM-040R	Cross connector to reduce wiring, 4 pole, Red, Order in multiples of 60 (Price is per
P2RVM-040S	Cross connector to reduce wiring, 4 pole, Blue, Order in multiples of 60 (Price is per
P2RVM-100B	Cross connector to reduce wiring, 10 pole, Black, Order in multiples of 20 (Price is p
P2RVM-100R	Cross connector to reduce wiring, 10 pole, Red, Order in multiples of 20 (Price is pe
P2RVM-100S	Cross connector to reduce wiring, 10 pole, Blue, Order in multiples of 20 (Price is pe
P2RVM-200B	Cross connector to reduce wiring, 20 pole, Black, Order in multiples of 20 (Price is p
P2RVM-200R	Cross connector to reduce wiring, 20 Pole, Red, Order in multiples of 20 (Price is pe
P2RVM-200S	Cross connector to reduce wiring, 20 pole, Blue, Order in multiples of 20 (Price is pe
P2RV-S	G2RV separating plate (50/pkt)
P3G-08	Socket, back-connecting, 8-pin, screw terminals
P3GA-11	Socket, back-connecting, 11-pin, screw terminals
P6B-04P	
P6B-06P	
P6B-26P	
P6B-C2	
P6BF-4BND 24DC	
P6BF-4BND DC12	
P6BF-4BND DC5	
P6B-Y1	
P6C-06P	
P6C-08P	
P6D-04P	
P6DS-04P BY OMI	
P7091L	
P70A 100/110AC	
P70D 12/24DC	
P7DF-14	
P7LF-06	Surface mounting socket for G7L relay
P7LF-06D	DIN rail mounting socket for G7L relay
P7LF-D	DIN rail mounting bracket for G7L relay
P7M-06P	PCB mount relay base for MKS-X
P7MF-06	Din rail mount relay base for MKS-X
P7MF-06-D	Din rail mount relay base for MKS-X with built-in diode
P7S-14F	Socket, DIN rail/surface mounting, screw terminals, for G7S relay
P7S-14F-END DC24	
P7S-14P BY CHINA	
P7S-14P-E	Socket, back-connecting, PCB terminals, for G7S relay
P7SA-10F	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays
P7SA-10F-ND DC24	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays, L
P7SA-10P	Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays

P7SA-14F	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays
P7SA-14F-ND DC24	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays, L
P7SA-14P	Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays
P7S-B	G7S relay removal tool
P7TF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals
P7TF-IS16 110/120AC	
P7TF-IS16 220/240AC	
P7TF-IS16 24V DC	
P7TF-OS08 24DC	
P7TF-OS08-1 DC24	
P7TF-OS16 12V DC	
P7TF-OS16 24V DC	
P7TF-OS16-1 24VDC	
P9EA-C	
P9EC-C	
PARANI-DAT	Dipole antenna for PROMI-SD202/5-OA (pack of 2)
PARANI-PAT	Patch antenna (with 30cm RF extension cable) for PROMI-SD202/5-OA
PARANI-RFC	
PDE-U-IECPA	
PEC-50	
PES-35	Socket, DIN rail/surface mounting, 5-pin, screw terminals, for G2R-1 PCB relay
PES50/3	Socket, DIN rail/surface mounting, 8-pin, screw terminals, for G2R-2 PCB relay
PF083A+	
PF083A-D	Socket, DIN rail/surface mounting, 8-pin, screw terminals (VDE)
PF083A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)
PF083A-E-PL	
PF085A(N)	
PF113A	
PF113A-D	Socket, DIN rail/surface mounting, 11-pin, screw terminals (VDE)
PF113A-E	Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)
PF113A-N	Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE)
PFC-1 -PAIR-	
PFC-7 -PAIR-	
PFC-A1 -PAIR-	
PFC-A6 -PAIR-	
PFC-A7 -PAIR-	
PFC-N8 (*PAIR*)	Retaining clips for MK relay & PF*-AE sockets
PFC-N9	
PFP-100N	
PFP-100N2	
PFP-50N	Din rail track, 500mm
PFP-M	End plate
PFP-S	Spacer
PG-B2	Encoder feedback card for 3G3FV (G5) and F7Z, closed loop mode (open collector ty
PG-B3	
PG-D2	
PGE001-FAC009-1AG	
PGE002-CAB025-1 A 0	
PG-E3	
PG-F2	Encoder feedback card for L7 series, closed loop mode, suitable for selected EnDat
PG-F3	
PG-W2	Dual encoder feedback card for 3G3FV (G5) and F7Z, closed loop mode, RS-422

PG-X2	Encoder feedback card for 3G3FV (G5) and F7Z, closed loop mode, RS-422 (equivalen
PG-X3	
PG-Z2	Dual encoder feedback card for F7 series, closed loop mode, suitable for ELS softw
PH-1 CODE 1M	
PH-2 10M	
PH-2 1M	
PH-2 20M	
PH-2 5M	
PH-2 CODE 100M	
PH-2 CODE 50M	
PH-2 CODE 70M	
PHC-1 -PAIR-	
PHC-4 (L.HOOK FOR H2A)	
PHC-7 -PAIR-	
PHC-9 -PAIR-	
PL08	Socket, back-connecting, 8-pin, solder terminals
PL08Q	
PL11	Socket, back-connecting, 11-pin, solder terminals
PL11-Q	
PL15	
PL20	
PLC 3 NAPOS ALAPTANF. CP1L	
PLC 3 NAPOS ALAPTANF. CXL	
PLC -PAIR-	
PLC PROGRAMOZÓ KÉSZÜLÉK	
PLC-1 -PAIR-	
PLC-10 -PAIR-	
PLC-12 -PAIR-	
PLC-7 -PAIR-	
PLC-8 -PAIR-	
PLE08-0	Socket, back-connecting, 8-pin, PCB terminals
PLE11-0	Socket, back-connecting, 11-pin, PCB terminals
PMC-U-MP23S16	
POWER SUPPLY FOR 3G2C7-CPU46-E	
PROFIBUS Connector 839 550 000	ERbic Profibus connector, grey
PROFIBUS Term. Conn. 846086	ERbic Profibus connector with integral termination, yellow
Promi-SD205-OA	Serial to wireless Bluetooth converter, for CJ1/CS1 9-pin RS232 serial port, 100m rar
PRT1-COM	Profibus-DP communications unit, connects 8x GT1 MULTIPLE I/O units max.
PRT1-SCU11	Gateway unit, converts PROFIBUS-DP to Host Link/Compoway-F
PS-31 SUS304 1000MM	Electrode set, holder & electrodes, 1m length, 4mm dia, non-extendable
PS-31 SUS304 300MM	
PS-3S (Q)	Electrode holder, 3 way
PS-4S (Q)	Electrode holder, 4 way
PS-5S (Q)	Electrode holder, 5 way
PS-A10H	
PS-A10L	
PS-V10M	24 VDC option board (VZA-25/45 plus (5.5 to 15Kw))
PS-V10S	24 VDC option board (up to VZA-B/24/44 (0.1 to 4Kw))
PT08	Socket, back-connecting, 8-pin, solder terminals
PT08-0	Socket, back-connecting, 8-pin, PCB terminals
PT08-0-EU	
PT08QN	

PT100	
PT100 04.5*18 NiSi10 -50+600	
PT100 12X12X45 CS?SZONDA	
PT100 CS5P-B 6X250 2VEZ	
PT100 CSOSZONDA	
PT100 CSP-B 6X260 SI 1500 3 VE	
PT100 CSPPB 8X50	
PT100 CSSP-B 5X50 GLS5000	
PT100 CSTP-F6X45 1/4 GLS 4000	
PT100 HPT-B 8X500	
PT100 HTP-B 7X300 1/2KS KO36	
PT100 HTPB 8X420 1/2KN	
PT100 L100O5	
PT100 L100O6	
PT100 L300O8	
PT100 L500 O8 KO36	
PT100 L50O3	
PT100 L50O4	
PT100 L50O5	
PT100 L50O6	
PT100 L50O8	
PT100 VEZETEK 5M	
PT100/4-20 MA TÁVADÓ	
PT10090.281-F50	
PT100BILINCSES-O300 -15M	
PT100HPT-B 8X200 1/4KS	
PT100HPT-B 8X500 1/2KN	
PT100HTP-B 8X500 1/2KS	
PT100-HTPB-10*100M 1/2 -80+850	
PT100-HTPB-6*100 M 1/2 B	
PT100-L35O10 FEJESL-32O6-NY	
PT100L50O5 M8 NYAK	
PT11	
PT11-0	Socket, back-connecting, 11-pin, PCB terminals
PT11-0-EU	
PT14	Socket, back-connecting, 14-pin, solder terminals
PT14-0	Socket, back-connecting, 14-pin, PCB terminals
PT14-0-EU	
PT14QN	
PTC-1	
PTF08A	
PTF08A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals
PTF08A-E-PL	
PTF08A-TU	
PTF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals
PTF14A-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals
PTF14A-E-PL	
PTP-1	
PTP-10	
PTP-12	
PUSHBUTTON 43307-0020	
PY08	Socket, back-connecting, 8-pin, solder terminals

PY08-0	
PY08-02	Socket, back-connecting, 8-pin, PCB terminals
PY08-02-EU	
PY08-0-EU	
PY08QN	
PY08QN2-Y1	
PY08-Y1 FOR MY	
PY11-0	
PY11-02	
PY11-02-EU	
PY11-0-EU	
PY14	Socket, back-connecting, 14-pin, solder terminals
PY14-0	
PY14-02	Socket, back-connecting, 14-pin, PCB terminals
PY14-02-EU	
PY14-0-EU	
PY14-3	
PY14QN	
PY14QN2	
PY14QN2-Y1	
PY14QN-Y1	
PY14-Y1	
PYC FOR G2C2-V	
PYC-0(1 pc=1 bag of 10 pcs)	Metal retaining clip (wire sprig clip) for use with PYF14-ESN/ESS (for use with relays
PYC-1	
PYC-2	
PYC-35(1 pc=1 bag of 10 pcs)	Thermoplastic retaining clips for PYF14-ESN/ESS (for use with relays only). Sold in
PYC-A1 -PAIR-	Retaining clips for LY/MY relay & PTF/PYF_E/N socket
PYC-A1-WM	
PYC-A2 -PAIR-	Retaining clips for G2A relay & PTF/PYF_E/N socket
PYC-E1 (A PAIR)	Retaining clips for MY2IN(S) relay & PYF_E/N socket
PYCM-08S	Clip and release lever for PYF08S socket
PYCM-14S	Clip and release lever for PYF14S socket
PYC-P	Retaining clip for LY/MY relay & PT/PY socket
PYC-S	
PYC-TR1(1 pc=1 bag of 100 pcs)	Labels for PYF14-ESN/ESS sockets. Sold in multiples of 100 per package, not sold s
PYD-025BB	
PYD-025BS	
PYD-026BS (10)	
PYD-030BB (50)	
PYD-030BY	
PYD-085BB (10)	
PYD-085BR (10)	
PYD-085BS (10)	
PYD-086BB (10)	
PYD-086BR (10)	
PYD-086BS (10)	
PYDM-08SB (50)	
PYDM-08SR (50)	
PYDM-14SB (50)	Link terminal bar (pack of 50)
PYDM-14SB-WM	
PYDM-14SR (50)	Cross bar AC type

PYDM-14SR-WM	
PYF 14-ESN	Socket, with the common and coil terminals on the bottom with the NC & NO terminals
PYF 14-ESS	Socket, with the common, NC & NO terminals separated along the top with the coil terminals
PYF08A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)
PYF08A-N	Socket, DIN rail/surface mounting, 8-pin, screw terminals (IEC/VDE)
PYF08A-TU FOR MY	
PYF08S	Socket, DIN rail mounting, 8-pin, screw-less terminals
PYF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals
PYF14A-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)
PYF14A-E-US BY OMZ	
PYF14A-N	Socket, DIN rail/surface mounting, 14-pin, screw terminals (IEC/VDE)
PYF14A-N **GYÛJTÕ/50**	
PYF14A-TU FOR MY	
PYF14S	Socket, DIN rail mounting, 14-pin, screw-less terminals
PYF14T FOR MY	
PYF14T-S	
PYP-1	
PYP-18	
PYP-36	
R100M	Rope only, 100m
R10M	
R126M	
R20M	
R500M	
R50M	
R5M	
R7A-CAA003B-FE	
R7A-CAA003S-FE	
R7A-CAA005B-FE	
R7A-CAA005S-FE	Smart Step high-flex motor cable (use with R7A-CRA***-FE), non-IP67 connector, 5m
R7A-CAA005S-FE	
R7A-CAA010B-FE	Smart Step high-flex motor (with brake) cable (use with R7A-CRA***-FE encoder cable)
R7A-CAA010S-FE	Smart Step high-flex motor cable (use with R7A-CRA***-FE), non-IP67 connector, 10m
R7A-CAA015B-FE	
R7A-CAA015S-FE	
R7A-CAA020B-FE	
R7A-CAA020S-FE	
R7A-CAB001-5SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 1.5m (for CNB)
R7A-CAB003SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 3m (for CNB)
R7A-CAB005SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 5m (for CNB)
R7A-CAB010SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 10m (for CNB)
R7A-CAB015SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 15m (for CNB)
R7A-CAB020SR-E	SmartStep 2 servo motor cable, flexible/ shielded type, 20m (for CNB)
R7A-CAZ003B	
R7A-CAZ003S	
R7A-CAZ005B	
R7A-CAZ005S	
R7A-CAZ010B	
R7A-CAZ010S	
R7A-CCA002P2	Smart Step series servo PC programming cable, 2m
R7A-CEA003B	Smart Step combined motor (with brake) and encoder cable, non-IP67 connectors, 3m
R7A-CEA003B-DE	Smart Step combined motor (with brake) and encoder cable, IP67 connectors, 3m

R7A-CEA003S	Smart Step combined motor and encoder cable, non-IP67 connectors, 3m
R7A-CEA003S-DE	Smart Step combined motor and encoder cable, IP67 connectors, 3m
R7A-CEA005B	Smart Step combined motor (with brake) and encoder cable, non-IP67 connectors, 5
R7A-CEA005B-DE	Smart Step combined motor (with brake) and encoder cable, IP67 connectors, 5m
R7A-CEA005S	Smart Step combined motor and encoder cable, non-IP67 connectors, 5m
R7A-CEA005S-DE	Smart Step combined motor and encoder cable, IP67 connectors, 5m
R7A-CEA010B	
R7A-CEA010B-DE	Smart Step combined motor (with brake) and encoder cable, IP67 connectors, 10m
R7A-CEA010S	Smart Step combined motor and encoder cable, non-IP67 connectors, 10m
R7A-CEA010S-DE	Smart Step combined motor and encoder cable, IP67 connectors, 10m
R7A-CEA015B	
R7A-CEA015B-DE	
R7A-CEA015S	
R7A-CEA015S-DE	Smart Step combined motor and encoder cable, IP67 connectors, 15m
R7A-CEA020B	
R7A-CEA020B-DE	
R7A-CEA020S	
R7A-CEA020S-DE	Smart Step combined motor and encoder cable, non-IP67 connectors, 20m
R7A-CLB002RG	External regeneration resistor connection cable, 2m
R7A-CLB002S2	SmartStep 2 power supply cable (for CNA)
R7A-CLB002S2-E	
R7A-CLB002S3	
R7A-CNA00K-DE	Smart Step IP67 connector kit, comprised of 3 connectors - female to IP67 motor enc
R7A-CNA01R	Smart Step servo driver encoder connector (CN2)
R7A-CNA02R	Smart Step servo driver encoder connector (CN2)
R7A-CNA02R-E(MOLEX 54280-0800)	Smart Step servo driver encoder connector (CN2)
R7A-CNB01A	Servomotor connector, CNB
R7A-CNB01P	Main circuit connector, CNA
R7A-CNZ01A	Junma series, power cable connector for Junma motor, non-IP67 connectors, drive
R7A-CNZ01P	
R7A-CNZ01R	Junma series, encoder cable connector for Junma motor, non-IP67 connectors, driv
R7A-CNZ02A	Junma series, power cable connector for Junma motor, non-IP67 connectors, motor
R7A-CNZ02A-ME	Junma series, power cable connector for Junma motor, IP67 connectors, motor sid
R7A-CNZ02A-ME-FE	Junma series, power cable connector for Junma motor, IP67 connectors, motor sid
R7A-CNZ02A-ME-ME	
R7A-CNZ02R	Junma series, encoder cable connector for Junma motor, non-IP67 connectors, mc
R7A-CNZ02R-ME	Junma series, encoder cable connector for Junma motor, IP67 connectors, motor si
R7A-CNZ02R-ME-FE	Junma series, encoder cable connector for Junma motor, IP67 connectors, motor si
R7A-CNZ02R-ME-ME	
R7A-CPB001S	SmartStep 2 series servo control cable, 1m
R7A-CPB002S	SmartStep 2 series servo control cable, 2m
R7A-CPZ001S	Junma series Control cable, non-IP67 connectors, 1m (JZSP-CHI003-01)
R7A-CPZ002S	Cable
R7A-CRA003-FDE	Smart Step high-flex encoder cable (use with R88A-CAWA****-DE motor cable), IP67
R7A-CRA003-FE	
R7A-CRA005-FDE	Smart Step high-flex encoder cable (use with R88A-CAWA****-DE motor cable), IP67
R7A-CRA005-FE	
R7A-CRA010-FDE	Smart Step high-flex encoder cable (use with R88A-CAWA****-DE motor cable), IP67
R7A-CRA010-FE	Smart Step high-flex encoder cable (use with R7A-CAA****-FE motor cable), non-IP6
R7A-CRA015-FDE	Smart Step high-flex encoder cable (use with R88A-CAWA****-DE motor cable), IP67
R7A-CRA015-FE	
R7A-CRA020-FDE	

R7A-CRA020-FE	
R7A-CRZ003C	
R7A-CRZ005C	
R7A-CRZ010C	
R7A-FIB104-RE	SmartStep 2 RFI filter, 4A, 200vac, for 100, 200 and 400W models
R7A-FIZN105-BE	Junma RFI filter, 200 VAC, 5A [100, 200, 400W], Mechatrolink II drive
R7A-FIZN109-BE	Junma RFI filter, 200 VAC, 9A [750W], Mechatrolink II drive
R7A-FIZP105-BE	Junma RFI filter, 200 VAC, 5A [100, 200, 400W], Pulse drive
R7A-FIZP109-BE	Junma RFI filter, 200 VAC, 9A [750W], Pulse drive
R7A-PR02A	Smart Step series servo parameter unit with 1m cable
R7D-AP01H	Servo driver, 100W, pulse input, 240 VAC, single-phase
R7D-AP01L	
R7D-AP02H	Servo driver, 200W, pulse input, 240 VAC, single-phase
R7D-AP02L	
R7D-AP04H	Servo driver, 400W, pulse input, 240 VAC, single-phase
R7D-AP04L	
R7D-AP08H	Servo driver, 750W, pulse input, 240 VAC, single-phase
R7D-APA3H	Servo driver, 30W, pulse input, 240 VAC, single-phase
R7D-APA3L	
R7D-APA5H	Servo driver, 50W, pulse input, 240 VAC, single-phase
R7D-APA5L	
R7D-BP02HH	SmartStep 2 Servo Drive, Pulse input type, 200W, 200vac single phase
R7D-BP02HL	SmartStep 2 Servo Drive, Pulse input type, 200W, 200vac single phase
R7D-BP04H	SmartStep 2 Servo Drive, Pulse input type, 400W, 200vac single phase
R7D-BP04L	SmartStep 2 Servo Drive, Pulse input type, 400W, 200vac single phase
R7M-A03030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 30W, with brake, 3
R7M-A03030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 30W, with brake, 3000R
R7M-A03030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 30W, 3000RPM, 0.(
R7M-A03030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 30W, 3000RPM, 0.095N
R7M-A05030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 50W, with brake, 3
R7M-A05030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 50W, with brake, 3000R
R7M-A05030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 50W, 3000RPM, 0.1
R7M-A05030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 50W, 3000RPM, 0.159N
R7M-A10030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 100W, with brake, :
R7M-A10030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 100W, with brake, 3000
R7M-A10030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 100W, 3000RPM, 0
R7M-A10030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 100W, 3000RPM, 0.318I
R7M-A20030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 200W, with brake, :
R7M-A20030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 200W, with brake, 3000
R7M-A20030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 200W, 3000RPM, 0
R7M-A20030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 200W, 3000RPM, 0.637I
R7M-A40030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 400W, with brake, :
R7M-A40030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 400W, with brake, 3000
R7M-A40030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 400W, 3000RPM, 1
R7M-A40030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 400W, 3000RPM, 1.27N
R7M-A75030-BS1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 750W, with brake, :
R7M-A75030-BS1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 750W, with brake, 3000
R7M-A75030-S1	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 750W, 3000RPM, 2
R7M-A75030-S1-D	Smart Step AC servo motor (cylinder type), IP67 connectors, 750W, 3000RPM, 2.39N
R7M-AP10030-BS1	Smart Step AC servo motor (cube type), non-IP67 connectors, 100W, with brake, 300
R7M-AP10030-BS1-D	Smart Step AC servo motor (cube type), IP67 connectors, 100W, with brake, 3000RPM
R7M-AP10030-S1	Smart Step AC servo motor (cube type), non-IP67 connectors, 100W, 3000RPM, 0.31

R7M-AP10030-S1-D	Smart Step AC servo motor (cube type), IP67 connectors, 100W, 3000RPM, 0.318Nm
R7M-AP20030-BS1	Smart Step AC servo motor (cube type), non-IP67 connectors, 200W, with brake, 300
R7M-AP20030-BS1-D	Smart Step AC servo motor (cube type), IP67 connectors, 200W, with brake, 3000RPM
R7M-AP20030-S1	Smart Step AC servo motor (cube type), non-IP67 connectors, 200W, 3000RPM, 0.63
R7M-AP20030-S1-D	Smart Step AC servo motor (cube type), IP67 connectors, 200W, 3000RPM, 0.637Nm
R7M-AP40030-BS1	Smart Step AC servo motor (cube type), non-IP67 connectors, 400W, with brake, 300
R7M-AP40030-BS1-D	Smart Step AC servo motor (cube type), IP67 connectors, 400W, with brake, 3000RPM
R7M-AP40030-S1	Smart Step AC servo motor (cube type), non-IP67 connectors, 400W, 3000RPM, 1.27
R7M-AP40030-S1-D	Smart Step AC servo motor (cube type), IP67 connectors, 400W, 3000RPM, 1.27Nm
R7M-AP75030-BS1	Smart Step AC servo motor (cube type), non-IP67 connectors, 750W, with brake, 300
R7M-AP75030-BS1-D	Smart Step AC servo motor (cube type), IP67 connectors, 750W, with brake, 3000RPM
R7M-AP75030-S1	Smart Step AC servo motor (cube type), non-IP67 connectors, 750W, 3000RPM, 2.39
R7M-AP75030-S1-D	Smart Step AC servo motor (cube type), IP67 connectors, 750W, 3000RPM, 2.39Nm
R87F-A1A13HP	
R87F-A1A13LP	
R87F-A1A15HP	
R87F-A1A15MP	
R87F-A1A83L	
R87F-A1A85HP	
R87F-A1A93HP	
R87F-A1A93LP	
R87F-A3A13HP	
R87F-A3A15HP	
R87F-A3A15MP	
R87F-A3A85HP	
R87F-A3A85LP	
R87F-A3A93HP	
R87F-A3A93LP	
R87F-A4A13HP	
R87F-A4A15HP	
R87F-A4A15LP	
R87F-A4A15MP	
R87F-A4A83L	
R87F-A4A85HP	
R87F-A4A85LP	
R87F-A4A93HP	
R87F-A4A93LP	
R87F-A6A13HP	
R87F-A6A15HP	
R87F-A6A15MP	
R87F-A6A83H	
R87F-A6A85HP	
R87F-A6A93HP	
R87F-A6A93LP	
R87F-FG120	
R87F-FG150	
R87F-FG80	
R87F-FG90	
R87F-FL120	
R87F-FL120S	
R87F-FL80	
R87F-FL90	

Fan, plastic blade, 230 VAC, 120x120x38mm, high speed

R87F-PC	
R87F-PC-20	
R87F-PCJT	
R87T-A1A15HP	
R87T-A3A05H	
R87T-A3A07H	
R87T-A3A15HP	
R87T-A3A15MP	
R87T-A3A85H	
R87T-A4A07H	
R87T-A4A15MP	
R87T-A6A05H	
R87T-A6A07H	
R87T-A6A15HP	
R87T-A6A15MP	
R87T-A6A85H	
R88A-BAT01G	Absolute encoder backup battery
R88A-CAGA001-5BR-E	Servo brake cable, 1.5m, 50-750W
R88A-CAGA001-5SR-E	Servo motor power cable, 1.5m, non braked, 50-750W
R88A-CAGA003BR-E	Servo brake cable, 3m, 50-750W
R88A-CAGA003SR-E	Servo motor power cable, 3m, non braked, 50-750W
R88A-CAGA005BR-E	Servo brake cable, 5m, 50-750W
R88A-CAGA005SR-E	Servo motor power cable, 5m, non braked, 50-750W
R88A-CAGA010BR-E	Servo brake cable, 10m, 50-750W
R88A-CAGA010SR-E	Servo motor power cable, 10m, non braked, 50-750W
R88A-CAGA015BR-E	Servo brake cable, 15m, 50-750W
R88A-CAGA015SR-E	Servo motor power cable, 15m, non braked, 50-750W
R88A-CAGA020BR-E	Servo brake cable, 20m, 50-750W
R88A-CAGA020SR-E	Servo motor power cable, 20m, non braked, 50-750W
R88A-CAGB001-5BR-E	Servo motor power cable, 1.5m, braked, 900W-1.5KW
R88A-CAGB001-5SR-E	Servo motor power cable, 1.5m, non braked, 900W-1.5KW
R88A-CAGB003BR-E	Servo motor power cable, 3m, braked, 900W-1.5KW
R88A-CAGB003SR-E	Servo motor power cable, 3m, non braked, 900W-1.5KW
R88A-CAGB005BR-E	Servo motor power cable, 5m, braked, 900W-1.5KW
R88A-CAGB005SR-E	Servo motor power cable, 5m, non braked, 900W-1.5KW
R88A-CAGB010BR-E	Servo motor power cable, 10m, braked, 900W-1.5KW
R88A-CAGB010SR-E	Servo motor power cable, 10m, non braked, 900W-1.5KW
R88A-CAGB015BR-E	Servo motor power cable, 15m, braked, 900W-1.5KW
R88A-CAGB015SR-E	Servo motor power cable, 15m, non braked, 900W-1.5KW
R88A-CAGB020BR-E	Servo motor power cable, 20m, braked, 900W-1.5KW
R88A-CAGB020SR-E	Servo motor power cable, 20m, non braked, 900W-1.5KW
R88A-CAGD001-5BR-E	G5 series servo motor power cable, 1.5m, braked, 3KW to 5KW
R88A-CAGD001-5SR-E	G5 series servo motor power cable, 1.5m, non braked, 3KW to 5KW
R88A-CAGD003BR-E	G5 series servo motor power cable, 3m, braked, 3KW to 5KW
R88A-CAGD003SR-E	G5 series servo motor power cable, 3m, non braked, 3KW to 5KW
R88A-CAGD005BR-E	G5 series servo motor power cable, 5m, braked, 3KW to 5KW
R88A-CAGD005SR-E	G5 series servo motor power cable, 5m, non braked, 3KW to 5KW
R88A-CAGD010BR-E	G5 series servo motor power cable, 10m, braked, 3KW to 5KW
R88A-CAGD010SR-E	G5 series servo motor power cable, 10m, non braked, 3KW to 5KW
R88A-CAGD015BR-E	G5 series servo motor power cable, 15m, braked, 3KW to 5KW
R88A-CAGD015SR-E	G5 series servo motor power cable, 15m, non braked, 3KW to 5KW
R88A-CAGD020BR-E	G5 series servo motor power cable, 20m, braked, 3KW to 5KW

R88A-CAGD020SR-E	G5 series servo motor power cable, 20m, non braked, 3KW to 5KW
R88A-CAH003B POWER CABLE	
R88A-CAH003S POWER CABLE	
R88A-CAH005B POWER CABLE	
R88A-CAH005S POWER CABLE	
R88A-CAH010B POWER CABLE	
R88A-CAH010S POWER CABLE	
R88A-CAH015B POWER CABLE	
R88A-CAH015S POWER CABLE	
R88A-CAH020B POWER CABLE	
R88A-CAH020S POWER CABLE	
R88A-CAH030B POWER CABLE	
R88A-CAH030S POWER CABLE	
R88A-CAKA001-5BR-E	G5 series servo brake cable, 1.5m, 50-750W
R88A-CAKA001-5SR-E	G5 series servo motor power cable, 1.5m, non braked, 50-750W
R88A-CAKA003BR-E	G5 series servo brake cable, 3m, 50-750W
R88A-CAKA003SR-E	G5 series servo motor power cable, 3m, non braked, 50-750W
R88A-CAKA005BR-E	G5 series servo brake cable, 5m, 50-750W
R88A-CAKA005SR-E	G5 series servo motor power cable, 5m, non braked, 50-750W
R88A-CAKA010BR-E	G5 series servo brake cable, 10m, 50-750W
R88A-CAKA010SR-E	G5 series servo motor power cable, 10m, non braked, 50-750W
R88A-CAKA015BR-E	G5 series servo brake cable, 15m, 50-750W
R88A-CAKA015SR-E	G5 series servo motor power cable, 15m, non braked, 50-750W
R88A-CAKA020BR-E	G5 series servo brake cable, 20m, 50-750W
R88A-CAKA020SR-E	G5 series servo motor power cable, 20m, non braked, 50-750W
R88A-CAKF001-5BR-E	G5 series servo motor power cable, 1.5m, braked, 750W to 2KW
R88A-CAKF003BR-E	G5 series servo motor power cable, 3m, braked, 750W to 2KW
R88A-CAKF005BR-E	G5 series servo motor power cable, 5m, braked, 750W to 2KW
R88A-CAKF010BR-E	G5 series servo motor power cable, 10m, braked, 750W to 2KW
R88A-CAKF015BR-E	G5 series servo motor power cable, 15m, braked, 750W to 2KW
R88A-CAKF020BR-E	G5 series servo motor power cable, 20m, braked, 750W to 2KW
R88A-CAU003B	Sigma I cable
R88A-CAU005B	Sigma 1 series servo motor cable(with brake) 5 metres
R88A-CAU005S	
R88A-CAU010B	
R88A-CAU010S	
R88A-CAU015B	
R88A-CAU015S	
R88A-CAU020B	
R88A-CAU020S	
R88A-CAUB003B	
R88A-CAUB003S	
R88A-CAUB005B	
R88A-CAUB005S	
R88A-CAUB010B	
R88A-CAUB010S	
R88A-CAUB015B	
R88A-CAUB015S	
R88A-CAUB020B	
R88A-CAUB020S	
R88A-CAUC003B	
R88A-CAUC003S	

R88A-CAUC005B	
R88A-CAUC005S	
R88A-CAUC010B	
R88A-CAUC010S	
R88A-CAUC015B	
R88A-CAUC015S	
R88A-CAUC020B	
R88A-CAUC020S	
R88A-CAWA001-5S-DE	
R88A-CAWA003B	
R88A-CAWA003B-DE	Sigma II/V servo motor (with brake) cable, 3m (equivalent to DP9325253-3G)
R88A-CAWA003S	
R88A-CAWA003S-DE	Sigma II/V servo motor cable, 3m (equivalent to DP9325252-3G)
R88A-CAWA005B	
R88A-CAWA005B-DE	Sigma II/V servo motor (with brake) cable, 5m (equivalent to DP9325253-5G)
R88A-CAWA005S	
R88A-CAWA005S-DE	Sigma II/V servo motor cable, 5m (equivalent to DP9325252-5G)
R88A-CAWA010B	
R88A-CAWA010B-DE	Sigma II/V servo motor (with brake) cable, 10m (equivalent to DP9325253-10G)
R88A-CAWA010S	
R88A-CAWA010S-DE	Sigma II/V servo motor cable, 10m (equivalent to DP9325252-10G)
R88A-CAWA015B	
R88A-CAWA015B-DE	Sigma II/V servo motor (with brake) cable, 15m (equivalent to DP9325253-15G)
R88A-CAWA015S	
R88A-CAWA015S-DE	Sigma II/V servo motor cable, 15m (equivalent to DP9325252-15G)
R88A-CAWA020B	
R88A-CAWA020B-DE	Sigma II/V servo motor (with brake) cable, 20m (equivalent to DP9325253-20G)
R88A-CAWA020S	
R88A-CAWA020S-DE	Sigma II/V servo motor cable, 20m (equivalent to DP9325252-20G)
R88A-CAWA025S-DE	Sigma II/V servo motor cable, 25m
R88A-CAWA030S	
R88A-CAWB003B	
R88A-CAWB003B-DE	Sigma II/V servo motor (with brake) cable, 3m (equivalent to DP9325253G)
R88A-CAWB003S	
R88A-CAWB003S-DE	Sigma II/V servo motor cable, 3m (equivalent to DP93252543G)
R88A-CAWB005B	
R88A-CAWB005B-DE	Sigma II/V servo motor (with brake) cable, 5m (equivalent to DP93252555G)
R88A-CAWB005S	
R88A-CAWB005S-DE	Sigma II/V servo motor cable, 5m (equivalent to DP93252545G)
R88A-CAWB010B	
R88A-CAWB010B-DE	
R88A-CAWB010S	
R88A-CAWB010S-DE	Sigma II/V servo motor cable, 10m (equivalent to DP932525410G)
R88A-CAWB015B	
R88A-CAWB015B-DE	Sigma II/V servo motor (with brake) cable, 15m (equivalent to DP932525515G)
R88A-CAWB015S	
R88A-CAWB015S-DE	Sigma II/V servo motor cable, 15m (equivalent to DP932525415G)
R88A-CAWB020B	
R88A-CAWB020B-DE	
R88A-CAWB020S	
R88A-CAWB020S-DE	Sigma II/V servo motor cable, 20m (equivalent to DP932525420G)
R88A-CAWB050S-DE	

R88A-CAWC003B-E	Sigma II 3m brake cable for all 415V motors (use with relevant power cable) (straight
R88A-CAWC003S-E	Sigma II 3m power cable for 0.45,0.85,1,1.3,1.5,2kW motors
R88A-CAWC005B	
R88A-CAWC005B-E	Sigma II 5m brake cable for all 415V motors (use with relevant power cable) (straight
R88A-CAWC005S-E	Sigma II 5m power cable for 0.45,0.85,1,1.3,1.5,2kW motors
R88A-CAWC010B	
R88A-CAWC010B-E	Sigma II 10m brake cable for all 415V motors (use with relevant power cable) (straight
R88A-CAWC010S-E	Sigma II 10m power cable for 0.45,0.85,1,1.3,1.5,2kW motors
R88A-CAWC015B-E	Sigma II 15m brake cable for all 415V motors (use with relevant power cable) (straight
R88A-CAWC015S-E	Sigma II 15m power cable for 0.45,0.85,1,1.3,1.5,2kW motors
R88A-CAWC020B-E	Sigma II 20m brake cable for all 415V motors (use with relevant power cable) (straight
R88A-CAWC020S-E	Sigma II 20m power cable for 0.45,0.85,1,1.3,1.5,2kW motors
R88A-CAWC030S-E	
R88A-CAWC050B-E	
R88A-CAWC050S-E	
R88A-CAWC075S-E	
R88A-CAWD001-5S-E	
R88A-CAWD003S-E	Sigma II 3m power cable for 1.8,2.9,3,4,5kW motors
R88A-CAWD005S	
R88A-CAWD005S-E	Sigma II 5m power cable for 1.8,2.9,3,4,5kW motors
R88A-CAWD010S-E	Sigma II 10m power cable for 1.8,2.9,3,4,5kW motors
R88A-CAWD015S-E	Sigma II 15m power cable for 1.8,2.9,3,4,5kW motors
R88A-CAWD020S-E	Sigma II 20m power cable for 1.8,2.9,3,4,5kW motors
R88A-CAWD030S-E 1	
R88A-CAWD050S-E	
R88A-CAWF003S-E	Sigma II motor cable, 3m, for 5.5kW motors (straight connector, similar JZSP-CMM0:
R88A-CAWF005S-E	Sigma II motor cable, 5m, for 5.5kW motors (straight connector, similar JZSP-CMM0:
R88A-CAWF010S-E	Sigma II motor cable, 10m, for 5.5kW motors (straight connector, similar JZSP-CMMI
R88A-CAWF015S-E	Sigma II motor cable, 15m, for 5.5kW motors (straight connector, similar JZSP-CMMI
R88A-CAWF020S-E	Sigma II motor cable, 20m, for 5.5kW motors (straight connector, similar JZSP-CMMI
R88A-CAWF030S-E	
R88A-CAWG003S-E	Sigma II motor cable, 3m, for 4.4kW motors (straight connector, similar JZSP-CMM0:
R88A-CAWG005S-E	Sigma II motor cable, 5m, for 4.4kW motors (straight connector, similar JZSP-CMM0:
R88A-CAWG010S-E	Sigma II motor cable, 10m, for 4.4kW motors (straight connector, similar JZSP-CMMI
R88A-CAWG015S-E	Sigma II motor cable, 15m, for 4.4kW motors (straight connector, similar JZSP-CMMI
R88A-CAWG020S-E	Sigma II motor cable, 20m, for 4.4kW motors (straight connector, similar JZSP-CMMI
R88A-CAWH003S-E	Sigma II motor cable, 3m, for 7.5 & 11kW motors (straight connector, similar JZSP-C
R88A-CAWH005S-E	Sigma II motor cable, 5m, for 7.5 & 11kW motors (straight connector, similar JZSP-C
R88A-CAWH010S-E	Sigma II motor cable, 10m, for 7.5 & 11kW motors (straight connector, similar JZSP-I
R88A-CAWH015S-E	Sigma II motor cable, 15m, for 7.5 & 11kW motors (straight connector, similar JZSP-I
R88A-CAWH020S-E	Sigma II motor cable, 20m, for 7.5 & 11kW motors (straight connector, similar JZSP-I
R88A-CAWH030S-E	
R88A-CAWJ003S-E	
R88A-CAWJ005S-E	
R88A-CAWJ010S-E	Sigma II motor cable, 5m, for 15kW motors (straight connector, similar JZSP-CMM02
R88A-CAWJ015S-E	
R88A-CAWJ020S-E	
R88A-CAWK003B-DE	Sigma II/V, Servo motor (with brake)cable, 3m
R88A-CAWK003S-DE	
R88A-CAWK005B-DE	Sigma II/V, Servo motor (with brake)cable, 5m
R88A-CAWK005S-DE	Sigma II/V, Servo motor power cable (400V without brake), 5m
R88A-CAWK010B-DE	Sigma II/V, Servo motor (with brake)cable, 10m

R88A-CAWK010S-DE	Sigma II/V, Servo motor power cable (400V without brake), 10m
R88A-CAWK015B-DE	Sigma II/V, Servo motor (with brake)cable, 15m
R88A-CAWK015S-DE	Sigma II/V, Servo motor power cable (400V without brake), 15m
R88A-CAWK020B-DE	Sigma II/V, Servo motor (with brake)cable, 20m
R88A-CAWK020S-DE	Sigma II/V, Servo motor power cable (400V without brake), 20m
R88A-CAWK030B-DE	
R88A-CAWL003S-DE	Sigma II, Linear servo motor power cable (400V), 3m
R88A-CAWL005S-DE	
R88A-CAWL010S-DE	
R88A-CAWL015S-DE	
R88A-CAWL020S-DE	
R88A-CCG001P4	
R88A-CCG002P2	PC monitor cable, 2m
R88A-CCM001P5-E2	Motion accessory
R88A-CCM002P4-E	Programming cable, 2m (port 0)
R88A-CCW002C	
R88A-CCW002P2	Sigma II servo PC programming cable, 2m (equivalent to JZSP-CMS02)
R88A-CCW002P4	Servo accessory
R88A-CMK001S	G5 series servo analogue monitor cable, 1m [for CN5]
R88A-CMUK001J3-E2	Connecting cable, MC Unit to OMNUC W, 1 cable per axis.
R88A-CMW001S	Analogue monitor cable
R88A-CMX001J1-E	Connecting Cable, terminal block to MC unit. 1 cable per MC unit, 40 pin.
R88A-CMX001S-E	Connecting Cable, terminal block to MC unit for I/O signals, 1 cable per MC unit, 26 pins
R88A-CNG01A	Connector for motor power cable, motor side, up to 750W
R88A-CNG01B	Connector for brake cable, motor side, up to 750W
R88A-CNG01R	Connector for encoder cable, motor side, absolute motor types, up to 750W
R88A-CNG02R	Connector for encoder cable, motor side, incremental motor types, up to 750W
R88A-CNK02R	Encoder cable connector, motor side, models up to 750W
R88A-CNK04R-E	G5 encoder connector, motor side
R88A-CNK11A	Motor power cable connector, motor side, models up to 750W
R88A-CNK41L	G5 series servo external encoder connector [for CN4]
R88A-CNK81S	G5 series servo safety I/O connector [for CN8]
R88A-CNU01C	Connector for CN1, control I/O
R88A-CNU01R	JUSP NS300 option card, CN4 connector
R88A-CNU11C	Connector for CN1, control I/O [analogue/ pulse model only]
R88A-CNW01C	Sigma 5 Servo I/O connector kit for CN1
R88A-CNW01R	Encoder cable connector [CN2], drive side, all models
R88A-CNX01C	
R88A-CPG001M1	
R88A-CPG001M2	
R88A-CPG001S	SmartStep2 general purpose Cable (750w)
R88A-CPG002M1	
R88A-CPG002M2	
R88A-CPG002S	
R88A-CPG003M1	
R88A-CPG003M2	
R88A-CPG005M1	
R88A-CPG005M2	
R88A-CPH002S CONTROL CABLE	
R88A-CPU001M1	
R88A-CPU001M2	
R88A-CPU001S	Smart Step series servo control cable, 1m

R88A-CPU002M1	
R88A-CPU002M2	
R88A-CPU002S	Smart Step series servo control cable, 2m
R88A-CPUB001M1	
R88A-CPUB001M2	
R88A-CPUB001S	Sigma 1, UT Series Control Cable, 1m
R88A-CPUB002M1	
R88A-CPUB002M2	
R88A-CPUB002S	Sigma 1, UT Series Control Cable, 2m
R88A-CPW001M1	
R88A-CPW001M2	
R88A-CPW001S	Sigma II servo driver CN1 interface cable with flying leads, 1m
R88A-CPW002M1	
R88A-CPW002M2	Sigma 1 cable
R88A-CPW002S	Sigma II servo driver CN1 interface cable with flying leads, 2m
R88A-CPW003M1	
R88A-CPW003M2	
R88A-CPW005M1	
R88A-CPW005M2	
R88A-CRGA001-5CR-E	Servo encoder cable, 1.5m, absolute encoder type, 50-750W
R88A-CRGA003CR-E	Servo encoder cable, 3m, absolute encoder type, 50-750W
R88A-CRGA005CR-E	Servo encoder cable, 5m, absolute encoder type, 50-750W
R88A-CRGA010CR-E	Servo encoder cable, 10m, absolute encoder type, 50-750W
R88A-CRGA015CR-E	Servo encoder cable, 15m, absolute encoder type, 50-750W
R88A-CRGA020CR-E	Servo encoder cable, 20m, absolute encoder type, 50-750W
R88A-CRGB001-5CR-E	Servo encoder cable, 1.5m, incremental encoder type, 50-750W
R88A-CRGB003CR-E	Servo encoder cable, 3m, incremental encoder type, 50-750W
R88A-CRGB005CR-E	Servo encoder cable, 5m, incremental encoder type, 50-750W
R88A-CRGB010CR-E	Servo encoder cable, 10m, incremental encoder type, 50-750W
R88A-CRGB015CR-E	Servo encoder cable, 15m, incremental encoder type, 50-750W
R88A-CRGB020CR-E	Servo encoder cable, 20m, incremental encoder type, 50-750W
R88A-CRGC001-5NR-E	Servo encoder cable, 1.5m, absolute encoder type, 900W-1.5KW
R88A-CRGC003NR-E	Servo encoder cable, 3m, absolute encoder type, 900W-1.5KW
R88A-CRGC005NR-E	Servo encoder cable, 5m, absolute encoder type, 900W-1.5KW
R88A-CRGC010NR-E	Servo encoder cable, 10m, absolute encoder type, 900W-1.5KW
R88A-CRGC015NR-E	Servo encoder cable, 15m, absolute encoder type, 900W-1.5KW
R88A-CRGC020NR-E	Servo encoder cable, 20m, absolute encoder type, 900W-1.5KW
R88A-CRGD0R3C	Absolute encoder battery cable [battery not included]
R88A-CRGD0R3C-BS	Absolute encoder battery cable [1off R88A-BAT01G]
R88A-CRH003C ENCODER CABLE	
R88A-CRH005C ENCODER CABLE	
R88A-CRH010C ENCODER CABLE	
R88A-CRH015C ENCODER CABLE	
R88A-CRH020C ENCODER CABLE	
R88A-CRH030C ENCODER CABLE	
R88A-CRKA001-5CR-E	G5 series servo encoder cable, 1.5m, 50-750W
R88A-CRKA003CR-E	G5 series servo encoder cable, 3m, 50-750W
R88A-CRKA005CR-E	G5 series servo encoder cable, 5m, 50-750W
R88A-CRKA010CR-E	G5 series servo encoder cable, 10m, 50-750W
R88A-CRKA015CR-E	G5 series servo encoder cable, 15m, 50-750W
R88A-CRKA020CR-E	G5 series servo encoder cable, 20m, 50-750W
R88A-CRKC001-5NR-E	G5 series servo encoder cable, 1.5m, 1KW to 5KW

R88A-CRKC003NR-E	G5 series servo encoder cable, 3m, 1KW to 5KW
R88A-CRKC005NR-E	G5 series servo encoder cable, 5m, 1KW to 5KW
R88A-CRKC010NR-E	G5 series servo encoder cable, 10m, 1KW to 5KW
R88A-CRKC015NR-E	G5 series servo encoder cable, 15m, 1KW to 5KW
R88A-CRKC020NR-E	G5 series servo encoder cable, 20m, 1KW to 5KW
R88A-CRM015N RESOLVER CABLE	
R88A-CRMA003N	
R88A-CRMA005N	
R88A-CRMA010N	
R88A-CRMA015N	
R88A-CRMA020N	
R88A-CRMA030N	
R88A-CRMA040N	
R88A-CRMA050N	
R88A-CRU010C	
R88A-CRUB003N	
R88A-CRUB005N	
R88A-CRUB010N	
R88A-CRUB015N	
R88A-CRUB020N	
R88A-CRUD003C	Servo encoder cable, 3m
R88A-CRUD005C	
R88A-CRUD010C	Servo encoder cable, 10m
R88A-CRUD015C	Servo encoder cable, 15m
R88A-CRUD020C	
R88A-CRWA001-5C-DE	
R88A-CRWA003C	
R88A-CRWA003C-DE	Sigma II servo encoder cable, 3m (equivalent to DP9325256-3G)
R88A-CRWA005C	
R88A-CRWA005C-DE	Sigma II servo encoder cable, 5m (equivalent to DP9325256-5G)
R88A-CRWA010C	
R88A-CRWA010C-DE	Sigma II servo encoder cable, 10m (equivalent to DP9325256-10G)
R88A-CRWA015C	
R88A-CRWA015C-DE	Sigma II servo encoder cable, 15m (equivalent to DP9325256-15G)
R88A-CRWA020C	
R88A-CRWA020C-DE	Sigma II servo encoder cable, 20m (equivalent to DP9325256-20G)
R88A-CRWA025C-DE	Sigma II servo encoder cable, 25m
R88A-CRWA050C-DE V1	
R88A-CRWB001-5N-E	
R88A-CRWB003N-E	Sigma II 3m encoder cable for 415V motors (straight connector, similar JZSP-CMP02)
R88A-CRWB005N	
R88A-CRWB005N-E	Sigma II 5m encoder cable for 415V motors (straight connector, similar JZSP-CMP02)
R88A-CRWB010N	
R88A-CRWB010N-E	Sigma II 10m encoder cable for 415V motors (straight connector, similar JZSP-CMP02)
R88A-CRWB015N-E	Sigma II 15m encoder cable for 415V motors (straight connector, similar JZSP-CMP02)
R88A-CRWB020N-E	Sigma II 20m encoder cable for 415V motors (straight connector, similar JZSP-CMP02)
R88A-CRWB030N-E	Sigma II servo encoder cable, 30m
R88A-CRWB050N-E	
R88A-CRWB075N-E	
R88A-CRWC0R3C	
R88A-CTU001N	Connector Terminal Block Cable for general-purpose Controllers, 1m
R88A-CTU002N	Connector Terminal Block Cable for general-purpose Controllers, 2m

R88A-CTW001N	Sigma II servo driver CN1 Connector Terminal Block Conversion Unit (XW2B-50G5)
R88A-CTW002N	Servo accessory
R88A-CSK003S-E	
R88A-CSU005C	
R88A-CSUD003C	
R88A-CSUD005C	
R88A-CSUD010C	
R88A-CSUD015C	
R88A-CSUD020C	
R88A-FI5-1005-RE	Sigma V RFI Filter(Rasmi)200 VAC single phase, 5A(100W,200W,400W)
R88A-FI5-1009-RE	Sigma V RFI Filter(Rasmi)200 VAC single phase, 9A(750W)
R88A-FI5-1016-RE	
R88A-FI5-3004-RE	Sigma V RFI Filter(Rasmi)400 VAC three phase, 4A(450W,800W,1KW,1.5KW)
R88A-FI5-3008-RE	Sigma V RFI Filter(Rasmi)400 VAC three phase, 8A(2KW,3KW)
R88A-FI5-3012-RE	Sigma V RFI Filter(Rasmi)400 VAC three phase, 12A(5KW)
R88A-FIK102-RE	G/ G5 series RFI filter; 2.4A, 250vac, for 100 and 200W models
R88A-FIK104-RE	G/ G5 series RFI filter; 4.1A, 250vac, for 400W models
R88A-FIK107-RE	G/ G5 series RFI filter; 6.6A, 250vac, for 750W models
R88A-FIK114-RE	G/ G5 series RFI filter; 14.2A, 250vac, for 1.0 and 1.5KW models
R88A-FIK304-RE	G5 series RFI filter; 4A, 400vac, for 600 to 1.5KW models
R88A-FIK306-RE	G5 series RFI filter; 6A, 400vac, for 2.0KW models
R88A-FIK312-RE	G5 series RFI filter; 12A, 400vac, for 3.0 to 5.0KW models
R88A-FIU-4020E	
R88A-FIU-4040E	
R88A-FIW104-E	Smart Step/XtraDrive/Sigma II RFI filter (Rasmi), 200 VAC single-phase, 5A (30W, 50W)
R88A-FIW104-E-UL	
R88A-FIW107-E	Smart Step/XtraDrive/Sigma II RFI filter (Rasmi), 200 VAC single-phase, 10A (400W)
R88A-FIW107-E-EL	
R88A-FIW107-E-UL	
R88A-FIW115-E	Smart Step/XtraDrive/Sigma II RFI filter (Rasmi), 200 VAC single-phase, 15A (750W)
R88A-FIW125-E	Smart Step/Sigma II RFI filter (Rasmi), 200 VAC single-phase, 25A (1500W)
R88A-FIW4006-E	Sigma II RFI filter, 400V 3-phase, 6A (450W, 1kW, 1.5kW)
R88A-FIW4006-E-UL	
R88A-FIW4010-E	Sigma II RFI filter (Rasmi), 400V 3-phase, 10A (2kW,3kW)
R88A-FIW4010-E-UL	
R88A-FIW4020-SE	Sigma II RFI filter (Schaffner), 400V 3-phase, 20A (5kW)
R88A-FIW4030-SE	Sigma II RFI filter (Schaffner), 400V 3-phase, 30A (6kW, 7.5kW)
R88A-FIW4055-SE	Sigma II RFI filter (Schaffner), 400V 3-phase, 55A (11kW, 15kW)
R88A-MCW151-DRT-E	Advanced motion control unit, 1.5 axis option for Sigma II servo drivers, with additic
R88A-MCW151-E	Advanced motion control unit, 1.5 axis option for Sigma II servo drivers, with additic
R88A-NCW152-DRT	
R88A-PR02G	SmartStep 2 Parameter copy unit, with cable
R88A-PR02W	Sigma II servo parameter unit, with 1m cable (equivalent to R88A-PR02W)
R88A-RR080100S	External regeneration resistor, 80W, 100ohm
R88A-RR08050S	External regeneration resistor, 80W, 50ohm
R88A-RR22047S	Smart Step external regeneration resistor, 47 Ohm, 220W nominal capacity
R88A-RR50020S	External regeneration resistor, 500W, 20ohm
R88A-RR88006	
R88A-TC04-E	Motion control terminal block, four axis, for MC402 and OMNUC W servo drive
R88A-TK01W	
R88A-TK02W	
R88A-TK03W	

R88A-TR4K-HU	
R88D-GN01H-ML2	G Series Servo Drive, Mechatrolink II integrated, 100W, 200vac single phase
R88D-GN02H-ML2	G Series Servo Drive, Mechatrolink II integrated, 200W, 200vac single phase
R88D-GN04H-ML2	G Series Servo Drive, Mechatrolink II integrated, 400W, 200vac single phase
R88D-GN08H-ML2	G Series Servo Drive, Mechatrolink II integrated, 750W, 200vac single phase
R88D-GP08H	SmartStep 2 Servo Drive, Pulse input type, 800W, 200vac single phase
R88D-KN01H-ECT-R	
R88D-KN01H-ML2	G5 Series servo drive, ML II type, 100W, 200vac single phase
R88D-KN02H-ECT-R	
R88D-KN02H-ML2	G5 Series servo drive, ML II type, 200W, 200vac single phase
R88D-KN04H-ECT-R	
R88D-KN04H-ML2	G5 Series servo drive, ML II type, 400W, 200vac single phase
R88D-KN06F-ECT-R	
R88D-KN06F-ML2	G5 Series servo drive, ML II type, 600W, 400vac three phase
R88D-KN08H-ECT-R	
R88D-KN08H-ML2	G5 Series servo drive, ML II type, 750W, 200vac single phase
R88D-KN10F-ECT-R	
R88D-KN10F-ML2	G5 Series servo drive, ML II type, 1.0KW, 400vac three phase
R88D-KN10H-ECT-R	
R88D-KN10H-ML2	G5 Series servo drive, ML II type, 1.0KW, 200vac single phase
R88D-KN15F-ECT-R	
R88D-KN15F-ML2	G5 Series servo drive, ML II type, 1.5KW, 400vac three phase
R88D-KN15H-ECT-R	
R88D-KN15H-ML2	G5 Series servo drive, ML II type, 1.5KW, 200vac single phase
R88D-KN20F-ML2	G5 Series servo drive, ML II type, 2.0KW, 400vac three phase
R88D-KN30F-ML2	G5 Series servo drive, ML II type, 3.0KW, 400vac three phase
R88D-KN50F-ML2	G5 Series servo drive, ML II type, 5.0KW, 400vac three phase
R88D-KT01H	G5 Series servo drive, Analogue/ Pulse type, 100W, 200vac single phase
R88D-KT02H	G5 Series servo drive, Analogue/ Pulse type, 200W, 200vac single phase
R88D-KT02H-SAMPL	
R88D-KT04H	G5 Series servo drive, Analogue/ Pulse type, 400W, 200vac single phase
R88D-KT04H-SAMPL	
R88D-KT06F	G5 Series servo drive, Analogue/ Pulse type, 600W, 400vac three phase
R88D-KT06F-SAMPL	
R88D-KT08H	G5 Series servo drive, Analogue/ Pulse type, 750W, 200vac single phase
R88D-KT08H-SAMPL	
R88D-KT10F	G5 Series servo drive, Analogue/ Pulse type, 1.0KW, 400vac three phase
R88D-KT10F-SAMPL	
R88D-KT10H	G5 Series servo drive, Analogue/ Pulse type, 1.0KW, 200vac single phase
R88D-KT15F	G5 Series servo drive, Analogue/ Pulse type, 1.5KW, 400vac three phase
R88D-KT15F-SAMPL	
R88D-KT15H	G5 Series servo drive, Analogue/ Pulse type, 1.5KW, 200vac single phase
R88D-KT20F	G5 Series servo drive, Analogue/ Pulse type, 2.0KW, 400vac three phase
R88D-KT20F-SAMPL	
R88D-KT30F	G5 Series servo drive, Analogue/ Pulse type, 3.0KW, 400vac three phase
R88D-KT50F	G5 Series servo drive, Analogue/ Pulse type, 5.0KW, 400vac three phase
R88L-EC-FH-NNNN-A	
R88L-EC-FM-03096-A	
R88L-EC-FM-03144-A	
R88L-EC-FM-03384-A	
R88L-EC-FM-06192-A	
R88L-EC-FM-06288-A	

R88L-EC-FM-11192-A
 R88L-EC-FM-11288-A
 R88L-EC-FW-0303-ANPC
 R88L-EC-FW-0303-APLC
 R88L-EC-FW-0306-ANPC
 R88L-EC-FW-0306-APLC
 R88L-EC-FW-0606-ANPC
 R88L-EC-FW-0606-APLC
 R88L-EC-FW-0609-ANPC
 R88L-EC-FW-0609-APLC
 R88L-EC-FW-0612-ANPC
 R88L-EC-FW-0612-APLC
 R88L-EC-FW-1112-ANPC
 R88L-EC-FW-1112-APLC
 R88L-EC-FW-1115-ANPC
 R88L-EC-FW-1115-APLC
 R88L-EC-GH-03NN-A
 R88L-EC-GH-05NN-A
 R88L-EC-GH-07NN-A
 R88L-EC-GM-03090-A
 R88L-EC-GM-03120-A
 R88L-EC-GM-03390-A
 R88L-EC-GM-05126-A
 R88L-EC-GM-05168-A
 R88L-EC-GM-05210-A
 R88L-EC-GM-05546-A
 R88L-EC-GM-07114-A
 R88L-EC-GM-07171-A
 R88L-EC-GM-07456-A
 R88L-EC-GW-0303-ANPS
 R88L-EC-GW-0303-APLS
 R88L-EC-GW-0306-ANPS
 R88L-EC-GW-0306-APLS
 R88L-EC-GW-0309-ANPS
 R88L-EC-GW-0309-APLS
 R88L-EC-GW-0503-ANPS
 R88L-EC-GW-0503-APLS
 R88L-EC-GW-0506-ANPS
 R88L-EC-GW-0506-APLS
 R88L-EC-GW-0509-ANPS
 R88L-EC-GW-0509-APLS
 R88L-EC-GW-0703-ANPS
 R88L-EC-GW-0703-APLS
 R88L-EC-GW-0706-ANPS
 R88L-EC-GW-0706-APLS
 R88L-EC-GW-0709-ANPS
 R88L-EC-GW-0709-APLS
 R88M-G05030H-BS2
 R88M-G05030H-S2
 R88M-G05030T-S2
 R88M-G10030H-BS2
 R88M-G10030H-BS2

G Series/ SmartStep 2 AC servo motor (cylinder type), 50W, 200vac, 3000RPM, 0.16N
 G Series/ SmartStep 2 AC servo motor (cylinder type), 50W, 200vac, 3000RPM, 0.16N
 G Series AC servo motor (cylinder type), 50W, 200vac, 3000RPM, 0.16Nm, absolute
 G Series/ SmartStep 2 AC servo motor (cylinder type), 100W, 200vac, 3000RPM, 0.32
 G Series/ SmartStep 2 AC servo motor (cylinder type), 100W, 200vac, 3000RPM, 0.32

R88M-G10030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 100W, 200vac, 3000RPM, 0.32
R88M-G10030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 100W, 200vac, 3000RPM, 0.32
R88M-G10030T-S2	G Series AC servo motor (cylinder type), 100W, 200vac, 3000RPM, 0.32Nm, absolute
R88M-G1K030T-S2	G Series AC servo motor (cylinder type), 1.0KW, 200vac, 3000RPM, 3.18Nm, absolute
R88M-G20030H-BS2	G Series/ SmartStep 2 AC servo motor (cylinder type), 200W, 200vac, 3000RPM, 0.64
R88M-G20030H-BS2	G Series/ SmartStep 2 AC servo motor (cylinder type), 200W, 200vac, 3000RPM, 0.64
R88M-G20030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 200W, 200vac, 3000RPM, 0.64
R88M-G20030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 200W, 200vac, 3000RPM, 0.64
R88M-G20030L-BS2	
R88M-G20030T	
R88M-G20030T-S2	G Series AC servo motor (cylinder type), 200W, 200vac, 3000RPM, 0.64Nm, absolute
R88M-G40030H-BS2	G Series/ SmartStep 2 AC servo motor (cylinder type), 400W, 200vac, 3000RPM, 1.3N
R88M-G40030H-BS2	G Series/ SmartStep 2 AC servo motor (cylinder type), 400W, 200vac, 3000RPM, 1.3N
R88M-G40030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 400W, 200vac, 3000RPM, 1.3N
R88M-G40030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 400W, 200vac, 3000RPM, 1.3N
R88M-G40030T	
R88M-G40030T-S2	G Series AC servo motor (cylinder type), 400W, 200vac, 3000RPM, 1.3Nm, absolute
R88M-G75030H-BS2	G Series/ SmartStep 2 AC servo motor (cylinder type), 800W, 200vac, 3000RPM, 2.4N
R88M-G75030H-S2	G Series/ SmartStep 2 AC servo motor (cylinder type), 800W, 200vac, 3000RPM, 2.4N
R88M-G75030T-S2	G Series AC servo motor (cylinder type), 800W, 200vac, 3000RPM, 2.4Nm, absolute
R88M-GP10030H-BS2	
R88M-GP10030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 100W, 200vac, 3000RPM, 0.32Nm
R88M-GP10030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 100W, 200vac, 3000RPM, 0.32Nm
R88M-GP20030H-BS2	
R88M-GP20030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 200W, 200vac, 3000RPM, 0.64Nm
R88M-GP20030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 200W, 200vac, 3000RPM, 0.64Nm
R88M-GP40030H-BS2	
R88M-GP40030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 400W, 200vac, 3000RPM, 1.3Nm
R88M-GP40030H-S2	G Series/ SmartStep 2 AC servo motor (cube type), 400W, 200vac, 3000RPM, 1.3Nm
R88M-GP40030T-S2	G Series AC servo motor (cube type), 400W, 200vac, 3000RPM, 1.3Nm, absolute
R88M-K05030H-BS2	G5 Series AC servo motor, 50W, 200vac, 3000RPM, 0.16Nm, incremental, braked
R88M-K05030H-S2	G5 Series AC servo motor, 50W, 200vac, 3000RPM, 0.16Nm, incremental
R88M-K05030T-BS2	G5 Series AC servo motor, 50W, 200vac, 3000RPM, 0.16Nm, absolute, braked
R88M-K05030T-S2	G5 Series AC servo motor, 50W, 200vac, 3000RPM, 0.16Nm, absolute
R88M-K10030H-BS2	G5 Series AC servo motor, 100W, 200vac, 3000RPM, 0.32Nm, incremental, braked
R88M-K10030H-S2	G5 Series AC servo motor, 100W, 200vac, 3000RPM, 0.32Nm, incremental
R88M-K10030H-S2-SAMPL	
R88M-K10030T-BS2	G5 Series AC servo motor, 100W, 200vac, 3000RPM, 0.32Nm, absolute, braked
R88M-K10030T-S2	G5 Series AC servo motor, 100W, 200vac, 3000RPM, 0.32Nm, absolute
R88M-K10030T-S2-SAMPL	
R88M-K1K020C-BS2	G5 Series AC servo motor, 1.0KW, 400vac, 2000RPM, 4.77Nm, absolute, braked
R88M-K1K020C-S2	G5 Series AC servo motor, 1.0KW, 400vac, 2000RPM, 4.77Nm, absolute
R88M-K1K020F-BS2	G5 Series AC servo motor, 1.0KW, 400vac, 2000RPM, 4.77Nm, incremental, braked
R88M-K1K020F-S2	G5 Series AC servo motor, 1.0KW, 400vac, 2000RPM, 4.77Nm, incremental
R88M-K1K020H-BS2	G5 Series AC servo motor, 1.0KW, 200vac, 2000RPM, 4.77Nm, incremental, braked
R88M-K1K020H-S2	G5 Series AC servo motor, 1.0KW, 200vac, 2000RPM, 4.77Nm, incremental
R88M-K1K020T-BS2	G5 Series AC servo motor, 1.0KW, 200vac, 2000RPM, 4.77Nm, absolute, braked
R88M-K1K020T-S2	G5 Series AC servo motor, 1.0KW, 200vac, 2000RPM, 4.77Nm, absolute
R88M-K1K030C-BS2	G5 Series AC servo motor, 1.0KW, 400vac, 3000RPM, 3.18Nm, absolute, braked
R88M-K1K030C-S2	G5 Series AC servo motor, 1.0KW, 400vac, 3000RPM, 3.18Nm, absolute
R88M-K1K030C-S2-SAMPL	
R88M-K1K030F-BS2	G5 Series AC servo motor, 1.0KW, 400vac, 3000RPM, 3.18Nm, incremental, braked

R88M-K1K030F-S2	G5 Series AC servo motor, 1.0KW, 400vac, 3000RPM, 3.18Nm, incremental
R88M-K1K030F-S2-SAMPL	
R88M-K1K030H-BS2	G5 Series AC servo motor, 1.0KW, 200vac, 3000RPM, 3.18Nm, incremental, braked
R88M-K1K030H-S2	G5 Series AC servo motor, 1.0KW, 200vac, 3000RPM, 3.18Nm, incremental
R88M-K1K030T-BS2	G5 Series AC servo motor, 1.0KW, 200vac, 3000RPM, 3.18Nm, absolute, braked
R88M-K1K030T-S2	G5 Series AC servo motor, 1.0KW, 200vac, 3000RPM, 3.18Nm, absolute
R88M-K1K520C-BS2	G5 Series AC servo motor, 1.5KW, 400vac, 2000RPM, 7.16Nm, absolute, braked
R88M-K1K520C-S2	G5 Series AC servo motor, 1.5KW, 400vac, 2000RPM, 7.16Nm, absolute
R88M-K1K520F-BS2	G5 Series AC servo motor, 1.5KW, 400vac, 2000RPM, 7.16Nm, incremental, braked
R88M-K1K520F-S2	G5 Series AC servo motor, 1.5KW, 400vac, 2000RPM, 7.16Nm, incremental
R88M-K1K520H-BS2	G5 Series AC servo motor, 1.5KW, 200vac, 2000RPM, 7.16Nm, incremental, braked
R88M-K1K520H-S2	G5 Series AC servo motor, 1.5KW, 200vac, 2000RPM, 7.16Nm, incremental
R88M-K1K520T-BS2	G5 Series AC servo motor, 1.5KW, 200vac, 2000RPM, 7.16Nm, absolute, braked
R88M-K1K520T-S2	G5 Series AC servo motor, 1.5KW, 200vac, 2000RPM, 7.16Nm, absolute
R88M-K1K530C-BS2	G5 Series AC servo motor, 1.5KW, 400vac, 3000RPM, 4.77Nm, absolute, braked
R88M-K1K530C-S2	G5 Series AC servo motor, 1.5KW, 400vac, 3000RPM, 4.77Nm, absolute
R88M-K1K530C-S2-SAMPL	
R88M-K1K530F-BS2	G5 Series AC servo motor, 1.5KW, 400vac, 3000RPM, 4.77Nm, incremental, braked
R88M-K1K530F-S2	G5 Series AC servo motor, 1.5KW, 400vac, 3000RPM, 4.77Nm, incremental
R88M-K1K530F-S2-SAMPL	
R88M-K1K530H-BS2	G5 Series AC servo motor, 1.5KW, 200vac, 3000RPM, 4.77Nm, incremental, braked
R88M-K1K530H-S2	G5 Series AC servo motor, 1.5KW, 200vac, 3000RPM, 4.77Nm, incremental
R88M-K1K530T-BS2	G5 Series AC servo motor, 1.5KW, 200vac, 3000RPM, 4.77Nm, absolute, braked
R88M-K1K530T-S2	G5 Series AC servo motor, 1.5KW, 200vac, 3000RPM, 4.77Nm, absolute
R88M-K20030H-BS2	G5 Series AC servo motor, 200W, 200vac, 3000RPM, 0.64Nm, incremental, braked
R88M-K20030H-S2	G5 Series AC servo motor, 200W, 200vac, 3000RPM, 0.64Nm, incremental
R88M-K20030H-S2-SAMPL	
R88M-K20030T-BS2	G5 Series AC servo motor, 200W, 200vac, 3000RPM, 0.64Nm, absolute, braked
R88M-K20030T-S2	G5 Series AC servo motor, 200W, 200vac, 3000RPM, 0.64Nm, absolute
R88M-K20030T-S2-SAMPL	
R88M-K2K010C-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 1000RPM, 19.1Nm, absolute, braked
R88M-K2K010C-S2	G5 Series AC servo motor, 2.0KW, 400vac, 1000RPM, 19.1Nm, absolute
R88M-K2K010F-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 1000RPM, 19.1Nm, incremental, braked
R88M-K2K010F-S2	G5 Series AC servo motor, 2.0KW, 400vac, 1000RPM, 19.1Nm, incremental
R88M-K2K020C-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 2000RPM, 9.55Nm, absolute, braked
R88M-K2K020C-S2	G5 Series AC servo motor, 2.0KW, 400vac, 2000RPM, 9.55Nm, absolute
R88M-K2K020F-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 2000RPM, 9.55Nm, incremental, braked
R88M-K2K020F-S2	G5 Series AC servo motor, 2.0KW, 400vac, 2000RPM, 9.55Nm, incremental
R88M-K2K030C-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 3000RPM, 6.37Nm, absolute, braked
R88M-K2K030C-S2	G5 Series AC servo motor, 2.0KW, 400vac, 3000RPM, 6.37Nm, absolute
R88M-K2K030C-S2-SAMPL	
R88M-K2K030F-BS2	G5 Series AC servo motor, 2.0KW, 400vac, 3000RPM, 6.37Nm, incremental, braked
R88M-K2K030F-S2	G5 Series AC servo motor, 2.0KW, 400vac, 3000RPM, 6.37Nm, incremental
R88M-K2K030F-S2-SAMPL	
R88M-K3K010C-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 1000RPM, 28.7Nm, absolute, braked
R88M-K3K010C-S2	G5 Series AC servo motor, 3.0KW, 400vac, 1000RPM, 28.7Nm, absolute
R88M-K3K010F-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 1000RPM, 28.7Nm, incremental, braked
R88M-K3K010F-S2	G5 Series AC servo motor, 3.0KW, 400vac, 1000RPM, 28.7Nm, incremental
R88M-K3K020C-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 2000RPM, 14.3Nm, absolute, braked
R88M-K3K020C-S2	G5 Series AC servo motor, 3.0KW, 400vac, 2000RPM, 14.3Nm, absolute
R88M-K3K020F-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 2000RPM, 14.3Nm, incremental, braked
R88M-K3K020F-S2	G5 Series AC servo motor, 3.0KW, 400vac, 2000RPM, 14.3Nm, incremental

R88M-K3K030C-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 3000RPM, 9.55Nm, absolute, braked
R88M-K3K030C-S2	G5 Series AC servo motor, 3.0KW, 400vac, 3000RPM, 9.55Nm, absolute
R88M-K3K030F-BS2	G5 Series AC servo motor, 3.0KW, 400vac, 3000RPM, 9.55Nm, incremental, braked
R88M-K3K030F-S2	G5 Series AC servo motor, 3.0KW, 400vac, 3000RPM, 9.55Nm, incremental
R88M-K40020C-BS2	G5 Series AC servo motor, 400W, 400vac, 2000RPM, 1.91Nm, absolute, braked
R88M-K40020C-S2	G5 Series AC servo motor, 400W, 400vac, 2000RPM, 1.91Nm, absolute
R88M-K40020F-BS2	G5 Series AC servo motor, 400W, 400vac, 2000RPM, 1.91Nm, incremental, braked
R88M-K40020F-S2	G5 Series AC servo motor, 400W, 400vac, 2000RPM, 1.91Nm, incremental
R88M-K40030H-BS2	G5 Series AC servo motor, 400W, 200vac, 3000RPM, 1.3Nm, incremental, braked
R88M-K40030H-S2	G5 Series AC servo motor, 400W, 200vac, 3000RPM, 1.3Nm, incremental
R88M-K40030H-S2-SAMPL	
R88M-K40030T-BS2	G5 Series AC servo motor, 400W, 200vac, 3000RPM, 1.3Nm, absolute, braked
R88M-K40030T-S2	G5 Series AC servo motor, 400W, 200vac, 3000RPM, 1.3Nm, absolute
R88M-K4K020C-BS2	G5 Series AC servo motor, 4.0KW, 400vac, 2000RPM, 19.1Nm, absolute, braked
R88M-K4K020C-S2	G5 Series AC servo motor, 4.0KW, 400vac, 2000RPM, 19.1Nm, absolute
R88M-K4K020F-BS2	G5 Series AC servo motor, 4.0KW, 400vac, 2000RPM, 19.1Nm, incremental, braked
R88M-K4K020F-S2	G5 Series AC servo motor, 4.0KW, 400vac, 2000RPM, 19.1Nm, incremental
R88M-K4K030C-BS2	G5 Series AC servo motor, 4.0KW, 400vac, 3000RPM, 12.7Nm, absolute, braked
R88M-K4K030C-S2	G5 Series AC servo motor, 4.0KW, 400vac, 3000RPM, 12.7Nm, absolute
R88M-K4K030F-BS2	G5 Series AC servo motor, 4.0KW, 400vac, 3000RPM, 12.7Nm, incremental, braked
R88M-K4K030F-S2	G5 Series AC servo motor, 4.0KW, 400vac, 3000RPM, 12.7Nm, incremental
R88M-K5K020C-BS2	G5 Series AC servo motor, 5.0KW, 400vac, 2000RPM, 23.9Nm, absolute, braked
R88M-K5K020C-S2	G5 Series AC servo motor, 5.0KW, 400vac, 2000RPM, 23.9Nm, absolute
R88M-K5K020F-BS2	G5 Series AC servo motor, 5.0KW, 400vac, 2000RPM, 23.9Nm, incremental, braked
R88M-K5K020F-S2	G5 Series AC servo motor, 5.0KW, 400vac, 2000RPM, 23.9Nm, incremental
R88M-K5K030C-BS2	G5 Series AC servo motor, 5.0KW, 400vac, 3000RPM, 15.9Nm, absolute, braked
R88M-K5K030C-S2	G5 Series AC servo motor, 5.0KW, 400vac, 3000RPM, 15.9Nm, absolute
R88M-K5K030F-BS2	G5 Series AC servo motor, 5.0KW, 400vac, 3000RPM, 15.9Nm, incremental, braked
R88M-K5K030F-S2	G5 Series AC servo motor, 5.0KW, 400vac, 3000RPM, 15.9Nm, incremental
R88M-K60020C-BS2	G5 Series AC servo motor, 600W, 400vac, 2000RPM, 2.86Nm, absolute, braked
R88M-K60020C-S2	G5 Series AC servo motor, 600W, 400vac, 2000RPM, 2.86Nm, absolute
R88M-K60020F-BS2	G5 Series AC servo motor, 600W, 400vac, 2000RPM, 2.86Nm, incremental, braked
R88M-K60020F-S2	G5 Series AC servo motor, 600W, 400vac, 2000RPM, 2.86Nm, incremental
R88M-K60020F-S2-SAMPL	
R88M-K75030C-BS2	G5 Series AC servo motor, 750W, 400vac, 3000RPM, 2.39Nm, absolute, braked
R88M-K75030C-S2	G5 Series AC servo motor, 750W, 400vac, 3000RPM, 2.39Nm, absolute
R88M-K75030F-BS2	G5 Series AC servo motor, 750W, 400vac, 3000RPM, 2.39Nm, incremental, braked
R88M-K75030F-S2	G5 Series AC servo motor, 750W, 400vac, 3000RPM, 2.39Nm, incremental
R88M-K75030H-BS2	G5 Series AC servo motor, 750W, 200vac, 3000RPM, 2.4Nm, incremental, braked
R88M-K75030H-S2	G5 Series AC servo motor, 750W, 200vac, 3000RPM, 2.4Nm, incremental
R88M-K75030H-S2-SAMPL	
R88M-K75030T	
R88M-K75030T-B	
R88M-K75030T-BS2	G5 Series AC servo motor, 750W, 200vac, 3000RPM, 2.4Nm, absolute, braked
R88M-K75030T-S2	G5 Series AC servo motor, 750W, 200vac, 3000RPM, 2.4Nm, absolute
R88M-K90010C-BS2	G5 Series AC servo motor, 900W, 400vac, 1000RPM, 8.59Nm, absolute, braked
R88M-K90010C-S2	G5 Series AC servo motor, 900W, 400vac, 1000RPM, 8.59Nm, absolute
R88M-K90010F-BS2	G5 Series AC servo motor, 900W, 400vac, 1000RPM, 8.59Nm, incremental, braked
R88M-K90010F-S2	G5 Series AC servo motor, 900W, 400vac, 1000RPM, 8.59Nm, incremental
R88M-K90010H-BS2	G5 Series AC servo motor, 900W, 200vac, 1000RPM, 8.59Nm, incremental, braked
R88M-K90010H-S2	G5 Series AC servo motor, 900W, 200vac, 1000RPM, 8.59Nm, incremental
R88M-K90010T-BS2	G5 Series AC servo motor, 900W, 200vac, 1000RPM, 8.59Nm, absolute, braked

R88M-K90010T-S2	G5 Series AC servo motor, 900W, 200vac, 1000RPM, 8.59Nm, absolute
R99(KANAGU) FOR MP (PPC)	
R99-01 FOR G6DS	
R99-03 FOR MM2	
R99-03 FOR MM3.4	
R99-04(W KANAGU) FOR G5F	Surface mounting W-bracket for G7J relay
R99-07 FOR G7L	Surface mounting E-bracket for G7L relay
R99-11 FOR G3NA	
R99-11 FOR MY(NAMEPLATE) (100)	Nameplate for MY relay (packet of 100) (not PYF14ESN / ESS)
R99-12 FOR G3NA	Mounting bracket for G3NA
R99-15 for G2RV(1pc=120labels)	White plastic label for socket, supplied as strip of 120 pieces (order in multiples of 1
R99-16 for G2RV(1pc=484labels)	Labels (stickers) for G2RV sockets
R99-22 FOR G2RS(NAME PLATE)	
R99-C01 G8P FOR G8P	
RAM13-10	
RAM22-15	
RAM-H	
RDEN-01	
RDEN-02	
RDEN-03	
RDEN-04	
RDR-S-1 200AC	
RDR-S230-M	
RDR-S-380	
RDR-S-400	
RDR-S400-M	
RDR-TFY	
RDR-TFY-M	
RF3005-ROF	
RF3010-ROF	
RF3035-ROF	
RF3055-ROF	
RF3065-ROF	
RF3070-MHU-IT	
RF4016-MHO	
RF4030-MHO	
RF4042-MHO	
RF4055-MHO	
RF4075-MHO	
RF4130-MHO	
RF4180-MHO	
RGA22-A-9531-0239	
RGC-F-A-9523-4015	
RGG-2-A-9531-0342	
RGH22A10L00A	
RGM22S-A-9531-0250	
RGP22S-A-9531-025	
RGS20-S-A-9523-6160	
RK10	Rope kit, 10m, stainless steel
RK100	
RK126	
RK20	Rope kit, 20m, stainless steel

RK5	Rope kit, 5m, stainless steel
RK50	Rope kit, 50m, stainless steel
RK80	Rope Kit
RM1	
RM-3	
RM-X	
ROKKAKU NUT FOR Q22	
ROM13-12B	
ROM22-20B	
ROM23-15B	
ROM-H	
ROM-HB-B	
ROM-HD	
ROM-IB	
ROM-JD-B	EPROM memory, 16K word
ROM-KD-B	EPROM memory, 32K word
ROUTER-LINKSYS-WRT54G3GV2	
RS 1010 J7	
RS 1010 VSM	
RS 1020 J7	
RS 1020 V7	
RS 1020 VSM	
RS 1030 V7	
RS 2010 V7	
RS 2020 V7	
RS 2030 V7	
RS 3005 J7	
RS 3005 V7	
RS 3006 VSM	
RS 3008 G5	
RS 3008 VSM	
RS 3010 J7	
RS 3010 V7	
RS 3020 G5	
RS 3020 J7	
RS 3020 V7	
RS 3030 G5	
RS 3030 V7	
RS 3060 G5	
RS 3080 G5	
RS 3160 G5	
RS 3300 G5	
RS20-0400M2M2SDAE	
RS20-0400M2M2SDHE	
RS20-0400M2M2TDAE	Hirschmann rail switch, 2TX + 2MM/SC, extended temperature
RS20-0400T1T1SDAE	
RS20-0400T1T1SDHE	
RS20-0400T1T1TDAE	Hirschmann 4-port fast Ethernet switch, DIN-rail mounting, extended temperature ra
RS20-0800M2M2SDAE	
RS20-0800M2M2SDHE	
RS20-0800M2M2TDAE	Hirschmann rail switch, 6TX + 2MM/SC, extended temperature
RS20-0800T1T1SDAE	

**RS20-0800T1T1SDHE
RUBBER BOOT FOR SHL55**

RWK305-10-KL

RWK305-24-KL

RWK305-32-KL

RWK305-45-KL

RWK305-90-KL

RX-A2004-EF

RX Inverter drive, 0.4kW, 3.0A, 200VAC, 3-phase, open/ closed loop vector

RX-A2007-EF

RX Inverter drive, 0.75kW, 5.0A, 200VAC, 3-phase, open/ closed loop vector

RX-A2015-EF

RX Inverter drive, 1.5kW, 7.5A, 200VAC, 3-phase, open/ closed loop vector

RX-A2022-EF

RX Inverter drive, 2.2kW, 10.5A, 200VAC, 3-phase, open/ closed loop vector

RX-A2037-EF

RX Inverter drive, 3.7kW, 16.5A, 200VAC, 3-phase, open/ closed loop vector

RX-A2055-EF

RX Inverter drive, 5.5kW, 24A, 200VAC, 3-phase, open/ closed loop vector

RX-A2075-EF

RX Inverter drive, 7.5kW, 32A, 200VAC, 3-phase, open/ closed loop vector

RX-A2110-EF

RX Inverter drive, 11kW, 46A, 200VAC, 3-phase, open/ closed loop vector

RX-A2150-EF

RX Inverter drive, 15kW, 64A, 200VAC, 3-phase, open/ closed loop vector

RX-A2185-EF

RX Inverter drive, 18.5kW, 76A, 200VAC, 3-phase, open/ closed loop vector

RX-A2220-EF

RX Inverter drive, 22kW, 95A, 200VAC, 3-phase, open/ closed loop vector

RX-A2300-EF

RX Inverter drive, 30kW, 121A, 200VAC, 3-phase, open/ closed loop vector

RX-A2370-EF

RX Inverter drive, 37kW, 145A, 200VAC, 3-phase, open/ closed loop vector

RX-A2450-EF

RX Inverter drive, 45kW, 182A, 200VAC, 3-phase, open/ closed loop vector

RX-A2550-EF

RX Inverter drive, 55kW, 220A, 200VAC, 3-phase, open/ closed loop vector

RX-A4004-EF

RX Inverter drive, 0.4kW, 1.5A, 400VAC, 3-phase, open/ closed loop vector

RX-A4007-EF

RX Inverter drive, 0.75kW, 2.5A, 400VAC, 3-phase, open/ closed loop vector

RX-A4015-EF

RX Inverter drive, 1.5kW, 3.8A, 400VAC, 3-phase, open/ closed loop vector

RX-A4022-EF

RX Inverter drive, 2.2kW, 5.3A, 400VAC, 3-phase, open/ closed loop vector

RX-A4040-EF

RX Inverter drive, 4kW, 9.0A, 400VAC, 3-phase, open/ closed loop vector

RX-A4055-EF

RX Inverter drive, 5.5kW, 14.0A, 400VAC, 3-phase, open/ closed loop vector

RX-A4075-EF

RX Inverter drive, 7.5kW, 19A, 400VAC, 3-phase, open/ closed loop vector

RX-A4110-EF

RX Inverter drive, 11kW, 25A, 400VAC, 3-phase, open/ closed loop vector

RX-A4150-EF

RX Inverter drive, 15kW, 32A, 400VAC, 3-phase, open/ closed loop vector

RX-A4185-EF

RX Inverter drive, 18.5kW, 38A, 400VAC, 3-phase, open/ closed loop vector

RX-A4220-EF

RX Inverter drive, 22kW, 48A, 400VAC, 3-phase, open/ closed loop vector

RX-A4300-EF

RX Inverter drive, 30kW, 58A, 400VAC, 3-phase, open/ closed loop vector

RX-A4370-EF

RX Inverter drive, 37kW, 75A, 400VAC, 3-phase, open/ closed loop vector

RX-A4450-EF

RX Inverter drive, 45kW, 91A, 400VAC, 3-phase, open/ closed loop vector

RX-A4550-EF

RX Inverter drive, 55kW, 112A, 400VAC, 3-phase, open/ closed loop vector

RX-B411K-EF

RX Inverter drive, 110kW, 217A, 400VAC, 3-phase, open/ closed loop vector

RX-B413K-EF

RX Inverter drive, 132kW, 260A, 400VAC, 3-phase, open/ closed loop vector

RX-B4750-EF

RX Inverter drive, 75kW, 149A, 400VAC, 3-phase, open/ closed loop vector

RX-B4900-EF

RX Inverter drive, 90kW, 176A, 400VAC, 3-phase, open/ closed loop vector

RX-X.Y.

S3200-CN102-20-20

S3200-CN102-20-25

S3200-CN102-25-25

S3200-CN152-20-20

S3200-CN152-25-25

S3200-CN201-20-20

S3200-CN201-20-25

S3200-CN201-25-25

S3200-CN-20-20 150M

S3200-CN-20-20 200M

S3200-CN-20-20 400M	
S3200-CN-20-20 50M	
S3200-CN-20-20 5M	
S3200-CN202-20-20	
S3200-CN202-20-25	
S3200-CN202-25-25	
S3200-CN501-20-20	
S3200-CN501-20-25	
S3200-CN501-25-25	
S3200-CN-62-62 200M	
S3200-CN-62-62 50M	
S3200-COCF2071	
S3200-COCF2571	
S3200-COCH82	
S3200-COIAT2000	
S3200-HCCB101	
S3200-HCCB102	
S3200-HCCB103	
S3200-HCCB501 50M	
S3200-HCCB502	
S3200-HCCO101	
S3200-HCCO102	
S3200-HCCO103	
S3200-HCCO502	
S3D2-AK	
S3D2-AKB-US	
S3D2-AKD	Sensor controller
S3D2-AK-US	
S3D2-BK 100-240AC	
S3D2-BK-US	
S3D2-CC	Sensor Controller
S3D2-CCB-US	
S3D2-CCD	Sensor controller
S3D2-CC-US	
S3D2-CK+	
S3D2-CKB	
S3D2-CKB-US	Sensor controller, 100-240 VAC, 2x NPN inputs, SPDT relay output
S3D2-CKD	
S3D2-CK-US	Sensor controller, 100-240 VAC, 2x NPN inputs, SPDT relay output
S3D2-DK	
S3D2-EK	
S-5G SEV	
S-5GW SEV	
S82H-3012 AC100/200 12V 9A	
S82H-3024 AC100/200 24V 4.6A	
S82J-01005A	Power supply, 10W, 100-240 VAC input, 5 VDC 2A output, open frame, panel mountir
S82J-01005AD	
S82J-01005D	
S82J-01005DD	Power supply, 10W, 100-240 VAC input, 5 VDC 2A output, closed case, DIN rail mour
S82J-01012A	
S82J-01012AD	
S82J-01012D	

S82J-01012DD	
S82J-01015A	
S82J-01015AD	
S82J-01015D	
S82J-01015DD	
S82J-01024A	Power supply, 10W, 100-240 VAC input, 24 VDC 0.5A output, open frame, panel mou
S82J-01024D	
S82J-01024DD	Power supply, 10W, 100-240 VAC input, 24 VDC 0.5A output, closed case, DIN rail m
S82J-02505A CHN	Power supply, 25W, 100-240 VAC input, 5 VDC 5A output, open frame, panel mountir
S82J-02505AD CHN	
S82J-02505D CHN	Power supply, 25W, 100-240 VAC input, 5 VDC 5A output, closed case, DIN rail mour
S82J-02505DD CHN	Power supply, 25W, 100-240 VAC input, 5 VDC 5A output, closed case, DIN rail mour
S82J-02512A CHN	Power supply, 25W, 100-240 VAC input, 12 VDC 2A output, open frame, panel mount
S82J-02512AD CHN	
S82J-02512D CHN	
S82J-02512DD	Power supply, 25W, 100-240 VAC input, 12 VDC 2.1A output, closed case, DIN rail m
S82J-02515A CHN	
S82J-02515AD CHN	
S82J-02515D	
S82J-02515DD	
S82J-02524AD	Power supply, 25W, 100-240VAC input, 24VDC 1.1A output, open frame, DIN rail mou
S82J-02524D(Q)	Power supply, 25W, 100-240 VAC input, 24 VDC 1.1A output, closed case, panel mou
S82J-02524DD	Power supply, 25W, 100-240 VAC input, 24 VDC 1.1A output, closed case, DIN rail m
S82J-05024D7	
S82J-10015A	
S82J-10015AD	
S82J-10015D	
S82J-10015DD	
S82J-10024D7	
S82J-15024B	
S82J-15024C	
S82J-15024E	
S82J-15024F	
S82J-30024	Power supply, 300W, 110/240 VAC input, 24 VDC 14A output
S82J-30024N	
S82J-60024	Power supply, 600W, 110/240 VAC input, 24 VDC 27A output
S82J-60024N	
S82J-917N	
S82K-00305	Power supply, 3W, 100-240 VAC input, 5 VDC 0.6A output, DIN rail mounting
S82K-00312	Power supply, 3W, 100-240 VAC input, 12 VDC 0.25A output, DIN rail mounting
S82K-00315	
S82K-00324	Power supply, 3W, 100-240 VAC input, 24 VDC 0.13A output, DIN rail mounting
S82K-00705	Power supply, 7.5W, 100-240 VAC input, 5 VDC 1.5A output, DIN rail mounting
S82K-00712	Power supply, 7.5W, 100-240 VAC input, 12 VDC 0.6A output, DIN rail mounting
S82K-00715	Power supply, 7.5W, 100-240 VAC input, 15 VDC 0.5A output, DIN rail mounting
S82K-00724	Power supply, 7.5W, 100-240 VAC input, 24 VDC 0.3A output, DIN rail mounting
S82K-00727	
S82K-00728	Power supply, 7.5W, 100-240 VAC input, 15 VDC 0.2A output, DIN rail mounting
S82K-01505	Power supply, 15W, 100-240 VAC input, 5 VDC 2.5A output, DIN rail mounting
S82K-01512	Power supply, 15W, 100-240 VAC input, 12 VDC 1.2A output, DIN rail mounting
S82K-01524	Power supply, 15W, 100-240 VAC input, 24 VDC 0.6A output, DIN rail mounting
S82K-03005	

S82K-03012	Power supply, 30W, 110/240 VAC input, 12 VDC 2.5A output, DIN rail mounting
S82K-03024	Power supply, 30W, 110/240 VAC input, 24 VDC 1.3A output, DIN rail mounting
S82K-05024	Power supply, 50W, 110/240 VAC input, 24 VDC 2.1A output, DIN rail mounting
S82K-09024+	Power supply, 90W, 110/240 VAC input, 24 VDC 3.8A output, DIN rail mounting
S82K-09024-500	
S82K-10024+	Power supply, 100W, 110/240 VAC input, 24 VDC 4.2A output, DIN rail mounting
S82K-P09024	
S82K-P10024	
S82R-0328 AC100 30W 15V 15V	
S82R-0522	
S82R-0722	
S82R-2321	
S82R-2322	
S82R-2327	
S82R-2328	
S82R-2521	
S82R-2522	
S82R-2527	
S82R-2528	
S82R-2722	
S82R-5321	
S82R-5328	
S82R-5521	
S82R-5522	
S82R-5527	
S82R-5528	
S82R-5722	
S82R-6322	
S82R-6327	
S82R-6328	
S82R-6521	
S82R-6522	
S82R-6527	
S82R-6528	
S82R-6722	
S82S-7305	
S82S-7312	
S82S-7315	
S82S-7705	Power supply, 7.5W, 12-24 VDC input, 5 VDC 1.5A output, DIN rail mounting
S82S-7712	Power supply, 7.5W, 12-24 VDC input, 12 VDC 0.6A output, DIN rail mounting
S82S-7715	
S82S-7724	
S82S-7727	Power supply, 7.5W, 12-24 VDC input, 12 VDC 0.2A output, DIN rail mounting
S82S-7728	
S82Y-01N	
S82Y-03N	
S82Y-05N	
S82Y-10N	DIN rail mounting bracket for S82J-10024D/15024D power supply
S82Y-D30A	
S82Y-D30B	
S82Y-D30S	
S82Y-D60B	

S82Y-D60S	
S82Y-D60T	
S82Y-DFAN	
S82Y-J00F	
S82Y-J01K	
S82Y-J02K	
S82Y-J05K	
S82Y-J100K	
S82Y-J10K	
S82Y-J30F	
S82Y-JC-T	
S82Y-JF3-N	
S82Y-JF6-N*	
S82Y-JFAN	
S82Y-JTC1	
S82Y-JX05B	
S82Y-JX10B	
S82Y-JX15B	
S82Y-JX15F	
S82Y-TS01	Battery holder for S8T DC backup block
S82Y-VM10B	
S82Y-VM10F	
S82Y-VM10H	
S82Y-VM20B	
S82Y-VM30B	
S82Y-VM30C	
S82Y-VM30D	Din rail mounting bracket for S8VM 300W
S82Y-VM30F	Mounting Bracket
S82Y-VM30S	Bottom mounting bracket for S8VM 300W
S82Y-VM60B	Bottom mounting bracket for S8VM 600W
S82Y-VM60D	Din rail mounting bracket for S8VM 600W
S82Y-VM60F	Front mounting bracket for S8VM 600W
S82Y-VM60S	Bottom mounting bracket for S8VM 600W
S82Y-VS10F	
S82Y-VS10S	
S82Y-VS15S	
S82Y-VS20S	
S82Y-VS30P	
S8AS-24006N	
S8AS-24006R	
S8AS-48008	
S8AS-48008N	
S8JX-03505CD	Power supply, 35W, 200-240 VAC input, 5 VDC 7A output, DIN rail mounting
S8JX-03512CD	Power supply, 35W, 200-240 VAC input, 12 VDC 3A output, DIN rail mounting
S8JX-G01505CD	Power supply, 15W, 100-240 VAC input, 5 VDC 2A output, DIN rail mounting
S8JX-G01512CD	Power supply, 15W, 100-240 VAC input, 12 VDC 1.2A output, DIN rail mounting
S8JX-G01515CD	Power supply, 15W, 100-240 VAC input, 15 VDC 1A output, DIN rail mounting
S8JX-G01524CD	Power supply, 15W, 100-240 VAC input, 24 VDC 0.65A output, DIN rail mounting
S8JX-G03505CD	Power supply, 35W, 100-240 VAC input, 5 VDC 7A output, DIN rail mounting
S8JX-G03505D	
S8JX-G03512	
S8JX-G03512C	

OMRON Industrial

S8JX-G03512CD	Power supply, 35W, 100-240 VAC input, 12 VDC 2.9A output, DIN rail mounting
S8JX-G03512D	
S8JX-G03515CD	Power supply, 35W, 100-240 VAC input, 15 VDC 2.3A output, DIN rail mounting
S8JX-G03524	
S8JX-G03524C	
S8JX-G03524CD	Power supply, 35W, 100-240 VAC input, 24 VDC 1.5A output, DIN rail mounting
S8JX-G03524D	
S8JX-G05005	
S8JX-G05005C	
S8JX-G05005CD	Power supply, 50W, 100-240 VAC input, 5 VDC 10A output, DIN rail mounting
S8JX-G05005D	Power supply, open frame, 50W, 100-240 VAC input, 5 VDC 10A output, DIN rail mou
S8JX-G05012	
S8JX-G05012C	
S8JX-G05012CD	Power supply, 50W, 100-240 VAC input, 12 VDC 4.2A output, DIN rail mounting
S8JX-G05012D	Power supply, open frame, 50W, 100-240 VAC input, 12 VDC 4.2A output, DIN rail mc
S8JX-G05024	
S8JX-G05024C	
S8JX-G05024CD	Power supply, 50W, 100-240 VAC input, 24 VDC 2.1A output, DIN rail mounting
S8JX-G05024D	Power supply, open frame, 50W, 100-240 VAC input, 24 VDC 2.1A output, DIN rail mc
S8JX-G10005	
S8JX-G10005C	
S8JX-G10005CD	Power supply, 100W, 100-240 VAC input, 5 VDC 20A output, DIN rail mounting
S8JX-G10005D	Power supply, open frame, 100W, 100-240 VAC input, 5 VDC 20A output, DIN rail mo
S8JX-G10012	
S8JX-G10012C	
S8JX-G10012CD	Power supply, 100W, 100-240 VAC input, 12 VDC 8.5A output, DIN rail mounting
S8JX-G10012D	Power supply, open frame, 100W, 100-240 VAC input, 12 VDC 8.5A output, DIN rail m
S8JX-G10024	
S8JX-G10024C	
S8JX-G10024CD	Power supply, 100W, 100-240 VAC input, 24 VDC 4.2A output, DIN rail mounting
S8JX-G10024D	Power supply, open frame, 100W, 100-240 VAC input, 24 VDC 4.2A output, DIN rail m
S8JX-G15024	
S8JX-G15024C	
S8JX-G15024CD	Power supply, 150W, 100-240 VAC input, 24 VDC 6.5A output, DIN rail mounting
S8JX-G15024D	Power supply, open frame, 150W, 100-240 VAC input, 24 VDC 6.5A output, DIN rail m
S8JX-G30024CD	Power supply, 300W, 100-240 VAC input, 24 VDC 12.5A output, DIN rail mounting
S8JX-G60024C	Power supply, 600W, 100-240 VAC input, 24 VDC 25A output, DIN rail mounting
S8M-CP04	multi circuit protector, upto 16A, 4x4.0A per circuit, ideal for branching, requires pov
S8M-CP04-R	Multi circuit protector, upto 16A, 4x4.0A per circuit, RS232 communications, ideal fo
S8M-CP04-RS	Multi circuit protector, upto 16A, 4x3.8A per circuit ,RS232 communications, ideal fo
S8PSR26	
S8T-BUS01	Bus line connector for parallel operation with 12 & 24 VDC units, order as spares on
S8T-BUS03	Bus line connector for DC (one supplied)
S8T-BUS11	Bus line connector for parallel operation with 12 & 24 VDC units, order as spares on
S8T-BUS12	Bus line connector for isolated operation with 5, 12 & 24 VDC units, order for 5 VDC
S8T-BUS13	Bus line connector for DC (pack of 10)
S8T-DCBU-01	DC backup block for S8TS PSU
S8T-DCBU-02	
S8TS-02505	Power supply, 100-240 VAC input, 25W 5 VDC 5A output, DIN rail mounting, modular
S8TS-02505F	
S8TS-03012	
S8TS-03012-E1	Power supply, 100-240 VAC input, 30W 12 VDC 2.5A output, DIN rail mounting, modu

S8TS-03012F	
S8TS-03012F-E1	
S8TS-06024.	Power supply, 100-240VAC input, 60W 24VDC 2.5A output, DIN rail mounting, modul
S8TS-06024-E1	Power supply, 100-240VAC input, 60W 24VDC 2.5A output, DIN rail mounting, modu
S8TS-06024F	
S8TS-06024F-E1	Power supply, 100-240 VAC input, 60W 24 VDC 2.5A output, DIN rail mounting, contr
S8VE-06024	
S8VE-06024-F	
S8VE-09024	
S8VE-12024	
S8VE-12024-F	
S8VE-18024	
S8VE-24024	
S8VE-24024-F	
S8VM-01505	Power supply, open case, 100/240 VAC supply, 15w, 5 VDC 3.0A output
S8VM-01505C	Power supply, metal case, 100/240 VAC supply, 15w, 5 VDC 3.0A output
S8VM-01505CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 15w, 5 VDC 3.0A
S8VM-01505D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 15w, 5 VDC 3.0A
S8VM-01512	Power supply, open case, 100/240 VAC supply, 15w,12 VDC 1.3A output
S8VM-01512C	Power supply, metal case, 100/240 VAC supply, 15w,12 VDC 1.3A output
S8VM-01512CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 15w,12 VDC 1.3A
S8VM-01512D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 15w,12 VDC 1.3A
S8VM-01515	Power supply, open case, 100/240 VAC supply, 15w,15 VDC 1 A output
S8VM-01515C	Power supply, metal case, 100/240 VAC supply, 15w,15 VDC 1 A output
S8VM-01515CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 15w,15 VDC 1 A
S8VM-01515D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 15w,15 VDC 1 A
S8VM-01524	Power supply, open case, 100/240 VAC supply, 15W 24 VDC 0.65A output
S8VM-01524A	Power supply, metal case, 100/240 VAC supply, 15W 24 VDC 0.65A output, with unde
S8VM-01524AD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 15W 24 VDC 0.65A
S8VM-01524C	Power supply, metal case, 100/240 VAC supply, 15W 24 VDC 0.65A output
S8VM-01524CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 15W 24 VDC 0.65A
S8VM-01524D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 15W 24 VDC 0.65A
S8VM-03005	Power supply, open case, 100/240 VAC supply, 30W, 5 VDC 6.0A output
S8VM-03005C	Power supply, metal case, 100/240 VAC supply, 30W, 5 VDC 6.0A output
S8VM-03005CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 30W, 5 VDC 6.0A
S8VM-03005D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 30W, 5 VDC 6.0A
S8VM-03012	Power supply, open case, 100/240 VAC supply, 30W,12 VDC 2.5A output
S8VM-03012C	Power supply, metal case, 100/240 VAC supply, 30W,12 VDC 2.5A output
S8VM-03012CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 30W,12 VDC 2.5A
S8VM-03012D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 30W,12 VDC 2.5A
S8VM-03015	Power supply, open case, 100/240 VAC supply, 30W,15 VDC 2A output
S8VM-03015C	Power supply, metal case, 100/240 VAC supply, 30W,15 VDC 2A output
S8VM-03015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 30W,15 VDC 2A
S8VM-03015D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 30W,15 VDC 2A
S8VM-03024	Power supply, open case, 100/240 VAC supply, 30W 24 VDC 1.3A output
S8VM-03024A	Power supply, metal case, 100/240 VAC supply, 30W 24 VDC 1.3A output with under
S8VM-03024AD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 30W 24 VDC 1.3A
S8VM-03024C	Power supply, metal case, 100/240 VAC supply, 30W 24 VDC 1.3A output
S8VM-03024CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 30W 24 VDC 1.3A
S8VM-03024D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 30W 24 VDC 1.3A
S8VM-05005	Power supply, open case, 100/240 VAC supply, 50w, 5 VDC 6.0A output
S8VM-05005C	Power supply, metal case, 100/240 VAC supply, 50w, 5 VDC 6.0A output

S8VM-05005CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 50w, 5 VDC 6.0A
S8VM-05005D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 50w, 5 VDC 6.0A
S8VM-05012	Power supply, open case, 100/240 VAC supply, 50w,12 VDC 4.3A output
S8VM-05012C	Power supply, metal case, 100/240 VAC supply, 50w,12 VDC 4.3A output
S8VM-05012CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 50w,12 VDC 4.3A
S8VM-05012D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 50w,12 VDC 4.3A
S8VM-05015	Power supply, open case, 100/240 VAC supply, 50w,15 VDC 3.5A output
S8VM-05015C	Power supply, metal case, 100/240 VAC supply, 50w,15 VDC 3.5A output
S8VM-05015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 50w,15 VDC 3.5A
S8VM-05015D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 50w,15 VDC 3.5A
S8VM-05024	Power supply, open case, 100/240 VAC supply, 50W 24 VDC 2.2A output
S8VM-05024A	Power supply, metal case, 100/240 VAC supply, 50W 24 VDC 2.2A output, with under
S8VM-05024AD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 50W 24 VDC 2.2A
S8VM-05024C	Power supply, metal case, 100/240 VAC supply, 50W 24 VDC 2.2A output
S8VM-05024CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 50W 24 VDC 2.2A
S8VM-05024D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 50W 24 VDC 2.2A
S8VM-05024P	Power supply, metal case, 100/240 VAC supply, 50W 24 VDC 2.2A output, with under
S8VM-05024PD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 50W 24 VDC 2.2A
S8VM-10005	Power supply, open case, 100/240 VAC supply, 100w, 5 VDC 20A output
S8VM-10005C	Power supply, metal case, 100/240 VAC supply, 100w, 5 VDC 20A output
S8VM-10005CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 100w, 5 VDC 20A
S8VM-10005D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 100w, 5 VDC 20A
S8VM-10012	Power supply, open case, 100/240 VAC supply, 100w,12 VDC 8.5A output
S8VM-10012C	Power supply, metal case, 100/240 VAC supply, 100w,12 VDC 8.5A output
S8VM-10012CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 100w,12 VDC 8.5A
S8VM-10012D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 100w,12 VDC 8.5A
S8VM-10015	Power supply, open case, 100/240 VAC supply, 100w,15 VDC 7A output
S8VM-10015C	Power supply, metal case, 100/240 VAC supply, 100w,15 VDC 7A output
S8VM-10015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 100w,15 VDC 7A
S8VM-10015D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 100w,15 VDC 7A
S8VM-10024	Power supply, open case, 100/240 VAC supply, 100W 24 VDC 4.5A output
S8VM-10024A	Power supply, metal case, 100/240 VAC supply, 100W 24 VDC 4.5A output, with unde
S8VM-10024AD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 100W 24 VDC 4.5A
S8VM-10024C	Power supply, metal case, 100/240 VAC supply, 100W 24 VDC 4.5A output
S8VM-10024CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 100W 24 VDC 4.5A
S8VM-10024D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 100W 24 VDC 4.5A
S8VM-10024P	Power supply, metal case, 100/240 VAC supply, 100W 24 VDC 4.5A output, with unde
S8VM-10024PD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 100W 24 VDC 4.5A
S8VM-15005	Power supply, open case, 100/240 VAC supply, 135w, 5 VDC 27A output
S8VM-15005C	Power supply, metal case, 100/240 VAC supply, 135w, 5 VDC 27A output
S8VM-15005CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 135w, 5 VDC 27A
S8VM-15005D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 135w, 5 VDC 27A
S8VM-15012	Power supply, open case, 100/240 VAC supply, 150w,12 VDC 12.5A output
S8VM-15012C	Power supply, metal case, 100/240 VAC supply, 150w,12 VDC 12.5A output
S8VM-15012CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 150w,12 VDC 12.5
S8VM-15012D	Power supply, open case, 100/240 VAC supply, DIN rail mounting, 150w,12 VDC 12.5
S8VM-15015	Power supply, open case, 100/240 VAC supply, 150W 15 VDC 10A output
S8VM-15015C	Power supply, metal case, 100/240 VAC supply, 150W 15 VDC 10A output
S8VM-15015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 150W 15 VDC 10A
S8VM-15015D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 150W 15 VDC 10A
S8VM-15024	Power supply, open case, 100/240 VAC supply, 150W 24 VDC 6.5A output
S8VM-15024A	Power supply, metal case, 100/240 VAC supply, 150W 24 VDC 6.5A output, with unde

S8VM-15024AD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 150W 24 VDC 6.5A
S8VM-15024C	Power supply, metal case, 100/240 VAC supply, 150W 24 VDC 6.5A output
S8VM-15024CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 150W 24 VDC 6.5A
S8VM-15024D	Power supply, open case, 100/240 VAC supply, DIN rail mounting 150W 24 VDC 6.5A
S8VM-15024P	Power supply, metal case, 100/240 VAC supply, 150W 24 VDC 6.5A output, with unde
S8VM-15024PD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting 150W 24 VDC 6.5A
S8VM-15224C	Power supply, metal case, 100/240 VAC supply, Direct panel mounting, 1,500w,24 V
S8VM-30005C	Power supply, metal case,Integral no maintenance cooling fan, 100/240 VAC supply,
S8VM-30012C	Power supply, metal case,Integral no maintenance cooling fan, 100/240 VAC supply,
S8VM-30015C	Power supply, metal case,Integral no maintenance cooling fan, 100/240 VAC supply,
S8VM-30024C	Power supply, metal case,integral no maintenance cooling fan, 100/240 VAC supply
S8VM-60005C	Power supply, metal case, integral no maintenance cooling fan, 100/240 VAC supply
S8VM-60012C	Power supply, metal case, integral no maintenance cooling fan, 100/240 VAC supply
S8VM-60015C	Power supply, metal case, integral no maintenance cooling fan, 100/240 VAC supply
S8VM-60024C	Power supply, metal case, integral no maintenance cooling fan, 100/240 VAC supply
S8VS-01505	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-01512	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-01524	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-03005	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-03012	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-03024	Power supply, plastic case, 22.5mm wide DIN rail or direct panel mounting,100/240 V
S8VS-06024	Power supply, 60W, 100-240 VAC input, 24 VDC 2.5A output, DIN rail mounting, basi
S8VS-06024A	Power supply, 60W, 100-240VAC input, 24VDC 2.5A output, DIN rail mounting, digita
S8VS-06024B	Power supply, 60W, 100-240VAC input, 24VDC 2.5A output, DIN rail mounting, digita
S8VS-06024-F	
S8VS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, bas
S8VS-09024A	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digi
S8VS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digi
S8VS-09024B	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digi
S8VS-09024BP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digi
S8VS-09024S	
S8VS-12024	Power supply, 120W, 100-240 VAC input, 24 VDC 5A output, DIN rail mounting, basic
S8VS-12024A	Power supply, 120W, 100-240VAC input, 24VDC 5A output, DIN rail mounting, digital
S8VS-12024AP	Power supply, 120W, 100-240VAC input, 24VDC 5A output, DIN rail mounting, digital
S8VS-12024B	Power supply, 120W, 100-240 VAC input, 24 VDC 5A output, DIN rail mounting, digita
S8VS-12024BP	Power supply, 120W, 100-240 VAC input, 24 VDC 5A output, DIN rail mounting, digita
S8VS-12024-F	
S8VS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, bas
S8VS-18024A	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digi
S8VS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digit
S8VS-18024B	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digi
S8VS-18024BP	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digi
S8VS-24024	Power supply, 240W, 100-240 VAC input, 24 VDC 10A output, DIN rail mounting, basi
S8VS-24024A	Power supply, 240W, 100-240VAC input, 24VDC 10A output, DIN rail mounting, digita
S8VS-24024AP	Power supply, 240W, 100-240VAC input, 24VDC 10A output, DIN rail mounting, digita
S8VS-24024B	Power supply, 240W, 100-240VAC input, 24VDC 10A output, DIN rail mounting, digita
S8VS-24024BP	Power supply, 240W, 100-240VAC input, 24VDC 10A output, DIN rail mounting, digita
S8VS-24024-F	
S8VS-48024	Power supply, 480W, 100-240 VAC input, 24 VDC 20A output, DIN rail mounting, basi
S8VS-48024A	Power supply, 480W, 100-240 VAC input, 24 VDC 20A output, DIN rail mounting, digi
S8VS-48024B	Power supply, 480W, 100-240 VAC input, 24 VDC 20A output, DIN rail mounting, digi
S8VS-48024-F	

S8VT-F12024E	Power supply, 120W, 320-480 VAC 3-phase input, 24 VDC 5A output, DIN rail mounti
S8VT-F24024E	Power supply, 240W, 320-480 VAC 3-phase input, 24 VDC 10A output, DIN rail mount
S8VT-F48024E	Power supply, 480W, 320-480 VAC 3-phase input, 24 VDC 20A output, DIN rail mount
S8VT-F96024E	Power supply, 960W, 320-500 VAC 3-phase input, 24 VDC 40A output, DIN rail mount
SAL2	
SAO-Q1N	
SAO-Q2N	
SAO-Q5N	
SAO-R1N	
SAO-R2N	
SAO-S1N	
SAO-S2N	
SAO-S5N	
SAO-SU1N	
SAO-SU2N	
SC-1M	
SC-1PT	
SC-21	
SC-22	
SC-24	
SC-25	
SC-2FD-1	
SC-2M	
SC-2PT	
SC-3M	
SC-3PT	
SC-4F4D	
SC-4FD	
SC-4M	
SC-4PT	
SC-5PT	
SCA1-4F10	CompoBus/S network cable, flat, 4-core 0.75mmsq, 100m reel
SCN1-TH4	CompoBus/S network branch connector, IDC
SCN1-TH4E	CompoBus/S network extension connector, IDC
SCN1-TH4T	CompoBus/S network connector terminator, IDC
SCPL-SYSFL-2003E	Compolet full software package, includes Sysmac C/CV/CS1 Compolet and FinsGate
SCPL-SYSFL-V2E	Compolet full software package, includes Sysmac C/CV/CS1 Compolet and FinsGate
SCPL-SYSLT-V2E	Compolet light software package, includes Sysmac C Compolet and FinsGateway se
SC-R40	
SCREW FOR Z	
SCY-BAT01	
SCYM1R-BAT80	
SDV-DH2 24DC	
SDV-DH6 100/110AC	
SDV-DH7 200/220AC	
SDV-DM1	
SDV-DM3 48DC	
SDV-DM6 100/110AC	
SDV-DM7 200/220AC	
SDV-FH2 24DC	
SDV-FH2T DC24V	
SDV-FH3 48DC	
	Controller

SDV-FH3T 48VDC
SDV-FH4 100/110DC
SDV-FH5 125DC
SDV-FH6 100/110AC
SDV-FH6T AC100/110V
SDV-FH7 200/220AC
SDV-FL1
SDV-FL2
SDV-FL3 48DC
SDV-FL4 100/110DC
SDV-FL6
SDV-FL7
SDV-FM2 24DC
SDV-FM3
SDV-FM4 100/110DC
SDV-FM6
SDV-FM7
SDV-SH10
SDV-SH100
SDV-SH15
SDV-SH20
SDV-SH200
SDV-SH30
SDV-SH5
SDV-SH50
SDV-SH7.5
SDV-SH7.5 100MV
SDV-SH75
SE-F7AD
SE-K1EN
SE-K1N
SE-K2EN
SE-K4EN
SE-KP1AN
SE-KP1EN
SE-KP1N
SE-KP2AN
SE-KP2EN
SE-KP2N
SE-KQ1EN
SE-KQ2EN
SE-KQ4EN
SE-KQP1AN
SE-KQP1EN
SE-KQP1N
SE-KQP2EN
SE-KQP2N
SEPARATOR FOR VAQ
SEPARATOR FOR Z
SE-PT 400
SET-3A
SET-3B

Voltage sensor

Voltage sensor

SFGW-RT-2003E	FinsGateway runtime software, Full version for Windows 2000/XP
SFGW-RT-V3E	FinsGateway runtime software, supports serial/Ethernet/Sysmac Link/Controller Link
SFGW-SDK-2003E	
SFGW-SDK-V3E	
SFGW-VAP-E	
SGDG-01GT	
SGDG-04GT	
SGDH-01AE	Servo driver, 100W, pulse/analogue input, 240VAC, single-phase (equivalent to R88E
SGDH-01AE-OY MYS	Servo driver, 100W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88E
SGDH-01BE	
SGDH-01BE-OY	
SGDH-02AE	Servo driver, 200W, pulse/analogue input, 240VAC, single-phase (equivalent to R88E
SGDH-02AE-OY MYS	Servo driver, 200W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88E
SGDH-02BE	
SGDH-02BE-OY	
SGDH-04AE	Servo driver, 400W, pulse/analogue input, 240VAC, single-phase (equivalent to R88E
SGDH-04AE-F	
SGDH-05AE	
SGDH-05DE-OY GBR	Servo driver, 0.45kW, 400 VAC, 3-phase (equivalent to R88D-WT05HF)
SGDH-08AE	Servo driver, 750W, pulse/analogue input, 240 VAC, three-phase
SGDH-08AE-SF	
SGDH-10AE	
SGDH-10DE-OY GBR	Servo driver, 1.0kW, 400 VAC, 3-phase (equivalent to R88D-WT10HF)
SGDH-10DEY12	
SGDH-10DE-Y12 GBR	
SGDH-15AE	Servo driver, 1500W, pulse/analogue input, 240 VAC, three phase
SGDH-15AE-S	Servo driver, 1500W, pulse/analogue input, 240VAC, single-phase (equivalent to R88E
SGDH-15AE-S-OY	Servo driver, 1500W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88E
SGDH-15DE-OY GBR	Servo driver, 1.5kW, 400 VAC, 3-phase (equivalent to R88D-WT15HF)
SGDH-15DE-Y12 GBR	
SGDH-1AEDE-OY	Servo driver, 11kW, 400 VAC, 3-phase (equivalent to R88D-WT110HF)
SGDH-1EDE-OY	Servo driver, 15kW, 400 VAC, 3-phase (equivalent to R88D-WT150HF)
SGDH-20AE	Servo driver, 2000W, pulse/analogue input, 240 VAC, single-phase
SGDH-20DE-OY GBR	Servo driver, 2.0kW, 400 VAC, 3-phase (equivalent to R88D-WT20HF)
SGDH-20DE-Y12 GBR	
SGDH-2BDE	
SGDH-2BDEB	
SGDH-30AE	Servo driver, 3000W, pulse/analogue input, 240 VAC, single-phase
SGDH-30DE-OY GBR	Servo driver, 3.0kW, 400 VAC, 3-phase (equivalent to R88D-WT30HF)
SGDH-30DE-Y12 GBR	
SGDH-3GDE	
SGDH-3ZDE	
SGDH-4EDE	
SGDH-50AE	
SGDH-50DE-OY GBR	Servo driver, 5kW, 400 VAC, 3-phase (equivalent to R88D-WT50HF)
SGDH-50DE-Y12 GBR	
SGDH-5EDE	
SGDH-60AE	
SGDH-60DE-OY	Servo driver, 6kW, 400 VAC, 3-phase (equivalent to R88D-WT60HF)
SGDH-75AE	
SGDH-75DE-OY	Servo driver, 7.5kW, 400 VAC, 3-phase (equivalent to R88D-WT75HF)
SGDH-75DEY529	

SGDH-A3AE-OY	Servo driver, 30W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88D)
SGDH-A3BE	
SGDH-A3BE-OY	
SGDH-A5AE	Servo driver, 50W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88D)
SGDH-A5AE-OY	Servo driver, 50W, pulse/analogue input, 240 VAC, single-phase (equivalent to R88D)
SGDH-A5BE	
SGDH-A5BE-OY	
SGDM-05ADA	
SGDM-15ADA	
SGDM-60ADA	
SGDS-01A01A	
SGDS-01A02A	
SGDS-01A12A	
SGDS-01A15A	
SGDS-02A01A	
SGDS-02A02A	
SGDS-02A05A	
SGDS-02A12A	
SGDS-02A15A	
SGDS-02A72A	
SGDS-04A01A	
SGDS-04A12A	
SGDS-04A15A	
SGDS-04F01A	
SGDS-04F12A	
SGDS-08A01A	
SGDS-08A12A	
SGDS-08A15A	
SGDS-15A01A	
SGDS-15A12A	
SGDS-15A15A	
SGDS-30A01A	
SGDS-30A12A	
SGDS-A3B01A	
SGDS-A3B02A	
SGDS-A3B12A	
SGDS-A5A01A	
SGDS-A5A12A	
SGDV-01A01A-OY GBR	
SGDV-01A05A-OY	
SGDV-01A11A-OY GBR	Servo driver,100W,Mechatrolink-II,200 VAC, single-phase
SGDV-01A15A-OY	
SGDV-02A01A-OY GBR	
SGDV-02A05A-OY	
SGDV-02A11A-OY GBR	Servo driver,200W,Mechatrolink- II,200 VAC, single-phase
SGDV-02A15A-OY	
SGDV-04A01A-OY GBR	
SGDV-04A05A-OY	
SGDV-04A11A-OY GBR	Servo driver,400W,Mechatrolink- II,200 VAC, single -phase
SGDV-04A15A-OY	
SGDV-05D01A-OY GBR	
SGDV-05D05A-OY GBR	

SGDV-05D11A-OY GBR
SGDV-05D15A-OY GBR
SGDV-08A01A-OY GBR
SGDV-08A05A-OY
SGDV-08A11A-OY GBR
SGDV-08A15A-OY
SGDV-10D01A-OY GBR
SGDV-10D05A-OY GBR
SGDV-10D11A-OY GBR
SGDV-10D15A-OY
SGDV-10D15A-OY GBR
SGDV-120A01A008000
SGDV-120A05A008000
SGDV-120A11A008000
SGDV-120A15A-008000
SGDV-120D01A
SGDV-120D05A
SGDV-120D11A
SGDV-120DE1A
SGDV-15A01A-OY-008000
SGDV-15A05A-OY-008000
SGDV-15A11A-OY-008000
SGDV-15A15A-OY-008000
SGDV-15D01A-OY GBR
SGDV-15D05A-OY GBR
SGDV-15D11A-OY GBR
SGDV-15D15A-OY
SGDV-15D15A-OY GBR
SGDV-170D01A
SGDV-170D05A
SGDV-170D11A
SGDV-170D15A
SGDV-170DE1A
SGDV-180A05A
SGDV-180A11A
SGDV-180A15A
SGDV-1R6A05A
SGDV-1R6A15A
SGDV-1R6AE1A
SGDV-1R9D01A
SGDV-1R9D05A
SGDV-1R9D11A
SGDV-1R9D15A
SGDV-1R9DE1A
SGDV-200A11A
SGDV-200A15A
SGDV-20D01A-OY GBR
SGDV-20D05A-OY GBR
SGDV-20D11A-OY GBR
SGDV-20D15A-OY GBR
SGDV-210D01A
SGDV-210D11A

Servo driver,500W,Mechatrolink- II,400 VAC,three-phase

Servo driver,800W,Mechatrolink- II,200 VAC, single-phase

SGDV-260D01A
SGDV-260D01A020000
SGDV-260D11A
SGDV-260D11A020000
SGDV-280D01A
SGDV-280D11A
SGDV-2R8A01A
SGDV-2R8A05A
SGDV-2R8A15A
SGDV-2R8AE1A
SGDV-30D01A-OY GBR
SGDV-30D05A-OY GBR
SGDV-30D11A-OY GBR
SGDV-30D15A-OY GBR
SGDV-330A05A
SGDV-370D01A
SGDV-370D11A
SGDV-3R5D01A
SGDV-3R5D05A
SGDV-3R5D11A
SGDV-3R5D15A
SGDV-3R5DE1A
SGDV-50D01A-OY GBR
SGDV-50D05A-OY GBR
SGDV-50D11A-OY GBR
SGDV-50D15A-OY GBR
SGDV-550A01A
SGDV-5R4D01A
SGDV-5R4D05A
SGDV-5R4D15A
SGDV-5R4DE1A
SGDV-5R5A01A
SGDV-5R5A05A
SGDV-5R5A11A
SGDV-5R5A15A
SGDV-5R5AE1A
SGDV-7R6A15A
SGDV-8R4D01A
SGDV-8R4D05A
SGDV-8R4D11A
SGDV-8R4D15A
SGDV-8R4DE1A
SGDV-A5A01A-OY GBR
SGDV-A5A05A-OY
SGDV-A5A11A-OY GBR
SGDV-A5A15A-OY
SGDV-OCA01A GBR
SGDV-OCA03A GBR
SGDV-OCB01A GBR
SGDV-OFA01A
SGDV-OSA01A
SGDV-OZA01A GBR

Servo driver,5.0kW,Mechatrolink- II interface, 400vac, three phase

SGDV-R70A01A	
SGDV-R70A05A	
SGDV-R70A11A	
SGDV-R70A15A	
SGDV-R70AE1A	
SGDV-R90A01A	
SGDV-R90A05A	
SGDV-R90A11A	
SGDV-R90A15A	
SGDV-R90AE1A	
SG-L14	
SGLFM-1E135AC	Sigma linear magnetic way, F-type iron core, 135mm, with magnet cover
SGLFM-1Z135AC	
SGLFM-1Z405AC	
SGLFM-1Z675AC	Sigma linear magnetic way, F-type iron core, 675mm, with magnet cover
SGLFM-1Z945AC	Sigma linear magnetic way, F-type iron core, 945mm, with magnet cover
SGLFM-20324AC	
SGLFM-20540AC	
SGLFM-20756AC	
SGLFM-35324AC	
SGLFM-35540AC	
SGLFM-35756AC	
SGLFM-50135AC	
SGLFM-50405AC	Sigma linear magnetic way, F-type iron core, 405mm, with magnet cover
SGLFM-50675AC	
SGLFM-50945AC	
SGLFW-1EA380BP	
SGLFW-1EA560BP	
SGLFW-1ED380BP	Sigma linear motor coil, F-type iron core, 380mm, 400 VAC, with hall sensor
SGLFW-1ED560BP	Sigma linear motor coil, F-type iron core, 560mm, 400 VAC, with hall sensor
SGLFW-1ZA200BPD	
SGLFW-1ZA380BP	
SGLFW-1ZD200BPD	
SGLFW-1ZD380BD	
SGLFW-1ZD380BPD	Sigma linear motor coil, F-type iron core, 380mm, 400 VAC, with hall sensor, interco
SGLFW-20A090APD	
SGLFW-20A120APD	
SGLFW-35A120APD	
SGLFW-35A230APD	
SGLFW-35D120APD	
SGLFW-35D230APD	
SGLFW-50A200BPD	Sigma linear motor coil, F-type iron core, 200mm, 400 VAC, with hall sensor, interco
SGLFW-50A380BPD	
SGLFW-50D200BPD	
SGLFW-50D380BPD	
SGLGM-30108A	
SGLGM-30216A	
SGLGM-30432A	
SGLGM-40090CT	Sigma linear magnetic way, coreless, 90mm, mounting type 2
SGLGM-40090CT-M	Sigma linear magnetic way, coreless, 90mm, mounting type 2, high thrust force
SGLGM-40225CT	Linear Motor
SGLGM-40225CT-M	Sigma linear magnetic way, coreless, 225mm, mounting type 2, high thrust force

SGLGM-40360CT	Linear Motor
SGLGM-40360CT-M	Sigma linear magnetic way, coreless, 360mm, mounting type 2, high thrust force
SGLGM-40405CT	Sigma linear magnetic way, coreless, 405mm, mounting type 2
SGLGM-40405CT-M	Sigma linear magnetic way, coreless, 405mm, mounting type 2, high thrust force
SGLGM-40450CT	Linear Motor
SGLGM-40450CT-M	Sigma linear magnetic way, coreless, 450mm, mounting type 2, high thrust force
SGLGM-60090CT	Sigma linear magnetic way, coreless, 90mm, mounting type 2
SGLGM-60090CT-M	Sigma linear magnetic way, coreless, 90mm, mounting type 2, high thrust force
SGLGM-60225CT	Sigma linear magnetic way, coreless, 225mm, mounting type 2
SGLGM-60225CT-M	Linear Motor
SGLGM-60360CT	Sigma linear magnetic way, coreless, 360mm, mounting type 2
SGLGM-60360CT-M	Linear Motor
SGLGM-60405CT	Sigma linear magnetic way, coreless, 405mm, mounting type 2
SGLGM-60405CT-M	Sigma linear magnetic way, coreless, 405mm, mounting type 2, high thrust force
SGLGM-60450CT	Sigma linear magnetic way, coreless, 450mm, mounting type 2
SGLGM-60450CT-M	Linear Motor
SGLGM-90252A	
SGLGM-90504A	
SGLGW-30A050CPD	
SGLGW-30A080CPD	
SGLGW40A140CHD	Sigma linear motor coil, coreless, 140mm, 200 VAC, with hall sensor and forced coo
SGLGW-40A140CPD	
SGLGW40A253CHD	
SGLGW-40A253CPD	
SGLGW40A365CHD	
SGLGW-40A365CPD	
SGLGW-60A140CHD	Linear Motor
SGLGW-60A140CPD	Sigma linear motor coil, coreless, 140mm, 200 VAC, with hall sensor, interconnectro
SGLGW60A253CHD	Sigma linear motor coil, coreless, 253mm, 200 VAC, with hall sensor and forced coo
SGLGW-60A253CPD	
SGLGW60A365CHD	
SGLGW-60A365CPD	Sigma linear motor coil, coreless, 365mm, 200 VAC, with hall sensor and forced coo
SGLGW-90A200CHD	
SGLGW-90A200CPD	
SGLGW-90A370CHD	
SGLGW-90A370CPD	
SGLTM-35324A	
SGLTM-35324AC	
SGLTM-35324AY	
SGLTM-35324H	
SGLTM-35324HC	
SGLTM-35324HY	
SGLTM-35540A	
SGLTM-35540AC	
SGLTM-35540AY	
SGLTM-35540H	
SGLTM-35540HC	
SGLTM-35540HY	
SGLTM-35756A	
SGLTM-35756AC	
SGLTM-35756AY	
SGLTM-35756H	

SGLTM-35756HC
SGLTM-35756HY
SGLTM-40405A
SGLTM-40405AC
SGLTM-40405AY
SGLTM-40675A
SGLTM-40675AC
SGLTM-40675AY
SGLTM-40945A
SGLTM-40945AC
SGLTM-40945AY
SGLTM-80405A
SGLTM-80405AC
SGLTM-80405AY
SGLTM-80675A
SGLTM-80675A
SGLTM-80675AC
SGLTM-80675AY
SGLTM-80945A
SGLTM-80945AC
SGLTM-80945AY
SGLTW-35D170HPD
SGLTW-35D320HPD
SGLTW-40D400BP
SGLTW-40D600BP
SGLTW-50D170HPD
SGLTW-50D320HPD
SGLTW-80D400BP
SGLTW-80D600BP
SGMAH-01A1A41D-OY
SGMAH-01A1A41-OY
SGMAH-01A1A4C-OY
SGMAH-01A1A61D-OY
SGMAH-01A1A6CD-OY
SGMAH-01A1A6SD
SGMAH-01A1F4CD
SGMAH-01AAA41-OY
SGMAH-01AAA4B
SGMAH-01AAA4C-OY
SGMAH-01AAA4ED-OY
SGMAH-01AAA61
SGMAH-01AAA61D-OY
SGMAH-01AAA6CD-OY
SGMAH-01AAA6SD
SGMAH-01AAAG76C
SGMAH-01AAF21D
SGMAH-01AAF41D
SGMAH-01AAF61D
SGMAH-01ABA41
SGMAH-01B1A61D
SGMAH-02A1A21D
SGMAH-02A1A41-OY

Servo Motor 100w,3000rpm,0.32Nm,absolute

Servo Motor 100w,3000rpm,0.32Nm,absolute,brake

AC servo motor, 100W, 0.318Nm (equivalent to R88M-W10030H-S2-D)

AC servo motor, 100W, 0.318Nm, with brake (equivalent to R88M-W10030H-BS2-D)

AC Servo Motor 200W, 230V, 3000rpm, 0.637Nm,absolute

SGMAH-02A1A4C-OY	
SGMAH-02A1A61D-OY	Servo Motor 200w,3000rpm,0.64Nm,absolute
SGMAH-02A1A6CD-OY	Servo Motor 200w,3000rpm,0.64Nm,absolute,brake
SGMAH-02AAA4E-OY	
SGMAH-02AAA4S-OY	
SGMAH-02AAA61D-OY	AC servo motor, 200W, 0.637Nm (equivalent to R88M-W20030H-S2-D)
SGMAH-02AAA6CD-OY	AC servo motor, 200W, 0.637Nm, with brake (equivalent to R88M-W20030H-BS2-D)
SGMAH-02AAA6SD	
SGMAH-02AAF6CD	
SGMAH-02B1A61D	
SGMAH-02BAF4C	
SGMAH-03D1A61D-OY	
SGMAH-03D1A6CD-OY	
SGMAH-03DAA21D	
SGMAH-03DAA61D-OY	
SGMAH-03DAA6CD-OY	Servo Motor 300w,3000rpm,0.956Nm,absolute
SGMAH-03DAA6SD	
SGMAH-03DBA61D	
SGMAH-03DBA6CD	
SGMAH-04A1A21	
SGMAH-04A1A21D	
SGMAH-04A1A41D-OY	
SGMAH-04A1A41-OY	
SGMAH-04A1A4CD-OY	
SGMAH-04A1A4C-OY	
SGMAH-04A1A61	
SGMAH-04A1A61D-OY	Servo Motor 400w,3000rpm,1.27Nm,absolute
SGMAH-04A1A6CD-OY	Servo Motor 400w,3000rpm,1.27Nm,absolute,brake
SGMAH-04A1A6ED	
SGMAH-04A1A-OM11	
SGMAH-04AAA21D	
SGMAH-04AAA4B	
SGMAH-04AAA4D	
SGMAH-04AAA61D-OY	AC servo motor, 400W, 1.27Nm (equivalent to R88M-W40030H-S2-D)
SGMAH-04AAA6CD-OY	AC servo motor, 400W, 1.27Nm, with brake (equivalent to R88M-W40030H-BS2-D)
SGMAH-04AAA6ED	
SGMAH-04AAA6SD	AC Servo motor,400w with oil seal
SGMAH-04AAAH161	
SGMAH-07D1A61D-OY	
SGMAH-07D1A6CD-OY	
SGMAH-07D1A6S	
SGMAH-07D1A6SD	
SGMAH-07DAA2CD	
SGMAH-07DAA61D-OY	AC Servo Motor 650W, 400V, 3000rpm, 2.07Nm, incremental
SGMAH-07DAA6CD-OY	
SGMAH-07DBA61D	
SGMAH-07DBA6CD	
SGMAH-08A1A41D-OY	
SGMAH-08A1A41-OY	
SGMAH-08A1A4C-OY	
SGMAH-08A1A61D-OY	Servo Motor 750w,3000rpm,2.39Nm,absolute
SGMAH-08A1A6CD-OY	Servo Motor 750w,3000rpm,2.39Nm,absolute,brake

SGMAH-08A1F41D	AC servo motor, 750W, 2.39Nm
SGMAH-08AAA4S-OY	
SGMAH-08AAA61D-OY	AC servo motor, 750W, 2.39Nm (equivalent to R88M-W75030H-S2-D)
SGMAH-08AAA6CD-OY	AC servo motor, 750W, 2.39Nm, with brake (equivalent to R88M-W75030H-BS2-D)
SGMAH-08AAA6SD	
SGMAH-08AAF6CD	
SGMAH-08ABA61D	
SGMAH-A3A1A41-OY	
SGMAH-A3A1A4C-OY	
SGMAH-A3A1A61D-OY	
SGMAH-A3A1A6CD-OY	
SGMAH-A3AAA61D-OY	AC servo motor, 30W, 0.0955Nm (equivalent to R88M-W03030H-S2-D)
SGMAH-A3AAA6CD-OY	AC servo motor, 30W, 0.0955Nm, with brake (equivalent to R88M-W03030H-BS2-D)
SGMAH-A3AAF41D	
SGMAH-A3AAF4CD	
SGMAH-A5A1A41-OY	
SGMAH-A5A1A4C-OY	
SGMAH-A5A1A61D-OY	Servo Motor 50w,3000rpm,0.096Nm,absolute
SGMAH-A5A1A6CD-OY	
SGMAH-A5AAA41-OY	
SGMAH-A5AAA4C-OY	
SGMAH-A5AAA4S-OY	
SGMAH-A5AAA61D-OY	AC servo motor, 50W, 0.159Nm (equivalent to R88M-W05030H-S2-D)
SGMAH-A5AAA6CD-OY	AC servo motor, 50W, 0.159Nm, with brake (equivalent to R88M-W05030H-BS2-D)
SGMAH-A5AAF41D-OY	
SGMAH-A5AAF4C-D	
SGMAH-A5AAF4CD-OY	
SGMAH-A5ABA61D	
SGMAH-A5B1A61D	
SGMAH-A5B1A6CD	
SGMAS 04ACA2C	
SGMAS-01A2A21	
SGMAS-01A2A2C	
SGMAS-01ACA21	
SGMAS-01ACA2B	
SGMAS-01ACA2C	
SGMAS-01ACA41	
SGMAS-01ACA4E	
SGMAS-02A2A21	
SGMAS-02A2A2C	
SGMAS-02ACA21	
SGMAS-02ACA2C	
SGMAS-02ACA41	
SGMAS-02ACA4E	
SGMAS-04A2A21	
SGMAS-04A2A2C	
SGMAS-04ACA21	
SGMAS-04ACA41	
SGMAS-04ACA6C	
SGMAS-06A2A21	
SGMAS-06A2A2C	
SGMAS-06ACA21	

SGMAS-06ACA2C	
SGMAS-08A2A21	
SGMAS-08A2A2C	
SGMAS-08A2A6S	
SGMAS-08ACA21	
SGMAS-08ACA2C	
SGMAS-08ACA41	
SGMAS-08ACAHC61	
SGMAS-12AcA21	
SGMAS-12ACA2C	
SGMAS-A5A2A21	
SGMAS-A5A2A2C	
SGMAS-A5ACA21	
SGMAS-A5ACA2C	
SGMAS-A5ACA2C	
SGMAS-A5ACA2C	
SGMAS-C2ACA21	
SGMAS-C2ACA4E	
SGMAV-01A3A2C	
SGMAV-01A3A61	
SGMAV-01A3A61-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, absolute
SGMAV-01A3A6C	
SGMAV-01A3A6C-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, absolute, with brake
SGMAV-01ADA61	
SGMAV-01ADA61-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm
SGMAV-01ADA6C	
SGMAV-01ADA6C-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, with brake
SGMAV-02A3A61	
SGMAV-02A3A61-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, absolute
SGMAV-02A3A6C	
SGMAV-02A3A6C-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, absolute, with brake
SGMAV-02ADA61	
SGMAV-02ADA61-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm
SGMAV-02ADA6C	
SGMAV-02ADA6C-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, with brake
SGMAV-04A3A61	
SGMAV-04A3A61-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, absolute
SGMAV-04A3A6C	
SGMAV-04ADA61	
SGMAV-04ADA61-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm
SGMAV-04ADA6C	
SGMAV-04ADA6C-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, with brake
SGMAV-06A3A21	
SGMAV-06A3A61	
SGMAV-06A3A61-OY	Sigma V, AC servo motor, 550W, 3000rpm, 1.75Nm, absolute
SGMAV-06A3A6C	
SGMAV-06A3A6C-OY	Sigma V, AC servo motor, 550W, 3000rpm, 1.75Nm, absolute, with brake
SGMAV-06ADA61	
SGMAV-06ADA61-OY	Sigma V, AC servo motor, 550W, 3000rpm, 1.75Nm
SGMAV-06ADA6C	
SGMAV-06ADA6C-OY	Sigma V, AC servo motor, 550W, 3000rpm, 1.75Nm, with brake
SGMAV-08A3A61	
SGMAV-08A3A61-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, absolute

SGMAV-08A3A6C	
SGMAV-08A3A6C-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, absolute, with brake
SGMAV-08ADA61	
SGMAV-08ADA61-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm
SGMAV-08ADA6C	
SGMAV-08ADA6C-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, with brake
SGMAV-10A3A2C	
SGMAV-10A3A61	
SGMAV-10A3A61-OY	Sigma V, AC servo motor, 1000W, 3000rpm, 3.18Nm, absolute
SGMAV-10A3A6C	
SGMAV-10A3A6C-OY	Sigma V, AC servo motor, 1000W, 3000rpm, 3.18Nm, absolute, with brake
SGMAV-10ADA61	
SGMAV-10ADA61-OY	Sigma V, AC servo motor, 1000W, 3000rpm, 3.18Nm
SGMAV-10ADA6C	
SGMAV-10ADA6C-OY	Sigma V, AC servo motor, 1000W, 3000rpm, 3.18Nm, with brake
SGMAV-A5A3A61	
SGMAV-A5A3A61-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, absolute
SGMAV-A5A3A6C	
SGMAV-A5A3A6C-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, absolute, with brake
SGMAV-A5ADA61	
SGMAV-A5ADA61-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm
SGMAV-A5ADA6C	
SGMAV-C2A3A21	
SGMAV-C2A3A2S	
SGMAV-C2A3A61	
SGMAV-C2A3A61-OY	Sigma V, AC servo motor, 150W, 3000rpm, 0.477Nm, absolute
SGMAV-C2A3A6E	
SGMAV-C2ADA61-OY	Sigma V, AC servo motor, 150W, 3000rpm, 0.477Nm
SGMAV-C2ADA6C	
SGMAV-C2ADA6C-OY	Sigma V, AC servo motor, 150W, 3000rpm, 0.477Nm, with brake
SGMBH-2BD2A61	
SGMBH-2BD2A6C	
SGMBH-2BD3A61	
SGMBH-2BDCA21	
SGMBH-2BDCA2C	
SGMBH-2BDCA61	
SGMBH-2BDCA6C	
SGMBH-3GD2A61	
SGMBH-3GD3A61	
SGMBH-3GDCA21	
SGMBH-3GDCA61	
SGMBH-3GDCA6C	
SGMBH-3GDCAKC	
SGMBH-3GDCAL1	
SGMBH-3GDCALC	
SGMBH-3ZD2A61	
SGMBH-3ZD3A61	
SGMBH-3ZDCA21	
SGMBH-3ZDCA2C	
SGMBH-3ZDCA61	
SGMBH-3ZDCA6C	
SGMBH-4ED2A61	

SGMBH-4ED2ALC
SGMBH-4EDCA21
SGMBH-4EDCA61
SGMBH-4EDCAKC
SGMBH-4EDCAL1
SGMBH-4EDCALC
SGMBH-5ED2AL
SGMBH-5EDCAK
SGMBH-5EDCAL
SGMCS-02B3B11
SGMCS-04C3B11
SGMCS-05B3B11
SGMCS-07B3B11
SGMCS-07B3B41
SGMCS-08D3B11
SGMCS-10C3B11
SGMCS-14C3B11
SGMCS-14C3B-YG11
SGMCS-16E3B11
SGMCS-17D3B11
SGMCS-1AM3A11
SGMCS-1EN3A11
SGMCS-25D3B11
SGMCS-2ZN3A11
SGMCS-35E3B11
SGMCS-45M3A11
SGMCS-80M3A11
SGMCS-80N3A11
SGMDH-22A2A2B
SGMDH-32A2A2B
SGMDH-40A2A2B
SGMEV-01A3A61
SGMEV-01A3A61-OY
SGMEV-01A3A6C
SGMEV-01A3A6C-OY
SGMEV-01ADA61
SGMEV-01ADA61-OY
SGMEV-01ADA6C
SGMEV-01ADA6C-OY
SGMEV-02A3A61
SGMEV-02A3A61-OY
SGMEV-02A3A6C
SGMEV-02A3A6C-OY
SGMEV-02ADA61
SGMEV-02ADA61-OY
SGMEV-02ADA6C
SGMEV-02ADA6C-OY
SGMEV-02D3A61
SGMEV-02D3A61-OY
SGMEV-02D3A6C
SGMEV-02D3A6C-OY
SGMEV-02DDA61

SGMEV-02DDA61-OY
SGMEV-02DDA6C
SGMEV-02DDA6C-OY
SGMEV-03D3A61
SGMEV-03D3A61-OY
SGMEV-03D3A6C
SGMEV-03D3A6C-OY
SGMEV-03DDA61-OY
SGMEV-03DDA6C
SGMEV-03DDA6C-OY
SGMEV-04A3A61
SGMEV-04A3A61-OY
SGMEV-04A3A6C
SGMEV-04A3A6C-OY
SGMEV-04ADA61
SGMEV-04ADA61-OY
SGMEV-04ADA6C
SGMEV-04ADA6C-OY
SGMEV-04D3A61
SGMEV-04D3A61-OY
SGMEV-04D3A6C
SGMEV-04D3A6C-OY
SGMEV-04DDA61
SGMEV-04DDA61-OY
SGMEV-04DDA6C
SGMEV-04DDA6C-OY
SGMEV-07D3A61
SGMEV-07D3A61-OY
SGMEV-07D3A6C
SGMEV-07D3A6C-OY
SGMEV-07DDA61
SGMEV-07DDA61-OY
SGMEV-07DDA6C
SGMEV-07DDA6C-OY
SGMEV-08A3A61
SGMEV-08A3A61-OY
SGMEV-08A3A6C
SGMEV-08A3A6C-OY
SGMEV-08ADA61
SGMEV-08ADA61-OY
SGMEV-08ADA6C
SGMEV-08ADA6C-OY
SGMEV-08D3A61
SGMEV-08D3A61-OY
SGMEV-08D3A6C
SGMEV-08D3A6C-OY
SGMEV-08DDA61
SGMEV-08DDA61-OY
SGMEV-08DDA6C
SGMEV-08DDA6C-OY
SGMEV-15A3A61
SGMEV-15A3A61-OY

SGMEV-15A3A6C
SGMEV-15A3A6C-OY
SGMEV-15ADA61
SGMEV-15ADA61-OY
SGMEV-15ADA6C
SGMEV-15ADA6C-OY
SGMEV-15D3A61
SGMEV-15D3A61-OY
SGMEV-15D3A6C
SGMEV-15D3A6C-OY
SGMEV-15DDA61
SGMEV-15DDA61-OY
SGMEV-15DDA6C
SGMEV-15DDA6C-OY
SGMGH-03ACA
SGMGH-05ACA61
SGMGH-05ACA6H
SGMGH-05D2A21-OY
SGMGH-05D2A2C-OY
SGMGH-05D2A2E-OY
SGMGH-05D2A2S-OY
SGMGH-05D2A31-OY
SGMGH-05D2A3C-OY
SGMGH-05D2A3E-OY
SGMGH-05D2A3S-OY
SGMGH-05D2A61-OY
SGMGH-05D2A6C-OY
SGMGH-05D2A6E-OY
SGMGH-05D2A6F
SGMGH-05D2A6F-OY
SGMGH-05D2A6H
SGMGH-05D2A6H-OY
SGMGH-05D2A6S-OY
SGMGH-05D2A-YG11
SGMGH-05DCA21-OY
SGMGH-05DCA2C-OY
SGMGH-05DCA2E-OY
SGMGH-05DCA2S-OY
SGMGH-05DCA31-OY
SGMGH-05DCA3C-OY
SGMGH-05DCA3E-OY
SGMGH-05DCA3S-OY
SGMGH-05DCA6E-OY
SGMGH-05DCA6F-OY
SGMGH-05DCA6H-OY
SGMGH-05DCA6S-OY
SGMGH-05DCA-YG13
SGMGH-06A2B6C
SGMGH-06ACB61
SGMGH-06ACB6C
SGMGH-09A2A61
SGMGH-09A2B6C

Servo Motor 450w,1500rpm,2.84Nm,absolute

AC servo motor, 0.45kW, 1500RPM, 2.84Nm (equivalent to R88M-W45015F-S2)

AC servo motor, 0.45kW, with brake, 1500RPM, 2.84Nm (equivalent to R88M-W45015)

SGMGH-09ACA61

SGMGH-09ACA6C

SGMGH-09ACA6F

AC Servo Motor 850W, 230V, 1500rpm, 5.39Nm, incremental

SGMGH-09ACA6H

SGMGH-09ACB21

SGMGH-09ACB61

SGMGH-09ACB6C

SGMGH-09D2A21-OY

SGMGH-09D2A2C-OY

SGMGH-09D2A2E-OY

SGMGH-09D2A2S-OY

SGMGH-09D2A31-OY

SGMGH-09D2A3C-OY

SGMGH-09D2A3E-OY

SGMGH-09D2A3S-OY

SGMGH-09D2A61-OY

SGMGH-09D2A6C-OY

SGMGH-09D2A6E-OY

AC servo motor, 0.85KW, 1500rpm, 5.39Nm, absolute encoder type

SGMGH-09D2A6F-OY

AC servo motor, 0.85KW, with brake, 1500rpm, 5.39Nm, with absolute encoder

SGMGH-09D2A6H-OY

SGMGH-09D2A6S-OY

SGMGH-09D2A-YG11

SGMGH-09DCA21-OY

SGMGH-09DCA2C-OY

SGMGH-09DCA2E-OY

SGMGH-09DCA2S-OY

SGMGH-09DCA31-OY

SGMGH-09DCA3C-OY

SGMGH-09DCA3E-OY

SGMGH-09DCA3S-OY

SGMGH-09DCA6E-OY

AC servo motor, 0.85kW, 1500RPM, 5.39Nm (equivalent to R88M-W85015F-S2)

SGMGH-09DCA6F-OY

AC servo motor, 0.85kW, with brake, 1500RPM, 5.39Nm (equivalent to R88M-W85015)

SGMGH-09DCA6H-OY

SGMGH-09DCA6S-OY

SGMGH-09DCA-YG25

SGMGH-09Q2A61

SGMGH-12ACB61

SGMGH-12ACB6C

SGMGH-13A2A61

SGMGH-13ACA61

SGMGH-13ACA6C

SGMGH-13D2A21-OY

SGMGH-13D2A2C-OY

SGMGH-13D2A2E-OY

SGMGH-13D2A2S-OY

SGMGH-13D2A31-OY

SGMGH-13D2A3C-OY

SGMGH-13D2A3E-OY

SGMGH-13D2A3S-OY

SGMGH-13D2A61-OY

SGMGH-13D2A6C-OY

SGMGH-13D2A6E-OY

SGMGH-13D2A6F-OY	Servo Motor 1.3kW,1500rpm,8...34Nm,absolute
SGMGH-13D2A6H	
SGMGH-13D2A6H-OY	Servo Motor 1.3kW,1500rpm,8.34Nm,absolute,brake
SGMGH-13D2A6S-OY	
SGMGH-13D3C61	
SGMGH-13DCA21-OY	
SGMGH-13DCA2C-OY	
SGMGH-13DCA2E-OY	
SGMGH-13DCA2S-OY	
SGMGH-13DCA31-OY	
SGMGH-13DCA3C-OY	
SGMGH-13DCA3E-OY	
SGMGH-13DCA3S-OY	
SGMGH-13DCA6E-OY	
SGMGH-13DCA6F-OY	AC servo motor, 1.3kW, 1500RPM, 8.34Nm (equivalent to R88M-W1K315F-S2)
SGMGH-13DCA6H-OY	AC servo motor, 1.3kW, with brake, 1500RPM, 8.34Nm (equivalent to R88M-W1K315F)
SGMGH-13DCA6S-OY	
SGMGH-13DCA-YG14	
SGMGH-13DCA-YG16	
SGMGH-13DCA-YG17	
SGMGH-13Q2A61	
SGMGH-1AACA61	
SGMGH-1AD2A6C	
SGMGH-1AD2A6E	
SGMGH-1AD2A6F	
SGMGH-1AD2A6F-OY	
SGMGH-1AD2A6H	
SGMGH-1AD2A6H-OY	
SGMGH-1AD2A6S	
SGMGH-1AD3A61	
SGMGH-1ADCA6C	
SGMGH-1ADCA6C-OY	
SGMGH-1ADCA6F-OY	AC servo motor, 11kW, 1500RPM, 70Nm (equivalent to R88M-W11K015F-S2)
SGMGH-1ADCA6H	
SGMGH-1ADCA6H-OY	
SGMGH-1ED2A6F	
SGMGH-1ED2A6F-OY	
SGMGH-1ED2A6H	
SGMGH-1ED2A6H-OY	
SGMGH-1EDCA61	
SGMGH-1EDCA6C	
SGMGH-1EDCA6C-OY	
SGMGH-1EDCA6F-OY	AC servo motor, 15kW, 1500RPM, 95.4Nm (equivalent to R88M-W15K015F-S2)
SGMGH-1EDCA6H	
SGMGH-1EDCA6H-OY	
SGMGH-1EQCA61	
SGMGH-20A2A61	
SGMGH-20A2B21	
SGMGH-20ACA61	
SGMGH-20ACA6C	
SGMGH-20ACA6F	AC Servo Motor 1.8kW, 230V, 1500rpm, 11.5Nm, incremental
SGMGH-20ACA6F	

SGMGH-20ACA6S
SGMGH-20ACB61
SGMGH-20ACB6C
SGMGH-20D2A21-OY
SGMGH-20D2A2C-OY
SGMGH-20D2A2E-OY
SGMGH-20D2A2S-OY
SGMGH-20D2A31-OY
SGMGH-20D2A3C-OY
SGMGH-20D2A3E-OY
SGMGH-20D2A3S-OY
SGMGH-20D2A61-OY
SGMGH-20D2A6C-OY
SGMGH-20D2A6E-OY
SGMGH-20D2A6F
SGMGH-20D2A6F-OY
SGMGH-20D2A6H
SGMGH-20D2A6H-OY
SGMGH-20D2A6S-OY
SGMGH-20DCA21-OY
SGMGH-20DCA2C-OY
SGMGH-20DCA2E-OY
SGMGH-20DCA2S-OY
SGMGH-20DCA31-OY
SGMGH-20DCA3C-OY
SGMGH-20DCA3E-OY
SGMGH-20DCA3S-OY
SGMGH-20DCA61-OY
SGMGH-20DCA6E-OY
SGMGH-20DCA6F-OY
SGMGH-20DCA6H-OY
SGMGH-20DCA6S-OY
SGMGH-20DCA-YG21
SGMGH-20DCA-YG24
SGMGH-30A2B21
SGMGH-30A2B61
SGMGH-30A2B6C
SGMGH-30ACA61
SGMGH-30ACA6C
SGMGH-30ACA6F
SGMGH-30ACB21
SGMGH-30ACB61
SGMGH-30ACB6C
SGMGH-30D2A21-OY
SGMGH-30D2A2C-OY
SGMGH-30D2A2E-OY
SGMGH-30D2A2S-OY
SGMGH-30D2A31-OY
SGMGH-30D2A3C-OY
SGMGH-30D2A3E-OY
SGMGH-30D2A3S-OY
SGMGH-30D2A61-OY

AC servo motor, 1.8kW, 1500RPM, 11.5Nm (equivalent to R88M-W1K815F-S2)

AC servo motor, 1.8kW, with brake, 1500RPM, 11.5Nm (equivalent to R88M-W1K815F)

SGMGH-30D2A6C-OY
SGMGH-30D2A6E-OY
SGMGH-30D2A6F-OY
SGMGH-30D2A6H
SGMGH-30D2A6H-OY
SGMGH-30D2A6S-OY
SGMGH-30DCA21-OY
SGMGH-30DCA2C-OY
SGMGH-30DCA2E-OY
SGMGH-30DCA2S-OY
SGMGH-30DCA31-OY
SGMGH-30DCA3C-OY
SGMGH-30DCA3E-OY
SGMGH-30DCA3S-OY
SGMGH-30DCA6E-OY
SGMGH-30DCA6F-OY
SGMGH-30DCA6H-OY
SGMGH-30DCA6S-OY
SGMGH-30DCA-YG11
SGMGH-30DCA-YG18
SGMGH-30Q2A61
SGMGH-40A2B61
SGMGH-40A2B6C
SGMGH-40ACB61
SGMGH-40ACB6C
SGMGH-44ACA61
SGMGH-44ACA6C
SGMGH-44ACA6F
SGMGH-44D2A6F-OY
SGMGH-44D2A6H-OY
SGMGH-44D3A61
SGMGH-44DCA2F
SGMGH-44DCA61
SGMGH-44DCA6C
SGMGH-44DCA6F-OY
SGMGH-44DCA6H-OY
SGMGH-44DCA6S
SGMGH-44Q2A61
SGMGH-44QCA61
SGMGH-44QCA6C
SGMGH-44QCA-YG11
SGMGH-55ACA61
SGMGH-55ACA6C
SGMGH-55ACB61
SGMGH-55ACB6C
SGMGH-55D2A6E
SGMGH-55D2A6F-OY
SGMGH-55D2A6H-OY
SGMGH-55DCA61
SGMGH-55DCA6C
SGMGH-55DCA6F-OY
SGMGH-55DCA6H-OY

Servo Motor 2.98kW,1500rpm,18.6Nm,absolute,brake

AC servo motor, 2.9kW, 1500RPM, 18.6Nm (equivalent to R88M-W2K915F-S2)

AC servo motor, 2.9kW, with brake, 1500RPM, 18.6Nm (equivalent to R88M-W2K915F)

Servo Motor 4.4kW,1500rpm,28.4Nm,absolute,brake

AC servo motor, 4.4kW, 1500RPM, 28.4Nm (equivalent to R88M-W4K415F-S2)

AC servo motor, 4.4kW, with brake, 1500RPM, 28.4Nm (equivalent to R88M-W4K415F)

AC servo motor, 5.5kW, 1500RPM, 35Nm (equivalent to R88M-W5K515F-S2)

AC servo motor, 5.5kW, with brake, 1500RPM, 35Nm (equivalent to R88M-W5K515F-I)

SGMGH-55DCA6S	
SGMGH-55Q2A61	
SGMGH-55QCA61	
SGMGH-55QCA6C	
SGMGH-75ACA61	
SGMGH-75ACA6C	
SGMGH-75D2A6F-OY	
SGMGH-75D2A6H	
SGMGH-75D2A6H-OY	
SGMGH-75D3A61	
SGMGH-75DCA61	
SGMGH-75DCA6C	
SGMGH-75DCA6C-OY	
SGMGH-75DCA6F-OY	AC servo motor, 7.5kW, 1500RPM, 48Nm (equivalent to R88M-W7K515F-S2)
SGMGH-75DCA6H	
SGMGH-75DCA6H-OY	AC servo motor, 7.5kW, with brake, 1500RPM, 48Nm (equivalent to R88M-W7K515F-I)
SGMGH-75Q2A61	
SGMGH-75Q2A6C	
SGMGH-75QCA61	
SGMGH-75QCA6C	
SGMGV-03D3A6F	
SGMGV-03D3A6F-OY	Sigma V, AC servo motor, 300W, 1500rpm, 1.96Nm, absolute, dust seal
SGMGV-03D3A6H	
SGMGV-03D3A6H-OY	Sigma V, AC servo motor, 300W, 1500rpm, 1.96Nm, absolute, dust seal with brake
SGMGV-03DDA6F	
SGMGV-03DDA6F-OY	Sigma V, AC servo motor, 300W, 1500rpm, 1.96Nm, dust seal
SGMGV-03DDA6H	
SGMGV-03DDA6H-OY	Sigma V, AC servo motor, 300W, 1500rpm, 1.96Nm, dust seal with brake
SGMGV-05D3A6F	
SGMGV-05D3A6F-OY	Sigma V, AC servo motor, 450W, 1500rpm, 2.86Nm, absolute, dust seal
SGMGV-05D3A6H	
SGMGV-05D3A6H-OY	Sigma V, AC servo motor, 450W, 1500rpm, 2.86Nm, absolute, dust seal with brake
SGMGV-05DDA6F	
SGMGV-05DDA6F-OY	Sigma V, AC servo motor, 450W, 1500rpm, 2.86Nm, dust seal
SGMGV-05DDA6H	
SGMGV-05DDA6H-OY	Sigma V, AC servo motor, 450W, 1500rpm, 2.86Nm, dust seal with brake
SGMGV-09D3A6F	
SGMGV-09D3A6F-OY	Sigma V, AC servo motor, 850W, 1500rpm, 5.39Nm, absolute, dust seal
SGMGV-09D3A6H	
SGMGV-09D3A6H-OY	Sigma V, AC servo motor, 850W, 1500rpm, 5.39Nm, absolute, dust seal with brake
SGMGV-09DDA6F	
SGMGV-09DDA6F-OY	Sigma V, AC servo motor, 850W, 1500rpm, 5.39Nm, dust seal
SGMGV-09DDA6H	
SGMGV-09DDA6H-OY	Sigma V, AC servo motor, 850W, 1500rpm, 5.39Nm, dust seal with brake
SGMGV-13D3A6F	
SGMGV-13D3A6F-OY	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, absolute, dust seal
SGMGV-13D3A6H	
SGMGV-13D3A6H-OY	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, absolute, dust seal with brake
SGMGV-13DDA6F	
SGMGV-13DDA6F-OY	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, dust seal
SGMGV-13DDA6H	
SGMGV-13DDA6H-OY	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, dust seal with brake

SGMGV-1ADDA6F	
SGMGV-1ADDA6H	
SGMGV-1EDDA6F	
SGMGV-1EDDA6H	
SGMGV-20D3A6F	
SGMGV-20D3A6F-OY	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, absolute, dust seal
SGMGV-20D3A6H	
SGMGV-20D3A6H-OY	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, absolute, dust seal with brake
SGMGV-20DDA6F	
SGMGV-20DDA6F-OY	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, dust seal
SGMGV-20DDA6H	
SGMGV-20DDA6H-OY	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, dust seal with brake
SGMGV-30D3A6F	
SGMGV-30D3A6F-OY	Sigma V, AC servo motor, 2.9kW, 1500rpm, 18.6Nm, absolute, dust seal
SGMGV-30D3A6H	
SGMGV-30D3A6H-OY	Sigma V, AC servo motor, 2.9kW, 1500rpm, 18.6Nm, absolute, dust seal with brake
SGMGV-30DDA6F	
SGMGV-30DDA6F-OY	Sigma V, AC servo motor, 2.9kW, 1500rpm, 18.6Nm, dust seal
SGMGV-30DDA6H	
SGMGV-30DDA6H-OY	Sigma V, AC servo motor, 2.9kW, 1500rpm, 18.6Nm, dust seal with brake
SGMGV-44D3A6F	
SGMGV-44D3A6F-OY	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, absolute, dust seal
SGMGV-44D3A6H	
SGMGV-44D3A6H-OY	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, absolute, dust seal with brake
SGMGV-44DDA6F	
SGMGV-44DDA6F-OY	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, dust seal
SGMGV-44DDA6H	
SGMGV-44DDA6H-OY	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, dust seal with brake
SGMGV-55DDA6F	
SGMGV-55DDA6H	
SGMGV-75DDA6F	
SGMGV-75DDA6H	
SGMJV-01A3A61	
SGMJV-01A3A61-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, absolute
SGMJV-01A3A6C	
SGMJV-01A3A6C-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, absolute, with brake
SGMJV-01AAA61	
SGMJV-01AAA61-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, 13 bit,
SGMJV-01AAA6C-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, 13 bit, with brake
SGMJV-01ADA61-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm,
SGMJV-01ADA6C	
SGMJV-01ADA6C-OY	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm, with brake
SGMJV-02A3A61	
SGMJV-02A3A61-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, absolute
SGMJV-02A3A6C	
SGMJV-02A3A6C-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, absolute, with brake
SGMJV-02AAA61	
SGMJV-02AAA61-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, 13 bit
SGMJV-02AAA6C	
SGMJV-02AAA6C-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, 13 bit, with brake
SGMJV-02ADA61	
SGMJV-02ADA61-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm

SGMJV-02ADA6C	
SGMJV-02ADA6C-OY	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, with brake
SGMJV-04A3A61	
SGMJV-04A3A61-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, absolute,
SGMJV-04A3A6C	
SGMJV-04A3A6C-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, absolute, with brake
SGMJV-04AAA61	
SGMJV-04AAA61-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, 13 bit
SGMJV-04AAA6C	
SGMJV-04AAA6C-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, 13 bit, with brake
SGMJV-04ADA61	
SGMJV-04ADA61-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm,
SGMJV-04ADA6C	
SGMJV-04ADA6C-OY	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, with brake
SGMJV-08A3A61	
SGMJV-08A3A61-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, absolute,
SGMJV-08A3A6C	
SGMJV-08A3A6C-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, absolute, with brake
SGMJV-08AAA61	
SGMJV-08AAA61-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, 13 bit
SGMJV-08AAA6C	
SGMJV-08AAA6C-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, 13 bit, with brake
SGMJV-08ADA61	
SGMJV-08ADA61-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm,
SGMJV-08ADA6C	
SGMJV-08ADA6C-OY	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, with brake
SGMJV-A5A3A61	
SGMJV-A5A3A61-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, absolute,
SGMJV-A5A3A6C	
SGMJV-A5A3A6C-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, absolute, with brake
SGMJV-A5AAA61	
SGMJV-A5AAA61-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, 13 bit
SGMJV-A5AAA6C	
SGMJV-A5AAA6C-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, 13 bit, with brake
SGMJV-A5ADA61	
SGMJV-A5ADA61-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm,
SGMJV-A5ADA6C	
SGMJV-A5ADA6C-OY	Sigma V, AC servo motor, 50W, 3000rpm, 0.159Nm, absolute, with brake
SGMM-A1C3J26	
SGMM-A1C3J36	
SGMMJ-A1BAB21	
SGMMJ-A2BAB21	
SGMMJ-A3BAB21	
SGMPH-01A1A41-OY	
SGMPH-01A1A4C-OY	
SGMPH-01A1A61D-OY	
SGMPH-01A1A6CD-OY	
SGMPH-01A1E4E-OY	
SGMPH-01A1E4S-OY	
SGMPH-01AAA41-OY	
SGMPH-01AAA4CD	
SGMPH-01AAA61D	

SGMPH-01AAA61D-OY	AC servo motor, cube-type, 100W, 3000RPM, 0.318NM (equivalent to R88M-WP10030)
SGMPH-01AAA6CD-OY	AC servo motor, cube-type, with brake, 100W, 3000RPM, 0.318NM (equivalent to R88
SGMPH-01AAE41D	
SGMPH-01AAE4ED-OY	
SGMPH-01AAE4E-OY	
SGMPH-01AAE4SD-OY	
SGMPH-01AAE4S-OY	
SGMPH-01ABA61D	
SGMPH-01B1A61D	
SGMPH-02A1A41-OY	
SGMPH-02A1A4C-OY	
SGMPH-02A1A61D-OY	Servo Motor 200W,3000rpm,0.637Nm,absolute
SGMPH-02A1A6CD-OY	Servo Motor 200W,3000rpm,0.637Nm,absolute,brake
SGMPH-02A1E4E-OY	
SGMPH-02A1E4SD-OY	
SGMPH-02A1E4S-OY	
SGMPH-02AAA61D-OY	AC servo motor, cube-type, 200W, 3000RPM, 0.637NM (equivalent to R88M-WP20030)
SGMPH-02AAA6CD-OY	AC servo motor, cube-type, with brake, 200W, 3000RPM, 0.637NM (equivalent to R88
SGMPH-02AAE4ED-OY	
SGMPH-02AAE4E-OY	
SGMPH-02AAE4SD	
SGMPH-02AAE4SD-OY	
SGMPH-02AAE4S-OY	
SGMPH-02AAE6ED	
SGMPH-02AAE6SD	
SGMPH-02AAE6SD-OY	
SGMPH-02ABA61D	
SGMPH-02B1A61D	
SGMPH-02BAE41D	
SGMPH-02D1A61D	
SGMPH-02D1A61D-OY	
SGMPH-02D1A6CD-OY	
SGMPH-02DAA21D-OY	
SGMPH-02DAA2CD-OY	
SGMPH-02DAA41	
SGMPH-02DAA4C	
SGMPH-02DAA61D-OY	
SGMPH-02DAA6CD-OY	
SGMPH-04A1A41-OY	
SGMPH-04A1A4CD	
SGMPH-04A1A4C-OY	
SGMPH-04A1A61D-OY	Servo Motor 400W,3000rpm,1.27Nm,absolute
SGMPH-04A1A6CD-OY	
SGMPH-04A1E4E-OY	
SGMPH-04A1E4S-OY	
SGMPH-04A1E6ED	
SGMPH-04A1E6SD	
SGMPH-04AAA4CD	
SGMPH-04AAA61D-OY	AC servo motor, cube-type, 400W, 3000RPM, 1.27NM (equivalent to R88M-WP40030)
SGMPH-04AAA6CD-OY	AC servo motor, cube-type, with brake, 400W, 3000RPM, 1.27NM (equivalent to R88M
SGMPH-04AAE41D	
SGMPH-04AAE4ED-OY	

SGMPH-04AAE4E-OY	
SGMPH-04AAE4SD-OY	
SGMPH-04AAE4S-OY	
SGMPH-04AAE61D	AC servo motor, cube type, 400W, 3000rpm, 1.27Nm, IP67
SGMPH-04AAE6SD	
SGMPH-04ABA6SD	
SGMPH-04D1A61D-OY	
SGMPH-04D1A6CD-OY	
SGMPH-04DAA21D-OY	
SGMPH-04DAA2CD-OY	
SGMPH-04DAA41	
SGMPH-04DAA4C	
SGMPH-04DAA61D-OY	AC servo motor, cube-type, 400W, 3000RPM, 1.27NM, Incremental encoder
SGMPH-04DAA6CD-OY	
SGMPH-08A1A41-OY	
SGMPH-08A1A4C-OY	
SGMPH-08A1A61D-OY	Servo Motor 750W,3000rpm,2.39Nm,absolute
SGMPH-08A1A6CD-OY	
SGMPH-08A1E4E-OY	
SGMPH-08A1E4S-OY	
SGMPH-08A1E6ED	AC servo motor, cube type, 750W, 3000rpm, 2.39Nm, 16 bit absolute encoder, 24VDC
SGMPH-08AAA21-OY	
SGMPH-08AAA4C-OY	
SGMPH-08AAA4S-OY	
SGMPH-08AAA61D	
SGMPH-08AAA61D-OY	AC servo motor, cube-type, 750W, 3000RPM, 2.39NM (equivalent to R88M-WP75030H
SGMPH-08AAA6CD	
SGMPH-08AAA6CD-OY	AC servo motor, cube-type, with brake, 750W, 3000RPM, 2.39NM (equivalent to R88M
SGMPH-08AAE4ED-OY	
SGMPH-08AAE4SD-OY	
SGMPH-08AAE4S-OY	
SGMPH-08D1A61D	
SGMPH-08D1A61D-OY	
SGMPH-08D1A6CD-OY	
SGMPH-08DAA21D-OY	
SGMPH-08DAA2CD-OY	
SGMPH-08DAA41	
SGMPH-08DAA61D-OY	AC servo motor, cube-type,400v, 750W, 3000RPM, 2.39NM, incremental
SGMPH-08DAA6CD-OY	
SGMPH-08DBA61D	
SGMPH-08DBA6CD	
SGMPH-15A1A41-OY	
SGMPH-15A1A4CD	
SGMPH-15A1A4C-OY	
SGMPH-15A1A61D-OY	
SGMPH-15A1A6CD-OY	
SGMPH-15A1E4E-OY	
SGMPH-15A1E4S-OY	
SGMPH-15AAA4C-OY	
SGMPH-15AAA61D	AC servo motor, cube-type, 1.5kW, 3000RPM, 4.77NM (equivalent to R88M-WP1K530
SGMPH-15AAA61D-OY	AC servo motor, cube-type, 1.5kW, 3000RPM, 4.77NM (equivalent to R88M-WP1K530
SGMPH-15AAA6CD-OY	AC servo motor, cube-type, with brake, 1.5kW, 3000RPM, 4.77NM (equivalent to R88M

SGMPH-15AAE4ED-OY
SGMPH-15AAE4E-OY
SGMPH-15AAE4SD-OY
SGMPH-15AAE4S-OY
SGMPH-15D1A61D-OY
SGMPH-15D1A6CD-OY
SGMPH-15D1A6SD
SGMPH-15DAA21D-OY
SGMPH-15DAA2CD
SGMPH-15DAA41
SGMPH-15DAA4C
SGMPH-15DAA61D-OY
SGMPH-15DAA6CD-OY
SGMPS-01A2A21
SGMPS-01A2A2C
SGMPS-01ACA21
SGMPS-01ACA2C
SGMPS-02A2A21
SGMPS-02A2A2C
SGMPS-02ACA21
SGMPS-02ACA2C
SGMPS-04A2A21
SGMPS-04A2A2C
SGMPS-04A2E61
SGMPS-04ACA21
SGMPS-04ACA2C
SGMPS-08A2A21
SGMPS-08A2A2C
SGMPS-08A2E4S
SGMPS-08A2E61
SGMPS-08ACA21
SGMPS-08ACA2C
SGMPS-A5ACA2C
SGMSH-10ACA61
SGMSH-10ACA6C
SGMSH-10D2A21-OY
SGMSH-10D2A2C-OY
SGMSH-10D2A2E-OY
SGMSH-10D2A2S-OY
SGMSH-10D2A31-OY
SGMSH-10D2A3C-OY
SGMSH-10D2A3E-OY
SGMSH-10D2A3S-OY
SGMSH-10D2A61-OY
SGMSH-10D2A6C-OY
SGMSH-10D2A6E-OY
SGMSH-10D2A6F
SGMSH-10D2A6F-OY
SGMSH-10D2A6H
SGMSH-10D2A6H-OY
SGMSH-10D2A6S-OY
SGMSH-10DCA21-OY

AC servo motor, cube-type,400v, 1.5kW, 3000RPM, 4.77N

AC servo motor, cube-type,400v ,brake , 1.5kW, 3000RPM, 4.77N

SGMSH-10DCA2C-OY	AC servo motor, 1.0kW, brake, 3000RPM, 3.18Nm
SGMSH-10DCA2E-OY	
SGMSH-10DCA2F	
SGMSH-10DCA2S-OY	
SGMSH-10DCA31-OY	
SGMSH-10DCA3C-OY	
SGMSH-10DCA3E-OY	
SGMSH-10DCA3S-OY	
SGMSH-10DCA61-OY	
SGMSH-10DCA6E-OY	
SGMSH-10DCA6F-OY	AC servo motor, 1.0kW, 3000RPM, 3.18Nm (equivalent to R88M-W1K030F-S2)
SGMSH-10DCA6H-OY	AC servo motor, 1.0kW, with brake, 3000RPM, 3.18Nm (equivalent to R88M-W1K030F-S2)
SGMSH-10DCA6S-OY	Servo Motor
SGMSH-15A2A61	
SGMSH-15A2A6C	
SGMSH-15ACA61	AC servo motor, 1.5kW, 230v, 3000RPM, 4.9Nm
SGMSH-15ACA6C	
SGMSH-15D2A21-OY	
SGMSH-15D2A2C-OY	
SGMSH-15D2A2E-OY	
SGMSH-15D2A2S-OY	
SGMSH-15D2A31-OY	
SGMSH-15D2A3C-OY	
SGMSH-15D2A3E-OY	
SGMSH-15D2A3S-OY	
SGMSH-15D2A61-OY	
SGMSH-15D2A6E-OY	
SGMSH-15D2A6F-OY	AC servo motor, 1.5kW, 400v, absolute,dust seal, 3000RPM, 4.9Nm
SGMSH-15D2A6H	
SGMSH-15D2A6H-OY	AC servo motor, 1.5kW, 400v, absolute,dust seal & brake, 3000RPM, 4.9Nm
SGMSH-15D2A6S-OY	
SGMSH-15DCA21-OY	
SGMSH-15DCA2C-OY	
SGMSH-15DCA2E-OY	
SGMSH-15DCA2S-OY	
SGMSH-15DCA31-OY	
SGMSH-15DCA3C-OY	
SGMSH-15DCA3E-OY	
SGMSH-15DCA3S-OY	
SGMSH-15DCA6E-OY	
SGMSH-15DCA6F-OY	AC servo motor, 1.5kW, 3000RPM, 4.9Nm (equivalent to R88M-W1K530F-S2)
SGMSH-15DCA6H-OY	AC servo motor, 1.5kW, with brake, 3000RPM, 4.9Nm (equivalent to R88M-W1K530F-S2)
SGMSH-15DCA6S-OY	
SGMSH-20ACA61	
SGMSH-20ACA6C	
SGMSH-20D2A21-OY	
SGMSH-20D2A2C-OY	
SGMSH-20D2A2E-OY	
SGMSH-20D2A2S-OY	
SGMSH-20D2A31-OY	
SGMSH-20D2A3C-OY	
SGMSH-20D2A3E-OY	

SGMSH-20D2A3S-OY
SGMSH-20D2A61
SGMSH-20D2A61-OY
SGMSH-20D2A6C-OY
SGMSH-20D2A6E-OY
SGMSH-20D2A6F
SGMSH-20D2A6F-OY
SGMSH-20D2A6H
SGMSH-20D2A6H-OY
SGMSH-20D2A6S-OY
SGMSH-20DCA21-OY
SGMSH-20DCA2C-OY
SGMSH-20DCA2E-OY
SGMSH-20DCA2S-OY
SGMSH-20DCA31-OY
SGMSH-20DCA3C-OY
SGMSH-20DCA3E-OY
SGMSH-20DCA3S-OY
SGMSH-20DCA6E-OY
SGMSH-20DCA6F-OY
SGMSH-20DCA6H
SGMSH-20DCA6H-OY
SGMSH-20DCA6S-OY
SGMSH-30A2A61
SGMSH-30A2A6C
SGMSH-30ACA61
SGMSH-30ACA6C
SGMSH-30D2A21-OY
SGMSH-30D2A2C-OY
SGMSH-30D2A2E-OY
SGMSH-30D2A2S-OY
SGMSH-30D2A31-OY
SGMSH-30D2A3C-OY
SGMSH-30D2A3E-OY
SGMSH-30D2A3S-OY
SGMSH-30D2A61-OY
SGMSH-30D2A6C-OY
SGMSH-30D2A6E-OY
SGMSH-30D2A6F
SGMSH-30D2A6F-OY
SGMSH-30D2A6H
SGMSH-30D2A6H-OY
SGMSH-30D2A6S-OY
SGMSH-30DCA21-OY
SGMSH-30DCA2C-OY
SGMSH-30DCA2E-OY
SGMSH-30DCA2S-OY
SGMSH-30DCA31-OY
SGMSH-30DCA3C-OY
SGMSH-30DCA3E-OY
SGMSH-30DCA3S-OY
SGMSH-30DCA6E-OY

AC servo motor, 2.0kW, absolute, dust seal, 3000RPM, 6.36Nm

AC servo motor, 2.0kW, 3000RPM, 6.36Nm (equivalent to R88M-W2K030F-S2)

AC servo motor, 2.0kW, with brake, 3000RPM, 6.36Nm (equivalent to R88M-W2K030I)

AC servo motor, 3.0kW, 3000RPM, 9.8Nm, absolute

SGMSH-30DCA6F	
SGMSH-30DCA6F-OY	AC servo motor, 3.0kW, 3000RPM, 9.8Nm, incremental (equivalent to R88M-W3K030)
SGMSH-30DCA6H-OY	AC servo motor, 3.0kW, with brake, 3000RPM, 9.8Nm (equivalent to R88M-W3K030F)
SGMSH-30DCA6S-OY	
SGMSH-30Q2A61	
SGMSH-40A2A61	
SGMSH-40A2A6C	
SGMSH-40ACA61	
SGMSH-40ACA6C	
SGMSH-40D2A6F	
SGMSH-40D2A6F	
SGMSH-40D2A6F-OY	
SGMSH-40D2A6H	
SGMSH-40D2A6H-OY	
SGMSH-40DCA21	
SGMSH-40DCA6F-OY	AC servo motor, 4kW, 3000RPM, 12.6Nm (equivalent to R88M-W4K030F-S2)
SGMSH-40DCA6H	
SGMSH-40DCA6H-OY	
SGMSH-40Q2A61	
SGMSH-50A2A61	
SGMSH-50ACA61	Sigma II Motor , 5.0kW, 230AC, 17 Bit Incremental
SGMSH-50ACA6C	
SGMSH-50D2A6F-OY	
SGMSH-50D2A6H	
SGMSH-50D2A6H-OY	
SGMSH-50DCA6F-OY	AC servo motor, 5kW, 3000RPM, 15.8Nm (equivalent to R88M-W5K030F-S2)
SGMSH-50DCA6H-OY	
SGMSH-50Q2A61	
SGMSS-15ACA6C	
SGMSV-10DDA6F	
SGMSV-10DDA6F-OY	
SGMSV-10DDA6H	
SGMSV-10DDA6H-OY	
SGMSV-15DDA6F	
SGMSV-15DDA6F-OY	
SGMSV-15DDA6H	
SGMSV-15DDA6H-OY	
SGMSV-20D3A2C	
SGMSV-20DDA6F	
SGMSV-20DDA6F-OY	
SGMSV-20DDA6H	
SGMSV-20DDA6H-OY	
SGMSV-30D3A6H	
SGMSV-30DDA6F	
SGMSV-30DDA6F-OY	
SGMSV-30DDA6H	
SGMSV-30DDA6H-OY	
SGMSV-40D3A6H	
SGMSV-40DDA6F	
SGMSV-40DDA6F-OY	
SGMSV-40DDA6H	
SGMSV-40DDA6H-OY	

SGMSV-50D3A6F
SGMSV-50D3A6F-OY
SGMSV-50D3A6H
SGMSV-50DDA6F
SGMSV-50DDA6F-OY
SGMSV-50DDA6H
SGMSV-50DDA6H-OY
SGMSV-70ADA61
SGMSV-70DDA-YG11
SGMUH-10DCA21-OY
SGMUH-10DCA2C-OY
SGMUH-10DCA2E-OY
SGMUH-10DCA2S-OY
SGMUH-10DCA31-OY
SGMUH-10DCA3C-OY
SGMUH-10DCA3E-OY
SGMUH-10DCA3S-OY
SGMUH-10DCA61-OY
SGMUH-10DCA6C-OY
SGMUH-10DCA6E-OY
SGMUH-10DCA6S-OY
SGMUH-15DCA21-OY
SGMUH-15DCA2C-OY
SGMUH-15DCA2E-OY
SGMUH-15DCA2S-OY
SGMUH-15DCA31-OY
SGMUH-15DCA3C-OY
SGMUH-15DCA3E-OY
SGMUH-15DCA3S-OY
SGMUH-15DCA61-OY
SGMUH-15DCA6C-OY
SGMUH-15DCA6E-OY
SGMUH-15DCA6S-OY
SGMUH-30DCA21-OY
SGMUH-30DCA2C-OY
SGMUH-30DCA2E-OY
SGMUH-30DCA2S-OY
SGMUH-30DCA31-OY
SGMUH-30DCA3C-OY
SGMUH-30DCA3E-OY
SGMUH-30DCA3S-OY
SGMUH-30DCA61-OY
SGMUH-30DCA6C-OY
SGMUH-30DCA6E-OY
SGMUH-30DCA6S-OY
SGMUH-40DCA61-OY
SGMUH-40DCA6C-OY
SGMUH-40DCA6E
SGMUH-40DCA6S
SGMVH-5EDCBL1
SGMZH-05D2A61A
SGMZH-05D2A61B

Servo Motor 1.0kW,6000rpm,1.59Nm,incremental

Servo Motor 1.5kW,6000rpm,2.45Nm,incremental

Servo Motor 3.0kW,6000rpm,4.9Nm,incremental

Servo motor

ATEX Servo Motor 0.5kW, 400V, 17 Bit Absolute Encoder, Straight shaft with key,wit
ATEX Servo motor

SGMZH-05D2A61C
SGMZH-05D2A61D
SGMZH-05D2A6CA
SGMZH-05D2A6CB
SGMZH-05D2A6CC
SGMZH-05D2A6CD
SGMZH-10D2A61A
SGMZH-10D2A61B
SGMZH-10D2A61C
SGMZH-10D2A61D
SGMZH-10D2A6CA
SGMZH-10D2A6CB
SGMZH-10D2A6CC
SGMZH-10D2A6CD
SGMZH-18D2A61A
SGMZH-18D2A61B
SGMZH-18D2A61C
SGMZH-18D2A61D
SGMZH-18D2A6CA
SGMZH-18D2A6CB
SGMZH-18D2A6CC
SGMZH-18D2A6CD
SGMZH-30D2A61A
SGMZH-30D2A61B
SGMZH-30D2A61C
SGMZH-30D2A61D
SGMZH-30D2A6CA
SGMZH-30D2A6CB
SGMZH-30D2A6CC
SGMZH-30D2A6CD
SGMZH-30D2B61A
SGMZH-30D2B61B
SGMZH-30D2B61C
SGMZH-30D2B61D
SGMZH-30D2B6CA
SGMZH-30D2B6CB
SGMZH-30D2B6CC
SGMZH-30D2B6CD
SGTMF4A-027AH20A
SGTMF4B-036AH20A
SGTMF5A-054AH20A
SGTMF5B-072AH20A
SGTMM01-030AM20A
SGTMM03-025AH20AP
SGTMM03-065AH20AP
SH-991A
SHL-D55
SHL-D55-01
SHL-D55-MR VCTF
SHL-D55-MR VCTF 3M
SHL-Q2155
SHL-Q2155-01

ATEX Servo Motor 1kW, 400V, 17 Bit Absolute Encoder, Straight shaft with key,withc

Subminiature enclosed switch, plunger actuator

Enclosed switch, panel mount across roller plunger, SPDT,10A

Enclosed switch, panel mount across roller plunger, SPDT,10A micro voltage

SHL-Q2155-MR VCTF 5M	
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT,10A
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT,10A micro voltage
SHL-Q2255-01MR VCTF 3M	
SHL-Q2255-MR VCTF	
SHL-Q2255-MR VCTF 5M	
SHL-Q55	Subminiature enclosed switch, panel mount plunger
SHL-Q55-01	
SHL-Q55-MD VCTF 3M	
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A
SHL-W155-01	
SHL-W155-MR VCTF 3M	
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A
SHL-W2155-01	
SHL-W2155-ML VCTF 3M	
SHL-W2355	
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A
SHL-W255-01	
SHL-W255-L6MD11	
SHL-W255-L6MD11T	
SHL-W255-L6MD9	
SHL-W3155	
SHL-W355	
SHL-W455	
SHL-W55	
SHL-W55-01	
SI-232/J	RS-232C comms interface for use with LED operator JVOP-182
SI-232/JC	RS-232C communications card for CIMR-J1000 inverter
SI-485/J	RS-422/485 communications card for CIMR-J1000 inverter
SI-485/J7-N	RS-422/485 communications card for CIMR-J7 inverter
SI-B	
SI-C	
SI-C3/V	
SI-EN3	
SI-EN3/V	
SI-J	LONWORKS option card
SI-K2	
SI-K2/P	
SI-N1*	DeviceNet option card
SI-N1/V7*	
SI-N3	
SI-N3/V	
SI-N3/V-OY	DeviceNet option card for V1000 series
SI-P1	Profibus-DP communications interface card for 3G3FV (G5) and E7Z/F7Z
SI-P3	
SI-P3/V	
SI-P3/V-OY	PROFIBUS-DP option card for V1000 series inverter
SI-R	
SI-R/V7	
SI-R1	
SI-S1	InterBus-S communications interface card for 3G3FV(G5) & E7/F7
SI-S1/V7	

SI-S1-N	CANOpen communications interface card for 3G3FV(G5) & E7/F7
SI-S3	
SI-S3/V	
SI-S3/V-OY	CANopen option card for V1000 series inverter
SI-T	Mechatrolink II interface unit for F7 and G7 inverter series
SI-T3	
SI-T3/V	MI II option card for V1000 series
SJ200-002NFEF2	
SJ200-004HFEF2	
SJ200-004NFEF2	
SJ200-005NFEF2	
SJ200-007HFEF2	
SJ200-007NFEF2	
SJ200-011NFEF2	
SJ200-015HFEF2	
SJ200-015NFEF2	
SJ200-022HFEF2	
SJ200-022NFEF2	
SJ200-030HFEF2	
SJ200-040HFEF2	
SJ200-055HFEF2	
SJ200-075HFEF2	
SJ700-007HFEF2	
SJ700-015HFEF2	
SJ700-022HFEF2	
SJ700-040HFEF2	
SJ700-055HFEF2	
SJ700-075HFEF2	
SJ700-1100HFEF2	
SJ700-110HFEF2	
SJ700-1320HFEF2	
SJ700-150HFEF2	
SJ700-185HFEF2	
SJ700-220HFEF2	
SJ700-300HFEF2	
SJ700-370HFEF2	
SJ700-450HFEF2	
SJ700-550HFEF2	
SJ700-750HFEF2	
SJ700-900HFEF2	
SJDE-01ANA	
SJDE-01ANA-OY	Junma Servo Drive, Mechatrolink II type, 100W, 200 VAC single phase
SJDE-01APA-OY	Junma Servo Drive, Pulse input type, 100W, 200 VAC single phase
SJDE-02ANA-OY	Junma Servo Drive, Mechatrolink II type, 200W, 200 VAC single phase
SJDE-02APA-OY	Junma Servo Drive, Pulse input type, 200W, 200 VAC single phase
SJDE-04ANA-OY	Junma Servo Drive, Mechatrolink II type, 400W, 200 VAC single phase
SJDE-04APA-OY	Junma Servo Drive, Pulse input type, 400W, 200 VAC single phase
SJDE-08ANA	
SJDE-08ANA-OY	Junma Servo Drive, Mechatrolink II type, 750W, 200 VAC single phase
SJDE-08APA	
SJDE-08APA-OY	Junma Servo Drive, Pulse input type, 750W, 200 VAC single phase
SJ-DG	RX series, digital input option card

SJ-DN2	RX series, DeviceNet option card
SJME-01AMB41-OY	Junma AC Servomotor, 100W, 3000rpm, 0.318Nm, non-braked
SJME-01AMB4C-OY	Junma AC Servomotor, 100W, 3000rpm, 0.318Nm, braked
SJME-01AMC41-OY	Junma AC Servomotor, 100W, 3000rpm, 0.318Nm, non-braked, IP67
SJME-01AMC4C-OY	Junma AC Servomotor, 100W, 3000rpm, 0.318Nm, braked, IP67
SJME-02AMB41-OY	Junma AC Servomotor, 200W, 3000rpm, 0.637Nm, non-braked
SJME-02AMB4C-OY	Junma AC Servomotor, 200W, 3000rpm, 0.637Nm, braked
SJME-02AMC41-OY	Junma AC Servomotor, 200W, 3000rpm, 0.637Nm, non-braked, IP67
SJME-02AMC4C-OY	Junma AC Servomotor, 200W, 3000rpm, 0.637Nm, braked, IP67
SJME-04AMB41-OY	Junma AC Servomotor, 400W, 3000rpm, 1.27Nm, non-braked
SJME-04AMB4C-OY	Junma AC Servomotor, 400W, 3000rpm, 1.27Nm, braked
SJME-04AMC41-OY	Junma AC Servomotor, 400W, 3000rpm, 1.27Nm, non-braked, IP67
SJME-04AMC4C-OY	Junma AC Servomotor, 400W, 3000rpm, 1.27Nm, braked, IP67
SJME-08AMB41	
SJME-08AMB41-OY	Junma AC Servomotor, 750W, 3000rpm, 2.39Nm, non-braked
SJME-08AMB4C-OY	Junma AC Servomotor, 750W, 3000rpm, 2.39Nm, braked
SJME-08AMC41-OY	Junma AC Servomotor, 750W, 3000rpm, 2.39Nm, non-braked, IP67
SJME-08AMC4C-OY	Junma AC Servomotor, 750W, 3000rpm, 2.39Nm, braked, IP67
SJ-PB2	
SJ-PBT2	RX series, Profibus option card
SLEEVES FOR Z-15	
SLL-05EG	LED, green, 5v
SLL-05ER	
SLL-05EW	
SLL-05EY	
SLL-06	
SLL-06EG	
SLL-06ER	
SLL-06EY	
SLL-06H	
SLL-12EG	
SLL-12ER	
SLL-12EW	
SLL-14	
SLL-14H	
SLL-18	
SLL-18H	
SLL-24EG	
SLL-24ER	
SLL-24EW	
SLL-24EY	
SLL-28	
SLL-28H	
SM06-DL20	Double loop clip, stainless steel, 4 per pack
SM06-EB10	Eye bolt, stainless steel, 8 per pack
SM06-ES60	E-stop mechanism
SM06-RPSS	Rope pulley, stainless steel
SM06-SL400	
SM06-SL500	
SM06-SL510	
SM06-SL710	
SM06-SL710AC	

SM06-SL711	
SM06-SL711AC	
SM06-SLER6022LSS	
SM06-SLXER6022SS	
SM06-SP50	Spring, stainless steel
SM06-TB30	Turnbuckle, stainless steel
SM06-TG00	Tension gripper, stainless steel
SM06-THSS	Thimble, stainless steel, 4 per pack
SM06-YLES	
SPAT33293-A	
SPAT33294-A	
SPECIAL CABLE M18	
SPNA06KFSDN16900D3	Cable
SPNA17HFRON16900D3	Cable
SPOC-06K-FSDN169	Motor power connector (female) for SGMAH (200V) and SGMPH (200V). Similar to SF
SPOC-17H-FRON169	Motor encoder connector (female) for SGMAH and SGMPH. Similar to SPUC-17H-FRC
SRM1-C01-V2	CompoBus/S master PLC unit, 24 VDC supply, 256 I/O points max.
SRM1-C02-V2	CompoBus/S master PLC unit, 24 VDC supply, 256 I/O points max, RS-232C port
SROC-17G-MRWN169	
SRS1-T	CompoBus/S network terminator block, screw terminal
SRS2-1	Remote I/O
SRT2-AD04	CompoBus/S analogue input terminal, 4x 0/4-20mA/ 0/1-5V/-10-+10V inputs
SRT2-ATT01	
SRT2-ATT02	
SRT2-DA02	CompoBus/S analogue output terminal, 2x 0/4-20mA/ 1-5V/-10-+10V outputs
SRT2-ID04 CHN	CompoBus/S remote terminal, 4x 24 VDC inputs, NPN
SRT2-ID04-1 CHN	CompoBus/S remote terminal, 4x 24 VDC inputs, PNP
SRT2-ID04CL	
SRT2-ID04CL-1	CompoBus/S remote IP67 terminals, 4x 24 VDC inputs, PNP
SRT2-ID08 CHN	CompoBus/S remote terminal, 8x 24 VDC inputs, NPN
SRT2-ID08-1 CHN	CompoBus/S remote terminal, 8x 24 VDC inputs, PNP
SRT2-ID08CL	
SRT2-ID08CL-1	CompoBus/S remote IP67 terminals, 8x 24 VDC inputs, PNP
SRT2-ID08S	
SRT2-ID16 CHN	CompoBus/S remote terminal, 16x 24 VDC inputs, NPN
SRT2-ID16-1 CHN	CompoBus/S remote terminal, 16x 24 VDC inputs, PNP
SRT2-ID16P	CompoBus/S remote module, 16x 24 VDC inputs, NPN, PCB mounting
SRT2-ID16T	CompoBus/S remote 3-tierconnection terminals, 16x 24 VDC inputs, NPN
SRT2-ID16T-1	CompoBus/S remote 3-tierconnection terminals, 16x 24 VDC inputs, PNP
SRT2-ID32ML	CompoBus/S remote terminal, 32x 24 VDC inputs, NPN, MIL connector
SRT2-MD16T	CompoBus/S remote terminal, 8x 24 VDC inputs, 8x NPN transistor outputs
SRT2-MD16T-1	CompoBus/S remote terminal, 8x 24 VDC inputs, 8x PNP transistor outputs
SRT2-MD32ML	CompoBus/S remote terminal, 16x 24 VDC NPN inputs, 16x 24 VDC outputs, NPN, 0.:
SRT2-ND08S	
SRT2-OD04 CHN	CompoBus/S remote terminal, 4x transistor outputs, NPN, 0.3A, 24 VDC
SRT2-OD04-1 CHN	CompoBus/S remote terminal, 4x transistor outputs, PNP, 0.3A, 24 VDC
SRT2-OD04CL	
SRT2-OD04CL-1	CompoBus/S remote IP67 terminals, 4x 24 VDC outputs, PNP
SRT2-OD08 CHN	CompoBus/S remote terminal, 8x transistor outputs, NPN, 0.3A, 24 VDC
SRT2-OD08-1 CHN	CompoBus/S remote terminal, 8x transistor outputs, PNP, 0.3A, 24 VDC
SRT2-OD08CL	
SRT2-OD08CL-1	CompoBus/S remote IP67 terminals, 8x 24 VDC outputs, PNP

SRT2-OD08S	
SRT2-OD16 CHN	CompoBus/S remote terminal, 16x transistor outputs, NPN, 0.3A, 24 VDC
SRT2-OD16-1 CHN	CompoBus/S remote terminal, 16x transistor outputs, PNP, 0.3A, 24 VDC
SRT2-OD16P	CompoBus/S remote terminal, 16x transistor outputs, PNP, 0.3A, 24 VDC, for PCB m
SRT2-OD16T	CompoBus/S remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC
SRT2-OD16T-1	CompoBus/S remote terminal, 16x transistor outputs, PNP, 0.5A, 24 VDC
SRT2-OD32ML	CompoBus/S remote terminal, 32x 24 VDC outputs, NPN, 0.3A, MIL connector
SRT2-ROC08 CHN	CompoBus/S remote terminal, 8x relay outputs, 3A, max 3A per common
SRT2-ROC16 CHN	CompoBus/S remote terminal, 16x relay outputs, 3A, max.3A per common
SRT2-ROF08 CHN	
SRT2-ROF16 CHN	
SRT2-VID08S	CompoBus/S remote terminal, 16x MOSFET relay outputs, 3-264 VAC/3-125 VDC, 0.3
SRT2-VID08S-1	
SRT2-VID16ML	CompoBus/S remote terminal, 16x 24 VDC inputs, NPN, MIL connector
SRT2-VID16ML-1	
SRT2-VOD08S	CompoBus/S remote terminal, 8x transistor outputs, NPN, 0.3A, 24 VDC, sensor con
SRT2-VOD08S-1	
SRT2-VOD16ML	
SRT2-VOD16ML-1	
SRUC-06J-MSCN236	Smart Step IP67 motor power connector, male (used by the motor)
SRUC-17G-MRWN087	Smart Step IP67 motor encoder connector, male (used by the motor)
SS-01	
SS-01 -F BY OMI	
SS-01-2	
SS-01-3 BY OMI	
SS-01-3T	
SS-01D BY OMI	
SS-01D1 BY OMI	
SS-01D-T BY OMI	
SS-01-E	
SS-01-E-3	
SS-01-ED BY OMI	
SS-01-EDA BY OMI	
SS-01-ET	
SS-01-F-3 BY OMI	
SS-01-FD BY OMI	
SS-01-FT	
SS-01GL	Switch
SS-01GL -JPN-	
SS-01GL0217D BY OMI	
SS-01GL11 BY OMI	
SS-01GL111	
SS-01GL1111D BY OMI	
SS-01GL1111-E BY OMI	
SS-01GL1111-F BY OMI	
SS-01GL111-2T	
SS-01GL111D	
SS-01GL111D1 BY OMI	
SS-01GL111-E BY OMI	
SS-01GL111-ED BY OMI	
SS-01GL111-ED1 BY OMI	
SS-01GL111-ET BY OMI	

SS-01GL111-F BY OMI
SS-01GL111-FD BY OMI
SS-01GL111T
SS-01GL1131D BY OMI
SS-01GL1144
SS-01GL1144-E BY OMI
SS-01GL1144-ED BY OMI
SS-01GL11-F BY OMI
SS-01GL1231D-12
SS-01GL1231D-12 TAND
SS-01GL13
SS-01GL13-3 BY OMI
SS-01GL13-3T BY OMI
SS-01GL1363 BY OMI
SS-01GL1375-3T
SS-01GL13-AQ
SS-01GL13D
SS-01GL13D1 BY OMI
SS-01GL13-E
SS-01GL13-E-3 BY OMI
SS-01GL13-ED BY OMI
SS-01GL13-ET BY OMI
SS-01GL13-F BY OMI
SS-01GL13-FD BY OMI
SS-01GL13-FT BY OMI
SS-01GL13P
SS-01GL13PB
SS-01GL13PD
SS-01GL13PT
SS-01GL13T
SS-01GL14 BY OMI
SS-01GL14-E BY OMI
SS-01GL14-ED BY OMI
SS-01GL14-F BY OMI
SS-01GL14T BY OMI
SS-01GL1731 BY OMI
SS-01GL2
SS-01GL20 BY OMI
SS-01GL2-2T BY OMI
SS-01GL2-3T
SS-01GL2D
SS-01GL2D1 BY OMI
SS-01GL2-E
SS-01GL2-ED BY OMI
SS-01GL2-ET BY OMI
SS-01GL2-F
SS-01GL2-FD BY OMI
SS-01GL2-FT BY OMI
SS-01GL2T
SS-01GL8039 BY OMI
SS-01GL999
SS-01GLD

SS-01GLD1
SS-01GLD-12
SS-01GL-E
SS-01GL-ED
SS-01GL-ET BY OMI
SS-01GL-F
SS-01GL-FD BY OMI
SS-01GL-FD1 BY OMI
SS-01GL-FT BY OMI
SS-01GLP
SS-01GLPB
SS-01GLPD
SS-01GLPT
SS-01GLT
SS-01GP
SS-01GPB
SS-01GPD
SS-01GPT
SS-01T BY OMI
SS-10 BY OMI
SS-10-2
SS-10-3
SS-10-3 BY OMI
SS-10-3D
SS-10-3D BY OMI
SS-10-3D BY OMI
SS-10D
SS-10D BY OMI
SS-10D BY OMI 1
SS-10D1 BY OMI
SS-10D2 BY OMI
SS-10GL BY OMI
SS-10GL111
SS-10GL1111
SS-10GL1111 BY OMI
SS-10GL111T+
SS-10GL13 BY OMI
SS-10GL13D BY OMI
SS-10GL13T
SS-10GL13T BY OMI 1
SS-10GL14
SS-10GL2
SS-10GL2 BY OMI
SS-10GL2D BY OMI
SS-10GL2T
SS-10GLD BY OMI
SS-10GLD(OEE)
SS-10GLD1
SS-10GLT
SS-10GLT BY OMI
SS-10T
SS-10T (EU18)

SS-10T BY OMI

SS-1-4

SS-1-E-4

SS-1-ET-4

SS-1-F-4

SS-1-FT-4

SS-1GL13-4

SS-1GL13-E-4

SS-1GL13-F-4

SS-1GL13-FT-4

SS-1GL13T-4

SS-1GL14-E-4

SS-1GL2-4

SS-1GL2D-4

SS-1GL2-E-4

SS-1GL2-ED-4

SS-1GL2-ET-4

SS-1GL2-F-4

SS-1GL2-FD-4

SS-1GL2-FT-4

SS-1GL2T-4

SS-1GL-4

SS-1GLE-4

SS-1GLET-4

SS-1GLF-4

SS-1GLT-4

SS-3GL111P

SS-3GL13P

SS-3GL13PB

SS-3GL13PD

SS-3GL13PT

SS-3GLP

SS-3GLPB

SS-3GLPD

SS-3GLPT

SS-3GP

SS-3GPB

SS-3GPD

SS-3GPT

SS-5

Subminiature basic switch, pin plunger, SPDT, 5A

SS-5 (230)

SS-5-12 BY OMI

SS-5-2 BY OMI

SS-5-2-A03 BY OMI

SS-5-2-A04 BY OMI

SS-5-2D BY OMI

SS-5-2T

SS-5-2T-A03 BY OMI

SS-5-2T-A04 BY OMI

SS-5-2T-A05 BY OMI

SS-5-3-A10 BY OMI

SS-5-3-A11 BY OMI

SS-5-3D
SS-5-3D BY OMI
SS-5-3D1 BY OMI
SS-5D
SS-5D(NB) BY OMI
SS-5D1
SS-5D-12
SS-5D2
SS-5-F
SS-5-F-2D
SS-5-FD
SS-5-FD1
SS-5-FD11 AG-P BY OMI
SS-5-FD-12
SS-5-F-D2
SS-5FL223-3T(10E)
SS-5FL-3(10E)
SS-5-FT
SS-5GL
SS-5GL -JPN-
SS-5GL02
SS-5GL05-F BY OMI
SS-5GL09D BY OMI
SS-5GL11
SS-5GL111
SS-5GL1111
SS-5GL1111D
SS-5GL1111D1
SS-5GL1111D2
SS-5GL1111F
SS-5GL1111T BY OMI
SS-5GL1112
SS-5GL1112D1 BY OMI
SS-5GL1112D2 BY OMI
SS-5GL111D
SS-5GL111D1
SS-5GL111D-12
SS-5GL111D2
SS-5GL111-F
SS-5GL111-FD1
SS-5GL111-FD-12 BY OMI
SS-5GL111-FT BY OMI
SS-5GL111T
SS-5GL1121 BY OMI
SS-5GL1129 BY OMI
SS-5GL1129D
SS-5GL-11-2T
SS-5GL1131 BY OMI
SS-5GL1131D
SS-5GL1131D1 BY OMI
SS-5GL1131D2 BY OMI
SS-5GL1138 BY OMI

Subminiature basic switch, pin plunger,SPDT, 5A, PCB mount

Subminiature basic switch, hinge lever,SPDT, 5A

SS-5GL-11-3T
SS-5GL1144
SS-5GL1177-2T
SS-5GL1177-3T
SS-5GL11D
SS-5GL11D1 BY OMI
SS-5GL11D2 BY OMI
SS-5GL13
SS-5GL13-2-A01 BY OMI
SS-5GL1363 BY OMI
SS-5GL1363-D BY OMI
SS-5GL1375 BY OMI
SS-5GL1375-3T
SS-5GL13-A01 BY OMI
SS-5GL13D
SS-5GL13D1 BY OMI
SS-5GL13D1-12 BY OMI
SS-5GL13D-12 BY OMI
SS-5GL13D2
SS-5GL13D2-12 BY OMI
SS-5GL13-F BY OMI
SS-5GL13-FD
SS-5GL13-FD2 BY OMI
SS-5GL13-FT BY OMI
SS-5GL13T
SS-5GL14 BY OMI
SS-5GL1424D
SS-5GL14D BY OMI
SS-5GL14-F BY OMI
SS-5GL14T BY OMI
SS-5GL153D BY OMI
SS-5GL1731 BY OMI
SS-5GL2
SS-5GL-2 BY OMI
SS-5GL2-12 BY OMI
SS-5GL21D-12 BY OMI
SS-5GL2-2
SS-5GL2-2+ -JPN-
SS-5GL2-3D2 BY OMI
SS-5GL2-3T BY OMI
SS-5GL2D
SS-5GL2D1
SS-5GL-2D1 BY OMI
SS-5GL2D2
SS-5GL2-F
SS-5GL2-FD BY OMI
SS-5GL2-FD1 BY OMI
SS-5GL2-FD2 BY OMI
SS-5GL2-FT
SS-5GL2T
SS-5GL-2T BY OMI
SS-5GL3011D BY OMI

Subminiature basic switch, simulated roller lever,SPDT, 5A

Subminiature basic switch, hinge roller lever,SPDT, 5A

SS-5GL3028
SS-5GL3028T BY OMI.
SS-5GL-3-A24 BY OMI
SS-5GL-3D -JPN-+
SS-5GL8010 BY OMI
SS-5GL8011 BY OMI
SS-5GL8011-2-A14 BY OMI
SS-5GL8011-3-A13 BY OMI
SS-5GL8012 BY OMI
SS-5GL8013 BY OMI
SS-5GL8013-2-A15 BY OMI
SS-5GL8013-3-A16 BY OMI
SS-5GL8039 BY OMI
SS-5GL999
SS-5GL999D BY OMI
SS-5GLD
SS-5GLD1
SS-5GLD11 BY OMI
SS-5GLD-12
SS-5GLD2
SS-5GLD2
SS-5GLD21 BY OMI
SS-5GLD2-T BY OMI
SS-5GL-F
SS-5GL-F-A17 BY OMI
SS-5GL-FD
SS-5GL-FD1 BY OMI
SS-5GL-FD-12 BY OMI
SS-5GL-FD2 BY OMI
SS-5GL-FDA BY OMI
SS-5GL-FT
SS-5GL-FT-T BY OMI
SS-5GLT
SS-5GLT+
SS-5T
SS-5T (181) BY OMI
SS-5T ASSY (100) BY OMI
SS-5T(NB) BY OMI
SS-A1-NN BY OMI
SS-A1-NU BY OMI
SS-B1-NN BY OMI
SS-B1-NU BY OMI
SSG-01H
SSG-01H-5
SSG-01L12H
SSG-01L1H
SSG-01L1H-5
SSG-01L1P
SSG-01L1T
SSG-01L2H
SSG-01L2P
SSG-01L2T

Micro switch

SSG-01L37P
 SSG-01L3H
 SSG-01L3H-5
 SSG-01L3T
 SSG-01P
 SSG-01P(IKUSI)
 SSG-01T
 SSG-5-2H
 SSG-5-2H-V
 SSG-5-2T
 SSG-5-3H
 SSG-5FL43-3P
 SSG-5FL43-3P(CHN)
 SSG-5H
 SSG-5H-5
 SSG-5H-5(MD)
 SSG-5L1-3H
 SSG-5L1-3H(PACK)
 SSG-5L14H
 SSG-5L14H-5
 SSG-5L14P-B
 SSG-5L16H-5
 SSG-5L1H
 SSG-5L1H-5
 SSG-5L1P
 SSG-5L1P(PACK)
 SSG-5L1T
 SSG-5L1T-5
 SSG-5L2-2H
 SSG-5L24P-5
 SSG-5L2H
 SSG-5L2P
 SSG-5L2T
 SSG-5L3H
 SSG-5L3H-5
 SSG-5L3P
 SSG-5L3P (EU20)
 SSG-5L3T
 SSG-5P
 SSG-5P-5
 SSG-5T
 SSG-5T1
 SSG-5T-5
 ST-30 O3.2*50/2M J KÖPENY H?EL
 STF50-200C-AC1B-BBA
 STF50-380H-AC1B-BBA
 STP-N AC110 50/60HZ 60S
 STP-N AC120 50/60HZ 30S
 STP-N AC220 50/60HZ 30S
 STP-NH-US AC110 12S
 STP-NH-US AC110 72M
 STP-NH-US AC220 12M

Micro switch
 Micro switch

STP-NH-US AC220 12S	
STP-NH-US AC220 7M10S	
STP-NH-US AC240 215S	
STP-NH-US AC240 36M	
STP-NM AC110 50/60HZ 10M	
STP-NMR-US AC110 28H30M	
SWITCH ASSY FOR ST121B (297621	
SX digital operator	
SX-A4250-EF-B	
SX-A4450-EF	
SX-A4500-EV-M	
SX-D4160-EV-GJ	
SX-D4500-EV-M	
SYSDRIVE SELECTOR	
SYS-ENC 01	
SYSMAC-GATEWAY-RUN-V1	
SZDVA-INST-KIT	
TAVADO DTL-1 0-10V, 0-100PA	
TB ASSY EXW-28P 2980224-0	
TERM.BLOCK CQM-10C (XW7Z-0036)	
TERM.BLOCK CQM-18C (XW7Z-0037)	
TERMINAL BLOCK FOR C40K	
TERMINAL BLOCK PTC-20	
TERMINAL COVER FOR ZC55	
TJ1-CORT	Trajexia CANopen unit
TJ1-Democase V1	
TJ1-DRT	Trajexia DevcieNet slave unit
TJ1-FL02	Trajexia Flexible Axis unit [for 2 axes]
TJ1-FL02-CN1	
TJ1-MC04	Trajexia Motion Controller Unit 4 axes [Trajexia end cover unit TJ1-TER included]
TJ1-MC16	Trajexia Motion Controller Unit [Trajexia end cover unit TJ1-TER included]
TJ1-ML04	Trajexia Mechatrolink II master unit [up to 4 axes]
TJ1-ML16	Trajexia Mechatrolink II master unit [up to 16 axes]
TJ1-PRT	Trajexia Profibus DP slave unit
TJ1-STUDIO V1.21	
TJ1-Tools 1.0	Trajexia Motion Perfect and CX-Drive v1.2 or higher
TJ2-MC64	Trajexia Motion controller unit, 64 axes
TLE-X5B1-G 2M	
TL-G3D-3	obsolete
TL-G3D-3 5M	
TL-L100-7	Inductive proximity sensor,
TL-LP50	
TL-LY50	
TL-M2MD1-2	
TL-M2ME1 2M OMS	
TL-M2ME1-1 5M	
TL-M2ME2 2M OMS	
TL-M2ME2 5M OMS	Proximity sensor
TL-M2ME2-1 5M	
TL-M2MF1	
TL-M2MY1 2M OMS	Proximity sensor,
TL-M5ME1 2M OMS	Proximity sensor, inductive

TL-M5ME1 5M OMS	
TL-M5ME15 2M OMS	
TL-M5ME2 2M OMS	
TL-M5ME2 5M (Q)	
TL-M5MF2 2M (Q)	
TL-M5MY1 2M OMS	Proximity sensor, inductive
TL-N10MD1	Proximity sensor, inductive, unshielded, Rectangular, 10mm, 2 wire DC, NO, 2m cab
TL-N10ME1 2M OMS	Inductive proximity sensor, 10mm, unshielded, NPN/NO 2m cable
TL-N10ME1 5M	
TL-N10ME15 2M	Inductive proximity Sensor
TL-N10ME2 2M OMS	
TL-N10ME2 5M	
TL-N10ME25 2M	
TL-N10MY1 2M OMS	
TL-N10MY15 2M	
TL-N10MY2 2M	
TL-N10MY25 2M	
TL-N12MD1 2M OMS	Inductive Proximity sensor,
TL-N12MD1 5M	
TL-N12MD15 2M	
TL-N12MD2 2M	
TL-N12MD25 2M	
TL-N20MD1 2M OMS	Proximity sensor, inductive, square heads
TL-N20MD1-M1GJ 0.3M	
TL-N20MD2 2M	
TL-N20ME1 2M OMS	
TL-N20ME1 5M	
TL-N20ME15 2M	
TL-N20ME1-M1J 0.3M	
TL-N20ME2 2M (Q)	
TL-N20ME2 2M OMS	
TL-N20ME25 2M	
TL-N20ME2-M1J 0.3M	
TL-N20MY1 2M OMS	
TL-N20MY15 2M	
TL-N20MY2	
TL-N20MY25 2M	
TL-N5ME1 10M	
TL-N5ME1 2M (Q)	
TL-N5ME1 2M OMS	Inductive proximity sensor, 5mm, unshielded, NPN/NO 2m cable
TL-N5ME1 5M	
TL-N5ME15	
TL-N5ME1-6	
TL-N5ME2 2M OMS	
TL-N5ME2 5M	
TL-N5ME25 2M	
TL-N5MY1	
TL-N5MY15 2M	
TL-N5MY2 2M	
TL-N5MY25 2M	
TL-N7MD1 2M (Q)	
TL-N7MD1 2M OMS	Proximity sensor, inductive

TL-N7MD1 5M	Proximity sensor
TL-N7MD15 2M	Proximity sensor, inductive
TL-N7MD15 5M	Proximity sensor
TL-N7MD2 2M	
TL-PP106B	
TL-PP283 2M	
TL-PP41 0.84M	
TL-PP68-1	
TL-PP78	
TL-Q2MC1	Proximity sensor, inductive, unshielded, 2mm, 3 wire, NPN, NO, 2m cable
TL-Q5MB1 2M	
TL-Q5MC1 2M OMS	Inductive proximity sensor, 5mm, NPN, NO
TL-Q5MC1 5M OMS	TL-Q5MC1 5M OMS
TL-Q5MC1-2 2M	
TL-Q5MC1-3 3M	
TL-Q5MC15	Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable
TL-Q5MC15-3 3M	
TL-Q5MC2 2M OMS	Proximity sensor, inductive
TL-Q5MC2 5M	
TL-Q5MD1 2M OMS	
TL-SP1810-SET	
TL-T2E1	Proximity sensor, inductive, shielded, Rectangular, 2mm, 3 wire, NPN, NO, 2m cable
TL-T2E1 5M	
TL-T2E15 2M	
TL-T2E2	
TL-T2E2 5M	
TL-T2F1	Proximity sensor, inductive, shielded, Rectangular, 2mm, 3 wire, PNP, NO, 2m cable
TL-T2F1 5M	
TL-T2F15	Proximity sensor, inductive, shielded, Rectangular, alternate switching frequency, :
TL-T2F2	
TL-T2F2 5M	
TL-T2F25	
TL-T2Y1	
TL-T2Y1 5M	
TL-T2Y15	
TL-T2Y2	
TL-T2Y2 5M	
TL-T5E1-7 2M	
TL-T5ME1	Proximity sensor, inductive, unshielded, Rectangular, 5mm, 3 wire, NPN, NO, 2m cat
TL-T5ME1 5M	
TL-T5ME15 2M	
TL-T5ME2 2M	
TL-T5ME2 5M	
TL-T5ME25 2M	
TL-T5MF1	
TL-T5MF15 2M	
TL-T5MF2	
TL-T5MF25 2M	
TL-T5MY1	
TL-T5MY15 2M	
TL-T5MY15 5M	
TL-T5MY2	

TL-T5MY25 2M	
TL-W1R5MB1	Proximity sensor, inductive, unshielded, 1.5mm, DC, 3-wire, PNP-NO, 2m cable
TL-W1R5MC1	Proximity sensor, inductive, unshielded, 1.5mm, DC, 3-wire, NPN-NO, 2m cable
TL-W1R5MC15 2M	
TL-W1R5MC1-R 2M	
TL-W20ME1	Proximity sensor, inductive, unshielded, Rectangular, 20mm, 3 wire, PNP, NO, 2m ca
TL-W20ME1 5M	
TL-W20ME2	
TL-W3MB1 2M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m cable
TL-W3MB1 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 5m cable
TL-W3MB1-8	
TL-W3MB1-R 2M	
TL-W3MB1-R 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable
TL-W3MB2	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NC, 2m cable
TL-W3MB2 5M	
TL-W3MB25	
TL-W3MB2-R 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NC, 2m robotic cable
TL-W3MC1 2M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 2m cable
TL-W3MC1 5M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 5m cable
TL-W3MC15 2M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 2m cable, altern.
TL-W3MC1-R 2M OMS	
TL-W3MC1-R 5M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 5m robotic cable
TL-W3MC2 2M OMS	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NC, 2m cable
TL-W3MC2 5M	
TL-W3MC2-R 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NC, 5m robotic cable
TL-W5E1	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, NPN-NO, 2m cable
TL-W5E1 5M	
TL-W5E2	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, NPN-NC, 2m cable
TL-W5E2 5M	
TL-W5F1	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable
TL-W5F1 5M	
TL-W5F2	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NC, 2m cable
TL-W5F2 5M	
TL-W5MB1 10M OMS	
TL-W5MB1 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 2m cable
TL-W5MB1 5M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable
TL-W5MB1-M1J 0.3M OMS	
TL-W5MB2 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NC, 2m cable
TL-W5MB2 5M OMS	
TL-W5MC1 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable
TL-W5MC1 5M OMS	
TL-W5MC15 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable, altern.
TL-W5MC2 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, NPN-NC, 2m cable
TL-W5MC2-M1J 0.3M	
TL-W5MD1 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 2-wire DC, NO, 2m cable
TL-W5MD1 5M OMS	
TL-W5MD15 2M OMS	Proximity sensor, inductive, unshielded, 5mm, DC, 2-wire DC, NO, 2m cable
TL-W5MD1-M1J 0.3M. OMS	Proximity sensor
TL-W5MD2 2M OMS	
TL-X5B2-P1E	
TL-X8MF1-M01	Proximity sensor, inductive, nickel-brass, M18, unshielded, 8mm, DC, 3-wire, PNP-Ni
TL-YS15MB1	obsolete

TL-YS15MB11	obsolete
TL-YS15MB12	
TL-YS15MB14	
TL-YS15MC1	
TL-YS15MC11	
TL-YS15MC14	
TL-YS15MY1 100-240AC	Proximity sensor, inductive, unshielded, 15mm, AC, 2-wire, NO
TL-YS15MY11 AC100-240	
TL-YS15MY12	
TL-YS15MY14	
TL-YS15MY2 90-250AC	
TL-YS15MY21 90-240AC	
TL-YS15MY22	
TL-YS15MY24	
TMHS457CG-B01FAN - FAN001049	
TP70-1A1	
TP70-1A2	
Trainer Basic	
Trainer Basic case	
Trainer Basic SW	
Trainer Basic SW case	
TZ-1G	High temperature basic switch, pin plunger, 1 A
TZ-1GV	High temperature basic switch, hinge lever, 1 A
TZ-1GV2	
TZ-1GV22	High temperature basic switch, short hinge roller lever, 1 A
TYCO 350779-1	
TYPE 22	
TYPE 32	
TYPE 42	
TYPE 92C	
UAF-977-220-0,25	
UNIGATE CL-PBDPV1	
US-08	Socket, back-connecting, 8-pin, solder terminals
UT676DX-TP(V1)FAN - FAN001008	
UUX000060	
UUX000061	
UUX00526	
UWR00100-1	
UWR00103-1	Cable to connect FV inverter with the CX-Drive or flash tool
UWR00468-1	
UWR00468-2	
V-01-1A5	
V-101-1A4 BY OMI	
V-101-1A5	
V-101-1B4	
V-101-1C24	
V-101-1C25	
V-101-1E5	
V-10-1A4 BY OMI	
V-10-1A4-T	Basic Micro Switch
V-10-1A5 BY OMI	
V-10-1A5-T	

V-10-1B4(N)
V-10-1B5
V-10-1B5-T
V-10-1C24
V-10-1C24-T
V-10-1C25
V-10-1C4
V-10-1C5
V-10-1E24 BY OMI
V-10-1E25
V-10-1E4
V-10-1E5
V-102-1A4 BY OMI
V-102-1A4-T
V-102-1A5
V-102-1B4
V-102-1C24
V-102-1C25
V-102-1C4 BY OMI
V-102-3C25
V-102-4A4
V-1025-1C25
V-10-2A5
V-10-2B5
V-103-1A4 BY OMI
V-103-1A4-T
V-103-1A5
V-103-1C24
V-103-1C25
V-103-1C4
V-103-1C5T
V-10335-1C25-K
V-10-3A4 BY OMI
V-10-3A5
V-10-3B5
V-104-1A4
V-104-1A4-T
V-104-1A5
V-104-1C24
V-104-1C25
V-104-1C4 BY OMI
V-104-4A4
V-10-4A4
V-105-1A4 BY OMI
V-105-1A4-T
V-105-1A5
V-105-1B5
V-105-1C24 BY OMI
V-105-1C25
V-105-1C4
V-105-1C5 BY OMI
V-10-5A4-T

Basic Micro Switch

V-106-1A4 BY OMI
V-106-1A4-T
V-106-1A5
V-106-1B5
V-106-1C24
V-106-1C25
V-106-1C4
V-106-1C5
V-10-6A4
V-10-6A5
V-10DL22-3C8
V-10G4-1A 4-K .
V-10G4-1C25-K .
V-10G6-1A4-K
V-10G6-1C24-K
V-11-1C3(R) BY OMI
V-11-1C4(R) BY OMI FOR OEE-I
V-11327-1C5(R)
V-11-3C4-27
V-118026K-1C24(R) BY OMI
V-11G-2C25 (R)
V-151-1A5
V-151-1A6
V-151-1B6
V-151-1C25
V-151-1C26
V-151-1C5 BY OMI
V-151-1C5-T
V-151-1C6
V-151-1E5
V-151-3A6
V-15-1A4
V-15-1A5 BY OMI
V-15-1A5-T
V-15-1A6 BY OMI
V-15-1A6-IN
V-15-1B5
V-15-1B5-T
V-15-1B6
V-15-1C24
V-15-1C25 BY OMI
V-15-1C25-T
V-15-1C26
V-15-1C4
V-15-1C5 BY OMI
V-15-1C5-T
V-15-1C6 BY OMI
V-15-1C6T
V-15-1E26
V-15-1E5 BY OMI
V-152-1A5 BY OMI
V-152-1A5-T

Basic Micro Switch

V-152-1A6	
V-152-1B5	
V-152-1B6	
V-152-1C25 BY OMI	
V-152-1C26	
V-152-1C5 BY OMI	Basic Micro Switch
V-152-1C5-T 1	Basic Micro Switch
V-152-1C6	
V-152-1E5	
V-152-3C25 (10E)	
V-152-4A5	
V-152-4A6	
V-15-2A5	
V-15-2A6	
V-15-2C25	
V-15-2C26	Basic Micro Switch
V-15-2C26-K	
V-15-2C26-K(F3) BY OMI	
V-15-2C26-K(F3).	
V-15-2C6	
V-152K-1E5	
V-153-1A4	
V-153-1A5 BY OMI	
V-153-1A5-T	
V-153-1A6	
V-153-1B5	
V-153-1B6	
V-153-1C24	
V-153-1C25	Basic Micro Switch
V-153-1C26	
V-153-1C5 BY OMI	
V-153-1C5-T	Basic Micro Switch
V-153-1C6	
V-153-1C6T	
V-153-3C5 BY OMI	
V-15-3A5	
V-15-3A5-T	
V-15-3A5-T2	
V-15-3A6	
V-15-3A6 (IN)	
V-15-3A6-IN	
V-15-3B5	
V-15-3B6	
V-15-3B6-K BY OMI	
V-15-3C25	
V-15-3C26	
V-15-3C6	
V-153K-1C5-T	
V-154-1A4	
V-154-1A5 BY OMI	
V-154-1A5-T	
V-154-1A6	

V-154-1C25 BY OMI	
V-154-1C26	
V-154-1C5	
V-154-1C5-T	
V-154-1C6	
V-154-2A5-T	
V-154-2C5-T	
V-154-3A5-T	
V-15-4A5	Basic Micro Switch
V-15-4A6-T	
V-155-1A4	
V-155-1A5	Basic Micro Switch
V-155-1A5-T	Basic Micro Switch
V-155-1A6 BY OMI	
V-155-1A6 CAME	
V-155-1B5	Basic Micro Switch
V-155-1B6	
V-155-1C25 BY OMI	
V-155-1C26	
V-155-1C5 BY OMI	
V-155-1C5-T	
V-155-1C6 BY OMI	
V-155-1E5	
V-155-1E6	
V-155-3A5	
V-155-3C6	
V-155-4A5	
V-15-5A5	
V-15-5C25	
V-156-1A5 BY OMI	
V-156-1A5-T	
V-156-1A6	
V-156-1B5	
V-156-1C25 BY OMI	
V-156-1C26	
V-156-1C5 BY OMI	Basic Micro Switch
V-156-1C5-T	
V-156-1C6	
V-156-4A5	
V-15-6A5	
V-15-6C25	
V-15-6C5	
V-15-7A5	
V-15-8A6	
V-15G -1A 5-K .	
V-15G-1C26-K	
V-15G-2C26-K	
V-15G-2C26-K BY OMI	
V-15G3-1C25-K BY OMI	
V-15G-3C26	
V-15G-3C26 (1)	
V-15G5-1C25-K BY OMI	

V-15G6-1C25-K BY OMI	
V-161-1A4(R) BY OMI	
V-161-1A5(R) BY OMI	
V-161-1A6(R)	
V-161-1C24(R)	
V-161-1C25(R)	
V-161-1C26(R) BY OMI	
V-161-1C4(R) BY OMI	
V-161-1C5(R)	Basic Micro Switch
V-161-1C5-L(R) BY OMI	
V-161-1C6(R)	
V-16125-1C5(R) BY OMI	
V-16125-3A5(R) BY OMI	
V-16126-1C5(R) BY OMI	
V-161-2C5(R) BY OMI	
V-161-3C25	
V-161-3C25 (R2) BY OMI	
V-161-3C25(R)	
V-161-3E5(R)	
V-16-1A4(R)	
V-16-1A5(R)	Basic Micro Switch
V-16-1A6(R)	
V-16-1C24(R)	
V-16-1C25(R)	Basic Micro Switch
V-16-1C26(R)	
V-16-1C35(R) BY OMI	Basic Micro Switch
V-16-1C4(R)	
V-16-1C5(R)	Basic Micro Switch
V-16-1C5-L(R) BY OMI	
V-16-1C6(R)	
V-16-1D55(R) BY OMI	
V-16-1D56(R) BY OMI	Basic Micro Switch
V-16-1D65(R) BY OMI	
V-16-1D66(R) BY OMI	Basic Micro Switch
V-16-1E4(R) BY OMI	
V-16-1E6(R) BY OMI	
V-162-1A4(R)	
V-162-1A5(R)	
V-162-1A6(R)	
V-162-1C24(R) BY OMI	
V-162-1C25(R)	
V-162-1C26(R) BY OMI	
V-162-1C2R5 BY OMI	
V-162-1C4(R) BY OMI	
V-162-1C5(R)	Basic Micro Switch
V-162-1C6(R)	
V-162-1CL5	
V-162-1CR5	
V-162-1D56(R) BY OMI	Basic Micro Switch
V-162-1D66(R) BY OMI	Basic Micro Switch
V-162-2A5(R) BY OMI	
V-162-2D55(R) BY OMI	

V-162-2D65(R) BY OMI
 V-162-3A5 (R2) BY OMI
 V-162-3A5(R) BY OMI
 V-162-3A6(R)
 V-162-3C25 (R2) BY OMI
 V-162-3C25(84)
 V-162-3C25(R) BY OMI
 V-162-3C5 (R2) BY OMI
 V-162-3C5(R)
 V-162-3C5-L(R) BY OMI
 V-162-3C6(R)
 V-162-3E5(R) OMI
 V-162-4A6(R) BY OMI
 V-1625-1C5(R) BY OMI
 V-16-2A6(R)
 V-16-2C24(R) BY OMI
 V-16-2C26(R) BY OMI
 V-16-2C4(R)
 V-16-2C5
 V-16-2C5(R)
 V-16-2C6(R) OMI Basic Micro Switch
 V-16-2D56(R) BY OMI
 V-16-2D66(R) BY OMI
 V-162K-1C24(R) BY OMI
 V-162K-1C6(R) BY OMI
 V-162K-2C6(R) BY OMI
 V-163-1A5(R) BY OMI
 V-163-1A6(R)
 V-163-1C24(R) BY OMI
 V-163-1C25(R) BY OMI Basic Micro Switch
 V-163-1C26(R)
 V-163-1C4(R)
 V-163-1C5 Basic Micro Switch
 V-163-1C5(R) Basic Micro Switch
 V-163-1C6(R)
 V-163-1CL5
 V-163-1CR5
 V-16327-1C6(R) BY OMI
 V-16337K-1C4(R)
 V-16337K-2C4(R) BY OMI
 V-163-3C25-L(R)
 V-163-3C5 (R2) BY OMI
 V-163-3C5(R)
 V-16367K-1A4(R) BY OMI
 V-16367K-1C24(R) BY OMI
 V-16367K-1C25(R) BY OMI
 V-16-3A5 (R2) BY OMI
 V-16-3A6 (R2) BY OMI
 V-16-3A6(R)
 V-16-3C24 (R2) BY OMI
 V-16-3C24(R) BY OMI
 V-16-3C25 (R2) BY OMI

V-16-3C25-L(R)
V-16-3C26 (R2) BY OMI
V-16-3C26(R)
V-16-3C4 (R2) BY OMI
V-16-3C4(R) BY OMI
V-16-3C5 (R2) BY OMI
V-16-3C5(R)
V-16-3C6 (R2) BY OMI
V-16-3C6(R)
V-16-3D56(R) BY OMI
V-16-3D66(R) BY OMI
V-163K-1A4(R) BY OMI
V-163K-1A5(R)
V-164-1A4(R)
V-164-1A5(R) BY OMI
V-164-1A6(R) BY OMI
V-164-1C24(R) BY OMI
V-164-1C25(R) BY OMI
V-164-1C26(R)
V-164-1C4
V-164-1C4(R) BY OMI
V-164-1C5(R)
V-164-1C6(R)
V-164-1CL5 BY OMI
V-164-2A6(R) BY OMI
V-164-2C26(R) BY OMI
V-164-2E6(R) BY OMI
V-16443-2D55(R) BY OMI
V-16443-2D65(R) BY OMI
V-16443-3D55(R) BY OMI
V-16443-3D65(R) BY OMI
V-16-4A5(R) BY OMI
V-16-4E36(R) BY OMI
V-164K-1A4(R) BY OMI
V-164K-1C24(R) BY OMI
V-1651-1C5(R)
V-1651-3C5(R) BY OMI
V-165-1A5(R)
V-165-1A6(R)
V-165-1AL5 BY OMI
V-165-1C24(R) BY OMI
V-165-1C25(R)
V-165-1C26(R)
V-165-1C4
V-165-1C4(R) BY OMI
V-165-1C5(R)
V-165-1C6(R)
V-165-1CR5 BY OMI
V-165-1D55-L(R) BY OMI
V-165-1D65-L(R)
V-165-1E5(R) BY OMI
V-165-1E6(R)

Basic Micro Switch

Basic Micro Switch

V-16-5E36(R) BY OMI
V-165K-1A6(R) BY OMI
V-166-1A5(R) BY OMI
V-166-1A6(R) BY OMI
V-166-1C24(R) BY OMI
V-166-1C25(R)
V-166-1C26(R)
V-166-1C4(R) BY OMI
V-166-1C5(R) Basic Micro Switch
V-166-1C6(R)
V-166-1CL5 BY OMI
V-166-1CR5 BY OMI
V-166-1D55-L(R)
V-166-1D65-L(R)
V-166-2C5(R) BY OMI Basic Micro Switch
V-166K-1A4(R)
V-166K-1C5(R)
V-16935-3E5(R) BY OMI
V-16G186-3C25(R)
V-16G-1A5(R) BY OMI
V-16G-1A6(R) BY OMI
V-16G-1C24(R) BY OMI
V-16G-1C25 (R)
V-16G-1C25-L(R) BY OMI
V-16G-1C26(R) BY OMI
V-16G-1C5(R)
V-16G2-1C6-K(R) BY OMI
V-16G-2C24(R)
V-16G-2C25 (R)
V-16G-2C25-K(R) BY OMI
V-16G-3C25 (R)
V-16G-3C25-L(R) BY OMI
V-16G-3C26 (R)
V-16G-3C26 (R2) BY OMI
V-16G-3C26-M(R2) BY OMI
V-16G-3C4 BY OMI
V-16G-3C5(R)
V-16G5-1C24-K(R) BY OMI
V-16G6K-1C5
V-211-1C6(R) BY OMI
V-21-1C6(R) BY OMI
V-21-1CR6(R) BY OMI
V-212-1C6(R) BY OMI
V-212-1CR6(R) BY OMI
V-213-1C6
V-213-1C6(R) BY OMI
V-21-3C6(R) BY OMI
V-214-1C6(R) BY OMI
V-215-1C6(R) BY OMI
V-21-5C6(R) BY OMI
V-216-1C6(R) BY OMI
V-216-1CL6(R) BY OMI

V3B4K	
V400-AC2	Plastic positioning contact attachment
V400-AC3	
V400-F050	2D data matrix reader, C mount lens version (lens required), RS232, 24 VDC
V400-F250	2D data matrix reader, built in lens/lighting, 14x18mm field of view, RS232, 24 VDC
V400-F350	2D data matrix reader, built in lens/lighting, 31x42mm field of view, RS232, 24 VDC
V400-H111	Handheld 2D data matrix reader, LCD display, 5x5mm to 10x10mm field of view, RS2
V400-H111-1	
V400-H211	Handheld 2D data matrix reader, LCD display, 15x15mm to 30x30mm field of view, R
V400-R1CF	Ultra small multicode reader (1D/2D barcodes), front view, 5 VDC supply
V400-R1CS	Ultra small multicode reader (1D/2D barcodes), side view, 5 VDC supply
V400-W20-2M	V400 Handheld, power/Sysmac plc RS232 cable, 9pin D connector, 2m
V400-W20-5M	V400 Handheld, power/Sysmac plc RS232 cable, 9pin D connector, 5m
V400-W21-2M	V400 Handheld power and PC RS232 cable, 9pin D connector, 2m
V400-W21-5M	V400 Handheld power and PC RS232 cable, 9pin D connector, 5m
V400-W22-2M	
V400-W22-5M	
V400-W23 10M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, NPN output version, 10
V400-W23 15M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, NPN output version, 15
V400-W23 3M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, NPN output version, 3m
V400-W23 5M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, NPN output version, 5m
V400-W23P 10M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, PNP output version, 10
V400-W23P 15M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, PNP output version, 15
V400-W23P 3M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, PNP output version, 3m
V400-W23P 5M	V400-F power / Sysmac PLC RS232 cable, 9pin D connector, PNP output version, 5m
V400-W24 10M	V400-F power and PC RS232 cable, 9pin D connector, NPN output version, 10m
V400-W24 15M	V400-F power and PC RS232 cable, 9pin D connector, NPN output version, 15m
V400-W24 3M	V400-F power and PC RS232 cable, 9pin D connector, NPN output version, 3m
V400-W24 5M	V400-F power and PC RS232 cable, 9pin D connector, NPN output version, 5m
V400-W24P 10M	V400-F power and PC RS232 cable, 9pin D connector, PNP output version, 10m
V400-W24P 15M	V400-F power and PC RS232 cable, 9pin D connector, PNP output version, 15m
V400-W24P 3M	V400-F power and PC RS232 cable, 9pin D connector, PNP output version, 3m
V400-W24P 5M	V400-F power and PC RS232 cable, 9pin D connector, PNP output version, 5m
V400-WM0 1M	V400-F monitor cable, 1m
V400-WM0 5M	V400-F monitor cable, 5m
V500-R521B2	Bar Code Reader
V500-R521C2	RFID
V509-S01	
V509-W011 0.8M	PLC cable interface for V400-R1
V509-W011D	PC cable interface for V400-R1
V509-W012 0.8M	
V509-W016 5M	Cable for barcode reader
V509-W016D 5M	
V509-W019 0.8M	
V-5-1C4	
V520-R221FH	
V520-RH21-10	
V520-RH21-6 2M	
V520-RHK1-6D	
V530-R160E	2D code reader controller, NPN outputs, RS232 interface
V530-R160EP	2D code reader controller, PNP outputs, RS232 interface
V559-A26F	

V-5G55	
V600-A12-H	
V600-A20-1	
V600-A22	AC Adapter (for V680-CH1D)
V600-A40 10M	V600 R/W head standard extension cable, 10m
V600-A41 20M	V600 R/W head standard extension cable, 20m
V600-A42 30M	V600 R/W head standard extension cable, 30m
V600-A44 5M	
V600-A45 3M	V600 R/W head standard extension cable, 3m
V600-A50 10M	
V600-A51 20M	
V600-A52 30M	
V600-A55 5M	
V600-A56 3M	
V600-A60M 2M	
V600-A60R	
V600-A61M 5M	
V600-A61R 5M	
V600-A62M 10M	
V600-A62R 10M	
V600-A84	Surface mount holder for V600-D23P71/D2372 RFID tag
V600-A86	V680-D1KP66T ID Tag attachment
V600-CA5D02	V600 ID Controller, double-head, RS-232C/422/485 communications
V600-CH1D-PSI	V600 handheld reader/writer, for use with V600-A7525S-EG-S
V600-CH1D-V2	
V600-CHUD 0.8M	
V600-CHUD 1.9M	
V600-D23P53	V600 ID tag, round super-compact, 8 dia. X 5mm, 254 byte capacity
V600-D23P54	V600 RFID
V600-D23P55	V600 RFID
V600-D23P61	V600 RFID
V600-D23P66N	V600 ID tag, rectangular, 34 x 34 x 3.5mm, 254 byte capacity
V600-D23P66SP	V600 RFID
V600-D23P71	V600 RFID
V600-D23P72	V600 RFID
V600-D2KR01-T	
V600-D8KR04	
V600-D8KR11	
V600-D8KR12	
V600-D8KR12-T	
V600-D8KR13	
V600-H06-T 0.5M	
V600-H07 0,5M	
V600-H07 10M	
V600-H07 2M	
V600-H07-T 0.5M	
V600-H11	V600 R/W Head, rectangular, 53x 40x 23mm, 2m cable
V600-H11 0.5M	
V600-H11 10M	V600 R/W Head, rectangular, 53x 40x 23mm, 10m cable
V600-H11 5M	V600 R/W Head, rectangular, 53x 40x 23mm, 5m cable
V600-H11-R 0.5M	
V600-H12 0,5M	

V600-H12 10M	
V600-H12 2M	
V600-H12 5M	
V600-H51	
V600-H51 0.5M	
V600-H51 10M	
V600-H51 5M	
V600-H52	
V600-H52 0.5M	
V600-H52 10M	
V600-H52 5M	
V600-HA51 10M	
V600-HA51 2M	
V600-HA51 5M	
V600-HAM42-DRT	530kHz for US, F and JPN only
V600-HAM42-DRT-1	470Khz, for UK, Europe (except F)
V600-HAM42-DRT-2	
V600-HAM42-DRT-3	
V600-HAM81 0.5M	V600 RFID intelligent flag controller, multi-functional (read/write), 8-bit, PNP open co
V600-HAM91 0.5M	V600 RFID Intelligent Flags
V600-HAR81 0.5M	
V600-HAR91 0.5M	
V600-HAR92 0.5M	
V600-HS51 2M	V600 RFID read/write head, separate amplifier type, 12 dia. X 35mm deep, 2m cable
V600-HS61 2M	
V600-HS63	V600 RFID read/write head, rectangular 53 x 40 x 23mm, 2m cable with connector
V600-HS63 3M	
V600-HS63-2 8M	RFID
V600-HS63-4 8M	V600 RFID Read/Write
V600-HS63-R 2M	
V600-HS63-R 3M	V600 RFID Read/Write
V600-HS67 2M	
V640-A90	
V640-HAM11-V2	
V640-HAM12	
V640-HS61 2M	
V640-HS62 1.9M	
V670-A40 3M	ID antenna extension cable, 3m
V670-A41 10M	ID antenna extension cable, 10m
V670-A42 18M	
V670-A43 28M	
V670-A81	Attachment for V670-D13F01H on metal surfaces, 8 x 28 x 6mm
V670-CD1D-V1	ID controller, 24 VDC supply, single channel antenna input, RS-232C host interface, '
V670-D13F01	ID tag, compact, 8 x 16 x 3.5mm, 128 bytes, IP67
V670-D13F01H	
V670-D13F03	ID tag, 40 x 40 x 4.5mm, 128 bytes, IP67
V670-H11	ID antenna, 40 x 53 x 23mm, 2m cable, IP67
V670-H51 0.5M	
V670-H51 2M	ID antenna, M18 x 43mm, 2m cable, IP67
V680-A60 10M	V680 Interface Cable
V680-A60 2M	
V680-A60 5M	

V680-A-7527S-G2-EG	
V680-A80	Mounting attachment for V680-D1KP58HT, 20mm diameter x 110mm
V680-A81	
V680-A-CA1053	
V680-A-IMMEG-P01	
V680-A-IMMJP-P01	
V680-A-WA3006	
V680-A-WA4003	
V680-A-WA6197	
V680-CA5D01-V2	V680 ID Controller, single-head, RS-232C/422/485 communications
V680-CA5D02-V2	V680 ID Controller, double-head, RS-232C/422/485 communications
V680-CH1D	V680 Handheld Reader Writer 2.5m
V680-CH1D-PSI	V680 Handheld Reader Writer 0.8m
V680-CHUD 0.8M	V680 Handheld Reader Writer 0.8m
V680-CHUD 1.9M	V680 Handheld Reader Writer 1.9m
V680-D1KP52MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm
V680-D1KP53M	
V680-D1KP58HT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, 80mm diameter x 10mm, 200
V680-D1KP66MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for f
V680-D1KP66T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for f
V680-D1KP66T-SP	
V680-D2KF52M	V680 ID Tag, I-CODE SLI, FRAM, 2KB user memory, round, 8mm diameter x 5mm
V680-D2KF67	V680 ID Tag, I-CODE SLI, FRAM, 2KB user memory, square, 40 x 40 x 4.5mm, for flus
V680-D2KF67M	V680 ID Tag, I-CODE SLI, FRAM, 2KB user memory, square, 40 x 40 x 4.5mm, for flus
V680-D32KF68	
V680-D8KF67	
V680-D8KF67M	
V680-D8KF68	
V680-H01-V2	
V680-HA63A 10M	V680 Amplifier Unit, for 1KB ID Tags, 10m cable
V680-HA63A 5M	V680 Amplifier Unit, for 1KB ID Tags, 5m cable
V680-HA63B 10M	V680 Amplifier Unit, for 2KB ID Tags, 10m cable
V680-HA63B 5M	V680 Amplifier Unit, for 2KB ID Tags, 5m cable
V680-HAM42-DRT	V680 DeviceNet Slave controller
V680-HAM81	V680 Amplifier Unit
V680-HAM91	
V680-HS51 2M	V680 Read/Write Antenna, M12 x 35mm cylindrical type, standard cable with IP40 co
V680-HS52-R 12.5M	V680 Read/Write Antenna, Cylinder type, flexible cable with IP40 connector, 12.5m
V680-HS52-R 2M	V680 Read/Write Antenna, Cylinder type, flexible cable with IP40 connector, 2m
V680-HS52-W 12.5M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 12.5m
V680-HS52-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m
V680-HS63-R 12.5M	V680 Read/Write Antenna, Square type, 40x53x23mm, flexible cable with IP40 conne
V680-HS63-R 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, flexible cable with IP40 conne
V680-HS63-W 12.5M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 conn
V680-HS63-W 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 conn
V680-HS65-R 12.5M	V680 Read/Write Antenna, Square type, 100x100x30mm, flexible cable with IP40 conr
V680-HS65-R 2M	V680 Read/Write Antenna, Square type, 100x100x30mm, flexible cable with IP40 conr
V680-HS65-W 12.5M	V680 Read/Write Antenna, Square type, 100x100x30mm, standard cable with IP67 cor
V680-HS65-W 2M	V680 Read/Write Antenna, Square type, 100x100x30mm, standard cable with IP67 cor
V680-WAHF-T2-G2	
V690-A40 2M	
V690-A41 3M	

V690-A42 5M	
V690-A43 10M	
V690-A44 15M	
V690-A50 2M	
V690-A51 3M	
V690-A52 5M	
V690-A53 10M	
V690-A54 20M	
V690-A55 30M	
V690-A56 50M	
V690-D8KR01A	
V690-HMG01A	
V690-L01	
V700-A30-H	
V700-A40-W 10M	V680-CAxD / V680-H01 antenna extension cable, 10m
V700-A40-W 20M	V680-CAxD / V680-H01 antenna extension cable, 20m
V700-A40-W 2M	V680-CAxD / V680-H01 antenna extension cable, 2m
V700-A40-W 30M	V680-CAxD / V680-H01 antenna extension cable, 30m
V700-A40-W 5M	V680-CAxD / V680-H01 antenna extension cable, 5m
V700-A43 10M.	V680 Amplifier Unit Extension Cable, for use with V680-HA63x, 10m
V700-A44 20M.	V680 Amplifier Unit Extension Cable, for use with V680-HA63x, 20m
V700-A45 30M.	
V700-A80.V2	Holder for V700-D13P31 coin-shaped ID tag
V700-CD2D-V3	ID controller, 24 VDC supply, single channel antenna input, RS-485 host interface, 6t
V700-D23P31	V700 ID tag, EEPROM, 240 bytes user memory, coin-shaped, 20mm diameter x 2.7mm
V700-D23P41.	V700 ID tag, EEPROM, 240 bytes user memory, stick-type, 4mm diameter x 25mm, IP
V700-D23P41-1	
V700-D23P61	V700 ID tag, EEPROM, 240 bytes user memory, square, 40mm x 40mm x 3.5mm, IP67
V700-HMD11 2M.	V700 ID compact reader/writer, 5 VDC supply, RS-232C host interface, 40 x 53 x 23mm
V700-HMD11-1	V700 ID compact reader/writer, 5 VDC supply and RS-232C host interface to Omron I
V700-HMD11-1 4M	
V700-HMD11-2 1M	
V700-HMD13A	
V700-L11	
V700-L12	ID Link Unit, supports RS-485 multidrop connections for up to 31 x RS-232C devices
V700-L22	
V700-L22-3	Auto ID
V720-P01-COIL-R100	
V720-P01-COIL-R1K	
V720-P02-COIL-R1K	
V720-P03-COIL-R100	
V720S-D13-CM	
V720S-D13P07-R1K	
V720S-D13P40-CARD	
V720S-HMF01	ID reader/writer unit with CF2 interface for PDA
V7TZ-FR1	Option frame assembly when using Communication or PLC options
VAL	
VAL12	
VAL2	
VAL2(-)	
VAM-1	
VAM21	

VAQ-0
VAQ-15W-L
VAQ-37
VAQ-4A-K
VAQ-4B-K
VAQ-4G-K
VAQ-4R-K
VAQ-4W
VAQ-4Y-K
VAQ-BA
VAQ-BB
VAQ-BG
VAQ-BR
VAQ-BW
VAQ-BY
VAQ-O V-15-1C5
VAQR-4R
VAT4-71
VB-2111
VB-2121
VB-2141
VB-2151
VB-2211
VB-2221
VB-2241
VB-2251
VB-3111
VB-3121
VB-3151
VB-3211
VB-3221
VB-3241
VB-3251
VB-4111
VB-4121
VB-4211
VB-4211A
VB-4221
VB-4241
VB-4251
VB-5111
VB-5121
VB-5211
VB-6111
VB-6121
VB-6211
VB-6221
VB-6241
VB-S101N
VC-DL100
VC-DLST
VFX48-003-54CE

Multiple limit switch, 2 bevel plungers, 10A, two conduit entry
Multiple plunger limit switch, bevel plunger, G1/2 4 cond.

Multiple limit switch, 2 roller plungers, 10A, two conduit entry
Multiple limit switch, 2 roller plungers, 10A, four conduit entry
Multiple limit switch, 2 roller plungers, 10A, four conduit entry

VFX48-003-54CEB
VFX48-004-54CE
VFX48-004-54CEB
VFX48-006-54CE
VFX48-006-54CEB
VFX48-008-54CE
VFX48-008-54CEB
VFX48-010-54CE
VFX48-010-54CEB
VFX48-013-54CE
VFX48-013-54CEB
VFX48-018-54CE
VFX48-018-54CEB
VFX48-026-54CE
VFX48-026-54CEB
VFX48-031-54CE
VFX48-031-54CEB
VFX48-037-54CE
VFX48-037-54CEB
VFX48-046-54CE
VFX48-046-54CEB
VFX48-060-54CE
VFX48-060-54CEB
VFX48-073-54CE
VFX48-073-54CEB
VFX48-090-54CE
VFX48-090-54CEB
VFX48-109-54CE
VFX48-109-54CEB
VFX48-146-54CE
VFX48-146-54CEB
VIALAN 56SP
V-UNIT-1940 BY OMI
V-UNIT-5N91GS BY OMI
V-UNIT-7Q00GS BY OMI
V-UNIT-8000BP
V-UNIT-8000GP
V-UNIT-8002BP BY OMI
V-UNIT-8003GP BY OMI
V-UNIT-8005BP BY OMI
V-UNIT-8007BP BY OMI
V-UNIT-8060BP
V-UNIT-8060GP
V-UNIT-8062GP BY OMI
VX-011-1A3
VX-011-1C23
VX-01-1A2
VX-01-1A3
VX-01-1C22
VX-01-1C23
VX-012-1A3
VX-012-1C23

VX-013-1A3
 VX-013-1C22
 VX-013-1C23
 VX-01-3A2
 VX-01-3C23
 VX-014-1A3
 VX-014-1C23
 VX-014-3A3
 VX-015-1A3
 VX-015-1C23
 VX-015-3C23
 VX-016-1A3
 VX-016-1C22
 VX-016-1C23
 VX-51-1A3
 VX-51-1C22
 VX-51-1C23
 VX-5-1A2
 VX-5-1A3
 VX-5-1C22
 VX-5-1C23
 VX-52-1A2
 VX-52-1A3
 VX-52-1C22
 VX-52-1C23
 VX-5-2A2
 VX-5-2C22
 VX-52K-1A3
 VX-53-1A2
 VX-53-1A3
 VX-53-1C23
 VX-5-3A3
 VX-54-1A3
 VX-54-1C23
 VX-54-3A3
 VX-5514-1C22(GBC)
 VX-55-1A3
 VX-55-1C23
 VX-56-1A2
 VX-56-1A3
 VX-56-1C22
 VX-56-1C23
 VZ4A0018EAA
 VZ4A0023EAA
 VZ4A0031EAA
 VZ4A0038EAA
 VZA2011FAA
 VZA2011FAA-S5030
 VZA2015FAA
 VZA2015FAA-S5030
 VZA20P1BAA
 VZA20P1BAA-S5030

V3 Micro Switch, Low Op Force, Lever

V1000 Inverter drive, 11/15KW(HD/ND), 47/56A(HD/ND), 200 VAC, three phase input, :

V1000 Inverter drive, 15/18.5KW(HD/ND), 60/69A(HD/ND), 200 VAC, three phase input

V1000 Inverter drive, 0.12/0.18KW(HD/ND), 0.8/1.2A(HD/ND), 200 VAC, three phase in

VZA20P2BAA	V1000 Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200 VAC, three phase in
VZA20P2BAA-S5030	
VZA20P4BAA	V1000 Inverter drive, 0.55/0.75KW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, three phase in
VZA20P4BAA-S5030	
VZA20P7BAA	V1000 Inverter drive, 1.1/1.1KW(HD/ND), 5.0/6.0A(HD/ND), 200 VAC, three phase inpu
VZA20P7BAA-S5030	
VZA21P5BAA	V1000 Inverter drive, 1.5/2.2KW(HD/ND), 8.0/9.6A(HD/ND), 200 VAC, three phase inpu
VZA21P5BAA-S5030	
VZA22P2BAA	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.00A(HD/ND), 200 VAC, three phase in
VZA22P2BAA-S5030	
VZA24P0BAA	V1000 Inverter drive, 4.0/5.5KW(HD/ND), 17.5/21.0A(HD/ND), 200 VAC, three phase in
VZA24P0BAA-S5030	
VZA25P5FAA	V1000 Inverter drive, 5.5/7.5KW(HD/ND), 25/30A(HD/ND), 200 VAC, three phase input,
VZA25P5FAA-S5030	
VZA27P5FAA	V1000 Inverter drive, 7.5/11.0KW(HD/ND), 33/40A(HD/ND), 200 VAC, three phase inpu
VZA27P5FAA-S5030	
VZA4011EAA	
VZA4011FAA GBR	V1000 Inverter drive, 11/15KW(HD/ND), 24/31A(HD/ND), 400 VAC, three phase input, :
VZA4011FAA-S5030	
VZA4015EAA	
VZA4015FAA GBR	V1000 Inverter drive, 15/18.5KW(HD/ND), 31/38A(HD/ND), 400 VAC, three phase input
VZA4015FAA-S5030	
VZA40P2BAA	V1000 Inverter drive, 0.37/0.37KW(HD/ND), 1.2/ 1.2A(HD/ND), 400 VAC, three phase in
VZA40P2BAA-S5030	
VZA40P2EAA	V1000 Inverter drive, 0.37/0.37KW(HD/ND), 1.2/1.2A(HD/ND), 400 VAC, three phase in
VZA40P4BAA	V1000 Inverter drive, 0.55/0.75KW(HD/ND), 1.8/2.1A(HD/ND), 400 VAC, three phase in
VZA40P4BAA-S5030	
VZA40P4EAA	V1000 Inverter drive, 0.55/0.75KW(HD/ND), 1.8/2.1A(HD/ND), 400 VAC, three phase in
VZA40P7BAA	V1000 Inverter drive, 1.1/1.5KW(HD/ND), 2.6/3.4A(HD/ND), 400 VAC, three phase inpu
VZA40P7BAA-S5030	
VZA40P7EAA	V1000 Inverter drive, 1.1/1.5KW(HD/ND), 2.6/3.4A(HD/ND), 400 VAC, three phase inpu
VZA41P5BAA	V1000 Inverter drive, 1.5/2.2KW(HD/ND), 4.8/5.4A(HD/ND), 400 VAC, three phase inpu
VZA41P5BAA-S5030	
VZA41P5EAA	V1000 Inverter drive, 1.5/2.2KW(HD/ND), 4.8/5.4A(HD/ND), 400 VAC, three phase inpu
VZA42P2BAA	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 5.5/6.9A(HD/ND), 400 VAC, three phase inpu
VZA42P2BAA-S5030	
VZA42P2EAA	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 5.5/6.9A(HD/ND), 400 VAC, three phase inpu
VZA43P0BAA	V1000 Inverter drive, 3.0/4.0KW(HD/ND), 7.2/8.8A(HD/ND), 400 VAC, three phase inpu
VZA43P0BAA-S5030	
VZA43P0EAA	V1000 Inverter drive, 3.0/4.0KW(HD/ND), 7.2/8.8A(HD/ND), 400 VAC, three phase inpu
VZA44P0BAA	V1000 Inverter drive, 4.0/5.5KW(HD/ND), 9.2/11.1A(HD/ND), 400 VAC, three phase inp
VZA44P0BAA-S5030	
VZA44P0EAA	V1000 Inverter drive, 4.0/5.5KW(HD/ND), 9.2/11.1A(HD/ND), 400 VAC, three phase inp
VZA45P5EAA	
VZA45P5FAA GBR	V1000 Inverter drive, 5.5/7.5KW(HD/ND), 14.8/17.5A(HD/ND), 400 VAC, three phase in
VZA45P5FAA-S5030	
VZA47P5EAA	
VZA47P5FAA GBR	V1000 Inverter drive, 7.5/11.0KW(HD/ND), 18/23A(HD/ND), 400 VAC, three phase inpu
VZA47P5FAA-S5030	
VZAB0P1BAA	V1000 Inverter drive, 0.12/0.18KW(HD/ND), 0.8/1.2A(HD/ND), 200 VAC, single phase in
VZAB0P1BAA-S5030	
VZAB0P1EAA	V1000 Inverter drive, 0.12/0.18KW(HD/ND), 0.8/1.2A(HD/ND), 200 VAC, single phase in

VZAB0P2BAA	V1000 Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200 VAC, single phase in
VZAB0P2BAA-S5030	
VZAB0P2EAA	V1000 Inverter drive, 0.25/0.37KW(HD/ND), 1.6/1.9A(HD/ND), 200 VAC, single phase in
VZAB0P4BAA	V1000 Inverter drive, 0.4/0.55KW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, single phase in
VZAB0P4BAA-S5030	
VZAB0P4EAA	V1000 Inverter drive, 0.4/0.55KW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, single phase in
VZAB0P7BAA	V1000 Inverter drive, 0.75/1.1KW(HD/ND), 5.0/6.0A(HD/ND), 200 VAC, single phase in
VZAB0P7BAA-S5030	
VZAB0P7EAA	V1000 Inverter drive, 0.75/1.1KW(HD/ND), 5.0/6.0A(HD/ND), 200 VAC, single phase in
VZAB1P5BAA	V1000 Inverter drive, 1.5/2.2KW(HD/ND), 8.0/9.6A(HD/ND), 200 VAC, single phase in
VZAB1P5BAA-S5030	
VZAB1P5EAA	V1000 Inverter drive, 1.5/2.2KW(HD/ND), 8.0/9.6A(HD/ND), 200 VAC, single phase in
VZAB2P2BAA	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.0A(HD/ND), 200 VAC, single phase in
VZAB2P2BAA-S5030	
VZAB2P2EAA	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.0A(HD/ND), 200 VAC, single phase in
VZAB4P0BAA	V1000 Inverter drive, 4.0KW, 17.5A, 200 VAC, single phase input, sensorless vector
VZAB4P0BAA-S5030	
W-01FB3	
W-10FB3.	
W-10FB3-4	
W-10FB3-55	
W206-E1-2 SYSMAC CV500-BSC	
W4S1-03B	3-port basic ethernet switch, with QoS for EtherNet/IP
W4S1-05B	5-port basic ethernet switch, with QoS for EtherNet/IP
W4S1-05C	5-port advanced ethernet switch, with QoS for EtherNet/IP and error/storm detection
W5001	
W5003	
W5101	
W5103	
W5111	
W5113	
WCAG-40 50	
WD30-AT001	Magnet-base antenna for WD30-ME01/SE01, 2 required per WD30-ME01/SE01, 2m ca
WD30-ME	Wireless Devicenet Master unit, connects up to 32 Wireless Devicenet Slaves units,
WD30-ME01	Wireless Devicenet Master unit with detachable antenna, connects up to 32 Wireless
WD30-SE	Wireless Devicenet Slave unit, connects to 63 Devicenet Slaves max for 1,024 I/O po
WD30-SE01	Wireless Devicenet Slave unit with detachable antenna, connects to 63 Devicenet Sl
WE70-AP-EU	Wireless Ethernet Access Point, 2.4GHz and 5GHz supported
WE70-AT001H	Wireless Ethernet magnet-base antennae (set of 2)
WE70-CA05M	Wireless Ethernet antenna extension cable, 5m
WE70-CL-EU	Wireless Ethernet Client, 2.4GHz and 5GHz supported
WESTERMO GD-01	
WESTERMO GDW-11	
WF001	
WL01CA12-2N	Limit Switch
WL01CA2	
WL01CA2-2N	
WL01CA2-8	
WL01CA2-LD	
WL01CA2-LDK13	
WL01CA2-Y	
WL01CA32-43	

WL01CL	
WL01D	
WL01D2	
WL01D28	
WL01D28-LD	
WL01D2-G1LD	
WL01D2-LD	
WL01D3-LD	
WL01D-LD	
WL01G2	
WL01G2-G1LD	
WL01G2-LD-DGJ03	
WL01G2-LDK43	
WL01GCA2	
WL01H2	
WL01H2-GLD	
WL01HL-GLD	
WL01NJ	
WL01NJ-F	
WL01SD2-LD	
WL01SD3	
WL-1A100	WL series limit switch replacement roller lever
WL-1A106(WLCA2-6 LEVER)	Roller Lever, 50 dia x 6
WL-1A110(WLCA2-265N LEVER)	
WL-1A118 (CA2-29)	
WL-1A200	Operating Lever for 50mm Dia Roler lever Limit Switch
WL-1A300	
WL-1A400	
WL-1A600S	
WL-1H	
WL-1H1100	
WL-1H2100	Operating Head and lever for Adjustable Roller Lever Limit Switch
WL-2A100	
WL-2A104(WLCA12-26N LEVER)	
WL-2A107(WLCA12-ALEVER)	
WL-2A108 (WLCA12-35 LEVER)	
WL-2A111	
WL-2A122	
WL-2A130	
WL-2A131	
WL-2H1100(WLH2,G2 HEAD,LEVER)	
WL-2H4100(WLHL,GL HEAD,LEVER)	
WL-3A100(WLCAL4-2 LEVER)	
WL-3A106(WLCAL4-2A LEVER)	
WL-3A200(WLCAL5-2 LEVER)	
WL-3H	
WL-3H1100	
WL-4A100	
WL-4A201	
WL-4H4100	
WL-5A100	
WL-5A102	

WL-5A104	
WL-5A105(WLCA32-043 LEVER)	
WL-5H	
WL-5H5100	
WL-5H5104	
WL-7H100	
WL-7H200	
WL-7H300(WLD3 HEAD)	
WL-8H200	
WL-8H300	
WL-9H100	WL series limit switch replacement head with coil spring lever
WL-9H200	
WL-9H400	
WLCA12	
WLCA12-2G	
WLCA12-2N	Limit switch, adjustable roller lever: overtravel, 90 deg, DPDB, 10A
WLCA12-2NG	Limit switch, adjustable roller lever: overtravel, 90 deg, DPDB, 10A
WLCA12-2NLD	
WLCA12-2NLD-DK1EJ03	
WLCA12-2NLE	
WLCA12-2NTH	
WLCA12-2RP	
WLCA12-2TH	
WLCA12-2TS	
WLCA12-2Y	
WLCA12-G	Limit switch, adjustable roller lever, DPDB, 10A
WLCA12-G1LD	
WLCA12-LE	
WLCA12-TC	
WLCA12-TH	
WLCA12-THG	
WLCA12-Y	
WLCA2	Limit switch, standard roller lever, DPDB, 10A
WLCA2-2	Limit switch, 90 deg. Overtravel roller lever, DPDB, 10A
WLCA2-255	Limit switch, standard roller lever, DPDB, 10A, hermetically sealed
WLCA2-26N	
WLCA2-2G	Limit switch, 90 deg. Overtravel roller lever, DPDB, 10A
WLCA2-2LD	Limit switch, standard roller lever, DPDB, 10A, LED indicator
WLCA2-2LE	
WLCA2-2N	Limit switch, 90 deg. Overtravel roller lever, DPDB, 10A
WLCA2-2N55LE	
WLCA2-2NG	
WLCA2-2NLD	
WLCA2-2NLD-M1J 0.3M	Limit switch, 90 deg. Overtravel roller lever, DPDB, 10A, LED indicator
WLCA2-2NLE	
WLCA2-2NRP40 5M	
WLCA2-2NTH	
WLCA2-2NTS.	
WLCA2-2RP60LD3 5M	
WLCA2-2TH	Limit switch, standard roller lever, DPDB, 10A, heat resistive (5-120 deg.C)
WLCA2-2Y	
WLCA2-55	

WLCA2-55LD-M1GJ 0.3M	
WLCA2-7	Limit switch, R50 roller lever, DPDB, 10A
WLCA2-7G	
WLCA2-8	
WLCA2-8G	
WLCA2-8TH	
WLCA2-8TS	
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A
WLCA2-G1LD	
WLCA2-GLD	
WLCA2-LD	
WLCA2-LDAS	
WLCA2-LDK13	
WLCA2-LDK43	
WLCA2-LD-M1GJ	
WLCA2-LD-M1J	
WLCA2-LDS	
WLCA2-LE	
WLCA2-LEAS	
WLCA2-LES	
WLCA2-P1	
WLCA2-RP55	
WLCA2-RP60	
WLCA2-TH	
WLCA2-THG	Limit switch, standard roller lever, DPDB, 10A, heat resistive (5-120 deg.C)
WLCA2-TS	
WLCA2-Y	
WLCA32-043TH	
WLCA32-41	
WLCA32-41G	Limit switch, lock fork roller lever, DPDB, 10A
WLCA32-41LD	
WLCA32-41Y	
WLCA32-43	Limit switch, fork lever lock, DPDB, 10A
WLCA32-43G	Limit switch, fork lever lock, DPDB, 10A
WLCA32-43LD	
WLCA32-43LD-DGJ03	
WLCAL4-2TS	
WLCAL5-2	
WLCL	
WLCL-2	
WLCL-2N	Limit switch, adjustable rod lever: overtravel, DPDB, 10A
WLCL-2NLD-DGJ03	
WLCL-2TH	
WLCL-G	Limit switch, adjustable rod lever, DPDB, 10A
WLCL-LD	
WLCL-LE	
WLCL-TH	
WLCL-THG	
WLCL-TS	
WLCL-Y	
WLD	
WLD2	Limit switch, roller top plunger, DPDB, 10A

WLD2-55LD	
WLD2-55LD-M1GJ 0.3M	
WLD2-55LD-M1GJ 1.0M	
WLD28	
WLD28-G1LDS	
WLD28-LD	
WLD28-LDK13	
WLD28-LDS	
WLD28-LDS-DGJS03	
WLD28-LDS-DGJS03T	
WLD28-LDS-M1GJ-1	
WLD28-LE	
WLD28-RP40	
WLD28-TH	
WLD28-TS	
WLD2-G	Limit switch, roller top plunger, DPDB, 10A
WLD2-G1LD CE	
WLD2-LD	
WLD2-LD-AGJ03	
WLD2-LD-DGJ03	
WLD2-LD-DK1EJ03	
WLD2-LDK13	
WLD2-LD-M1GJ	
WLD2-LE	
WLD2-TC	
WLD2-TH	
WLD2-TS	
WLD2-Y	
WLD3	Limit switch, ball top plunger, DPDB, 10A
WLD3-G	Limit switch, ball top plunger, DPDB, 10A
WLD3-LD	
WLD3-LE	
WLD3-TC	
WLD3-Y	
WLD-55LD	
WLDG	Limit switch, plain top plunger, DPDB, 10A
WLD-LD	
WLD-THG	
WLD-TS	
WLD-Y	
WLG12	
WLG12-LD	
WLG12-LD-DK1EJ03	
WLG2	
WLG2-145LD3-M1J	
WLG2-55G1LD CE	
WLG2-55LD	Limit switch, 80 deg. overtravel roller lever, high sensitivity, DPDB, 10A, hermetically
WLG2-55LD-DGJ03	
WLG2-55LD-DK1EJ03	
WLG2-55LDK15	
WLG2-55LDK43	
WLG2-55LD-M1GJ 0.5M	Two-circuit limit switch, roller lever, high sensitivity, 80 degrees

WLG2-55LDS	
WLG2-55LDS-DGJS03	
WLG2-55LDS-MIGJ-1 0.3M	
WLG2-55LDS-NSUK	
WLG2-55LE	
WLG2-55TSLD	
WLG2-7GLE	
WLG2-DGJ03	
WLG2-G1LDS	
WLG2-G1LE	
WLG2-GLE	Limit switch, 80 deg. overtravel roller lever, high sensitivity, DPDB, 10A, neon indica
WLG2-LD	Limit switch, 80 deg. overtravel roller lever, high sensitivity, DPDB, 10A, LED indicat
WLG2-LDAS	
WLG2-LDAS-DGJS03	
WLG2-LDAS-DGJS03T	
WLG2-LD-DGJ03	Limit switch, 80 deg. overtravel roller lever, high sensitivity, DPDB, 10A, LED indicat
WLG2-LD-DK1EJ03	
WLG2-LD-DK1EJ203	Limit switch, 80 deg. overtravel roller lever, high sensitivity, DPDB, 10A, LED indicat
WLG2-LDFS-DGJS03	
WLG2-LDK43	
WLG2-LD-M1GJ 0.3M	
WLG2-LDS	
WLG2-LEAS	
WLG2-TSLD	
WLGCA12-2	
WLGCA2	
WLGCA2-2	
WLGCA2-2LD	
WLGCA2-2TH	
WLGCA2-55	
WLGCA2-55139 5M	
WLGCA2-55LD	
WLGCA2-55LD-M1GJ 0.5M	
WLGCA2-8-TH	
WLGCA2-G1LE	
WLGCA2-LD	
WLGL	Limit switch, high sensitivity adjustable rod lever: overtravel, DPDB, 10A
WLH12	
WLH12-G1LD	
WLH12-GLD	
WLH12-P1	
WLH2	
WLH2-G	
WLH2-G1 CE	
WLH2-G1LD	
WLH2-LD	
WLH2-LEAS	
WLH2-P1	
WLH2-RP60LD3 10M	
WLH2-RP60LD3 5M	
WLHAL4	
WLHAL4-LD	

WLHAL4-LE	
WLHAL5-LD	
WLHAL6	
WLHL-LD	
WLHL-TH	
WL-LD	
WLLE	
WL-LES	
WLMCA2-LD-DGJ03	
WLMCA2-LDK13A	
WLMCA2-LDK43A	
WLMG2-LD	
WLMG2-LDK13A	
WLMG2-LDK43A	
WLMGCA2-LDK13A	
WLMGCA2-LDK43A	
WLMH2-LD	
WLMH2-LD-DGJ03	
WLMH2-LD-M1J	
WLNJ	
WLNJ-2	Limit switch, flexible rod coil spring resin rod, DPDB, 10A
WLNJ-21	
WLNJ-2G	Limit switch, flexible rod coil spring resin rod, DPDB, 10A
WLNJ-2LD	Limit switch, flexible rod coil spring resin rod, DPDB, 10A, LED indicator
WLNJ-30	Limit switch, coil spring - multi-wire, DPDB, 10A
WLNJ-30G	Limit switch, coil spring - multi-wire, DPDB, 10A
WLNJ-30LE	
WLNJ-30TH	
WLNJ-9	
WLNJ-G	Limit switch, coil spring, DPDB, 10A
WLNJ-G1	
WLNJ-LD	Limit switch, flexible rod coil spring, DPDB, 10A, LED indicator
WLNJ-LD-M1GJ 0.3M	
WLNJ-RP	
WLNJ-S2	Limit switch, flexible rod steel wire, DPDB, 10A
WLNJ-S2-G	Limit switch, flexible rod steel wire, DPDB, 10A
WLNJ-S2LD	
WLNJ-S2TCG	
WLNJ-S2TS	
WLNJ-TCG	Two-circuit limit switch, flexible rod: coil spring, low temperature, PG 13.5
WLNJ-TH	
WLNJ-Y	
WLRCA2	
WLRCA32	
WLRG2	
W LSD	Limit switch, plain side plunger, DPDB, 10A
W LSD2	
W LSD2-G	Limit switch, roller side plunger, DPDB, 10A
W LSD2-LD	
W LSD2-RP40	
W LSD2-TC	
W LSD3	Limit switch, ball side plunger, DPDB, 10A

WLS3D3-G	Limit switch, ball side plunger, DPDB, 10A
WLS3D3-Y	
WLS3D3-G	Limit switch, plain side plunger, DPDB, 10A
WLS3D3-LD	
WP001	
WP003	
WS02-CFDC1-ES	
WS02-CFSC1-E VER2.0	Safety configuration tool software kit, CD-ROM, for Windows 2000/XP
WS02-CFSC1-EL10	
WS02-CFSC1-EL50	
WS02-CFSC1-ELXX	
WS02-CFSC1-E-UP	
WS02-CPLC1	CX-Compolet communication software, single-user license; supported OS: Microsoft
WS02-EDMC1-V2	SPU Unit Data Management Middleware, for Windows 2000/XP, single-user licence
WS02-EQMC1-V1	
WS02-EQMC1-V1L05	
WS02-LCMC1-EV2	
WS02-LCMC1-EV2L03	CX-Process Monitor Plus Version 2, monitoring software for loop control, for Windows
WS02-LCTK1-EL01	CX Process Monitor hardware key, 1-user licence (for use with WS02-LCTC1-EV3)
WS02-LCTK1-EL03	
WS02-LCTK1-EL10	
WS02-MCTC1-EV21	
WS02-PSTC1-E	CX-Protocol software (for user-defined serial communications protocols)
WS02-SGWC1	SYSMAC Gateway communications middleware, single-user license; supported OS:
WS02-SGWC1S	
WS02-SIMC1-E	CX-Simulator software for simulating CS1/CJ1 ladder programs, for Windows 95/98/
WS02-SPTC1-V2	
WT30-AT001	
WT30-AT002	
WT30-AT003	
WT30-CA2M	Extension cable for antenna (2m)
WT30-FT001	
WT30-FT002	
WT30-FT003	
WT30-FT011	
WT30-M01-FLK	
WT30-SID16	
WT30-SMD16	
WT30-SMD16-1	Wireless Remote I/O, 8x 24 VDC inputs(NPN/PNP), 8x 24 VDC transistor outputs (PNP)
WV001	
WV201	
X002500	
X002501	
X002502	
X002503	
X002504	
X002505	
X002506	
X002508	
X002509	
X002566	
X002567	

X002568	
X002674	
X002675	
X010048	
X010054	
X010056	DC line bus reactor for 11KW and 15KW E7/F7/L7 drives
X010128	
X010129	
X010130	
X010131	
X010132	
X010133	
X010134	
X010135	
X010136	
X010137	
X-10G	
X-10G-B	Basic switch, general purpose, pin plunger, 10A, screw terminals
X-10GD	
X-10GD-B	
X-10GL	
X-10GL-B	
X-10GM	
X-10GM2	
X-10GM22	
X-10GM22-B	
X-10GM2-B	Basic switch, general purpose, reverse hinge roller lever, 10A, screw terminals
X-10GM-B	
X-10GQ	
X-10GQ21	Basic switch, general purpose, panel mount cross roller plunger, 10A, solder termin.
X-10GQ22	
X-10GQ22-B	Basic switch, panel mount roller plunger, SPDT, 10A
X-10GQ-B	
X-10GQN22-B	
X-10GS	
X-10GS-B	
X-10GW	
X-10GW2	Basic switch, general purpose, hinge roller lever, 10A, solder terminals
X-10GW21-B	
X-10GW22	
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10A, screw terminals
X-10GW22-B7-D	
X-10GW29	
X-10GW2-B	Basic switch, general purpose, hinge roller lever, 10A, screw terminals
X-10GW3-B	
X-10GW4	
X-10GW4-B	
X-10GW-B	Basic switch, general purpose, hinge lever, 10A, screw terminals
X-10GW-B7-K1	
X200-002SFEF	
X200-004HFEF	
X200-004SFEF	

X200-005SFEF
X200-007HFEF
X200-007SFEF
X200-011SFEF
X200-015HFEF
X200-015SFEF
X200-022HFEF
X200-022SFEF
X200-030HFEF
X200-040HFEF
X200-055HFEF
X200-075HFEF
X5052
X5053
X5059
X5068
X5077
XB2A-1112-3KTD
XB4A-2435-D
XB4A-4035-D
XB4A-8035-D
XB4B-2435-D
XB4B-4035-D
XB4B-8035-D
XC2A-6412
XC2B-6411
XC2C-6412
XC2C-9612
XC2D-6411
XC2D-9611
XC2E-6411
XC2G-6411
XC2G-6413
XC4L-1541
XC5A-1082-S038
XC5A-2022
XC5A-3222
XC5A-4422
XC5A-4422-A
XC5A-5042-1
XC5A-6422
XC5B-1031-S036
XC5B-2021
XC5B-2031-0Y
XC5B-2431-3
XC5B-3221
XC5B-3221-A
XC5B-3223
XC5B-3231-0
XC5B-4421-A
XC5B-5021
XC5B-6421

XC5B-642P-1131	
XC5B-642P-1140	
XC5C-3222	
XC5C-4822	
XC5C-6422	
XC5C-9622	
XC5C-9682-1	
XC5D-3221	
XC5D-3223	
XC5D-4821	
XC5D-6421	
XC5D-6423	
XC5D-9621	
XC5D-9623	
XC5D-962P-1140	
XC5E-3281-2	
XC5F-3222	
XC5F-4422	
XC5F-9022-S006	
XC5G-4821	
XC5G-9621	
XC5H-4822	
XC5H-9622	
XC5K-3231-2A	
XC5K-3231-3A	
XC5M-0222	
XC6S-9601	
XD-01-LSDL	
XD-01-MN01	XtraDrive servo driver, 240 VAC, single-phase, 100W
XD-01-MN01-E	
XD-01-MSD0	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 100W
XD-01-MSD0-E	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 100W, E cam version
XD-01-MSDD	
XD-01-MSDL	
XD-02-LSDL	
XD-02-MN01	XtraDrive servo driver, 240 VAC, single-phase, 200W
XD-02-MN01-E	
XD-02-MSD0	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 200W
XD-02-MSD0-E	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 200W, E cam version
XD-02-MSDD	
XD-02-MSDL	
XD-04-MN01	XtraDrive servo driver, 240 VAC, single-phase, 400W
XD-04-MN01-E	XtraDrive servo driver, 240 VAC, single-phase, 400W, E cam version
XD-04-MN0A	
XD-04-MSD0	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 400W
XD-04-MSD0-E	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 400W, E cam version
XD-04-MSDD	
XD-04-MSDL	
XD-05-TN	XtraDrive servo driver, 400 VAC, 3-phase, 500W
XD-05-TN00-E	
XD-05-TSD0	XtraDrive servo driver with Profibus, 400 VAC, 3-phase, 500W
XD-05-TSD0-E	

XD-05-TSDD	
XD-05-TSDL	
XD-08-MN	XtraDrive servo driver, 240 VAC, single-phase, 800W
XD-08-MN00-E	XtraDrive servo driver, 240 VAC, single-phase, 750W, E cam version
XD-08-MN0A	
XD-08-MSD0	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 800W
XD-08-MSD0-E	XtraDrive servo driver with Profibus, 240 VAC, single-phase, 800W, E cam version
XD-08-MSDL	
XD-10-MN	
XD-10-MSDL	
XD-10-TN	XtraDrive servo driver, 400 VAC, 3-phase, 1.0 kW
XD-10-TN00-E	
XD-10-TSD0	XtraDrive servo driver with Profibus, 400 VAC, 3-phase, 1.0 kW
XD-10-TSD0-E	
XD-10-TSDD	
XD-10-TSDL	
XD-15-MN	XtraDrive servo driver, 240 VAC, single-phase, 1.5W
XD-15-MSD0	
XD-15-MSDD	
XD-15-MSDL	
XD-15-TN	XtraDrive servo driver, 400 VAC, 3-phase, 1.5 kW
XD-15-TN00-E	
XD-15-TSD0	XtraDrive servo driver with Profibus, 400 VAC, 3-phase, 1.5 kW
XD-15-TSD0-E	
XD-15-TSDD	
XD-15-TSDL	
XD-20-MN	
XD-20-MSDL	
XD-20-TN	XtraDrive servo driver, 400 VAC, 3-phase, 2.0 kW
XD-20-TN00-E	
XD-20-TSD0	XtraDrive servo driver with Profibus, 400 VAC, 3-phase, 2.0 kW
XD-20-TSD0-E	
XD-20-TSDD	
XD-20-TSDL	
XD-30-MN	
XD-30-MSDL	
XD-30-TN	XtraDrive servo driver, 400 VAC, 3-phase, 3.0 kW
XD-30-TN00-E	
XD-30-TSD0	XtraDrive servo driver with Profibus, 400 VAC, 3-phase, 3.0 kW
XD-30-TSD0-E	
XD-30-TSDD	
XD-30-TSDL	
XD-50-TN	XtraDrive servo driver, 400 VAC, 3-phase, 5.0 kW
XD-50-TSD0	
XD-50-TSDD	
XD-50-TSDL	
XDA-CAN	XtraDrive CAN open Interface
XDA-IO	XtraDrive I/O card 8 input/ 8 output(equiv to XDIO-08)
XDA-R2E-01	
XDA-R2E-02	
XDA-R2E-03	
XDA-R2E-04	

XD-CLP70-03-E	
XD-CLP70-05-E	Servo accessory
XD-CLP70-10-E	Servo accessory
XD-CLP70-15-E	
XD-CLP70-20-E	
XD-CN200K-DE	XtraDrive connector kit for 200 VAC SGMAH/SGMPH and Smart Step motors with IPt
XD-CN400K-DE	
XD-CRA003-DE	XtraDrive to Smart Step motor encoder cable, IP67 connector, 3m
XD-CRA003-E	
XD-CRA005-DE	XtraDrive to Smart Step motor encoder cable, IP67 connector, 5m
XD-CRA005-E	
XD-CRA010-DE	XtraDrive to Smart Step motor encoder cable, IP67 connector, 10m
XD-CRA010-E	
XD-CRA015-DE	XtraDrive to Smart Step motor encoder cable, IP67 connector, 15m
XD-CRA015-E	
XD-CRA020-DE	
XD-CRA020-E	
XD-CRWA003-DE	XtraDrive to SGMAH/SGMPH motor encoder cable, 3m
XD-CRWA005-DE	XtraDrive to SGMAH/SGMPH motor encoder cable, 5m
XD-CRWA010-DE	XtraDrive to SGMAH/SGMPH motor encoder cable, 10m
XD-CRWA015-DE	
XD-CRWA020-DE	
XD-CRWA030C-DE V1	
XD-CRWB003N-E	XtraDrive to SGMGH/SGMSH/SGMUH motor encoder cable, 3m
XD-CRWB005N-E	XtraDrive to SGMGH/SGMSH/SGMUH motor encoder cable, 5m
XD-CRWB010N-E	XtraDrive to SGMGH/SGMSH/SGMUH motor encoder cable, 10m
XD-CRWB015N-E	
XD-CRWB020N-E	
XD-P3-LSDL	
XD-P3-MN01	
XD-P3-MN01-E	
XD-P3-MSD0	
XD-P3-MSDD	
XD-P3-MSDL	
XD-P5-LSDL	
XD-P5-MN01	XtraDrive servo driver, 240 VAC, single-phase, 50W
XD-P5-MN01-E	
XD-P5-MSD0	
XD-P5-MSDD	
XD-P5-MSDL	
XE-Q21-2	
XE-Q22-2	
XE-QA2-2	
XER6022-011C3SS	
XER6022-020C3SS	
XF2B-1745-31A	
XF2B-2145-31A	
XF2B-2345-31A	
XF2B-2545-31A	
XF2B-2745-31A	
XF2B-3145-31A	
XF2B-3345-31A	

XF2B-3545-31A
XF2B-3945-31A
XF2B-4145-31A
XF2B-4545-31A
XF2B-5145-31A
XF2B-6155-31A
XF2C-2155-41A
XF2C-2555-41A
XF2C-2955-41A
XF2C-3555-41A
XF2C-3955-41A
XF2C-4555-41A
XF2C-5155-41A
XF2E-0515-1
XF2E-0615-1
XF2E-0715-1
XF2E-0815-1
XF2E-0915-1
XF2E-1015-1
XF2E-1215-1
XF2E-1515-1
XF2E-2015-1
XF2G-0614-11
XF2G-1614-11
XF2G-2614-11
XF2H-2615-1LW
XF2J-0624-11
XF2J-0624-11A
XF2J-0624-11-R100
XF2J-0624-11-R500
XF2J-0624-12A
XF2J-0624-12Z
XF2J-0824-11
XF2J-0824-11A
XF2J-0824-11-R100
XF2J-0824-11-R500
XF2J-0824-12A
XF2J-0824-12Z
XF2J-1024-11A
XF2J-1024-11-R100
XF2J-1024-11-R500
XF2J-1024-12
XF2J-1024-12A
XF2J-1224-11A
XF2J-1224-11-R100
XF2J-1224-11-R500
XF2J-1224-12A
XF2J-1424-11
XF2J-1424-11A
XF2J-1424-11-R100
XF2J-1424-11-R500
XF2J-1624-11

XF2J-1624-11A
XF2J-1624-11-R100
XF2J-1624-11-R500
XF2J-1624-12
XF2J-1624-12A
XF2J-1824-11A
XF2J-1824-11-R100
XF2J-1824-11-R500
XF2J-1824-12
XF2J-1824-12A
XF2J-2024-11A
XF2J-2024-11-R500
XF2J-2024-12A
XF2J-2224-11
XF2J-2224-11A
XF2J-2224-11-R100
XF2J-2224-11-R500
XF2J-2224-12A
XF2J-2424-11A
XF2J-2424-12A
XF2J-2624-11
XF2J-2624-11A
XF2J-2624-11-R100
XF2J-2624-11-R500
XF2J-2824-11A
XF2J-2824-11-R100
XF2J-2824-11-R500
XF2J-3024-11A
XF2J-3024-11-R100
XF2J-3024-11-R500
XF2J-4024-12
XF2J-4024-12A
XF2K-5715-3AE
XF2L-0425-1
XF2L-0425-1A
XF2L-0535-1
XF2L-0535-1A
XF2L-0625-1
XF2L-0625-1A
XF2L-0635-1A
XF2L-0725-1A
XF2L-0735-1
XF2L-0735-1A
XF2L-0825-1
XF2L-0835-1A
XF2L-0925-1A
XF2L-1025-1
XF2L-1025-1A
XF2L-1035-1A
XF2L-1225-1A
XF2L-1235-1
XF2L-1235-1A

Connector

XF2L-1325-1A
XF2L-1335-1
XF2L-1335-1A
XF2L-1535-1
XF2L-1535-1A
XF2L-1825-1A
XF2L-1835-1
XF2L-1835-1A
XF2L-2035-1A
XF2L-2125-1
XF2L-2125-1A
XF2L-2235-1
XF2L-2235-1A
XF2L-2435-1
XF2L-2435-1A
XF2L-2625-1
XF2L-2625-1A
XF2L-3025-1A
XF2L-3035-1A
XF2M-1015-1A BY OMZ
XF2M-1015-1A-R100
XF2M-1015-1L
XF2M-1015-1L-R100
XF2M-1215-1A BY OMZ
XF2M-1415-1A BY OMZ
XF2M-1815-1A BY OMZ
XF2M-1815-1A-R100
XF2M-1815-1L
XF2M-1815-1L-R100
XF2M-2015-1A
XF2M-2015-1A BY OMZ
XF2M-2015-1A-R100
XF2M-2015-1L
XF2M-2015-1L-R100
XF2M-2215-1A
XF2M-2215-1A BY OMZ
XF2M-2215-1A-R100
XF2M-2215-1L
XF2M-2215-1L-R100
XF2M-2415-1A BY OMZ
XF2M-2415-1A-R100
XF2M-2415-1L
XF2M-2415-1L-R100
XF2M-2615-1A
XF2M-2615-1A BY OMZ
XF2M-2615-1A-R100
XF2M-2615-1L
XF2M-2615-1L-R100
XF2M-3015-1A
XF2M-3015-1A BY OMZ
XF2M-3015-1A-R100
XF2M-3015-1L

XF2M-3015-1L-R100
XF2M-3215-1A BY OMZ
XF2M-3215-1A-R100
XF2M-3215-1L
XF2M-3215-1L-R100
XF2M-3315-1A BY OMZ
XF2M-3315-1A-R100
XF2M-3315-1L
XF2M-3315-1L-R100
XF2M-3415-1A BY OMZ
XF2M-3415-1A-R100
XF2M-3415-1L
XF2M-3415-1L-R100
XF2M-3515-1A BY OMZ
XF2M-3515-1A-R100
XF2M-3515-1L
XF2M-3515-1L-R100
XF2M-3615-1A BY OMZ
XF2M-3615-1A-R100
XF2M-3615-1L
XF2M-3615-1L-R100
XF2M-3815-1A BY OMZ
XF2M-4015-1A
XF2M-4015-1A BY OMZ
XF2M-4015-1A-R100
XF2M-4015-1L
XF2M-4015-1L-R100
XF2M-4215-1A BY OMZ
XF2M-4515-1A
XF2M-4515-1A BY OMZ
XF2M-4515-1A-R100
XF2M-4515-1L
XF2M-4515-1L-R100
XF2M-5015-1A BY OMZ
XF2M-5015-1A-R100
XF2M-5015-1L
XF2M-5015-1L-R100
XF2M-5515-1AH BY OMZ
XF2M-6015-1AH BY OMZ
XF2U-0415-3A
XF2U-1115-3A
XF2U-2015-3A
XF2W-0515-1A BY OMZ
XF2W-0715-1A BY OMZ
XF2W-0815-1A BY OMZ
XF2W-0915-1A BY OMZ
XF2W-1615-1A BY OMZ
XF2W-1815-1A BY OMZ
XF2W-2015-1A BY OMZ
XF2W-2415-1A BY OMZ
XF2W-4515-1AE BY OMZ
XF2W-5015-1AE BY OMZ

XF2W-5515-1AE BY OMZ
XF2W-6415-1AE BY OMZ
XF3B-6745-31AE
XF3C-1745-41A
XF3C-3545-41A
XF3H-1355-31A
XF3H-2555-31A
XF3H-3155-31A
XF3H-3555-31A
XF3H-3955-31A
XF3H-4555-31A
XF3H-5155-31A
XF3H-5755-31A
XF3H-6155-31A
XG2A-3001
XG2A-3401
XG2A-6401
XG4A-1031
XG4A-1431
XG4A-1631
XG4A-2031
XG4A-2631
XG4A-3031
XG4A-3039
XG4A-3431
XG4A-4031
XG4A-4034
XG4A-5031
XG4A-5033
XG4A-5039
XG4A-6031
XG4A-6431
XG4A-6474
XG4C-1031
XG4C-1034
XG4C-1071
XG4C-1074
XG4C-1431
XG4C-1434
XG4C-1631
XG4C-1634
XG4C-2031
XG4C-2034
XG4C-2631
XG4C-2634
XG4C-3031
XG4C-3034
XG4C-3431
XG4C-3434
XG4C-4031
XG4C-4034
XG4C-5014

XG4C-5031
XG4C-5034
XG4C-5071
XG4C-5074
XG4C-6031
XG4C-6034
XG4C-6071
XG4C-6074
XG4C-6431
XG4C-6434
XG4C-6471
XG4C-6474
XG4E-1631
XG4E-2031
XG4E-2631
XG4E-3031
XG4E-3032
XG4H-1031
XG4H-2031
XG4H-3031
XG4H-3431-1
XG4M-1030
XG4M-1030-U
XG4M-1031-U
XG4M-1430
XG4M-1430-T
XG4M-1430-U
XG4M-1630
XG4M-1630-U
XG4M-2030
XG4M-2030-T
XG4M-2030-U
XG4M-2630
XG4M-2630-U
XG4M-3030
XG4M-3030-U
XG4M-3430
XG4M-3430-T
XG4M-3430-U
XG4M-4030
XG4M-4030-T
XG4M-4030-U
XG4M-5030
XG4M-5030-T
XG4M-5030-U
XG4M-5031
XG4M-5031-U
XG4M-6030
XG4M-6030-U
XG4M-6031-U
XG4M-6430
XG4M-6430-U

Pressure-welded Flat Cable Connector for DRT2-*D32ML(-1), for AWG28 wires

XG4M-6431
XG4M-6431-U
XG4S-1004
XG4S-1404
XG4S-1604
XG4S-2004
XG4S-2604
XG4S-3004
XG4S-3404
XG4S-4004
XG4S-5004
XG4S-6004
XG4S-6404
XG4T-1004
XG4T-1404
XG4T-1604
XG4T-1605
XG4T-2004
XG4T-2604
XG4T-3004
XG4T-3005
XG4T-3404
XG4T-4004
XG4T-5004
XG4T-5005
XG4T-6004
XG4T-6404
XG4U-1004
XG4U-1404
XG4U-1604
XG4U-2004
XG4U-2604
XG4U-3004
XG4U-3404
XG4U-4004
XG4U-5004
XG4U-6004
XG4U-6404
XG4Z-0005
XG4Z-0012
XG4Z-0013
XG5M-1432-N
XG5M-1435-N
XG5M-2032-N
XG5M-2035-N
XG5M-4032-N
XG5M-4035-N
XG5M-5033-N
XG5M-6432-N
XG5M-6435-N
XG5S-1001
XG5S-2001

Connector socket for CJ1M-CPU2x, 40-point, with 24AWG crimp/solder pins
Connector socket for CJ1M-CPU2x, 40-point, with 26/28AWG crimp/solder pins

XG5S-2012	
XG5S-2501	
XG5S-4022	
XG5W-0031-N	Connector hood cover for XG5M-403x-N
XG5W-0034-N	24AWG crimp/solder pin for XG5M-4032-N connector socket (1 pin)
XG5Z-0002	26/28AWG crimp/solder pin for XG5M-4032-N connector socket (1 pin)
XG8A-5031	
XG8A-5034	
XG8S-0331	
XG8T-0231	
XG8T-0241	
XG8T-0441	
XG8T-0631	
XG8T-0641	
XG8T-0831	
XG8T-0841	
XG8T-1031	
XG8T-1041	
XG8T-1231	
XG8T-1241	
XG8T-1431	
XG8T-1441	
XG8T-1631	
XG8T-1641	
XG8T-1831	
XG8T-1841	
XG8T-2031	
XG8T-2041	
XG8W-4041	
XH2A-2042	
XH2A-2042-A	
XH2A-3042-A	
XH2A-4042-A	
XH2A-4042-AZ	
XH2A-5042-A	
XH2A-6042	
XH2A-8041	
XH2B-2041	
XH2B-2041-A	
XH2B-3042-A	
XH2B-6042	
XH2B-6042-A	
XH2B-8041	
XH2B-8042	
XH2B-T0016	
XH3A-0141	
XH3A-0141-2A	
XH3A-0141-4A	
XH3A-0141-A	
XH3A-0142-A	
XH3A-0241	
XH3A-0241-2A	

XH3A-0241-4
XH3A-0241-4A
XH3A-0241-A
XH3A-2041
XH3A-2041-2A
XH3A-2041-4A
XH3A-2041-A
XH3A-3041
XH3A-3041-2
XH3A-3041-4A
XH3A-3041-A
XH3A-3042-A
XH3A-4041
XH3A-4041-2A
XH3A-4041-4A
XH3A-4041-A
XH3A-4042-A
XH3A-5031-4
XH3A-5031-4A
XH3A-5041
XH3A-5041-2
XH3A-5041-2A
XH3A-5041-4
XH3A-5041-4A
XH3A-5041-A
XH3A-5042
XH3A-6031-4A
XH3A-6041
XH3A-6041-2
XH3A-6041-2A
XH3A-6041-4A
XH3A-6042-A
XH3A-6841
XH3A-6841-2A
XH3A-6841-4
XH3A-6841-4A
XH3A-6841-A
XH3A-8031-4A
XH3A-8041
XH3A-8041-2A
XH3A-8041-4
XH3A-8041-4A
XH3A-8041-A
XH3A-8042-A
XH3B-013P-D32
XH3B-013P-D5F
XH3B-0141-4
XH3B-0141-4A
XH3B-0141-A
XH3B-0142-A
XH3B-0241-1
XH3B-0241-4

XH3B-2041-4A
XH3B-3041
XH3B-3041-1
XH3B-3041-A
XH3B-5031-1
XH3B-5031-3A
XH3B-5031-4A
XH3B-5031-6
XH3B-5031-6A
XH3B-5041-1
XH3B-5041-3
XH3B-5041-3A
XH3B-5041-4A
XH3B-5041-A
XH3B-5042
XH3B-6031-6A
XH3B-6041-4
XH3B-6841-4
XH3B-8031-3A
XH3B-8041-4
XH3B-8041-4A
XH3B-8041-A
XH3B-8042-A
XH4A-0131-A
XH8A-0125-S
XH8A-8035
XH8B-0125-2S
XH8B-8035-2
XJ8A-0211
XJ8A-0214
XJ8A-0241
XJ8B-0211
XJ8B-0241
XJ8B-0311
XJ8B-0411
XJ8B-0441
XJ8B-0511
XJ8B-0611
XJ8B-0711
XJ8B-0811
XJ8B-0841
XJ8B-0911
XJ8B-1011
XJ8B-1111
XJ8B-1211
XJ8B-1311
XJ8B-1411
XJ8B-1441
XJ8B-1511
XJ8B-1611
XJ8B-1641
XJ8C-0211

XJ8C-0241
XJ8C-0411
XJ8C-0441
XJ8C-0611
XJ8C-0641
XJ8C-0811
XJ8C-0841
XJ8C-1011
XJ8C-1041
XJ8C-1211
XJ8C-1241
XJ8C-1411
XJ8C-1441
XJ8C-1611
XJ8D-0311
XJ8D-0341
XJ8D-0611
XJ8D-0641
XJ8D-0911
XJ8D-0941
XJ8D-1211
XJ8D-1241
XJ8D-1511
XJ8D-1541
XJ8D-1811
XJ8D-1841
XJ8D-2111
XJ8D-2141
XJ8D-2411
XJ8D-2441
XK8B-20
XK8W-0041
XM2A-0901
XM2A-1501
XM2A-2501
XM2A-3701
XM2B-1502
XM2B-1531
XM2B-2531
XM2B-3731
XM2C-0912
XM2C-0912-502
XM2C-0942-112L
XM2C-0942-132L
XM2C-0942-212L
XM2C-0942-232L
XM2C-1512
XM2C-1542-112L
XM2C-1542-132L
XM2C-1542-502L
XM2C-2512
XM2C-2512-502

XM2C-2542-112L
XM2C-2542-132L
XM2C-2542-502L
XM2D-0901
XM2D-1501
XM2D-2501
XM2D-3701
XM2E-0940-112L
XM2E-0940-232L
XM2E-0940-502L
XM2E-0940-L
XM2E-1540-112L
XM2E-1540-132L
XM2E-1540-502L
XM2E-1540-L
XM2E-2540-112L
XM2E-2540-132L
XM2E-2540-502L
XM2E-2540-L
XM2F-0910-132
XM2F-0940-112L
XM2F-0940-132L
XM2F-0940-212L
XM2F-0940-232L
XM2F-0940-502L
XM2F-1540-112L
XM2F-1540-132L
XM2F-1540-212L
XM2F-1540-502L
XM2F-1540-L
XM2F-2510-132
XM2F-2540-112L
XM2F-2540-132L
XM2F-2540-212L
XM2F-2540-232L
XM2F-2540-502L
XM2F-3710
XM2F-3710-132
XM2S-0911
XM2S-0911-S003
XM2S-0912
XM2S-0913
XM2S-0914
XM2S-0921
XM2S-0922
XM2S-0923
XM2S-1511
XM2S-1514
XM2S-2511
XM2S-2512
XM2S-2513
XM2S-2514

9-way D-type connector hood with 2.6mm pitch retaining screws

15-way D-type connector hood with 2.6mm pitch retaining screws

25-way D-type connector hood with 2.6mm pitch retaining screws

XM2S-2521
XM2S-2522
XM2S-2523
XM2S-3711
XM2S-3712
XM2S-3713
XM2S-3714
XM2T-1501
XM2Z-0001
XM2Z-0003
XM2Z-0013
XM2Z-0021
XM2Z-0064
XM2Z-0071
XM2Z-0072
XM2Z-0073
XM3B-0922-112
XM3B-0922-132
XM3B-0942-112L
XM3B-0942-132L
XM3B-0942-212L
XM3B-0942-222L
XM3B-0942-232L
XM3B-0942-502L
XM3B-1522-112
XM3B-1542-112L
XM3B-1542-132L
XM3B-1542-212L
XM3B-1542-222L
XM3B-1542-232L
XM3B-1542-502L
XM3B-2522-112
XM3B-2542-112L
XM3B-2542-132L
XM3B-2542-212L
XM3B-2542-222L
XM3B-2542-232L
XM3B-2542-502L
XM3B-3722
XM3B-3722-112
XM3B-3722-132
XM3B-T0003
XM3B-T0003-Z
XM4K-1542-112
XM4K-1542-132
XM4K-1542-502
XM4L-1541-112
XM4L-1541-132
XM4L-1541-232
XM4L-1541-502
XM4L-1542-112
XM4L-1542-132

XM4L-1542-212
XM4L-1542-232
XM4L-1542-502
XM4M-2432-1311
XM4M-2432-1312
XM4M-2432-5011
XM4M-2432-5012
XM4M-2932-1311
XM4M-2932-1312
XM4M-2932-5011
XM4M-2932-5012
XM4T-0001
XM4Z-0011
XM4Z-0012
XM4Z-0013
XM4Z-0021
XM4Z-0022
XM4Z-0023
XM4Z-1011
XM4Z-1012
XM4Z-1013
XM4Z-1021
XM4Z-1022
XM4Z-1023
XM7A-0441
XM7A-0442
XM7A-0442-A
XM7B-0442
XM7Z-0001
XM7Z-0002
XM7Z-200AB-FC2
XN2A-1430
XN2B-1430
XN2D-1431
XN2D-4431
XPECTIA-TRAINING-KIT
XR2A-0801-N
XR2A-0802
XR2A-0811-N
XR2A-1411-N
XR2A-1611-N
XR2A-1801-N
XR2A-2011-N
XR2A-2401-N
XR2A-2411-N
XR2A-2415
XR2A-2463-N
XR2A-2467-N
XR2A-2801-N
XR2A-2811-N
XR2A-2815
XR2A-3201-N

XR2A-3211-N
XR2A-4011-N
XR2A-4801-N
XR2A-4811-N
XR2C-0311-N
XR2C-0501-N
XR2C-1511-N
XR2C-2011-N
XR2C-3205
XR2H-2811-N
XR2P-1541
XR2T-1621-N
XR2T-2021-N
XR2Z-11
XR2Z-13
XR3F-A301
XR3F-B701
XR3F-B801
XR3F-D201
XR3F-D301
XR3F-D601
XR3F-D701
XR3G-6401
XS2C-A421
XS2C-A422
XS2C-A423
XS2C-A424
XS2C-A4C1
XS2C-D421
XS2C-D422
XS2C-D422-H
XS2C-D423
XS2C-D424
XS2C-D425
XS2C-D426
XS2C-D4C1
XS2C-D4C2
XS2C-D4C3
XS2C-D4C4
XS2C-D4C5
XS2C-D4C6
XS2C-D4S1
XS2C-D4S2
XS2C-D4S3
XS2C-D4S4
XS2C-D4S5
XS2C-D4S6
XS2C-D4S7
XS2C-D4S9
XS2C-D5S3
XS2C-D5S4
XS2C-D5S5

Sensor connector, M12, female, straight for DC type
Connector, M12

Self assembly screw connector, female, M12

XS2C-D5S6

XS2C-D5S7

XS2F-A421-D90-A

XS2F-A421-D90-R

XS2F-A421-DB0-A

XS2F-A421-G90-A

XS2F-A421-G90-R

XS2F-A421-GB0-TR

XS2F-A421-J90-A

XS2F-A421-J90-R

XS2F-A421-JB0-A

XS2F-A422-DB0-A

XS2F-A422-GB0-A

XS2F-A422-GB0-TR

XS2F-A422-JB0-A

XS2F-D421-310

XS2F-D421-410

XS2F-D421-A80-SA

XS2F-D421-B80-A

XS2F-D421-B80-F

XS2F-D421-B80-SA

XS2F-D421-C80-A

XS2F-D421-C80-F

XS2F-D421-C80-R

XS2F-D421-C80-SA

XS2F-D421-CA0-R

XS2F-D421-CC0-A

XS2F-D421-D80-A

Sensor connector, M12, straight, 2m cable

XS2F-D421-D80-F

XS2F-D421-D80-R

XS2F-D421-D80-SA

XS2F-D421-DA0-A

XS2F-D421-DA0-R

XS2F-D421-DC0-A

XS2F-D421-DC0-TR

XS2F-D421-DD0

XS2F-D421-DD0-TR

XS2F-D421-E80-F

XS2F-D421-E80-R

XS2F-D421-E80-SA

XS2F-D421-EA0-A

XS2F-D421-EA0-R

XS2F-D421-G80-A

Sensor connector, M12, straight, 5m cable

XS2F-D421-G80-F

XS2F-D421-G80-R

Sensor connector, M12, straight, 5m cable, Vibration proof Robotic Cable

XS2F-D421-G80-SA

XS2F-D421-GA0-A

Sensor connector, M12 straight, 5m cable

XS2F-D421-GA0-R

XS2F-D421-GC0-A

XS2F-D421-GC0-TR

XS2F-D421-GD0

XS2F-D421-GD0-TR

XS2F-D421-H80-SA	
XS2F-D421-J80-A	Sensor connector, M12 straight, 10m cable
XS2F-D421-J80-F	
XS2F-D421-J80-R	Sensor connector, M12 straight 10m
XS2F-D421-J80-SA	
XS2F-D421-JA0-A	
XS2F-D421-JA0-R	
XS2F-D421-JC0-A	
XS2F-D421-K80-A	
XS2F-D421-K80-R	
XS2F-D421-L80-A	
XS2F-D421-S004	
XS2F-D421-S005	
XS2F-D421-S006	
XS2F-D421-S014	
XS2F-D421-S015	
XS2F-D421-S025	
XS2F-D421-S026	
XS2F-D421-S064	
XS2F-D421-T03	
XS2F-D421-U002	
XS2F-D421-U003	
XS2F-D422-310	
XS2F-D422-410	
XS2F-D422-C80-A	
XS2F-D422-C80-R	
XS2F-D422-CA0-A	
XS2F-D422-CA0-R	
XS2F-D422-CC0-A	
XS2F-D422-D80-A	Sensor connector, M12, L-shaped, 2m cable
XS2F-D422-D80-R	
XS2F-D422-DA0-A	
XS2F-D422-DA0-R	
XS2F-D422-DC0-A	Sensor connector, M12 L-shaped, 2m cable
XS2F-D422-DC0-TR	
XS2F-D422-DD0-TR	
XS2F-D422-G80-A	Sensor connector, M12, L-shaped, 5m cable
XS2F-D422-G80-R	
XS2F-D422-GA0-A	
XS2F-D422-GA0-R	Sensor connector cable
XS2F-D422-GC0-A	Sensor connector, M12 4 pin, L-shaped
XS2F-D422-GC0-TR	
XS2F-D422-GD0-TR	
XS2F-D422-J80-A	Sensor connector, M12 L-shaped, 10m cable
XS2F-D422-J80-R	
XS2F-D422-JA0-A	
XS2F-D422-JA0-R	
XS2F-D422-JC0-A	
XS2F-D422-K80-A	
XS2F-D422-S027	
XS2F-D422-S028	
XS2F-D521-DG0-A	Sensor connector, M12, 5 PIN, straight, 5m cable

XS2F-D521-GG0-A	Sensor connector, M12, 5 PIN, straight, 2m cable
XS2F-D522-DG0-A	Sensor connector, M12, 5 PIN, angled, 5m cable
XS2F-D522-GG0-A	
XS2F-D522-JG0-A	
XS2F-D821-EH0-C	
XS2F-D821-GH0-C	Sensor Cable
XS2F-E421-D80-A	
XS2F-E421-D80-E	Sensor connector, M12, straight 2m cable, Heat resistant
XS2F-E421-G80-A	
XS2F-E421-G80-E	
XS2F-E421-J80-A	
XS2F-E421-J80-E	
XS2F-E421-K80-A	
XS2F-E421-L80-A	
XS2F-E422-D80-A	
XS2F-E422-D80-E	Sensor connector cable
XS2F-E422-G80-A	Sensor connector cable
XS2F-E422-G80-E	Sensor connector cable
XS2F-E422-J80-A	
XS2F-E422-J80-E	
XS2F-E422-K80-A	
XS2F-E422-L80-A	
XS2F-M12PUR3A10M	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 10M
XS2F-M12PUR3A10MLED	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 10M, LED indicator
XS2F-M12PUR3A2M	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 2M
XS2F-M12PUR3A2MLED	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 2M, LED indicator
XS2F-M12PUR3A5M	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 5M
XS2F-M12PUR3A5MLED	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 5M, LED indicator
XS2F-M12PUR3S10M	Sensor Connector, female, M12, PUR, 3 Pin, Straight, 10M
XS2F-M12PUR3S2M	Sensor Connector, female, M12, PUR, 3 Pin, Straight, 2M
XS2F-M12PUR3S5M	Sensor Connector, female, M12, PUR, 3 Pin, Straight, 5M
XS2F-M12PUR4A10M	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 10M
XS2F-M12PUR4A10MLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 10M, LED indicator
XS2F-M12PUR4A15M	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 15M
XS2F-M12PUR4A20M	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 20M
XS2F-M12PUR4A2M	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 2M
XS2F-M12PUR4A2MLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 2M, LED indicator
XS2F-M12PUR4A5M	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M
XS2F-M12PUR4A5MLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator
XS2F-M12PUR4S10M	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 10M
XS2F-M12PUR4S15M	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 15M
XS2F-M12PUR4S20M	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 20M
XS2F-M12PUR4S2M	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 2M
XS2F-M12PUR4S5M	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 5M
XS2F-M12PUR5A2M	Sensor Connector, female, M12, PUR, 5 Pin, Angled, 2M
XS2F-M12PUR5A5M	Sensor Connector, female, M12, PUR, 5 Pin, Angled, 5M
XS2F-M12PUR5S2M	Sensor Connector, female, M12, PUR, 5 Pin, Straight, 2M
XS2F-M12PUR5S5M	Sensor Connector, female, M12, PUR, 5 Pin, Straight, 5M
XS2F-M12PVC3A10M	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 10M
XS2F-M12PVC3A10MLED	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 10M, LED indicator
XS2F-M12PVC3A2M	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 2M
XS2F-M12PVC3A2MLED	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 2M, LED indicator

XS2F-M12PVC3A5M	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M
XS2F-M12PVC3A5MLED	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M, LED indicator
XS2F-M12PVC3S10M	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 10M
XS2F-M12PVC3S2M	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 2M
XS2F-M12PVC3S5M	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 5M
XS2F-M12PVC4A10M	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M
XS2F-M12PVC4A10MLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator
XS2F-M12PVC4A15M	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 15M
XS2F-M12PVC4A20M	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 20M
XS2F-M12PVC4A2M	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 2M
XS2F-M12PVC4A2MLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 2M, LED indicator
XS2F-M12PVC4A5M	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M
XS2F-M12PVC4A5MLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator
XS2F-M12PVC4S10M	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 10M
XS2F-M12PVC4S15M	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 15M
XS2F-M12PVC4S20M	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 20M
XS2F-M12PVC4S2M	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 2M
XS2F-M12PVC4S5M	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 5M
XS2F-M12PVC5A2M	Sensor Connector, female, M12, PVC, 5 Pin, Angled, 2M
XS2F-M12PVC5A5M	Sensor Connector, female, M12, PVC, 5 Pin, Angled, 5M
XS2F-M12PVC5S2M	Sensor Connector, female, M12, PVC, 5 Pin, Straight, 2M
XS2F-M12PVC5S5M	Sensor Connector, female, M12, PVC, 5 Pin, Straight, 5M
XS2G-A421	Connector plug
XS2G-A4C1	
XS2G-D421	Sensor connector, M12, male, straight for DC type
XS2G-D422	
XS2G-D423	
XS2G-D424	
XS2G-D425	Sensor connector, M12, male, straight for DC type
XS2G-D426	
XS2G-D4C1	
XS2G-D4C3	
XS2G-D4C5	
XS2G-D4S1	Sensor connector, M12, male, straight for DC type
XS2G-D4S2	
XS2G-D4S3	
XS2G-D4S5	
XS2G-D4S6	
XS2G-D4S7	Connector
XS2G-D4S9	
XS2G-D5S3	
XS2G-D5S4	
XS2G-D5S5	
XS2G-D5S6	
XS2G-D5S7	
XS2G-S001	
XS2H-D421-A80-A	
XS2H-D421-A80-F	
XS2H-D421-AA0-A	
XS2H-D421-AC0-A	
XS2H-D421-B80-A	
XS2H-D421-B80-F	

XS2H-D421-C80-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connector one end
XS2H-D421-C80-F	
XS2H-D421-CA0-A	
XS2H-D421-CC0-A	
XS2H-D421-D80-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connector one end
XS2H-D421-E80-A	Cable with connector on one end (male) 3m
XS2H-D421-G80-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connector one end
XS2H-D421-G80-F	
XS2H-D421-J80-A	
XS2H-D422-A80-A	
XS2H-D422-C80-A	
XS2H-D422-CA0-A	
XS2H-D521-AG0-A	
XS2H-D521-CG0-A	
XS2H-D821-AH0-C	
XS2H-D821-CH0-C	
XS2H-D821-DH0-C	
XS2H-D821-GH0-C	
XS2M-A421	
XS2M-A422	
XS2M-A423	
XS2M-A424-2	
XS2M-D421	
XS2M-D422	
XS2M-D423	
XS2M-D424-1	
XS2M-D424-2	
XS2M-D524-1	
XS2M-D524-2	
XS2M-D524-4	
XS2M-D824-4	
XS2P-A421-2	
XS2P-A422-1	
XS2P-A422-2	
XS2P-D421-2	
XS2P-D422-1	
XS2P-D422-2	
XS2P-D422-S002	
XS2P-D522-1	
XS2P-D522-2	Connector M12, 5 pin
XS2P-D821-2	
XS2P-D822-2	
XS2R-D422-1	
XS2R-D422-5	Connector, M12 T-joint plug/socket, aggregate model
XS2R-D423-1	Connector
XS2R-D424-1	
XS2R-D426-1	
XS2R-D426-5	
XS2R-D426-81	
XS2R-D426-82	
XS2R-D426-B11-F	Sensor Connector
XS2R-D426-C11-F	Connector, M12, connector on cable ends, 1m

XS2R-D426-D10-F	
XS2R-D426-D11-F	
XS2R-D426-E10-F	
XS2R-D426-E11-F	
XS2R-D426-G10-F	
XS2R-D427-5	CompoBus/D (DeviceNet) environment resistive terminal T-junction power connecto
XS2R-D526-S001-2	
XS2R-D526-S001-5	
XS2R-D526-S003	Remote I/O
XS2U-2221	
XS2U-2222	
XS2U-3121	
XS2U-3122	
XS2W-D421-A81-A	
XS2W-D421-B81-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connectors both e
XS2W-D421-B81-F	
XS2W-D421-BX1	
XS2W-D421-BY1	
XS2W-D421-C81-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connectors both e
XS2W-D421-C81-F	
XS2W-D421-C81-R	
XS2W-D421-CC1-TR	
XS2W-D421-D81-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connectors both e
XS2W-D421-D81-F	I/O cable
XS2W-D421-D81-R	
XS2W-D421-E81-A	
XS2W-D421-E81-F	
XS2W-D421-E81-R	
XS2W-D421-F81-A	
XS2W-D421-F81-R	
XS2W-D421-G81-A	I/O cable (4-wire) for environment resistive terminal, straight M12 connectors both e
XS2W-D421-G81-F	
XS2W-D421-G81-R	
XS2W-D421-H81-A	
XS2W-D421-H81-R	
XS2W-D421-J81-A	Sensor connector
XS2W-D421-J81-F	Sensor connector
XS2W-D421-J81-R	Sensor connector
XS2W-D421-K81-A	
XS2W-D421-K81-R	
XS2W-D421-L81-A	
XS2W-D421-L81-F	
XS2W-D421-L81-R	
XS2W-D421-S047	DeviceNet adapter cable for DRT2 environmentally resistive modules
XS2W-D421-Y81-R	
XS2W-D422-C81-A	
XS2W-D422-D81-A	
XS2W-D422-G81-A	
XS2W-D422-J81-A	
XS2W-D423-B81-A	
XS2W-D423-C81-A	
XS2W-D423-D81-A	

XS2W-D423-D81-R	
XS2W-D423-G81-A	
XS2W-D424-D81-A	
XS2W-D424-G81-A	
XS2W-D821-CH1-C	
XS2W-D821-DH1-C	
XS2W-D821-EH1-C	
XS2W-D821-GH1-C	
XS2W-M12PUR4SS10M	
XS2W-M12PUR4SS1M	
XS2W-M12PUR4SS2M	
XS2W-M12PUR4SS5M	
XS2W-M12PVC4SS10M	
XS2W-M12PVC4SS1M	
XS2W-M12PVC4SS2M	
XS2W-M12PVC4SS5M	
XS2W-SY015	
XS2W-T015	
XS2Z-11	
XS2Z-12	IP67 cap for unused I/O connectors (M12)
XS2Z-13	
XS2Z-14	
XS2Z-15	
XS2Z-16	
XS2Z-16Z	
XS2Z-22	
XS3F-E421-402-A	
XS3F-E421-405-A	
XS3F-E421-410-A	
XS3F-E421-415-A	
XS3F-E422-402-A	
XS3F-E422-405-A	
XS3F-E422-410-A	
XS3F-E422-415-A	
XS3F-M421-401-A	
XS3F-M421-401-R	
XS3F-M421-401-RZ	
XS3F-M421-402-A	Sensor connector, M8, 4 pin, straight, 2m cable
XS3F-M421-402-R	
XS3F-M421-402-RZ	
XS3F-M421-405-A	Sensor connector, M8, 4 pin, straight, 5m cable
XS3F-M421-405-R	Sensor connector, M8 4 pin, straight, 5m cable, vibration-proof robot cable
XS3F-M421-405-RZ	
XS3F-M421-410-A	Sensor connector M8, 4 pin, straight, 10m cable
XS3F-M421-410-R	
XS3F-M422-401-A	
XS3F-M422-401-R	
XS3F-M422-401-RZ	
XS3F-M422-402-A	Sensor connector, M8, 4 pin, L-shaped, 2m cable
XS3F-M422-402-R	
XS3F-M422-405-A	Sensor connector, M8, 4 pin, L-shaped, 5m cable
XS3F-M422-405-R	

XS3F-M422-405-RZ	
XS3F-M422-410-A	
XS3F-M422-410-R	
XS3F-M8PUR3A10M	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 10M
XS3F-M8PUR3A2M	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 2M
XS3F-M8PUR3A5M	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 5M
XS3F-M8PUR3S10M	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 10M
XS3F-M8PUR3S15M	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 15M
XS3F-M8PUR3S20M	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 20M
XS3F-M8PUR3S2M	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 2M
XS3F-M8PUR3S5M	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 5M
XS3F-M8PUR4A10M	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 10M
XS3F-M8PUR4A2M	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 2M
XS3F-M8PUR4A5M	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 5M
XS3F-M8PUR4S10M	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 10M
XS3F-M8PUR4S15M	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 15M
XS3F-M8PUR4S20M	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 20M
XS3F-M8PUR4S2M	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 2M
XS3F-M8PUR4S5M	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 5M
XS3F-M8PVC3A10M	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 10M
XS3F-M8PVC3A2M	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 2M
XS3F-M8PVC3A5M	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 5M
XS3F-M8PVC3S10M	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 10M
XS3F-M8PVC3S15M	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 15M
XS3F-M8PVC3S20M	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 20M
XS3F-M8PVC3S2M	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 2M
XS3F-M8PVC3S5M	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 5M
XS3F-M8PVC4A10M	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 10M
XS3F-M8PVC4A15M	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 15M
XS3F-M8PVC4A20M	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 20M
XS3F-M8PVC4A2M	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 2M
XS3F-M8PVC4A5M	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 5M
XS3F-M8PVC4S10M	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 10M
XS3F-M8PVC4S15M	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 15M
XS3F-M8PVC4S20M	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 20M
XS3F-M8PVC4S2M	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 2M
XS3F-M8PVC4S5M	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 5M
XS3F-S421-401-R	
XS3F-S421-401-RZ	
XS3F-S421-402-R	
XS3F-S421-402-RZ	
XS3F-S421-405-R	
XS3F-S421-405-RZ	
XS3F-S422-401-R	
XS3F-S422-401-RZ	
XS3F-S422-402-R	
XS3F-S422-402-RZ	
XS3F-S422-405-R	
XS3F-S422-405-RZ	
XS3H-M421-401-R	
XS3H-M421-402-R	
XS3H-M421-405-R	

XS3H-M421-4C3-R
XS3H-M422-401-R
XS3H-M422-402-R
XS3H-M422-405-R
XS3H-M422-4C3-R
XS3H-M8PUR3A03M
XS3H-M8PUR3A1M
XS3H-M8PUR3S03M
XS3H-M8PUR3S1M
XS3H-M8PUR4A03M
XS3H-M8PUR4A1M
XS3H-M8PUR4S03M
XS3H-M8PUR4S1M
XS3H-M8PVC3A03M
XS3H-M8PVC3A1M
XS3H-M8PVC3S03M
XS3H-M8PVC3S1M
XS3H-M8PVC4A03M
XS3H-M8PVC4A1M
XS3H-M8PVC4S03M
XS3H-S421-401-R
XS3H-S421-4C3-R
XS3M-K421-1
XS3M-K421-2
XS3P-M421-1
XS3P-M421-2
XS3P-M422-2
XS3P-S421-2
XS3R-M426-1
XS3R-M426-1011-A
XS3R-M426-1020-A
XS3R-M426-1021-A
XS3R-M426-1031-A
XS3R-M426-1050-A
XS3R-M426-1C51-A
XS3R-M426-5
XS3W-M421-401-R
XS3W-M421-402-R
XS3W-M421-405-R
XS3W-M422-402-R
XS3W-M422-405-R
XS3W-M423-402-R
XS3W-M423-405-R
XS3W-M424-402-R
XS3W-M424-405-R
XS3W-S421-401-R
XS3W-S421-402-R
XS3W-S421-405-R
XS3W-S422-402-R
XS3W-S422-405-R
XS3W-S423-402-R
XS3W-S423-405-R

XS3W-S424-402-R
XS3W-S424-405-R
XS3Z-13
XS3Z-14
XS3Z-15
XS4F-D421-101-A
XS4F-D421-102-A
XS4F-D421-105-A
XS4F-D421-110-A
XS4H-D421-101-A
XS4H-D421-102-A
XS4H-D421-110-A
XS4M-D421-1
XS4M-D521-1
XS4P-D421-1C5-A
XS4R-D424-5
XS4W-D421-101-A
XS4W-D421-102-A
XS4W-D421-105-A
XS4W-D421-110-A
XS4W-D421-1C5-A
XS4W-D521-102-D
XS4W-D521-105-D
XS4W-D521-115-D
XS4Z-11
XS4Z-12
XS4Z-13
XS5C-D421
XS5C-D422
XS5C-D423
XS5C-D424
XS5C-D425
XS5C-D426
XS5C-D4C1
XS5C-D4C2
XS5C-D4C3
XS5C-D4C4
XS5C-D4C5
XS5C-D4C6
XS5C-D4S1
XS5C-D4S2
XS5C-D4S3
XS5C-D4S4
XS5C-D4S5
XS5C-D4S6
XS5C-D4S7
XS5C-D4S9
XS5C-D5S1
XS5C-D5S3
XS5C-D5S5
XS5C-D5S7
XS5C-D5S9

I/O power cable for DRT2 environment resistive terminal, straight 7/8" connectors or
I/O power cable for DRT2 environment resistive terminal, straight 7/8" connectors or

DRT2 environment resistive terminal power supply T-junction, 7/8"

I/O power cable for DRT2 environment resistive terminal, straight 7/8" connectors bc
I/O power cable for DRT2 environment resistive terminal, straight 7/8" connectors bc

XS5F-D421-C80-A
XS5F-D421-C80-F
XS5F-D421-D80-A
XS5F-D421-D80-F
XS5F-D421-D80-P
XS5F-D421-DA0-P
XS5F-D421-E80-A
XS5F-D421-E80-F
XS5F-D421-G80-A
XS5F-D421-G80-CL3
XS5F-D421-G80-F
XS5F-D421-G80-P
XS5F-D421-GA0-P
XS5F-D421-J80-A
XS5F-D421-J80-F
XS5F-D421-J80-P
XS5F-D421-JA0-P
XS5F-D422-C80-A
XS5F-D422-C80-F
XS5F-D422-D80-A
XS5F-D422-D80-F
XS5F-D422-D80-P
XS5F-D422-E80-A
XS5F-D422-E80-F
XS5F-D422-G80-A
XS5F-D422-G80-F
XS5F-D422-G80-P
XS5F-D422-J80-A
XS5F-D422-J80-F
XS5F-D422-J80-P
XS5G-D421
XS5G-D422
XS5G-D423
XS5G-D424
XS5G-D425
XS5G-D426
XS5G-D4C1
XS5G-D4C3
XS5G-D4C5
XS5G-D4S1
XS5G-D4S2
XS5G-D4S3
XS5G-D4S4
XS5G-D4S5
XS5G-D4S6
XS5G-D4S7
XS5G-D4S9
XS5G-D5S1
XS5G-D5S3
XS5G-D5S5
XS5G-D5S7
XS5G-D5S9

Smartclick sensor connector, M12, straight, 2m cable

Cable

Smartclick sensor connector, M12, straight, 5m cable

Sensor Connector

Smartclick sensor connector

XS5H-D421-A80-A	Cable, standard 0.3m
XS5H-D421-A80-F	
XS5H-D421-A80-P	
XS5H-D421-AA0-P	
XS5H-D421-C80-A	
XS5H-D421-C80-F	Cable, vibration proof 1m
XS5H-D421-D80-A	
XS5H-D421-D80-F	
XS5H-D421-D80-P	
XS5H-D421-DA0-P	
XS5H-D421-G80-A	
XS5H-D421-G80-F	
XS5H-D421-G80-P	
XS5H-D421-J80-A	
XS5H-D422-A80-A	
XS5H-D422-A80-F	
XS5H-D422-A80-P	
XS5H-D422-C80-A	
XS5H-D422-C80-F	
XS5H-D422-D80-A	
XS5H-D422-D80-F	
XS5H-D422-D80-P	
XS5H-D422-G80-A	
XS5H-D422-G80-F	
XS5H-D422-G80-P	
XS5H-D423-S001	
XS5H-D423-S039	
XS5M-D426-5	
XS5M-D427-5	
XS5P-D426-5	
XS5P-D427-5	
XS5R-D426-1	
XS5R-D426-B11-F	
XS5R-D426-C10-F	
XS5R-D426-C11-F	
XS5R-D426-D10-F	
XS5R-D426-D11-F	
XS5R-D426-E10-F	
XS5R-D426-E11-F	
XS5R-D426-G10-F	
XS5U-2221	
XS5U-2222	
XS5U-3121	
XS5U-3122	
XS5W-D421-C81-A	
XS5W-D421-C81-CL3	Sensor connector
XS5W-D421-C81-F	Sensor connector
XS5W-D421-D81-A	Cable, Standard 2m
XS5W-D421-D81-CL3	Sensor Connector
XS5W-D421-D81-F	Cable, vibration proof 2m
XS5W-D421-D81-P	
XS5W-D421-DA1-P	

XS5W-D421-E81-A	
XS5W-D421-E81-CL3	Sensor Connector
XS5W-D421-E81-F	
XS5W-D421-G81-A	
XS5W-D421-G81-CL3	Sensor Connector
XS5W-D421-G81-F	Cable, vibration proof 5m
XS5W-D421-G81-P	
XS5W-D421-GA1-P	
XS5W-D421-J81-A	Cable, standard 10m
XS5W-D421-J81-F	Cable, Vibration proof 10m
XS5W-D421-J81-P	
XS5W-D421-JA1-P	
XS5W-D422-D81-A	
XS5W-D422-G81-A	
XS5W-D423-D81-A	
XS5W-D423-G81-A	
XS5W-D424-D81-A	
XS5W-D424-G81-A	
XS8A-0441	Connectors for SRT1-ID/ND08S sensor terminal, cable size 0.3-0.5mm sq. (10 per pa
XS8A-0442	
XS-M12-M12 60CM	
XS-M8-M12 0.6M	
XS-M8-M12 1M	
XV2-Q-2	
XW2B-20G4	Terminal block, 20 point (M3 screws)
XW2B-20G5	Terminal block, 20 point (M3.5 screws)
XW2B-20G5-D	
XW2B-20J6-1B	Servo Relay Unit, 1 axis. For CS1W-NC113/133, CJ1W-NC113/133, C200HW-NC113 ar
XW2B-20J6-3B	Servo Relay Unit, 1 axis. For CQM1H-PLB21 and CQM1-CPU43-V1 (Doesn't support c
XW2B-20J6-6	Servo Relay Unit, 1 axis
XW2B-20J6-8A	Servo Relay Unit, 1 axis. For CJ1M-CPU22/23 (Doesn't support communications fun
XW2B-20X5	
XW2B-20Y4	
XW2B-20Y5	
XW2B-34G4	
XW2B-34G5	
XW2B-34Y4	
XW2B-34Y5	
XW2B-40F5-P	Connector Terminal Block for general-purpose Controllers
XW2B-40G4	Terminal block, 40 point (M2.4 screws)
XW2B-40G5	Terminal block, 40 point (M3.5 screws)
XW2B-40G5-T	Terminal block, 40 point twin connect (M3.5 screws, use with 2 x XW2Z-***A cables)
XW2B-40J6-2B	Servo Relay Unit, 2 axis. For CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C:
XW2B-40J6-4A	Servo Relay Unit, 2 axis
XW2B-40J6-7	Servo Relay Unit, 2 axis
XW2B-40J6-9A	Servo Relay Unit, 2 axes. For CJ1M-CPU22/23 (Doesn't support communications fun
XW2B-50G4	
XW2B-50G5	Sigma II servo driver CN1 Connector Terminal Block Conversion Unit, (requires R88.
XW2B-50X5	
XW2B-50Y4	
XW2B-50Y5	
XW2B-60G4	Terminal block, 60 point (M3 screws)

XW2B-60G5	Terminal block, 60 point (M3.5 screws)
XW2C-20G5-IN16	
XW2C-20G6-IO16	
XW2D-20G6	Terminal block, 20 point (M3 captive screws)
XW2D-34G6	34-pt I/O terminal block, connects to CS1W-AD161 unit with XW2Z-200C cable
XW2D-40G6	Terminal block, 40 point (M3 captive screws colour marked)
XW2D-40G6-RF	
XW2D-50G6	
XW2E-20G5-IN16	
XW2F-20G7-IN16	Terminal block, 20 point input, screwless connections
XW2F-20G7-OUT16	Terminal block, 20 point output, screwless connections
XW2G-40G7-E	Input Terminal Block for CJ1W-CTL41-E (use with XW2Z-xxxK cable)
XW2Z-010H-1	
XW2Z-010S	
XW2Z-010X	
XW2Z-050A	Cable for 24 pin Fujitsu connector to XW2*-20G*, 0.5m
XW2Z-050B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 0.5m
XW2Z-050J-A1	
XW2Z-050J-A10	
XW2Z-050J-A11	
XW2Z-050J-A12	
XW2Z-050J-A13	
XW2Z-050J-A14	
XW2Z-050J-A15	Cable between CJ1W-NC113 and XW2B-20J6-1B servo block
XW2Z-050J-A16	
XW2Z-050J-A17	
XW2Z-050J-A18	
XW2Z-050J-A19	
XW2Z-050J-A2	
XW2Z-050J-A20	
XW2Z-050J-A21	
XW2Z-050J-A22	
XW2Z-050J-A23	
XW2Z-050J-A24	
XW2Z-050J-A25	
XW2Z-050J-A27	
XW2Z-050J-A3	
XW2Z-050J-A33	
XW2Z-050J-A4	
XW2Z-050J-A5	
XW2Z-050J-A6	
XW2Z-050J-A7	
XW2Z-050J-A8	
XW2Z-050J-A9	
XW2Z-070T-1	
XW2Z-100A	Cable for 24 pin Fujitsu connector to XW2*-20G*, 1m
XW2Z-100B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 1m
XW2Z-100D	
XW2Z-100F	Cable, 1m
XW2Z-100H-1	Cable for 56 pin Fujitsu connector to XW2B-60G*, 1m
XW2Z-100H-2G	
XW2Z-100J-A1	Cable for connection to terminal block from C200H-NC112, 1m

XW2Z-100J-A10	
XW2Z-100J-A11	
XW2Z-100J-A12	
XW2Z-100J-A13	
XW2Z-100J-A14	Cable for connection to terminal block from CJ1W-NC113 for W series, 1m
XW2Z-100J-A15	Cable for connection to terminal block from CJ1W-NC213/413 for W series, 1m
XW2Z-100J-A16	Cable from XW2B-**J6-*B to CJ1W-NC113, 1m
XW2Z-100J-A17	Cable from XW2B-**J6-*B to CJ1W-NC213/413, 1m
XW2Z-100J-A18	
XW2Z-100J-A19	Cable for connection to terminal block from CJ1W-NC233/433 for Sigma II series, 1m
XW2Z-100J-A2	
XW2Z-100J-A20	
XW2Z-100J-A21	Cable from XW2B-**J6-*B to CS1W-NC233/433, 1m
XW2Z-100J-A22	
XW2Z-100J-A23	
XW2Z-100J-A25	
XW2Z-100J-A26	Cable for SmartStep/ Junma from XW2B-**J6-8A/9A to CJ1M-CPU22/23, 1m
XW2Z-100J-A27	Cable for Sigmall from XW2B-**J6-8A/9A to CJ1M-CPU22/23, 1m
XW2Z-100J-A3	Cable from XW2B-**J6-*B to CQM1H-PLB21 and CQM1-CPU43-V1, 1m
XW2Z-100J-A33	SmartStep2 Position control unit connecting Cable
XW2Z-100J-A4	
XW2Z-100J-A5	
XW2Z-100J-A6	Cable for connection to terminal block from C200HW-NC113 & CS1W-NC113 for UP,
XW2Z-100J-A7	Cable for connection to terminal block from C200HW-NC213/413 & CS1W-NC213/413
XW2Z-100J-A8	Cable from XW2B-**J6-*B to CS1W-NC113 and C200HW-NC113, 1m
XW2Z-100J-A9	Cable from XW2B-**J6-*B to CS1W-NC213/413 and C200HW-NC213/413, 1m
XW2Z-100J-B1	
XW2Z-100J-B15	
XW2Z-100J-B17	Cable from XW2B terminal block to Junma series servo drive, 1m
XW2Z-100J-B19	Terminal block connector cable, 1m
XW2Z-100J-B2	
XW2Z-100J-B24	
XW2Z-100J-B25	SmartStep2 Cable from servo relay unit to servo drive (750w)
XW2Z-100J-B28	Connector
XW2Z-100J-B29	
XW2Z-100J-B3	
XW2Z-100J-B31	
XW2Z-100J-B32	SmartStep2 Cable from servo relay unit to servo drive (100-400w)
XW2Z-100J-B33	Terminal block cable, 1m
XW2Z-100J-B34	G5 series, terminal block cable, for CN1 connector, use with XW2B-20G_ terminal bl
XW2Z-100J-B4	Cable from XW2B-**J6-** to Sigma II Servo Driver (Doesn't support communications
XW2Z-100J-B5	Cable from XW2B-**J6-*B to SMARTSTEP Servo Driver (doesn't support communica
XW2Z-100J-B7	Cable from XW2B-**J6-4B to Sigma II Servo Driver (Does support communications
XW2Z-100J-F1	Cable to Sigma II Servo Driver , 1m
XW2Z-100J-G1	
XW2Z-100J-G10	
XW2Z-100J-G11	
XW2Z-100J-G12	
XW2Z-100J-G13	
XW2Z-100J-G14	
XW2Z-100J-G15	
XW2Z-100J-G16	

XW2Z-100J-G2	
XW2Z-100J-G3	
XW2Z-100J-G4	
XW2Z-100J-G5	
XW2Z-100J-G6	
XW2Z-100J-G7	
XW2Z-100J-G8	
XW2Z-100J-G9	
XW2Z-100K	Cable for 40 pin MIL connector to XW2*-40G*, 1m
XW2Z-100N	Y' Cable for PLC I/O unit with 40 pin MIL connector to 2x XW2F-20G7-IN16/OUT16 ter
XW2Z-100X	
XW2Z-10MJ-G1	
XW2Z-10MJ-G10	
XW2Z-10MJ-G11	
XW2Z-10MJ-G12	
XW2Z-10MJ-G2	
XW2Z-10MJ-G3	
XW2Z-10MJ-G4	
XW2Z-10MJ-G9	
XW2Z-150A	
XW2Z-150B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 1.5m
XW2Z-150D	
XW2Z-150F	
XW2Z-150H-2G	
XW2Z-150K	Cable for 40 pin MIL connector to XW2*-40G*, 1.5m
XW2Z-150L	
XW2Z-150N	
XW2Z-200A	Cable for 24 pin Fujitsu connector to XW2*-20G*, 2m
XW2Z-200B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 2m
XW2Z-200C	Cable for 34 pin MIL connector to XW2*-34G*, 2m
XW2Z-200D	
XW2Z-200F	
XW2Z-200H-1	Cable for 56 pin Fujitsu connector to XW2B-60G*, 2m
XW2Z-200H-2	
XW2Z-200H-3	
XW2Z-200J-B1	
XW2Z-200J-B17	Cable from XW2B terminal block to Junma series servo drive, 2m
XW2Z-200J-B19	
XW2Z-200J-B2	
XW2Z-200J-B24	SmartStep2 Terminal Block Cable (750w)
XW2Z-200J-B25	Cable from servo relay unit to servo drive, 2m
XW2Z-200J-B28	
XW2Z-200J-B29	
XW2Z-200J-B3	
XW2Z-200J-B31	SmartStep2 Cable from servo relay unit to servo drive (750w)
XW2Z-200J-B32	
XW2Z-200J-B33	Terminal block cable, 2m
XW2Z-200J-B34	G5 series, terminal block cable, for CN1 connector, use with XW2B-20G_ terminal bl
XW2Z-200J-B4	Cable from XW2B-**J6-** to Sigma II Servo Driver (Doesn't support communications
XW2Z-200J-B5	Cable from XW2B-**J6-*B to SMARTSTEP Servo Driver (doesn't support communica
XW2Z-200J-B7	
XW2Z-200J-F1	

OMRON Industrial

XW2Z-200K	Cable for 40 pin MIL connector to XW2*-40G*, 2m
XW2Z-200N	Y' Cable for PLC I/O unit with 40 pin MIL connector to 2x XW2F-20G7-IN16/OUT16 ter
XW2Z-200R	
XW2Z-200S	Cable, RS-232C, 2m, for connecting NT HMI 25-pin port to PLC 9-pin port & NT HMI 9
XW2Z-200S-CV	Cable, RS-232C, 2m, for programming PLC or HMI 9-pin port from PC 9-pin port
XW2Z-200S-V	Cable, RS-232C, 2m, for programming PLC or HMI 9-pin port from PC 9-pin port
XW2Z-200T	Cable, RS-232C, 2m, for connecting NT HMI 9-pin port to PLC 9-pin port
XW2Z-200T-1	
XW2Z-200T-2	
XW2Z-200X	
XW2Z-300A	
XW2Z-300B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 3m
XW2Z-300F	
XW2Z-300H-1	Cable for 56 pin Fujitsu connector to XW2B-60G*, 3m
XW2Z-300J-A7	
XW2Z-300J-G13	
XW2Z-300J-G14	
XW2Z-300J-G15	
XW2Z-300J-G16	
XW2Z-300J-G5	
XW2Z-300J-G6	
XW2Z-300J-G7	
XW2Z-300J-G8	
XW2Z-300K	Cable for 40 pin MIL connector to XW2*-40G*, 3m
XW2Z-300N	
XW2Z-300X	
XW2Z-500A	Cable for 24 pin Fujitsu connector to XW2*-20G*, 5m
XW2Z-500B	Cable for 40 pin Fujitsu connector to XW2*-40G*, 5m
XW2Z-500D	
XW2Z-500H-1	Cable for 56 pin Fujitsu connector to XW2B-60G*, 5m
XW2Z-500J-G1	
XW2Z-500J-G10	
XW2Z-500J-G11	
XW2Z-500J-G12	
XW2Z-500J-G2	
XW2Z-500J-G3	
XW2Z-500J-G4	
XW2Z-500J-G9	
XW2Z-500K	Cable for 40 pin MIL connector to XW2*-40G*, 5m
XW2Z-500N	
XW2Z-500P-V	Cable, RS-232C, 5m, for programming PLC 25-pin host link unit from PC 9-pin port
XW2Z-500S	Cable, RS-232C, 5m, for connecting NT HMI 25-pin port to PLC 9-pin port & NT HMI 9
XW2Z-500S-CV	Cable, RS-232C, 5m, for programming PLC or HMI 9-pin port from PC 9-pin port
XW2Z-500S-V	
XW2Z-500T	Cable, RS-232C, 5m, for connecting NT HMI 9-pin port to PLC 9-pin port
XW2Z-500T-Z	
XW2Z-500X	
XW2Z-700H-1	
XW2Z-C50K	Cable for 40 pin MIL connector to XW2*-40G*, 0.5m
XW2Z-C50X	
XW2Z-S002	
XW2Z-S002-NL	Cable, RS-232C, 2m, for programming PLC or HMI 9-pin port from PC 9-pin port

XW3A-P443-G11	
XW3A-P645-G11	
XW3B-P452-G11	
XW3B-P453-G11	
XW3B-P455-G11	
XW3B-P652-G11	
XW3B-P653-G11	
XW3B-P655-G11	
XW3B-P852-G11	
XW3B-P853-G11	
XW3B-P855-G11	
XW4B-05C1-H1-D	
XW4B-05C4-T-D	
XW4B-05C4-TF-D	
XW4G-05C4-TF-D	
XW4Z-00B	
XW4Z-00C	
XWT-ID08 CHN	DRT2/CRT1 Expansion Unit, 8x 24 VDC inputs, NPN (use 1 max with DRT2-*D08(-1)/*
XWT-ID08-1 CHN	DRT2/CRT1 Expansion Unit, 8x 24 VDC inputs, PNP (use 1 max with DRT2-*D08(-1)/*
XWT-ID16 CHN	DRT2/CRT1 Expansion Unit, 16x 24 VDC inputs, NPN (use 1 max with DRT2-*D08(-1)/
XWT-ID16-1 CHN	DRT2/CRT1 Expansion Unit, 16x 24 VDC inputs, PNP (use 1 max with DRT2-*D08(-1)/
XWT-OD08 CHN	DRT2/CRT1 Expansion Unit, 8x 24 VDC outputs, 0.5A, NPN (use 1 max with DRT2-*D
XWT-OD08-1 CHN	DRT2/CRT1 Expansion Unit, 8x 24 VDC outputs, 0.5A, PNP (use 1 max with DRT2-*D
XWT-OD16 CHN	DRT2/CRT1 Expansion Unit, 16x 24 VDC outputs, 0.5A, NPN (use 1 max with DRT2-*D
XWT-OD16-1 CHN	DRT2/CRT1 Expansion Unit, 16x 24 VDC outputs, 0.5A, PNP (use 1 max with DRT2-*D
XY2B-2104-N	
XY2B-7006	
XY2F-0001	
XY2F-0002	
XY2F-0003	
Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)
Y92A-48B (HARD)	Protective cover for DIN48x48mm device, hard plastic
Y92A-48D (SOFT)	Protective cover for DIN48x48mm device, soft plastic
Y92A-48F	
Y92A-48F1	Protective cover for H5/7CR timer/counter, soft plastic
Y92A-48G(PROTECT COVER)	Protective cover for DIN48x48mm device
Y92A-48N	Watertight cover for DIN48x48mm device, IP66, plastic
Y92A-49N	Watertight cover for DIN48x96mm device, IP66, plastic
Y92A-72	
Y92A-72C	
Y92A-72F1	Protective cover for H5/7BR timer/counter, soft plastic
Y92A-72H	
Y92A-72N	Watertight cover for DIN72x72mm device, IP66, plastic
Y92A-96A	
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic
Y92A-96N	Watertight cover for DIN96x96mm device, IP66, plastic
Y92A-Y1	
Y92B-A100	
Y92B-A150N	Heat sink
Y92B-A250	
Y92B-N100	Heat sink for G3NA-220/420B SSR
Y92B-N150	Heat sink for G3NA-240/440B SSR

Y92B-N50	Heat sink for G3NA-205/210B SSR
Y92B-P100	
Y92B-P150	
Y92B-P200	
Y92B-P250	
Y92B-P250NF	Heat sink
Y92B-P50	
Y92B-S08N	
Y92B-S10	
Y92C-30	Parallel encoder input adapter for 2x H8PR/S rotary positioner
Y92E-A34	Mounting Bracket for E2K sensor
Y92E-B12	Sensor mounting bracket, M12 size
Y92E-B18	Sensor mounting bracket, M18 size
Y92E-B30	Sensor mounting bracket, M30 size
Y92E-B8	Sensor mounting bracket, M8 size
Y92E-BC08 BY OMG	Sensor mounting bracket, M8 size, Hinge lever type
Y92E-BC12 BY OMG	Sensor mounting bracket, M12 size, Hinge lever type
Y92E-BC18 BY OMG	Sensor mounting bracket, M18 size, Hinge lever type
Y92E-BC30 BY OMG	Sensor mounting bracket, M30 size, Hinge lever type
Y92E-C10	
Y92E-C1R6	
Y92E-C20	
Y92E-C2R5	
Y92E-C5	
Y92E-D1R6	
Y92E-D2R5	Mounting bracket for E2S-_2__ (fixed with 2 screws)
Y92E-E12	M12 sensor end cap cover,
Y92E-E12-2	
Y92E-E12-7	
Y92E-E12M	
Y92E-E18	M18 sensor end cap cover,
Y92E-E18-2	M18 sensor end cap cover, silicone
Y92E-E18-7	
Y92E-E18M	
Y92E-E30	M30 sensor end cap cover,
Y92E-E30-2	M30 sensor end cap cover, silicone
Y92E-E30-7	
Y92E-E30M	
Y92E-E8-7	
Y92E-EX-M12 BY OMG	Mounting Bracket
Y92E-F5R4	
Y92E-G12	
Y92E-G18	
Y92E-G30	
Y92E-G8	
Y92E-M08PUR3A10M-L	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 10M
Y92E-M08PUR3A2M-L	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 2M
Y92E-M08PUR3A2MLED-L	Sensor Connector, female, M8, PUR, 3 Pin, Angled, LED, 2M
Y92E-M08PUR3A5M-L	Sensor Connector, female, M8, PUR, 3 Pin, Angled, 5M
Y92E-M08PUR3A5MLED-L	Sensor Connector, female, M8, PUR, 3 Pin, Angled, LED, 5M
Y92E-M08PUR3S10M-L	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 10M
Y92E-M08PUR3S2M-L	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 2M

OMRON Industrial

Y92E-M08PUR3S5M-L	Sensor Connector, female, M8, PUR, 3 Pin, Straight, 5M
Y92E-M08PUR4A10M-L	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 10M
Y92E-M08PUR4A2M-L	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 2M
Y92E-M08PUR4A5M-L	Sensor Connector, female, M8, PUR, 4 Pin, Angled, 5M
Y92E-M08PUR4S10M-L	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 10M
Y92E-M08PUR4S25M-L	
Y92E-M08PUR4S2M-L	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 2M
Y92E-M08PUR4S50M-L	
Y92E-M08PUR4S5M-L	Sensor Connector, female, M8, PUR, 4 Pin, Straight, 5M
Y92E-M08PVC3A10M-L	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 10M
Y92E-M08PVC3A2M-L	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 2M
Y92E-M08PVC3A2MLED-L	Sensor Connector, female, M8, PVC, 3 Pin, Angled, LED, 2M
Y92E-M08PVC3A5M-L	Sensor Connector, female, M8, PVC, 3 Pin, Angled, 5M
Y92E-M08PVC3A5MLED-L	Sensor Connector, female, M8, PVC, 3 Pin, Angled, LED, 5M
Y92E-M08PVC3Aconf-L	
Y92E-M08PVC3S10M-L	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 10M
Y92E-M08PVC3S2M-L	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 2M
Y92E-M08PVC3S5M-L	Sensor Connector, female, M8, PVC, 3 Pin, Straight, 5M
Y92E-M08PVC3Sconf-L	
Y92E-M08PVC4A10M-L	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 10M
Y92E-M08PVC4A15M-L	
Y92E-M08PVC4A20M-L	
Y92E-M08PVC4A2M-L	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 2M
Y92E-M08PVC4A5M-L	Sensor Connector, female, M8, PVC, 4 Pin, Angled, 5M
Y92E-M08PVC4Aconf-L	
Y92E-M08PVC4S10M-L	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 10M
Y92E-M08PVC4S15M-L	
Y92E-M08PVC4S20M-L	
Y92E-M08PVC4S2M-L	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 2M
Y92E-M08PVC4S5M-L	Sensor Connector, female, M8, PVC, 4 Pin, Straight, 5M
Y92E-M08PVC4Sconf-L	
Y92E-M12FAM8MSPUR32M-L	
Y92E-M12FAM8MSPVC32M-L	
Y92E-M12FSM12MSPUR42M-L	
Y92E-M12FSM8MSPUR32M-L	
Y92E-M12FSM8MSPVC32M-L	
Y92E-M12PUR3A10M-L	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 10M
Y92E-M12PUR3A2M-L	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 2M
Y92E-M12PUR3A2MLED-L	
Y92E-M12PUR3A5M-L	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 5M
Y92E-M12PUR3A5MLED-L	Sensor Connector, female, M12, PUR, 3 Pin, Angled, 5M
Y92E-M12PUR3S10M-L	
Y92E-M12PUR3S2M-L	
Y92E-M12PUR3S5M-L	
Y92E-M12PUR4A10M-L	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 10M
Y92E-M12PUR4A2M-L	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 2M
Y92E-M12PUR4A5M-L	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M
Y92E-M12PUR4A5MLED-L	
Y92E-M12PUR4S10M-L	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 10M
Y92E-M12PUR4S2M-L	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 2M
Y92E-M12PUR4S5M-L	Sensor Connector, female, M12, PUR, 4 Pin, Straight, 5M
Y92E-M12PUR4S5MLED-L	

Y92E-M12PUR5A5M-L	Sensor Connector, female, M12, PUR, 5 Pin, Angled, 5M
Y92E-M12PUR5S2M-L	Sensor Connector, female, M12, PUR, 5 Pin, Straight, 2M
Y92E-M12PUR5S5M-L	Sensor Connector, female, M12, PUR, 5 Pin, Straight, 5M
Y92E-M12PVC3A10M-L	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 10M
Y92E-M12PVC3A10MLED-L	
Y92E-M12PVC3A2M-L	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 2M
Y92E-M12PVC3A2MLED-L	Sensor Connector, female, M12, PVC, 3 Pin, Angled, LED,2M
Y92E-M12PVC3A5M-L	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M
Y92E-M12PVC3A5MLED-L	Sensor Connector, female, M12, PVC, 3 Pin, Angled, LED,5M
Y92E-M12PVC3S10M-L	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 10M
Y92E-M12PVC3S2M-L	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 2M
Y92E-M12PVC3S5M-L	Sensor Connector, female, M12, PVC, 3 Pin, Straight, 5M
Y92E-M12PVC4A10M-L	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M
Y92E-M12PVC4A15M-L	
Y92E-M12PVC4A25M-L	Sensor Connector, M12 PVC, angled, 25m
Y92E-M12PVC4A2M-L	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 2M
Y92E-M12PVC4A5M-L	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M
Y92E-M12PVC4Aconf-L	Sensor connector, M12 4 pin
Y92E-M12PVC4AconfLED-H	Sensor Connector, female, M12, PVC, 4 Pin,
Y92E-M12PVC4AconfTRP-H	Sensor connector, M12 4 pin
Y92E-M12PVC4S10M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 10M
Y92E-M12PVC4S15M-L	Sensor Connector, Female, M12, PVC
Y92E-M12PVC4S20M-L	
Y92E-M12PVC4S2M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 2M
Y92E-M12PVC4S5M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 5M
Y92E-M12PVC4S5MLED-L	
Y92E-M12PVC4Sconf-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight
Y92E-M12PVC5A10M-L	Sensor Connector, female, M12, PVC, 5 Pin, Angled, 10M
Y92E-M12PVC5A2M-L	Sensor Connector, female, M12, PVC, 5 Pin, Angled, 2M
Y92E-M12PVC5A5M-L	Sensor Connector, female, M12, PVC, 5 Pin, Angled, 5M
Y92E-M12PVC5Aconf-L	
Y92E-M12PVC5S10M-L	Sensor Connector, female, M12, PVC, 5 Pin, Straight, 10M
Y92E-M12PVC5S2M-L	Sensor Connector, female, M12, PVC, 5 Pin, Straight, 2M
Y92E-M12PVC5S5M-L	Sensor Connector, female, M12, PVC, 5 Pin, Straight, 5M
Y92E-M12PVC5Sconf-H	
Y92E-MM08PVC3Sconf-L	
Y92E-MM08PVC4Aconf-H	
Y92E-MM08PVC4Sconf-L	
Y92E-MM12PVC4Aconf-L	
Y92E-MM12PVC4Sconf-L	
Y92E-MM12PVC5Aconf-L	
Y92E-MM12PVC5Sconf-H	
Y92E-MS08PVC3A2M-L	
Y92E-MS08PVC3A5M-L	
Y92E-MS08PVC3A5MLED-L	
Y92E-MS08PVC3S5M-L	
Y92E-MS08PVC4S5M-L	
Y92E-P1D3H2	
Y92E-S08PVC3A10M-L	
Y92E-S08PVC3A2M-L	Sensor connector, female, M8, 2m PVC cable, 3 pole, angled, Hex stainless nut
Y92E-S08PVC3A5M-L	Sensor connector, female, M8, 5m PVC cable, 3 pole, angled, Hex stainless nut
Y92E-S08PVC3S10M-L	

Y92E-S08PVC3S20M-L	
Y92E-S08PVC3S2M-L	Sensor connector, female, M8, 2m PVC cable, 3 pole, straight, Hex stainless nut
Y92E-S08PVC3S5M-L	Sensor connector, female, M8, 5m PVC cable, 3 pole, straight, Hex stainless nut
Y92E-S08PVC4A10M-L	
Y92E-S08PVC4A15M-L	
Y92E-S08PVC4A2M-L	Sensor connector, female, M8, 2m PVC cable, 4 pole, angled, Hex stainless nut
Y92E-S08PVC4A5M-L	Sensor connector, female, M8, 5m PVC cable, 4 pole, angled, Hex stainless nut
Y92E-S08PVC4S10M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 10M, Hex stainless nut
Y92E-S08PVC4S15M-L	
Y92E-S08PVC4S2M-L	Sensor connector, female, M8, 2m PVC cable, 4 pole, straight, Hex stainless nut
Y92E-S08PVC4S5M-L	Sensor connector, female, M8, 5m PVC cable, 4 pole, straight, Hex stainless nut
Y92E-S12PVC4A10M-L	
Y92E-S12PVC4A15M-L	
Y92E-S12PVC4A2M-L	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 2M, Hex stainless nut
Y92E-S12PVC4A5M-L	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, Hex stainless nut
Y92E-S12PVC4S10M-L	
Y92E-S12PVC4S15M-L	
Y92E-S12PVC4S20M-L	
Y92E-S12PVC4S2M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 2M, Hex stainless nut
Y92E-S12PVC4S5M-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight, 5M, Hex stainless nut
Y92E-VM12	
Y92E-VM18	
Y92E-VM30	
Y92F-30	Flush panel mounting adapter for DIN48x48mm device
Y92F-31	
Y92F-34	
Y92F-35 (ADAPTER FOR H7E-N)	Flush panel mounting adapter for H7E
Y92F-40	
Y92F-42	Adapter for H3CR replacement of STP-NH/8PFA timer
Y92F-45	
Y92F-70	
Y92F-71	Adapter for H3CR replacement of H3A timer
Y92F-73	Adapter for H3CR replacement of STP-YMH timer
Y92F-74	
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm
Y92F-76	
Y92F-77B (ADAPTER FOR H7E-N)	Flush panel mounting adapter for H7E
Y92F-78 (ADAPTER FOR H3Y)	Flush panel mounting adapter for H3Y(N) timer
Y92F-90	
Y92F-91	DIN rail mounting base for H8PS rotary positioner
Y92H-1 -PAIR-	Clips for H2C timer & PL socket
Y92H-2 -PAIR-	Clips for H2C timer & PF085A socket
Y92H-3 -PAIR-	Clips for H3Y(N) timer & PYF socket
Y92H-4	Clips for H3Y(N) timer & PY socket
Y92H-5	
Y92H-7	Hold down clip
Y92H-8	
Y92H-9 (FOR E5AN E5EN)	
Y92P-48GB	Panel cover for H3CR-A* timer, black
Y92P-48GL	Panel cover for H3CR-A* timer, light grey
Y92P-48GM	
Y92S-20	

Y92S-21	
Y92S-25	
Y92S-26	
Y92S-27	Setting ring for H3CR-A* timer, specific
Y92S-28	Setting ring for H3CR-A* timer, range limit
Y92S-29	Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adap
Y92S-32	
Y92S-33	
Y92S-36 (BATTERY FOR H7E-N)	Battery for H7E-N
Y92S-38(TOOL FOR H3DS)OMS	Adjustment and locking tool for H3DS
Y92S-40 (USB CABLE FOR H8PS)	USB cable for H8PS controllers
Y92S-41-200 (CABLE FOR H8PS)	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for :
Y92S-L1	
Y92S-P4	
Y92S-P5	
YK-500XG200COVER	
Z-01H	
Z-01H55-B	
Z-01H-B	
Z-01HBQ	
Z-01HD55	
Z-01HD-B	
Z-01HNJ155-M19R3EA-K	
Z-01HQ2155-B	
Z-01HQ2255-B	
Z-01HQ22-B	
Z-01HS	
Z-01HW	
Z-01HW21-B	
Z-01HW22	
Z-01HW2255	
Z-01HW2255-B	
Z-01HW22-B	
Z-01HW507S55-B	
Z-10FDY-B	
Z-10FM22Y-B	
Z-10FM2Y-B	
Z-10FMY-B	
Z-10FQ22Y-B	
Z-10FQY-B	
Z-10FSY-B	
Z-10FW1Y55-BC	
Z-10FW22Y-B	
Z-10FW569Y-B74-K1	
Z-10FWY-B	
Z-10FY-B	
Z-15E	
Z-15E103-B-108	
Z-15E-B	
Z-15ED	
Z-15ED-B	
Z-15EQ	

Z-15EQ21-B	
Z-15EQ22	
Z-15EQ22-B	
Z-15EQ-B	
Z-15ER	
Z-15ESR	
Z-15EW	
Z-15EW22	
Z-15EW22-B	
Z-15EW22R	
Z-15EW29	
Z-15EW565	
Z-15EWR	
Z-15F	
Z-15FW22-B	
Z-15G	Basic switch, pin plunger, SPDT, 15A
Z-15G104-B-108	
Z-15G55	
Z-15G55-B	Basic switch
Z-15G55-MR 1M	
Z-15GA55-B5V	
Z-15G-B	Basic switch, pin plunger, SPDT, 15A
Z-15G-B8	
Z-15G-C	
Z-15GD	Basic switch, short spring plunger, SPDT, 15A
Z-15GD10	
Z-15GD55	
Z-15GD55-B	Basic switch, short spring plunger, SPDT, 15A, drip proof
Z-15GD55-M19R VCT 1M	
Z-15GD55-MD 1M	Basic switch, short spring plunger, SPDT, 15A, drip proof, pre-cabled
Z-15GD55-MR 1 M	
Z-15GD55-MR 0,5 M	
Z-15GD5-B7	Basic switch, short spring plunger, SPDT, 15A
Z-15GDA55-B5V	
Z-15GD-B	Basic switch, short plunger, SPDT, 15A
Z-15GD-B7-K	
Z-15GD-B8	Basic switch, short plunger, SPDT, 15A
Z-15GK355	
Z-15GK355-B	Basic switch, plunger (high-operating point), SPDT, 15A
Z-15GK355-B7	
Z-15GK3A55-B5V	
Z-15GK55	
Z-15GK55-B	Basic switch, plunger (mid-operating point), SPDT, 15A
Z-15GK655-B	Basic switch
Z-15GKA55-B5V	
Z-15GL	
Z-15GL2	
Z-15GL255	
Z-15GL255-B	
Z-15GL2A55-B5V	
Z-15GL2-B	
Z-15GL42-B	

Z-15GL55	
Z-15GL55-B	
Z-15GL-B	
Z-15GM	General-purpose Basic Switch, 15A, reverse hinge lever
Z-15GM2	Basic switch, reverse hinge roller lever, SPDT, 15A
Z-15GM22	General-purpose Basic Switch, 15A, reverse short hinge roller lever
Z-15GM2230-B	
Z-15GM2255	
Z-15GM2255-B	
Z-15GM22-B	General-purpose Basic Switch, 15A, reverse short hinge roller lever, screw terminal
Z-15GM255	
Z-15GM255-B	
Z-15GM2-B	Basic switch, reverse hinge roller lever, SPDT, 15A
Z-15GM55	
Z-15GM-B	Basic switch, reverse hinge roller lever, SPDT, 15A
Z-15GNJ55	
Z-15GNJ55-B	Basic switch, flexible rod, SPDT, 15A, drip-proof
Z-15GNJ55-B7-K	Basic switch
Z-15GQ	Basic switch, panel mount plunger, SPDT, 15A
Z-15GQ21	Basic switch, panel mount cross roller plunger, SPDT, 15A
Z-15GQ2155-B	
Z-15GQ21A55-B5V	Basic switch, panel mount cross roller plunger, SPDT, 15A, drip proof, screw termin
Z-15GQ21-B	Basic switch, panel mount cross roller plunger, SPDT, 15A
Z-15GQ22	Basic switch, panel mount roller plunger, SPDT, 15A
Z-15GQ2255	
Z-15GQ2255-B	General-purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, sc
Z-15GQ22A55-B5V	General-purpose Basic Switch, 15A, panel mount roller plunger, drip-proof, screw te
Z-15GQ22-B	Basic switch, panel mount roller plunger, SPDT, 15A
Z-15GQ22-C	
Z-15GQ3	
Z-15GQ3-B	Basic switch, low operating force, panel mount plunger, SPDT, 15A
Z-15GQ55	
Z-15GQ55-B	Basic switch, panel mount plunger, SPDT, 15A, drip-proof
Z-15GQ8	
Z-15GQ8-B	Basic switch, high operating force, panel mount plunger, SPDT, 15A
Z-15GQA55-B5V	
Z-15GQ-B	Basic switch, panel mount plunger, SPDT, 15A
Z-15GQ-B7-K	Basic switch
Z-15GQ-C	
Z-15GQN-B	
Z-15GS	
Z-15GS55	Basic switch, slim spring plunger, SPDT, 15A, drip proof
Z-15GS55-B	
Z-15GS55-MD 1M	
Z-15GSA55-B5V	
Z-15GS-B	Basic switch, slim spring plunger, SPDT, 15A
Z-15GW	Basic switch, hinge lever, SPDT, 15A
Z-15GW199	
Z-15GW2	Basic switch, hinge roller lever, SPDT, 15A
Z-15GW21	
Z-15GW2155	
Z-15GW2155-B	

Z-15GW21-B	Basic switch, short hinge lever, SPDT, 15A
Z-15GW22	Basic switch, short hinge roller lever, SPDT, 15A
Z-15GW22177-B	
Z-15GW2255	Basic switch, short hinge roller lever, SPDT, 15A, drip-proof
Z-15GW2255-B	Basic switch, short hinge roller lever, SPDT, 15A, drip-proof
Z-15GW2255-M19D 1M	
Z-15GW2255-M19D 2M	
Z-15GW2255-M19L	
Z-15GW2255-M19L 1M	
Z-15GW2255-M19L 2M	
Z-15GW2255-M19L 3M	
Z-15GW2255-M19R-V CT	
Z-15GW2255-M19R-V CT 1M	
Z-15GW2255-MD	Basic switch
Z-15GW2255-ML	
Z-15GW2255-MR 1M	
Z-15GW2277	Basic switch, unidirectional short hinge roller lever, SPDT, 15A
Z-15GW227755	
Z-15GW227755-B	
Z-15GW227755-M19L 1M	
Z-15GW227755-M19RE 3M	
Z-15GW227755-ML 1M	
Z-15GW227755-MR 1M	
Z-15GW2277A55-B5V	Basic switch
Z-15GW2277-B	Basic switch, unidirection short hinge roller lever, SPDT, 15A
Z-15GW2277S-B	
Z-15GW2280-B	
Z-15GW22A55-B5V	Basic switch
Z-15GW22-B	Basic switch, short hinge roller lever, SPDT, 15A
Z-15GW22-B7 OEE-E	
Z-15GW22-BT	
Z-15GW22-C	
Z-15GW22S (STEEL-ROLLER)	
Z-15GW22S-3BC	
Z-15GW22S-B	Basic switch
Z-15GW2377	Basic switch
Z-15GW2377-B	
Z-15GW25	Basic switch, hinge roller lever large roller, SPDT, 15A
Z-15GW255	
Z-15GW255-B	Basic switch, hinge roller lever, SPDT, 15A, drip-proof
Z-15GW255-B6-106-K	Basic switch
Z-15GW255-M19L	
Z-15GW255-ML 1M	
Z-15GW25-B	
Z-15GW2A55-B5V	Basic switch
Z-15GW2-B	Basic switch, hinge roller lever, SPDT, 15A
Z-15GW2-B7-K	
Z-15GW2S-B	
Z-15GW3	
Z-15GW317-B	
Z-15GW32	
Z-15GW32-B	Basic switch, hinge lever (high OF), SPDT, 15A

Z-15GW35-B	Basic switch, hinge roller lever large roller, SPDT, 15A
Z-15GW3-B	
Z-15GW4	Basic switch, low force hinge lever, SPDT, 15A
Z-15GW4455	
Z-15GW4455-B	Basic switch
Z-15GW44A55-B5V	
Z-15GW46	
Z-15GW49	
Z-15GW49-B	Basic switch, short hinge cross roller lever, SPDT, 15A
Z-15GW4-B	Basic switch, low force hinge lever, SPDT, 15A
Z-15GW4-B7-K	
Z-15GW50855-B	Basic switch
Z-15GW508-B	
Z-15GW54	
Z-15GW54-B+	
Z-15GW55	Basic switch, hinge lever, SPDT, 15A, drip-proof
Z-15GW55-B	Basic switch, hinge lever, SPDT, 15A, drip-proof
Z-15GW55-M19D	Basic switch
Z-15GW55-M19L 3M	
Z-15GW55-MR	
Z-15GW55-MR 0.5M	
Z-15GWA55-B5V	Basic switch
Z-15GW-B	Basic switch, hinge lever, SPDT, 15A
Z-15GW-B7	
Z-15GW-B7-K	
Z-15H	
Z-15H2	
Z-15H2-B	
Z-15H-B	Basic switch
Z-15HD	
Z-15HD-B	
Z-15HNJS55	
Z-15HNJS55-B	Micro switch
Z-15HQ	
Z-15HQ21	
Z-15HQ21-B	
Z-15HQ22	
Z-15HQ-B	
Z-15HS	
Z-15HS-B	
Z-15HW	
Z-15HW195-B	
Z-15HW2	
Z-15HW22	
Z-15HW22-B	
Z-15HW24	Basic switch, hinge lever, SPDT, high sensitivity micro load
Z-15HW24-B	Basic switch, hinge lever, SPDT, high sensitivity micro load
Z-15HW24-B7-K	
Z-15HW400	
Z-15HW52	Basic switch
Z-15HW52-B	Basic switch
Z-15HW78	

Z-15HW7855	
Z-15HW7855-B	
Z-15HW78-B	Basic switch, wire hinge lever, SPDT, 15A
Z-15HW-B	Micro switch
Z300-KP	
Z309-SC1 3M	
Z309-SC1R 1.5M	
Z309-SC1R 13M	
Z309-SC1R 18M	
Z309-SC1R 3M	
Z309-SC1R 6M	
Z309-SC1R 8M	
Z3F2-4D 20M	
Z4D-A03	
Z4D-B01	
Z4D-F04A	Micro Displacement Sensor, compact, Analogue output
Z4D-F04D	Micro Displacement Sensor, compact, ON/OFF output
Z4W-DD1C	
Z4W-V25R	Analogue LED displacement sensor, diffuse, 25mm, DC, 4-20mA
Z500-MC15E	
Z500-SW17	Sensor head, Z500, diffuse : 100mm, mirror: 94mm, measurable beam width
Z500-SW17R	
Z500-SW2T	
Z500-SW6	
Z510-SW17	
Z510-SW2T	
Z510-SW6	
Z510-WC10E	
Z510-WC15E	
Z519-SC1R 1.5M	
Z519-SC1R 13M	
Z519-SC1R 18M	
Z519-SC1R 3M	
Z519-SC1R 6M	
Z519-SC1R 8M	
Z550-MC10	
Z550-MC15	
Z550-SW70	Sensor head, Z550, diffuse : 200mm, measurable beam width 70mm
Z5FP-MC15	
Z5FP-MC15-004	
ZAA-2	
ZAP-2G	
ZAP-2R	
ZAP-B	
ZAP-R	
ZAQ-1	
ZAQ-2	
ZAQ-22	
ZAQ-3	
ZC RUBBER PACKING	
ZC-D55	Enclosed basic switch, plunger, SPDT, 15A
ZC-D55-L4	

ZC-D55-MD VCT 3M	
ZC-D55-MR VCT 1M	
ZC-D55-MR VCT 3M	
ZC-D55-MR VCT 5M	
ZC-N2155	Enclosed basic switch, sealed cross roller plunger, SPDT, 15A
ZC-N2155-MD VCT 5M	
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A
ZC-N2255F.	
ZC-N2255-L	
ZC-N2255-MR VCT 1M	
ZC-N2255-MR VCT 3M	
ZC-Q2155	Enclosed basic switch, panel mount cross roller plunger, SPDT, 15A
ZC-Q2155-L4	
ZC-Q2155-MR 3M	
ZC-Q2155-MR VCT 5M	
ZC-Q2255	Enclosed basic switch, panel mount roller plunger, SPDT, 15A
ZC-Q2255-01	
ZC-Q2255-L3	
ZC-Q2255-L4	
ZC-Q2255-MR VCT 3M	
ZC-Q2255-MR VCT 5M	
ZC-Q2255-TC	
ZC-Q55	Enclosed basic switch, panel mount plunger, SPDT, 15A
ZC-Q55-L	
ZC-Q55-L3	
ZC-Q55-L4	
ZC-Q55-MD VCT 3M.	
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A
ZC-W155-L4	
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A
ZC-W3155	
ZC-W355	Enclosed basic switch, one way action short hinge roller lever, SPDT, 15A
ZC-W55	
ZEN-10C1AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5
ZEN-10C1DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZEN-10C1DT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZEN-10C2AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5
ZEN-10C2DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZEN-10C2DT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZEN-10C3AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5
ZEN-10C3DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZEN-10C4AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5
ZEN-10C4DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V anal
ZE-N-2	
ZEN-20C1AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs
ZEN-20C1DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V an
ZEN-20C1DT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V an
ZEN-20C2AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs
ZEN-20C2DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V an
ZEN-20C2DT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V an
ZEN-20C3AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs

ZEN-20C3DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V analog)
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15A
ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A
ZE-N22-2S	
ZE-N-2G	Enclosed switch, plunger, SPDT, 15A
ZE-N-2G-FC	
ZE-N-2S	
ZE-N-2Y	
ZEN-8E1AR	Expansion unit, 4x 100-240 VAC inputs, 4x relay outputs 5A
ZEN-8E1DR	Expansion unit, 4x 24 VDC inputs, 4x relay outputs 5A
ZEN-8E1DT	Expansion unit, 4x 24 VDC inputs, 4x transistor outputs
ZE-NA2-2G	Enclosed switch, roller arm lever, SPDT, 15A
ZE-NA277-2G	
ZEN-BAT01	Battery for ZEN programmable relay
ZEN-CIF01	Cable, 2m, for connecting ZEN programmable relay to a PC
ZEN-KIT01-EV4 (AC)	ZEN Programmable Relay Starter Pack comprising ZEN-10C1AR-A, ZEN-CIF01, ZEN-
ZEN-KIT02-EV4 (DC)	ZEN Programmable Relay Starter Pack comprising ZEN-10C1DR-D, ZEN-CIF01, ZEN-
ZEN-ME01	Memory cassette, EEPROM
ZEN-PA03024	ZEN power supply unit, 30W 24 VDC
ZEN-SOFT01-V4	Programming software for ZEN programmable relay, CD-ROM
ZE-Q21-2G	Enclosed switch, cross roller plunger, SPDT, 15A
ZE-Q22-2G	Enclosed switch, roller plunger, SPDT, 15A
ZE-Q-2G	Enclosed switch, plunger, SPDT, 15A
ZE-QA2-2G	Enclosed switch, roller arm lever, SPDT, 15A
ZFV-A10	Single function amplifier, NPN output
ZFV-A15	Single function amplifier, PNP output
ZFV-A15-04	
ZFV-A20	Standard function amplifier, NPN output
ZFV-A25	Standard function amplifier, PNP output
ZFV-A25-04	
ZFV-CA40	Colour multifunction amplifier, NPN output
ZFV-CA45	Colour multifunction amplifier, PNP output
ZFV-CA50	Colour multifunction amplifier, Multiple inspections, NPN output
ZFV-CA55	Colour multifunction amplifier, Multiple inspections, PNP output
ZFV-INTRO-KIT	
ZFV-LTF01	External lighting for ZFV vision system, Light source for through beam lighting
ZFV-LTL01	External lighting for ZFV vision system, Bar lighting
ZFV-LTL02	External lighting for ZFV vision system, Bar double lighting
ZFV-LTL04	External lighting for ZFV vision system, Bar low angle lighting
ZFV-R1010	
ZFV-R1015	Set of sensor head & amplifier, Narrow view & single function, PNP output
ZFV-R1020	
ZFV-R1025	Set of sensor head & amplifier, Narrow view & standard function, PNP output
ZFV-R5010	Set of sensor head & amplifier, Wide view & single function, NPN output
ZFV-R5015	Set of sensor head & amplifier, Wide view & single function, PNP output
ZFV-R5020	Set of sensor head & amplifier, Wide view & standard function, NPN output
ZFV-R5025	Set of sensor head & amplifier, Wide view & standard function, PNP output
ZFV-SC10	Colour sensor head, 10mm Field of view (needs ZFV-CA** amplifier)
ZFV-SC150	Colour sensor head, 150mm Field of view (needs ZFV-CA** amplifier)
ZFV-SC150W	Colour sensor head, IP67 version 150mm Field of view (needs ZFV-CA** amplifier)
ZFV-SC50	Colour sensor head, 50mm Field of view (needs ZFV-CA** amplifier)
ZFV-SC50W	Colour sensor head, IP67 version 50mm Field of view (needs ZFV-CA** amplifier)

ZFV-SC90	Colour sensor head, 90mm Field of view (needs ZFV-CA** amplifier)
ZFV-SC90W	P0 Colour sensor head, IP67 version 90mm Field of view (needs ZFV-CA** amplifier)
ZFV-SH10 2M	Narrow view sensor head, white light
ZFV-SH50	Wide view sensor head, white light
ZFV-SR10	Narrow view sensor head
ZFV-SR50	Wide view sensor head
ZFV-SR50 5M	
ZFV-XC3A	3M Sensor extension cable (only one extension cable connectable)
ZFV-XC3BRV2	Sensor head extension cable, robotic flex, 3M
ZFV-XC3BV2	Sensor head extension cable, 3M
ZFV-XC8BV2	Sensor head extension cable, 8M
ZFV-XMF	Spare mounting bracket for ZFV cameras
ZFV-XMF2	Spare mounting bracket for ZFV cameras, use with colour version
ZFX-C10	Vision Inspection Controller, LCD colour touch screen, 24 VDC, NPN outputs
ZFX-C10-CD	Vision Inspection Controller, LCD colour touch screen, 24 VDC, NPN outputs, embed
ZFX-C15	Vision Inspection Controller, LCD colour touch screen, 24 VDC, PNP outputs
ZFX-C15-CD	Vision Inspection Controller, LCD colour touch screen, 24 VDC, PNP outputs, embed
ZFX-C20	Vision Inspection Controller, 2 camera, high speed, LCD colour touch screen, 24 VD
ZFX-C20-CD	Vision Inspection Controller, 2 camera, high speed, LCD colour touch screen, 24 VD
ZFX-C25	Vision Inspection Controller, 2 camera, high speed, LCD colour touch screen, 24 VD
ZFX-C25-CD	Vision Inspection Controller, 2 camera, high speed, LCD colour touch screen, 24 VD
ZFX-EU	Touch pen holder (Spare Parts: attached in the controller)
ZFX-KP 2M	Console 2m
ZFX-KP 5M	Console 5m
ZFX-PRT1	
ZFX-S	Monochrome Camera only, C-mount (requires cable)
ZFX-SC	Colour Camera only, C-mount (requires cable)
ZFX-SC10	Colour Camera with lighting, max FOV 10mm, 2m cable
ZFX-SC10R 2M	
ZFX-SC150	Colour Camera with lighting, max FOV 150mm, 2m cable
ZFX-SC150R 2M	
ZFX-SC150W	Colour Camera with lighting, max FOV 150mm, IP67, 2m cable
ZFX-SC50	Colour Camera with lighting, max FOV 50mm, 2m cable
ZFX-SC50R 2M	
ZFX-SC50W	Colour Camera with lighting, max FOV 50mm, IP67, 2m cable
ZFX-SC90	Colour Camera with lighting, max FOV 90mm, 2m cable
ZFX-SC90R 2M	
ZFX-SC90W	Colour Camera with lighting, max FOV 90mm, IP67, 2m cable
ZFX-SR10	Monochrome Camera with lighting, max FOV 10mm, 2m cable
ZFX-SR10R 2M	
ZFX-SR50	Monochrome Camera with lighting, max FOV 50mm, 2m cable
ZFX-SR50R 2M	
ZFX-TP	Touch Pen (Spare Parts: attached in the controller)
ZFX-VP 2M	Parallel I/O cable 2m
ZFX-VP 5M	Parallel I/O cable 5m
ZFX-VS 3M	Camera cable, standard type, 3m (for ZFX-SC/S)
ZFX-VS 8M	Camera cable, standard type, 8m (for ZFX-SC/S)
ZFX-VSLA 3M	
ZFX-VSLA 8M	
ZFX-VSLB 3M	
ZFX-VSLB 8M	
ZFX-VSM 3M	

ZFX-VSM 7M	
ZFX-VSN 1M	
ZFX-VSNLA 1M	
ZFX-VSNLB 1M	
ZFX-VSR 3M	Camera cable, robot cable type, 3m (for ZFX-SC/S)
ZFX-VSRLA 3M	
ZFX-VSRLB 3M	
ZFX-XC15BR	
ZFX-XC25BR	
ZFX-XC3A	Camera Extension Cable (normal type, 3m)
ZFX-XC3AR	Camera Extension Cable (robot cable type, 3m)
ZFX-XC8A	Camera Extension Cable (normal type, 8m)
ZFX-XEQ01	
ZFX-XEQ02	
ZFX-XPM	Panel Mount Adapters
ZFX-XPT2A	RS-232C Cable
ZFX-XPT2B	RS-422 Cable
ZFX-XTB	Terminal Block Adapter (Spare Parts: attached in the controller)
ZFX-XUSB	Special USB cable
ZG2-DSU11	
ZG2-DSU41	
ZG2-WDC11A	ZG Profile sensor controller, NPN, 24 VDC, Includes Smart Monitor ZG Software.
ZG2-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, Includes Smart Monitor ZG Software.
ZG2-WDS22 0.5M	
ZG2-WDS22 2M	ZG sensor head, width measurement 22mm (35Ám), height profile 100 12mm (2.5Ám)
ZG2-WDS3VT 0.5M	
ZG2-WDS3VT 2M	ZG sensor head, width measurement 3mm (5Ám), height profile 20 0.5mm (0.25Ám)
ZG2-WDS70 0.5M	
ZG2-WDS70 2M	ZG sensor head, width measurement 70mm (111Ám), height profile 210 48mm (6Ám)
ZG2-WDS8T 0.5M	
ZG2-WDS8T 2M	ZG sensor head, width measurement 8mm (13Ám), height profile 50 3mm (1Ám)
ZG2-XC15CR	15-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c
ZG2-XC25CR	25-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c
ZG2-XC3CR	3-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection ca
ZG2-XC8CR	8-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection ca
ZG-KIT01	
ZG-RPD11	
ZG-RPD41	
ZG-WDC11	
ZG-WDC11A	ZG Profile sensor controller, NPN, 24 VDC, Includes Smart Monitor ZG Software.
ZG-WDC41	
ZG-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, Includes Smart Monitor ZG Software.
ZG-WDS22 0.5M	
ZG-WDS22 2M	ZG sensor head, width measurement 22mm (30Ám), height profile 100 12mm (3Ám)
ZG-WDS3T 0.5M	
ZG-WDS3T 2M	ZG sensor head, width measurement 3mm (5Ám), height profile 20 0.5mm (0.25Ám)
ZG-WDS70 0.5M	
ZG-WDS70 2M	ZG sensor head, width measurement 70mm (110Ám), height profile 210 30mm (10Ám)
ZG-WDS8T 0.5M	
ZG-WDS8T 2M	ZG sensor head, width measurement 8mm (13Ám), height profile 50 3mm (1Ám)
ZG-XC02D	Digital Equalizer Connection Cable, 0.2-m
ZG-XC15CR	15-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c

ZG-XC25CR	25-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c
ZG-XC3CR	3-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection ca
ZG-XC8CR	8-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection ca
ZG-XEQ	Digital Equaliser (Relay Device, requires 2 for cable expansion along with ZG-XC02D
ZJ9-BAS-L01	ZJ-BAS linking bracket
ZJ9-BAS-NS105	
ZJ9-BAS-NS110	
ZJ9-BAS-NT105	ZJ-BAS replacement discharge electrodes (pack of 5)
ZJ9-BAS-NT110	ZJ-BAS replacement discharge electrodes (pack of 10)
ZJ9-FA-BR01	
ZJ9-FL120N1 OMS	Replacement filter for ZJ-FA20 (pack of 10)
ZJ9-FL92	
ZJ9-NDT06FN1 OMS	Replacement discharge electrode for ZJ-FA10 (pack of 6)
ZJ9-NDT08F	
ZJ-BAS050	High performance bar type ioniser, 500mm
ZJ-BAS050S	
ZJ-BAS058	High performance bar type ioniser, 580mm
ZJ-BAS058S	
ZJ-BAS074	High performance bar type ioniser, 740mm
ZJ-BAS074S	
ZJ-BAS090	High performance bar type ioniser, 900mm
ZJ-BAS090S	
ZJ-BAS130	High performance bar type ioniser, 1300mm
ZJ-BAS130S	
ZJ-BAS154	High performance bar type ioniser, 1540mm
ZJ-BAS154S	
ZJ-BAS-FC02A	ZJ-BAS I/O cable, 2m
ZJ-BAS-FC05A	ZJ-BAS I/O cable, 5m
ZJ-BAS-FC10A	ZJ-BAS I/O cable, 10m
ZJ-BAS-FC15A	ZJ-BAS I/O cable, 15m
ZJ-BAS-FC20A	ZJ-BAS I/O cable, 20m
ZJ-BAS-MC02A	ZJ-BAS connector cable, single end, 2m
ZJ-BAS-MC02B	ZJ-BAS connector cable, double end, 2m
ZJ-BAS-MC05A	ZJ-BAS connector cable, single end, 5m
ZJ-BAS-MC05B	ZJ-BAS connector cable, double end, 5m
ZJ-BAS-MC07RB	ZJ-BAS series connector, 710mm
ZJ-BAS-MC08RB	ZJ-BAS series connector, 790mm
ZJ-BAS-MC09RB	ZJ-BAS series connector, 960mm
ZJ-BAS-MC10A	ZJ-BAS connector cable, single end, 10m
ZJ-BAS-MC10B	ZJ-BAS connector cable, double end, 10m
ZJ-BAS-MC11RB	ZJ-BAS series connector, 1110mm
ZJ-BAS-MC15A	ZJ-BAS connector cable, single end, 15m
ZJ-BAS-MC15B	ZJ-BAS connector cable, double end, 15m
ZJ-BAS-MC15RB	ZJ-BAS series connector, 1510mm
ZJ-BAS-MC17RB	ZJ-BAS series connector, 1750mm
ZJ-BAS-MC20A	ZJ-BAS connector cable, single end, 20m
ZJ-BAS-MC20B	ZJ-BAS connector cable, double end, 20m
ZJ-BAS-PS01	ZJ-BAS AC PSU
ZJ-BAS-R01	ZJ-BAS Remote Control
ZJ-BAS-R02	ZJ-BAS Remote Control receiver
ZJ-FA10	Static Eliminator fan
ZJ-FA20-D OMS	

ZJ-FA20-E OMS	Fan type ioniser, high speed, high cost performance
ZJ-SD100	ZJ-SD ion sensor head
ZJ-SDA11	ZJ-SD ion sensor amplifier
ZJ-SF11	
ZJ-SFW11	ZJ-SD communication unit and PC software
ZJ-SW11	
ZN9-AHP25	
ZN9-AHP41	
ZN9-APF25	
ZN9-APF41	
ZN9-JC05	
ZN9-JC10	
ZN9-JH04	
ZN9-PB1	
ZN9-PC1	
ZN9-PC1-S	
ZN9-PF1	
ZN9-PF1-S	
ZN9-PF2-S	
ZN9-PG1-S	
ZN9-PT4-S	
ZN9-PT8-S	
ZN9-TC20-S	
ZN9-TL01-S	
ZN9-TL20-S	
ZN-A2502D	
ZN-A4105D	
ZN-J25	
ZN-J25A	
ZN-J41	
ZN-J41A	
ZN-PD03	Air Particle Sensors, Sensor Head, 0.3,0.5 & 1.0microm measured particle dia
ZN-PD03-SE	
ZN-PD50-SE	
ZN-PDA11 2M	Air Particle Sensors, Amplifier 24 VDC, cable connection
ZN-PDA12 2M	
ZN-SFW11	Clean monitoring system, for RS232C connection with personal computer only
ZN-SFW12 2M	
ZN-SW11-S	
ZN-TH11-S	
ZR-RX20A-E	Data logger
ZR-RX40A-E	Portable data logger, upto 200 channels, thermocouple, Pt, voltage, pulse, digital, 5'
ZR-RX70A-E	
ZR-SX10	
ZR-XRB1	Battery pack for ZR-RX_
ZR-XRC1	
ZR-XRD1	DC cable for ZR-RX_
ZR-XRE1	Base set for ZR-RX40A-E
ZR-XRH1	Humidity sensor for ZR-RX_, 3m
ZR-XRL1	
ZR-XRT1	Extension terminal set for ZR-RX40A-E
ZUV-H10M	

ZUV-H20M	
ZUV-H25M	
ZUV-H30M	
ZUV-H30M-1	
ZUV-H35M	
ZUV-H40M	
ZUV-L10H	
ZUV-L12H	
ZUV-L12L	
ZUV-L3H	
ZUV-L4H	
ZUV-L6H	
ZUV-L6T	
ZUV-L8H	
ZUV-L8T	
ZUV-XC10B	
ZUV-XC1B	
ZUV-XC2B	
ZV2-N21-2	
ZV2-N22-2	
ZV2-N-2G	
ZV2-NA2-2G	
ZV2-NJ-2S	
ZV2-Q-2	
ZV-N-2G	
ZX-CAL2	Calculation unit for ZX proximity smart sensor
ZX-ED01T	Inductive proximity sensor head, 5.4mm dia., Shielded type, 1mm sensing distance (
ZX-ED02T	Inductive proximity sensor head, 8mm dia., Shielded type, 2mm sensing distance (re
ZX-EDA11 2M	Proximity smart sensor amplifier and display, selectable voltage/current output, high
ZX-EDA41 2M	Proximity smart sensor amplifier and display, selectable voltage/current output, high
ZX-EDR5T	
ZX-EM02HT	
ZX-EM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (i
ZX-EM02T-S	
ZX-EM07M-S	
ZX-EM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (i
ZX-EV04T	
ZX-GIF11	
ZX-GIF11A	Interface unit with setup software, NPN 12-bit binary output
ZX-GIF41	
ZX-GIF41A	Interface unit with setup software, PNP 12-bit binary output
ZX-GSW11	
ZX-GT2840S11	Sensor head, 28mm measuring range, integrated type 40mm, NPN laser alarm output
ZX-GT2840S41	Sensor head, 28mm measuring range, integrated type 40mm, PNP laser alarm output
ZX-GT28S11	Sensor head, 28mm measuring range, separated type 0 to 500mm, NPN laser alarm
ZX-GT28S41	Sensor head, 28mm measuring range, separated type 0 to 500mm, PNP laser alarm c
ZX-GTC11	Controller, NPN output
ZX-GTC41	Controller, PNP output
ZX-LD100	Laser displacement sensor head, 100 ϕ 40mm, spot focus (requires amplifier)
ZX-LD100 0.19M	
ZX-LD100L	Laser displacement sensor head, 100 ϕ 40mm, line beam (requires amplifier)
ZX-LD300	Laser displacement sensor head, 300 ϕ 200mm, spot focus (requires amplifier)

ZX-LD300L	Laser displacement sensor head, 300 \times 200mm, line beam (requires amplifier)
ZX-LD30V	Laser displacement sensor head, 30 \times 2mm, spot focus, for highly reflective surfaces
ZX-LD30VL	
ZX-LD40	Laser displacement sensor head, 40 \times 10mm, spot focus (requires amplifier)
ZX-LD40L	Laser displacement sensor head, 40 \times 10mm, line beam (requires amplifier)
ZX-LD40L 2M	
ZX-LDA11 2M	Smart sensor amplifier and display, selectable voltage/current output, high/pass/low
ZX-LDA11-N 2M	Smart sensor amplifier and display, selectable voltage/current output, high/pass/low
ZX-LDA11-N-05	
ZX-LDA41 2M	Smart sensor amplifier and display, selectable voltage/current output, high/pass/low
ZX-LDA41-01 2M	
ZX-LDA41-N 2M	Smart sensor amplifier and display, selectable voltage/current output, high/pass/low
ZX-LT001	Laser sensor head, through-beam, 1mm beam width (requires amplifier)
ZX-LT005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)
ZX-LT010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)
ZX-LT030 0.5M	Laser sensor head, through-beam, 30mm beam width (requires amplifier)
ZX-SB11	
ZX-SF11	RS-232C communications interface
ZX-SFW11E	
ZX-SFW11E V3	Software for use with ZX sensors
ZX-SW11E	USE VERSION 2 S/W
ZX-SW11E V2	
ZX-SW11E V3	Software for use with ZX sensors
ZX-TDA11 2M	
ZX-TDA41 2M	Contact smart sensor amplifier and display, selectable voltage/current output, high/
ZX-TDS01T	
ZX-TDS04	
ZX-TDS04T	6mm dia., Standard type, 4 mm sensing range, 0.1um resolution
ZX-TDS04T-L	6mm dia., Low measurement type, 4 mm sensing range, 0.1um resolution
ZX-TDS10T	8mm dia., Standard type, 10mm sensing range, 0.4um resolution
ZX-TDS10T-L	8mm dia., Ultra-low-load type, 10mm sensing range, 0.4um resolution
ZX-TDS10T-V	
ZX-TDS10T-VL	
ZX-XBE1	
ZX-XBE2	
ZX-XBT1	
ZX-XBT2	
ZX-XC1A 1M	Extension cable (amplifier to head), 1m
ZX-XC1R	Extension cable (amplifier to head), robotic cable, 1m
ZX-XC2B-01	
ZX-XC2YM 1.5M	
ZX-XC4A 4M	Extension cable (amplifier to head), 4m
ZX-XC4R	
ZX-XC8A 8M	Extension cable (amplifier to head), 8m
ZX-XC8R	Extension cable (amplifier to head), robotic cable, 8m
ZX-XC9A 9M	Extension cable (amplifier to head), 9m
ZX-XC9R	
ZX-XF12	
ZX-XF22	Right angle head adaptor for ZX-LT010
ZX-XGC1A	
ZX-XGC1R	
ZX-XGC20A	

ZX-XGC20R	
ZX-XGC2A	Extension cable for receiver, 2m cable length
ZX-XGC2R	Extension cable for receiver, 2m cable length, robot cable
ZX-XGC5A	Extension cable for receiver, 5m cable length
ZX-XGC5R	Extension cable for receiver, 5m cable length, robot cable
ZX-XGC8A	Extension cable for receiver, 8m cable length
ZX-XGC8R	Extension cable for receiver, 8m cable length, robot cable
ZS-DSU11	Data storage unit
ZS-DSU41	Data storage unit
ZS-HLDC11	ZS-H Controller, Analogue output and NPN digital outputs
ZS-HLDC11A	ZS-H Controller, Analogue output and NPN digital outputs, Software & USB lead
ZS-HLDC41	ZS-H Controller, Analogue output and PNP digital outputs
ZS-HLDC41A	ZS-H Controller, Analogue output and PNP digital outputs, Software & USB lead
ZS-HLDS10 0.5M	
ZS-HLDS10 2M	Sensor head, Diffuse reflective, 100mm sensing range, 1um resolution
ZS-HLDS150 0.5M	
ZS-HLDS150 2M	Sensor head, Diffuse reflective, 150mm sensing range, 500um resolution
ZS-HLDS2 0.5M	
ZS-HLDS2 2M	
ZS-HLDS2T 0.5M	
ZS-HLDS2T 2M	Sensor head, Angular reflective, 20mm sensing range, 0.25um resolution
ZS-HLDS2VT 0.5M	
ZS-HLDS2VT 2M	
ZS-HLDS5 0.5M	
ZS-HLDS5 2M	
ZS-HLDS5T 0.5M	
ZS-HLDS5T 2M	Sensor head, Diffuse reflective, 50mm sensing range, 0.25um resolution
ZS-HLDS60 0.5M	
ZS-HLDS60 2M	Sensor head, Diffuse reflective, 600mm sensing range, 8um resolution
ZS-HLDS87 0.5M	
ZS-LD10G 0.5M	
ZS-LD10G 2M	
ZS-LD10GT 0.5M	
ZS-LD10GT 2M	Sensor head, Angular reflective, 10mm sensing range, 0.25um resolution
ZS-LD130 0.5M	
ZS-LD130 2M	Sensor head, diffuse reflective, 130mm sensing range, 3um resolution
ZS-LD15G 0.5M	
ZS-LD15G 2M	
ZS-LD15GT 0.5M	
ZS-LD15GT 2M	Sensor head, Angular reflective, 15mm sensing range, 0.25um resolution
ZS-LD20 0.5M	
ZS-LD20 2M	Sensor head, Angular reflective, 20mm sensing range, 0.25um resolution
ZS-LD200 0.5M	
ZS-LD200 2M	Sensor head, Diffuse reflective, 200mm sensing range, 5um resolution
ZS-LD20S 0.5M	
ZS-LD20S 2M	
ZS-LD20ST 0.5M	
ZS-LD20ST 2M	Sensor head, Angular reflective, 20mm sensing range, 0.25um resolution
ZS-LD20T 0.5M	
ZS-LD20T 2M	Sensor head, Angular reflective, 20mm sensing range, 0.25um resolution
ZS-LD350S 0.5M	Sensor head, Diffuse reflective, 350mm sensing range, 20um resolution
ZS-LD350S 2M	Sensor head, Diffuse reflective, 350mm sensing range, 20um resolution

ZS-LD40 0.5M	
ZS-LD40 2M	
ZS-LD40T 0.5M	
ZS-LD40T 2M	
ZS-LD50 0.5M	
ZS-LD50 2M	
ZS-LD50S 0.5M	
ZS-LD50S 2M	
ZS-LD80 0.5M	
ZS-LD80 1M	
ZS-LD80 2M	
ZS-LDC11	Sensor head, Angular reflective, 40mm sensing range, 0.4um resolution
ZS-LDC21	Sensor head, Angular reflective, 40mm sensing range, 0.4um resolution
ZS-LDC41	Sensor head, Diffuse reflective, 50mm sensing range, 0.8um resolution
ZS-LDC51	Sensor head, Diffuse reflective, 80mm sensing range, 2um resolution
ZS-MDC11	ZS Controller, Analogue output and NPN digital outputs
ZS-MDC41	ZS Controller, Analogue output and PNP digital outputs
ZS-RPD11	
ZS-RPD41	
ZS-SW11V3E	
ZS-XC02D	Multi-controller (Calculation unit)
ZS-XC10B	Multi-controller (Calculation unit)
ZS-XC15CR	
ZS-XC1A	Digital Equalizer Connection Cable, 0.2-m
ZS-XC25CR	10m extension cable for sensor head
ZS-XC4A	15-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c
ZS-XC5B	1m Extension cable for sensor head
ZS-XC5BR	25-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection c
ZS-XC8A	4m Extension cable for sensor head
ZS-XCN	5m extension cable for sensor head
ZS-XEQ	5m robot specification Extension cable for sensor head
ZS-XPM1	8m Extension cable for sensor head
ZS-XPM2	Amplifier linking unit (common with Smart Sensor ZS series)
ZS-XPT2	Digital Equaliser (Relay Device, requires 2 for cable expansion along with ZG-XC02D
ZS-XRS2	Panel mounting adapter For 1st controller
ZS-XUSB2 BY OMG	Panel mounting adapter For 2nd controller and onwards
	RS232C cable, 2m cable length
	USB cable, controller to PC

Controller

r

er
ller

r
r
r

m lens

m lens

m lens

P0.5 lens

.5 lens

P0.5 lens

er
er

iller

ivity 1 to 100k oh
ity 1 to 100k ohms

requires PF083A

requires PF083A
requires PF083A

requires PF083A-E

requires PF083A-E
requires PF083A-E

requires PF083A-E

requires PF083A-E

requires PF083A-E

requires PF083A-

requires PF083A-
requires PF083A-

ED indicator (r

Series PF083A-E s

Series PF083A-E s

Series PF083A-E s

Relay (requires P

Relay (requires P

PF083A-E soc

PF083A-E soc

PF083A-E soc

Series PF083A-E

Series PF083A-E

Series PF083A-E

Relay, relay out

Relay, transisto

PF083A-E soc

33IV-PCN329-E) 3m

3S

3S

3S

'DC
'DC

only
itions
only

only
lease centre

ly

t side only
positions

side only

DT, key release in
t side only

I positions

tions

nly
release left sid

only

tions

65

5

, manual reset, DP

'65

5

er terminal

switch, PCB ter
terminal
er terminal

switch, PCB ter
terminal
er terminal
switch, solder

e lighting, solder
e lighting, solder

e lighting, screw

NC, IP65

ST-NC, IP65

IP65

NC, IP65

+ SPST-NC, IP65

e left side onl

both positions

eft side only

e centre only

left and right

nly

eft side only

ad

Green LED

Yellow LED

LED
White LED

LED
D
LED

ack
Green LED
I LED
low LED

I LED

N LED

ED
N LED

ED

ninal, momentary
ninal, alternate

r terminal, momenta

ninal, momentary
ninal, alternate

ey

↻ selectable

ise

, 3 phase

hase

ase

3 phase

phase

, 3 phase

e

phase

ie

phase

, 200vac

e, 200vac

0vac

e, 200vac

id three phase,
ase, 400vac

l three phase, 200

N three phase, 20

l three phase, 200

l three phase, 200

id 0.4kW three ph

ise

SUS304)

HAS B)

program

rt, BASIC program

Capacity

0-10V/-10-+10V out

able as 128x dynami
28x dynamic inputs)

dynamic outputs)

ops

xx backplane

communication board
communication board

mac Net/ PC/Ethernet

function

J0H ALPHA CPUs]

1 ALPHA CPU_s

:apacity

:apacity

:apacity

capacity

-PCDBR4030B)
PCDBR4045B)
CDBR4090B)
-PCDBR4220B)

/20

input

haft Software

Software

ift Software

ift Software

tion Software

Software

ift Software

ift Software

tion Software

1 Software

haft Software

haft Software

ift Software
ift Software

Software

ift Software

Software

Software

Software

iaft Software

Software

Software

iaft Software
iaft Software

ition Software

ihft Software
ihft Software

sition Software

n Software
ihft Software

n Software

n Software

equency Software
Software

iaft Software
iaft Software

ition Software

Software

iaft Software
iaft Software

ition Software

software

Software

iaft Software
iaft Software

uency Software
oftware

ft Software
ft Software

ion Software

oftware

n Software

ihft Software

ihft Software

sition Software

Software

aft Software

aft Software

winding Software

tion Software

ase input, sensor

ise input, sensorl

ie input, sensorle

input, sensorles

input, sensorles

ase input, sensor

ise input, sensorl

; vector

; vector

; vector

vector

vector

vector

max.

net port (100Base-T

ernet port (100Base-
ck), serial PLC link
ck), serial PLC link,
in I/O, 4 interrup
t-in I/O, 4 interr
ck), serial PLC link,
resolution
resolution, s
000/40,000 r
ermocouple (K,
ermocouple (K,
resolution
resolution, s

nk, screw term
nnection of up to 32 C

encoder types s
aunenbaum/Raw co
powered 24 VD
powered 24 VD
powered 24 VD
powered 24 VD
tion, 20Ás/25Á

ion

to 32000 or 1:80
to 32000 or 1:80

cket services, FTP,
econd, 1:40,000

um
3 expansion ra

4-20mA outputs, res
4-20mA outputs, res

!A max, Fujitsu
x, MIL connectors
!A max, MIL conn
!2A max, Fujits
!2A max, MIL co
cluded

1dependent commons
t commons



nal
rcuit protectio
ad short-circuit

ncluded
load short-circu

ncluded

|
|

t monitor

5V, 0 to10V, 
V, 100mV sele

.2; 100mV),

k, No protocol, Se

.ink, No protocol,

lost Link, 1:N NT

slot (requires CF c

it, 4 loops

it, 4 loops

it, 2 loops

it, 2 loops, heate

burnout detecti

:lamp terminals

clamp terminals

O max, RS-232C serial
words x 4 banks EM
I/O max, RS-232C seria
K words x 4 banks E
I I/O max, RS-232C seri
K words x 10 banks
I I/O max, RS-232C seri
K words x 15 banks
I I/O max, RS-232C seri
K words x 25 banks
. 2,560 I/O (40 units) m
/, 2,560 I/O (40 units)
/, 2,560 I/O (40 units)
ry, 2,560 I/O (40 units)
ry, 2,560 I/O (40 units)
. 2,560 I/O (40 units) m
/, 2,560 I/O (40 units)
/, 2,560 I/O (40 units)
ry, 2,560 I/O (40 units)
ry, 2,560 I/O (40 units)

steps program memor
is, 2K steps program memor
s, 2K steps program memor
rogram memor
steps program memor
steps program memor
steps program memor
steps program memor
is, 2K steps program memor
s, 2K steps program memor
rogram memor
steps program memor
steps program memor
steps program memor
K steps program memo
K steps program memo
steps program memor
rogram memory, 8K
uts, 8K steps program
(steps program memor
uts, 8K steps program
(steps program memor
K steps program memo
s program memory, 8K
uts, 8K steps progra
K steps program memo
uts, 8K steps progra
K steps program memo

K steps program memo
s program memory, 8K
outs, 8K steps progra
K steps program memo
outs, 8K steps progra
K steps program memo
K steps program memo
outs, 8K steps progra
outs, 8K steps progra
s program memo

K steps progra
: analogue inputs, 1
3A , 2 x analogue i
.3A , 2 x analogue i
inputs, 16x relay outp
is, 16x transistor outp
is, 16x transistor outp
inputs, 16x relay outp
is, 16x transistor outp
is, 16x transistor outp
line driver inputs, 8x
s program, 10KWord da
gram, 10KWord data me
ogram, 10KWord data me
ps program, 10KWord d
ogram, 10KWord data m
rogram, 10KWord data m
s program, 10KWord d
gram, 10KWord data me
ogram, 10KWord data me

ogram, 10KWord data me
s program, 10KWord da
gram, 10KWord data me
ogram, 10KWord data me

ogram, 10KWord data me
ps program, 10KWord d
ogram, 10KWord data m
rogram, 10KWord data m
eps program, 10KWord d
rogram, 10KWord data m
iteps program, 32KWord
program, 32KWord data
; program, 32KWord data

; program, 32KWord data
iteps program, 32KWord
program, 32KWord data
; program, 32KWord data

3 program, 32KWord data
steps program, 32KWord
program, 32KWord data
3 program, 32KWord data

3 program, 32KWord data

are, USB Cable, Promo
are, USB Cable, Prom

1A, 4 to 20mA,

mA, 4 to 20mA,

+10V inputs, 1x 0-20

:6000 resolut
1:6000 resolu

/ output, 1:256 res
0-20mA/4-20mA/1-5V

il port to RS-232C, DIN ra

port to RS-422, DIN rail

port, RTC
port, RTC
TC

port, RTC
port, RTC
TC

port, RTC
port, RTC

port, RTC
port, RTC

ctors

ectors

ectors

s

s

rail mounting, 0.
ounting, 0.2m cab
ort, DIN rail moun
rt
0-20mA/4-20mA/1-5V

S master, 256 I/O po
VPN 0.3A, Compobus/
S master, 256 I/O po
NP 0.3A, Compobus/

power supply)

PHA PLC peripheral por

44, right slot only,

to CQM1-CPU42, on
ig, 0.2m cable (us

oint

› port, 256 I/O point
› port, 512 I/O point,

.2C port, 512 I/O point
1z quadrature, 4x t

κ, use CS1W-CN31
› units max.
› uts, inner board eq

it only
≡ keyboard sheet)

o function, left slo

\ 24 VDC, screwless
24 VDC, screwless
ectors
ectors
ectors
ectors
-10 to 10V, 1:6

erminals
erminals

terminals
terminals

screwless connector
screwless connecto
3-tier screw termin
3-tier screw termin
outputs NPN 0.5A,
outputs PNP 0.5A,
minals
minals
nector
nector
minals
minals
DC, 3-tier screw
DC, 3-tier screw
rminals
rminals
nnectors
nnectors
rminals
rminals
VDC, 3-tier scre
VDC, 3-tier scre

NPN, MIL Connector
PNP, MIL Connector
connector
connector
connector
connector
t, 1024 local I/O, 4096

t, 2048 local I/O, 5120

-422 port (must be m

-232C, 25-pin)

the CV500-IC101

on I/O backplane
ion I/O backplane

ane)

12 local I/O, 2048 to
1024 local I/O, 4096
2048 local I/O, 6144

!2 port, 2048 local I/O

:kplane)

0/Me/XP/vista, CD-
er Link communi
rnet, Controller

lows 7 (32 bit only
000/XP/Vista/Windo
7 (32 bit only), (r
P/Vista/Windows 7
; 7 (32 bit only), (
XP/Vista/Windows 7
; 7 (32 bit only), (
XP/Vista/Windows 7
; 7 (32 bit only), (
XP/Vista/Windows 7
32 bit only), (req
Vista/Windows 7 (3
on 3x CDs, (requir
on 1x DVD, (requir

le-user licence on
lied on 2xCDs, (r

ence, CD-Rom

-SUPERVISOR-RUN-PLUS-V3 ru

olies only

olies only

ks max, hot standby CP

x backplanes only

racks, use with CS1W
cks max, DeviceNet mas

000/8000 reso
000/8000 reso
000/8000 res

uded on CD-ROM, an O

cable, 10cm (use wit

rt

rt

ver inputs, 4 in
ver inputs, 4 in
_Taunenbaum_Raw c
, 12 bit resolutio

resolution

:ket services, FTP, S

acks (50m max.)

x2) to CS1 CPU Rack

5V/0-10V/-10 to +

24 VDC

0V, 0 to 5V, -
5,000 resolut

contact input)

II, Mv), 1/6
resolution

m memory card
I macro backup from
ς, No protocol, Se
.ink, No protocol,

I slot

Category 3

Included, 1NC aux. req
Included, 1NO aux. req

c. (MOS) 24 VAC/DC
c. 100-230AC or 24

ator

ead)

oil-resistant cable
oil-resistant cable

CTF oil-resistant

oil-resistant cable
oil-resistant cable

CTF, 3m VCTF oil

CTF oil-resistant

oil-resistant cable

oil-resistant cable

oil-resistant cable
oil-resistant cable
CTF, 5m VCTF oil

CTF oil-resistant

CTF, 3m VCTF cable

cable

ble
cable
JT(O) cable

ble

SJT(O) cable
3, 3m SJT(O) cable

SJT(O) cable

able

e

stant cable

ble
ant cable

oil-resistant ca

nt cable
tant cable

-resistant cable
3
ble

F oil-resistant ca

**oil-resistant cable
F oil-resistant ca**

5m VCTF oil-resis

1) VDC, 3m VCTF

5m VCTF cable

istant cable

d

er

ed

1NO + 1NC/1NO, PG

NO + 1NC/1NO, PG 1

+ 1NC/1NO, PG 13.5

+ 1NC/1NO, PG 13.5

+ 2NC, PG 13.5 ent

1NO + 1NC/1NO, M20

1NO + 1NC/1NO, M20

+ 1NC/1NO, M20 ent

+ 1NC/1NO, M20 ent

+ 2NC, M20 entry

+ 2NC, M20 entry

1NO + 1NC/1NO, M20

1NO + 1NC/1NO, M20

+ 1NO/1NC, M20 ent

+ 1NO/1NC, M20 ent

+ 2NC, M20 entry

(snap-action)
| (snap-action)
) (snap-action)
NO (snap-actio
nap-action),
(snap-action)
-conduit)
13.5 (1-conduit)
| (snap-action), P
nap-action), Pg1

(slow-action)

low-action),

(slow-action)
(slow-action)
(slow-action)
-conduit)
-conduit)Robotic c
3.5 (1-conduit)

| (slow-action), P
| (slow-action), P
low-action), Pg1
low-action), Pg1
on), Pg13.5

duit)

NO (snap-action),
snap-action),
(snap-action)

2 (1-conduit)
) (snap-action), G
nap-action), G1/
conduit)
nduit)
ion), G1/2 (
tion), G1/2 (
:tion), G1/2 (
action), G1/2
action), 2NC
)-action), 2N

uit)
tion), G1/2 (1-c
n), G1/2 (1-con

(slow-action)
(slow-action)
(slow-action)
) (slow-action)
NO (slow-action)
low-action),
low-action),
(slow-action)
(slow-action)
nduit)

tion), G1/2 (action), G1/2 action), 3NC action), 3NC -action), 3N -action), 3N

otic cable
it)
it)Robotic cabl
ion), G1/2 (1-c
ion), G1/2 (1-c
), G1/2 (1-con
), G1/2 (1-con

i/2 (1-condui
G1/2 (1-condu
ion), 1NC/1NO
tion), 1NC/1NO
:tion), 1NC/1NO
-action), 1NC/1
IBB contact-/
(MBB contact-
ntact-/-slow-action),
3B contact-/-slow-a
tion), 1NC/1NO (M
n), 1NC/1NO (MBB
INC/1NO (MBB co
, 1NC/1NO (MBB c
ion), 2NC/1NO
tion), 2NC/1NO
:tion), 2NC/1NO
-action), 2NC/1
IBB contact-/
(MBB contact-
ntact-/-slow-action),
3B contact-/-slow-a
tion), 2NC/1NO (M
n), 2NC/1NO (MBB
2NC/1NO (MBB co
, 2NC/1NO (MBB c

NO (snap-actio
nap-action),
(snap-action)

-14NPT (1-conduit
) (snap-action), 1
nap-action), 1/2

Γ (1-conduit)
(1-conduit)
ion), 1/2-14
tion), 1/2-14
tion), 1/2-14
action), 1/2-
action), 2NC
-action), 2N
iit)
-conduit)
tion), 1/2-14NPT
n), 1/2-14NPT (
iit)
t)
(slow-action)
(slow-action)
(slow-action)
) (slow-action)
NO (slow-actio
low-action),
low-action),
(slow-action)
(slow-action)
Γ (1-conduit)
Γ (1-conduit)Roboti
14NPT (1-conduit
14NPT (1-conduit
| (slow-action), 1
| (slow-action), 1
low-action), 1/2
low-action), 1/2
-action), 1/2-14
w-action), 1/2-1
on), 1/2-14
on), 1/2-14
ion), 1/2-14
tion), 1/2-14
action), 1/2-
iction), 2NC
iction), 2NC
-action), 2N
-action), 2N
iit)
iit)Robotic cable
conduit)
conduit)Robotic
ion), 1/2-14NPT
ion), 1/2-14NPT
) , 1/2-14NPT (
) , 1/2-14NPT (
it)
:)

1/2-14NPT (1-c
1/2-14NPT (1-
(slow-action)
(slow-action)
(slow-action)
) (slow-action)
NO (slow-actio
low-action),
low-action),
(slow-action)
(slow-action)
Γ (1-conduit)
Γ (1-conduit)Roboti
14NPT (1-conduit
14NPT (1-conduit
| (slow-action), 1
| (slow-action), 1
low-action), 1/2
low-action), 1/2
-action), 1/2-14
w-action), 1/2-1
on), 1/2-14
on), 1/2-14
ion), 1/2-14
tion), 1/2-14
action), 1/2-
action), 3NC
action), 3NC
-action), 3N
-action), 3N
it)
it)Robotic cable
conduit)
conduit)Robotic
ion), 1/2-14NPT
ion), 1/2-14NPT
), 1/2-14NPT (
) , 1/2-14NPT (
it)
)
1/2-14NPT (1-c
1/2-14NPT (1-
ion), 1NC/1NO
tion), 1NC/1NO
:tion), 1NC/1NO
-action), 1NC/1
IBB contact-/
(MBB contact-
ntact-/-slow-action),
3B contact-/-slow-a
tion), 1NC/1NO (M
n), 1NC/1NO (MBB

INC/1NO (MBB co
, 1NC/1NO (MBB c
tion), 2NC/1NO
tion), 2NC/1NO
:tion), 2NC/1NO
-action), 2NC/1
1BB contact-/
(MBB contact-
ntact-/-slow-action),
3B contact-/-slow-a
tion), 2NC/1NO (M
n), 2NC/1NO (MBB
2NC/1NO (MBB co
, 2NC/1NO (MBB c
(snap-action)
) (snap-action)
) (snap-action)

nap-action),
(snap-action)
nduit)

0 (1-conduit)
) (snap-action), M
nap-action), M20
nduit)
nduit)

it)

(slow-action)
(slow-action)

low-action),
low-action),
(slow-action)
(slow-action)
nduit)

nduit)Robotic cabl
) (1-conduit)

) (1-conduit)Robot
) (slow-action), M

low-action), M20

on), M20 (1

it)

(slow-action)
(slow-action)

) (slow-action)

(slow-action)

nduit)Robotic cabl
) (1-conduit)
) (1-conduit)Robot
) (slow-action), M

it)

tion), 2NC/1NO

3B contact/-/slow-a
tion), 2NC/1NO (M

(snap-action)

-conduit)

3.5 (2-conduit)

(slow-action), P

(snap-action)

nap-action),

(snap-action)

onduit)

'2 (2-conduit)

) (snap-action), G

nap-action), G1/

onduit)

nduit)

ion), G1/2 (

tion), G1/2 (

action), 2NC

s-action), 2N

uit)

tion), G1/2 (2-c

n), G1/2 (2-con

(slow-action)

(slow-action)

(slow-action)

low-action),

low-action),

(slow-action)

(slow-action)

nduit)

nduit)Robotic cab

2 (2-conduit)

2 (2-conduit)Robo

) (slow-action), G

) (slow-action), G

low-action), G1/

low-action), G1/

-action), G1/2 (

w-action), G1/2

on), G1/2 (

on), G1/2 (

ion), G1/2 (

action), 2NC
action), 2NC
-action), 2N
-action), 2N

otic cable
iit)
iit)Robotic cabl
ion), G1/2 (2-c
ion), G1/2 (2-c
i), G1/2 (2-con
i), G1/2 (2-con

i1/2 (2-condui
G1/2 (2-condu
(slow-action)
(slow-action)
(slow-action)
low-action),
low-action),
(slow-action)
(slow-action)
nduit)
nduit)Robotic cab
2 (2-conduit)
2 (2-conduit)Robo
i (slow-action), G
i (slow-action), G
low-action), G1/
low-action), G1/
-action), G1/2 (
w-action), G1/2
on), G1/2 (
on), G1/2 (
ion), G1/2 (
action), 3NC
action), 3NC
-action), 3N
-action), 3N

otic cable
iit)
iit)Robotic cabl
ion), G1/2 (2-c
ion), G1/2 (2-c
i), G1/2 (2-con
i), G1/2 (2-con

i1/2 (2-condui
G1/2 (2-condu

tion), 1NC/1NO
tion), 1NC/1NO
IBB contact-/
(MBB contact-
ntact-/slow-action),
3B contact-/slow-a
tion), 1NC/1NO (M
n), 1NC/1NO (MBB
INC/1NO (MBB co
, 1NC/1NO (MBB c
tion), 2NC/1NO
tion), 2NC/1NO
IBB contact-/
(MBB contact-
ntact-/slow-action),
3B contact-/slow-a
tion), 2NC/1NO (M
n), 2NC/1NO (MBB
2NC/1NO (MBB co
, 2NC/1NO (MBB c
(slow-action)
low-action),
(slow-action)
Γ (2-conduit)Roboti
14NPT (2-conduit
slow-action), 1
low-action), 1/2
on), 1/2-14
ction), 2NC
-action), 2N
it)Robotic cable
conduit)Robotic
ion), 1/2-14NPT
), 1/2-14NPT (
(slow-action)
low-action),
(slow-action)
Γ (2-conduit)Roboti
14NPT (2-conduit
slow-action), 1
low-action), 1/2
on), 1/2-14
ction), 3NC
-action), 3N
it)Robotic cable
conduit)Robotic
ion), 1/2-14NPT
), 1/2-14NPT (

Conduit)
D (2-conduit)
D (snap-action), M

D (2-conduit)
D (slow-action), M
D (slow-action), M

(slow-action)

) (2-conduit)

) (slow-action), M

tion), 2NC/1NO

3B contact/-/slow-a

tion), 2NC/1NO (M

(snap-action)

nap-action),
(snap-action)
ector (1-conduit)
2 connector (1-con
) (snap-action), M

action), 2NC

(slow-action)
(slow-action)

low-action),

(slow-action)
(slow-action)
ector (1-conduit)
ector (1-conduit)Ro
! connector (1-con
! connector (1-con
) (slow-action), M

on), M12 co

or (1-conduit)

tion), 1NC/1NO

3B contact-/slow-a
tion), 1NC/1NO (M

n)

n)

slow-action)

) (slow-action)

slow-action)

) (slow-action)

)

tion)

)

tion)

:t) (slow-action)

ntact) (slow-action)

:t) (slow-action)

ntact) (slow-action)

w-action)
(slow-action)
w-action)
(slow-action)

n)

n)

(slow-action)
act) (slow-action)
(slow-action)
act) (slow-action)
:ion)
/-action)

on)
:ion)
/-action)

on)
ntact) (slow-action)
3 contact) (slow-act
ntact) (slow-action)
3 contact) (slow-act

n)

n)

(slow-action)
act) (slow-action)

3.5 entry

entry

try

try

/

ntry

ry

2 connector one en

2 connectors both

al , connectors bo

2 connector one en

2 connectors both
al , connectors bo

2 connector one en

connectors both ends
2 connector one en

2 connectors both
al , connectors bo

2 connector one en

connectors both ends

connectors both ends

female, 1x male)

e)
1g resistor (female)

is max.

3

>
00 resolution
000 resolution
5,000 resolution
; sensor connectors
; sensor connectors
; sensor connectors
; sensor connectors
sensor connectors)
sensor connectors)

sensor connectors)
sensor connectors)
sensor connectors)
sensor connectors)

nvironment-resistive
nvironment-resistive
ensor connector termi
ensor connector termi
VDC NPN 0.5A outp
VDC PNP 0.5A outp

MIL connector

esistive (requires
esistive (requires

esistive (requires
esistive (requires
esistive (requires
esistive (requires

6(-1)/ROS16]
Γ, PT2, JPT2 inputs
.1, L2, E, U, N,
resistive (require
resistive (require

ire, PNP-NO, M12
6mm, DC, 3-wi
ire, NPN-NO, M12
6mm, DC, 3-wi
ire, PNP-NO, 2m c
6mm, DC, 3-wi
ire, NPN-NO, 2m c
6mm, DC, 3-wi
vire, PNP-NO, M12
11mm, DC, 3-w
vire, NPN-NO, M12
11mm, DC, 3-w
vire, PNP-NO, 2m
vire, PNP-NO, 5m
11mm, DC, 3-w

vire, NPN-NO, 2m
11mm, DC, 3-w

vire, PNP-NO, M12
20mm, DC, 3-w
vire, NPN-NO, M12
20mm, DC, 3-w
vire, PNP-NO, 2m
20mm, DC, 3-w
vire, NPN-NO, 2m
20mm, DC, 3-w
vire, PNP-NO, M1
l, 3mm, DC, 3-
vire, NPN-NO, M1
l, 3mm, DC, 3-
l, 3mm, DC, 3-
l, 3mm, DC, 3-
l, 3mm, DC, 3-
l, 3mm, DC, 3-
vire, PNP-NO, 2m

l, 3mm, DC, 3-
vire, NPN-NO, 2m
l, 3mm, DC, 3-

wire, PNP-NO, M12

wire, PNP-NO, M12 pl

wire, NPN-NO, M12 pl

wire, PNP-NO, M12 plu

wire, PNP-NO, 5m

wire, PNP-NO, M12

wire, PNP-NC, M12

wire, PNP-Antival

wire, NPN-NO, M12

wire, NPN-NC, M12

wire, NPN-Antival

wire, PNP-NO, M8

wire, PNP-NO, M8

wire, PNP-NO, 10m
wire, PNP-NO, 2m
wire, PNP-NO, 5m
wire, PNP-NC, 2m

wire, PNP-Antival

wire, NPN-NO, 2m
wire, NPN-NC, 2m

wire, NPN-Antival
wired

e, PNP-NO, M12 pl
e, PNP-NC, M12 pl

re, PNP-NO, M12 p
e, PNP-NC, M12 pl
e, PNP-Antivalent
re, NPN-NO, M12 p
e, NPN-NC, M12 pl
e,NPN-Antivalent

re, PNP-NO, M8 4

re, PNP-NO, M8 3

re, PNP-NO, 2m ca

e, PNP-NO, 5m Pre

e, PNP-NO, 6m Pre

e, PNP-NC, 2m Pre

e, PNP-Antivalent

re, NPN-NO, 2m ca

e, NPN-NC, M12 pl

e,NPN-Antivalent

red

vire, PNP-NO, 5m c

vire, PNP-NO, M12

vire, PNP-NC, M12

vire,PNP-Antivalent

vire, NPN-NO, M12

vire, NPN-NC, M12

Wire, PNP-NO, 2m cable
Wire, PNP-NO, 5m Pre

Wire, NPN-NO, 2m cable

Wire, NPN-NC, 2m cable

Wire, 2m prewired

Wire, PNP-NO, M12 plug

Wire, PNP-NC, M12 plug
Wire, PNP-antivalen
Wire, NPN-NO, M12 plug

Wire, PNP-NO, 2m cable
Wire, PNP-NO, 5m Prew

Wire, PNP-NC, 2m cable

Wire, NPN-NO, 2m cable

Wire, NPN-NC, 2m cable

Wire, 2m prewired

Wire, PNP-NO, M12

l-wire, PNP-NO, M1
wire, PNP-NC, M12 p

wire, PNP-Antivalen
l-wire, NPN-NO, M1

wire, NPN-Antivalen

l-wire, PNP-NO, M8

l-wire, PNP-NO, M8

l-wire, PNP-NO, 2m
wire, PNP-NO, 5m Pr
wire, PNP-NC, 2m Pr

wire, PNP-Antivalen
l-wire, NPN-NO, 2m

wire, NPN-Antivalen
ewired

re, PNP-NO, M12 p

l, PNP-NC, M12 plu

), PNP-Antivalent(
re, NPN-NO, M12 p
) , NPN-NC, M12 plu
) , NPN-Antivalent

re, PNP-NO, pre-w
re, PNP-NO, M8 4

re, PNP-NO, M8 3

re, PNP-NO, 2m ca

) , PNP-NO, 5m Prew

) , PNP-NC, 2m Prew
) , PNP-NC, 5m Prew
re, PNP-antivalen
) , PNP-Antivalent(
re, NPN-NO, 2m ca

) , NPN-NC, 2m Prew

) , NPN-Antivalent
red

-wire, PNP-NO, M12
ire, PNP-NC, M12 pl

-wire, NPN-NO, M12

-wire, PNP-NO, 2m

-wire, NPN-NO, 2m

-wire, NPN-NO, 5m

-wire, NPN-NC, 2m

wire, 2m prewired

э, PNP-NO, M12 pl

э, PNP-NC, M12 plug

э, NPN-NO, M12 pl

э, PNP-NO, 2m cab

э, PNP-NO, 5m cab

э, PNP-NC, 2m cab

э, PNP no/nc anti

э, NPN-NO, 2m cab

э, NPN-NC, 2m cab

3, 2m prewired

3-wire, PNP-NO, M
wire, PNP-NC, M12 p
wire, PNP-Antivalen
3-wire, NPN-NO, M

wire, NPN-Antivalen

3-wire, PNP-NO, 2
wire, PNP-NO, 5m Pr

3-wire, PNP-NC, 2
wire, PNP-NC, 5m Pr
wire, PNP-Antivalen
3-wire, NPN-NO, 2

wire, NPN-Antivalen
ewired

wire, PNP-antivale

e, NPN-Antivalent
wire, PNP-NO, M12
re, PNP-NC, M12 pl
itvalent (NO+NC),
wire, NPN-NO, M12

re, NPN-Antivalent

wire, PNP-NO, 2m
re, PNP-NO, 5m Pre

re, PNP-NC, 2m Pre
re, PNP-NC, 2m Pre

re, PNP-Antivalent

wire, NPN-NO, 2m c

re, NPN-NC, 2m Pre

re, NPN-Antivalent
ired

-wire, PNP-NO, M12
wire, PNP-NO, M12 pl
wire, PNP-NC, M12 pl

wire, NPN-NO, M12 pl

-wire, PNP-NO, 10m
-wire, PNP-NO, 2m
-wire, PNP-NO, 5m

wire, NPN-NO, 2m Pre

wire, 2m prewired

re, PNP-NO, M12 p
э, PNP-NC, M12 plu

re, NPN-NO, M12 p

re, PNP-NO, 2m ca
re, PNP-NO, 5m ca

re, PNP-NC, 2m Prew

re, PNP-antivalen
re, NPN-NO, 2m ca

re, 2m prewired

-wire, PNP-NO, M
-wire, PNP-NC, M
-wire, NPN-NO, M
-wire, NPN-NC, M

-wire, PNP-NO, M
-wire, PNP-NC, M
-wire, NPN-NO, M

-wire, PNP-NO, 2

-wire, PNP-NC, 2

-wire, NPN-NO, 2

-wire, NPN-NC, 2

ewired

wire, PNP-NO, 5m

wire, PNP-NO, M12
wire, PNP-NC, M12
wire, NPN-NO, M12
wire, NPN-NC, M12

wire, PNP-NO, M8 connecto
wire, PNP-NC, M8
wire, NPN-NO, M8
wire, NPN-NC, M8
wire, PNP-NO, M8
wire, PNP-NC, M8
wire, NPN-NO, M8
wire, NPN-NC, M8

wire, PNP-NO, 2m

wire, PNP-NO, 5m

wire, PNP-NC, 2m

wire, NPN-NO, 2m
wire, NPN, 3m cab
wire, NPN-NO, 5m
wire, NPN-NC, 2m

wire

wire, PNP-NO, M1

wire, NPN-NO, M1
wire, NPN-NC, M1

wire, PNP-NO, M8
wire, PNP-NC, M8
wire, NPN-NO, M8

wire, PNP-NO, 2m

wire, PNP-NC, 2m

wire, NPN-NO, 2m

wire, NPN-NC, 2m

re, PNP-NO, M12
re, PNP-NC, M12
re, NPN-NO, M12
re, PNP-NC, M12

re, PNP-NO, M8 p

re, PNP-NC, M8 p

re, NPN-NO, M8 p
re, NPN-NC, M8 p
re, PNP-NO, 2m P

re, PNP-NC, 2m P

re, NPN-NO, 2m c

re, NPN-NC, 2m c

3-wire, PNP-NO,
wire, PNP-NO, M1

wire, NPN-NO, M1

P-NO, M8 connect

wire, PNP-NO, 2m

wire, NPN-NO, 2m

wire, PNP-NO, M12
wire, NPN-NO, M12

wire, PNP-NO, 2m

wire, NPN-NO, 2m
; 3-wire, PNP-NO,

wire, PNP-NO, M1
wire, NPN-NO, M1

wire, PNP-NO, 2m

wire, NPN-NO, 2m
wired

wire, PNP-NO, M12

wire, NPN-NO, M12
wire, PNP-NO, 2m
wire, NPN-NO, 2m

-wire, PNP-NO, M

8mm, DC, 3-wire,

15mm, DC, 3-wir

PNP-NO, M12 conn

, 3-wire, PNP-NC, M

j body, M12, shield

l, 2mm sensing dis

del, NPN, digital

del, PNP, digital

del, PNP, digital

odel, PNP, digi

ensing distance (f

sing distance (for us

2mm, 2mm sensing

, 5mm sensing dista

f12 Connector

), 5m cable

), 2m cable

), M12 Connector

ir

2m cable

5m cable

M12 Connector

ector

le

le

le

ector

le

je, DC PNP, NO, prew
je, DC PNP, NO, prew
je, DC PNP, NO, prew
je, DC PNP, NC, prew
je, DC PNP, NC, prew
je, DC NPN, NO, prew
je, DC NPN, NO, prew
je, DC NPN, NO, prew
je, DC NPN, NC, prew
je, DC NPN, NC, prew
je, DC 2 wire, NO, p
je, DC 2 wire, NO, p
je, DC 2 wire, NO, p
je, DC 2 wire, no po
je, DC 2 wire, NC, p
je, DC 2 wire, NC, p
», DC PNP, NO, prewi
», DC PNP, NO, prewi
», DC PNP, NO, prewi
», DC PNP, NC, prewi
», DC PNP, NC, prewi
», DC NPN, NO, prewi
», DC NPN, NO, prewi
», DC NPN, NO, prewi
», DC NPN, NC, prewi
», DC NPN, NC, prewi
», DC 2 wire, NO, pr
», DC 2 wire, NO, pr
», DC 2 wire, NO, pr
», DC 2 wire, no pol

», DC 2 wire, NC, pr

⌘, DC PNP, NO, prewi
⌘, DC PNP, NO, prewi
⌘, DC PNP, NO, prewi

⌘, DC PNP, NC, prewi

⌘, DC PNP, NC, M12 p
⌘, DC NPN, NO, prewi
⌘, DC NPN, NO, prewi
⌘, DC NPN, NO, prewi
⌘, DC NPN, NC, prewi

⌘, DC NPN, NC, prewi
⌘, DC 2 wire, NO, pr
⌘, DC 2 wire, NO, pr
⌘, DC 2 wire, NO, pr
⌘, DC 2 wire, no pol

⌘, DC 2 wire, NC, pr
⌘, DC 2 wire, NC, pr

r
tor, M12

**M12 with M12 cabl
(3 pin)**

(3 pin)

lor

n12, 4 pin

or

:tor

m12, 4 pin

nditions

r
r

r

or

m12, 4 pin
m12, 4 pin

m12, 4 pin
m12, 4 pin
m12, 4 pin

m12, 4 pin
m12, 4 pin

or

n cable
n cable with M12 con
n cable

ded, 4mm, DC,
ded, 4mm, DC,
ded, 4mm, DC,

0mm, DC, 3-wire
0mm, DC, 3-wire

0mm, DC, 2-wire
0mm, DC, 2-wire
5mm, DC, 3-wire
5mm, DC, 3-wire

5mm, DC, 3-wire

5mm, DC, 2-wire

mm, DC, 3-wire,
mm, DC, 3-wire,

mm, DC, 3-wire,

mm, DC, 2-wire,
mm, DC, 2-wire,

mm, DC, 3-wire,
mm, DC, 3-wire,
mm, DC, 3-wire,

mm, DC, 2-wire,
mm, DC, 2-wire,

able

able

able

, 2m cable

cable

2m cable

2m cable

2m cable

2m cable

able

2m cable

2m cable
5m cable

able

cable

cable

cable

cable

e

a

PN, DC, 2m cable

;

;

;

;

), 1M cable

), 1M cable

cablc

cablc

), 1M cablc

cablc

cablc
cablc

cablc

O, 1M cablc

l cablc

O, 1M cablc
O, alternative f
C, 1M cablc

l cablc

r cablc

I cable

< amplifier)
< amplifier)

es E3X amplifie

es E3X amplifie

es E3X amplifi

(amplifier)

es E3X amplifie

uires E3X amplif
3X amplifier)

amplifier)

amplifier)

K amplifier)

(amplifier)

plifier)
quires E3X amp

(amplifier)

fier)

fier)

es E3X amplifi

amplifier)

er)

E3X amplifier)

E3X amplifier)

le (requires E3X
exible cable (re

le (requires E3X
exible cable (re
(amplifier)

s E3X amplifier

E3X amplifier

ier)

s E3X-NL amplif

s E3X-NL amplif

ier)

ier)

ires E3X amplifie

ires E3X amplifie

X amplifier)

X amplifier)

amplifier)

5m cable

E3X amplifier)

E3X amplifier)

quires E3X ampl

E3X amplifier)

E3X amplifier)

E3X amplifier)

s E3X amplifier)

requires E3X aam

n cable(requires
n cable (require

ier)

ier)

res E3X amplifier)

E3X amplifier)

ier)

res E3X amplifier)

ea

at)
at)

connector requi
connector requi

3
M18, 2m cable
M18, M12 plug-in
g-in

le

ug-in
plug-in

:able

le

ug-in

:able

in
g-in

e

in
ig-in

P, M18, 2m cable

**in
g-in**

e

**in
ig-in**

e

**M18, 2m cable
M18, M12 plug-in
P, M18, M12 plug-i
g-in**

3, M18, 2m cable
le
M18, 2m cable
M18, M12 plug-in
4, M18, M12 plug-i
ig-in
4, M18, 2m cable

eflector

s reflector

reflector

is reflector

18, 2m cable (r

18, M12 connec

18, M12 connec

M12 plug-in (

requires reflec

Requires reflect

Requires refle

18, M12 plug-i

in, Fixed sensi

18, 2m cable

18, M12 plug-i

18, M12 plug-i

plug-in, Requi

18, 2m cable,

, 5m cable, Re

in

in, Requires re

quires reflector

Requires refle

18, 2m cable

18, M12 plug-i

18, M12 plug-i

18, 2m cable,

in

in, Requires re

quires reflector

'N, 2m cable
'N, 2m cable
'N, M12 plug-in
'N, M12 plug-in
IP, 2m cable
IP, 2m cable
IP, M12 plug-in
IP, M12 plug-in

;-in

;-in

le

ug-in

le

ug-in

:able (Category 2

, 2m cable (Catego

, M12 plug-in (Cat
plug-in (Category

1, DC, 3-wire, NPN,
1, DC, 3-wire, PNP,
1, DC, 3-wire, NPN,
1, DC, 3-wire, PNP,

n

ector

ector

n

re, NPN, 2m cable

re, NPN, 2m cable

re, NPN, M12 plug-in

re, NPN, M12 plug-in

re, PNP, 2m cable

re, PNP, 2m cable

re, PNP, pigtail conn

re, PNP, M12 plug-in

re, PNP, M12 plug-in

!

! plug-in

cable

!ail connector

! plug-in

1 cable

12 plug-in

1 cable

!tail connector

12 plug-in

n

n

æ

g-in

Conduit entry

Block, conduit

Y (requires re

Conduit entry (

Conduit entry (

Reflector)

As reflector)

able

plug in

able

plug in

2m cable

M12 plug in

2m cable

M12 plug in

le

ug in

le

ug in

ht-on version

ight-on version

rk-on version

lark-on version

ht-on version

ight-on version

rk-on version

lark-on version

|

|

mer

g-in

g-in

g-in

g-in

e

e

e

e

1 M12 connector

cal, 2m cable

cal, M12 plug-in

-in

, 3-wire, NPN/PN

, 3-wire, NPN/PN

e

g-in

n

ector

in

in

es E39-L119 br

es E39-L119 bra

es E39-L119 br

es E39-L119 bra

flat, 2m cable (req

flat, 2m cable (requ

flat, 2m cable (req

flat, 2m cable (requ

flat, 2m cable (req

flat, 2m cable (requ

flat, 2m cable (req

flat, 2m cable (requ

e (requires 2x E3

e (requires 2x E39

e (requires 2x E39

[requires bracke

[requires bracket

[requires bracke

[requires bracke

[requires bracket

[requires bracke

ctor (requires br

ght-on, side-v

ark-on, side-vi

ght-on, side-v

ght-on, side-v

ark-on, side-vi

ark-on, side-vi

'N, light-on,

'N, dark-on,

'N, dark-on,

IP, light-on,

IP, light-on,

IP, dark-on,

IP, dark-on,

ble (requires 2 b

ble (requires 2 br

ble (requires 2 br

in connector (req

2m cable

ut, ATC funct

, ATC functio

ch, digital di
, ATC functio

2m cable

lay, 2m cabl

vin digital di

olay, M8 con

ch, digital di

, ATC functio

onitor o/p, tea
onitor o/p, tea
, ATC functio
gital display

/in digital di

onitor o/p, tea
, ATC functio

tal display, 2

able
-response, 2m

able
teach, M8 co

able

-response, 2m

connector

teach, M8 con
3-wire, PNP,

display (sepa
display (sepa
LED, 2m cable

LED, 2m cable

ble (requires r

8 plug-in (requi

n cable (require
n cable (require

ble (requires r
8 plug-in (requi
g-in (requires

)

)

)

)

)

)

or

connector

le

ut

rsion

ut, High Speed Version

2m cable (requires

M8 plug in (require

**2m cable (requires
5m cable (requires**

M8 pigtail 0.3m (3

**0.5m cable (require
2m cable (requires
M8 plug in (require**

n, Pre-wired, NPN
n, 5m cabled, NPN
n, Pre-wired, NPN

n cable, NPN Output
n, M8 connector, N
n, M8 connector, N
8 connector, NPN O
n, Pre-wired, PNP
n, 5m cabled, PNP

n cable, PNP Output
n, M8 connector, P

8 connector, PNP O

wired, NPN Output

»-wired, NPN Output

wired, NPN Output

4pin, NPN Output

8 4pin, NPN Output

4pin, NPN Output

wired, PNP Output

»-wired, PNP Output

wired, PNP Output

4pin, PNP Output

3 4pin, PNP Output

4pin, PNP Output

t

t

t

.t

.t

it
it

69K, NPN, 2m pre-c

69K, NPN, M12 conn
69K, PNP, 2m pre-c

69K, PNP, M8 conne

or & bracket)
or & bracket)
or & bracket)
or & bracket)

ctor & bracket
ctor & bracket

ctor & bracket

or & bracket)
or & bracket)
or & bracket)
or & bracket)

ctor & bracket
ctor & bracket

ckets)
ckets)
ckets)
ckets)

ckets)

rackets)
rackets)

rackets)

ckets)
ckets)
ckets)
ckets)

ckets)

ackets)

ackets)

ackets)

e

it)
)

it)

detection

R failure detection

r input types and
ar input types and

SR failure detectio
DC) output

|
|

) range, allows dire

Voltage input 100-

: (TC, RTD, Linear)

: (TC, RTD, Linear)

: (TC, RTD, Linear)

: (TC, RTD, Linear)

DIN (96 x 96mm),

DIN (96 x 96mm),

: (TC, RTD, Linear)

: (TC, RTD, Linear)

: (TC, RTD, Linear)

: (TC, RTD, Linear)

Analogue input, heater

1A/analogue input, h

input

1A/analogue input

1A/analogue input

\analogue input, he

\analogue input, he

\analogue input

\analogue input

ermocouple/PT100

ation

ation

ation

ation

ation

ation

ation

ation

ation

ation

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

ermocouple inpu

armocouple inpu

armocouple inpu

armocouple inpu
armocouple inpu

armocouple inpu
armocouple inpu

) input
) input
) input

) input

) input
) input
) input

) input

ocouple input

ocouple input

ocouple input

ocouple input

ocouple input

ocouple input

ocouple input

ocouple input

ocouple input

put

put

put

(0-20 mA/4-20 mA
(0-20 mA/4-20 mA
ocouple & RTD inp
ocouple & RTD inp

al thermocouple &
: (TC, RTD, Linear),
: (TC, RTD, Linear),

: (TC, RTD, Linear),
: (TC, RTD, Linear),

: (TC, RTD, Linear),
: (TC, RTD, Linear),

: (TC, RTD, Linear),
: (TC, RTD, Linear),

nA/4-20 mA/0-5 V/1
nA/4-20 mA/0-5 V/1
couple & RTD input
couple & RTD input

iversal thermocou
iversal thermocou

(0-20 mA/4-20 mA
(0-20 mA/4-20 mA
couple & RTD inp
couple & RTD inp

iversal thermoc
iversal thermoc
(0-20 mA/4-20 m
couple & RTD in
d RTD(PT100) input,
d RTD(PT100) input,

RTD(PT100) input, 1
RTD(PT100) input, 2

mmms.

input

input

(TC, RTD, Linear),
(TC, RTD, Linear),

(TC, RTD, Linear),
(TC, RTD, Linear),

1-DIN (48x96mm), u
1-DIN (48x96mm), u
(TC, RTD, Linear),
(TC, RTD, Linear),
(TC, RTD, Linear),
(TC, RTD, Linear),

output alarm
output, heater burnout
output, heater burnout

(PT100) input
(PT100) input

output, thermocou

output alarm
output, heater burnout a

(PT100) input
output

output

ation

ation

ation

uts, RS485 com
larm outputs,
uts, event inp
larm outputs,
uts, 100-240AC
larm outputs,
ouple/PT100 input,
ouple/PT100 input,
rmocouple/PT100 i
rmocouple/PT100 i

input, SLC
input, SLC
ouple/PT100 input,

ouple/PT100 input,
ouple/PT100 input,
ouple/PT100 input,
mouple/PT100 inp
mouple/PT100 inp
nput
nput, SLC
nput, SLC
nocouple/PT100 inp
ouple/PT100 input
vent inputs, therm
vent inputs, therm
burnout alarm, th
burnout alarm, th
rmouple/PT100 in
nocouple/PT100 inpu
ut, SLC
ouple/PT100 input, SL
ple/PT100 input, R
ple/PT100 input, R
ple/PT100 input, R
ocouple/PT100 inp
ocouple/PT100 inp
ut, SLC
ut, SLC
ouple/PT100 inpu
ouple/PT100 inpu
ent inputs, therm
ent inputs, therm
urnout alarm, th
burnout alarm, t
ouple/PT100 inpu
ouple/PT100 inpu
put, 0 to 100 °C
put, 0 to 50 °C
put, 100 to 200 °C
put, -30 to +20 °C

; 0 to 100 °C
; 100 to 200 °C
; -30 to +20 °C

2pcs required for

1/cool, heater b

1eat/cool, heate

nternal bus f
upply and communi
upto 32 loops o

it, 2m cable

ector

ector
ector
ctor
ector

I output

P output
N output
NP output
N output
output

output

h Function Units,
h Function Units,
k RS-485 (Port B) f
port for program-les
k RS-485 (Port B) f
port for program-les
mocouple/Pt100/an
mocouple/Pt100/an
mocouple/Pt100/an
mocouple/Pt100/an
for program-less co
v terminals
for program-less co
rmocouple/Pt100/
rmocouple/Pt100/
rmocouple/Pt100/
rmocouple/Pt100/
rmocouple/Pt100/
rmocouple/Pt100/

tor, reset switch,
ator, reset switch,
-stop, Indicator, re

:+1NO, 3x M20 conduit
ton, 2NC+1NO, 3x M20

iton, 3NC, 3x M20 co
M20 conduit
INO, 3x M20 conduit
ion, 2NC+1NO, 3x M
:+1NO, 3x M20 condu

ion, 3NC, 3x M20 c

0WJ101)
ERF150WJ201)

0WJ301)
0WJ401)
WJ620)
WJ700)
ERF150WJ751)

N (latest version),

N (latest version),

equivalent to 3G3RV
ivalent to 3G3RV-

inverter drives
: inverter drives

ion 2 processor)

D cable)

) cable)

length of inte

icated cable

and manual

↳-CL / muting sensor

to F39-TGR-W-IBOX

CL / muting sensor

↳ F39-TGR-W-IBOX)

CL / muting sensor

↳ F39-TGR-W-IBOX)

****MTL**
****MTL**
****MTL**
****MTL**

override/test input
ors (muting lamp / ov

1

analog output

RS-232 output

; RS-232 output

analog output

RS-232 output

analog output

RS-232 output

analog output

RS-232 output

; analog output

; RS-232 output

it, analog output

it, RS-232 output

; analog output

; RS-232 output

; analog output

; RS-232 output

; analog output

; RS-232 output

it, NPN/PNP output

it, NPN/PNP output

it, NPN/PNP output

it, NPN/PNP output

jht, NPN/PNP output

eight, NPN/PNP output

jht, NPN/PNP output

jht, NPN/PNP output

jht, NPN/PNP output

istance
istance
istance
istance

istance

istance

istance
istance

distance
istance
istance

distance

istance
istance

distance

distance
istance
distance
istance
istance
istance
distance

distance
distance
istance

3

n distance
n distance
n distance
n distance

n distance

n distance
n distance
n distance

n distance
n distance
n distance

n distance

n distance
n distance
n distance

in distance

n distance

in distance

n distance

in distance

n distance

n distance
in distance

n distance

n distance

in distance
n distance

in distance
n distance

n distance

in distance

n distance

in distance
n distance

n distance
in distance
n distance

in distance

n distance
an distance

:an distance

:an distance

an distance
an distance
an distance
an distance

an distance

:an distance

an distance
an distance
:an distance
an distance

an distance
:an distance

an distance
an distance
an distance

in distance

in distance

in distance

in distance

an distance

an distance

in distance

an distance

in distance

in distance

an distance

scan distance

in distance

an distance

in distance

an distance

in distance

in distance

scan distance

in distance

:an distance

can distance

scan distance

1 scan distance

scan distance

1 scan distance

scan distance

1 scan distance

1 scan distance

can distance

can distance

can distance

can distance

can distance

for up to 4 mutin
action

distance, 1050mm
distance, 1200mm

distance, 1350mm
distance, 150mm h
distance, 1500mm h
distance, 1650mm
distance, 1800mm
distance, 1950mm
distance, 2100mm
distance, 2250mm
distance, 2400mm
distance, 300mm h
distance, 450mm h
distance, 600mm h
distance, 750mm h
distance, 900mm h
distance, 1050mm
distance, 1200mm
distance, 1350mm
distance, 150mm
distance, 1500mm
distance, 1650mm
distance, 1800mm
distance, 1950mm
distance, 2100mm
distance, 2250mm
distance, 2400mm
distance, 300mm
distance, 450mm
distance, 600mm
distance, 750mm
distance, 900mm
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional mutin
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional mutin
ting, 0.5-40m scan
ting, 20-50m scan d
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional mutin
i-directional mutin
ance, 1050mm hei
ance, 1200mm hei
ance, 1350mm hei
ance, 150mm heig
nce, 1500mm heig
ance, 1650mm hei
ance, 1800mm hei
ance, 1950mm hei
ance, 2100mm hei
ance, 2250mm hei

ance, 2400mm hei
ance, 300mm heig
ance, 450mm heig
ance, 600mm heig
ance, 750mm heig
ance, 900mm heig
tance, 1050mm he
tance, 1200mm he
tance, 1350mm he
tance, 150mm hei
tance, 1500mm he
tance, 1650mm he
tance, 1800mm he
tance, 1950mm he
tance, 2100mm he
tance, 2250mm he
tance, 2400mm he
tance, 300mm hei
tance, 450mm hei
tance, 600mm hei
tance, 750mm hei
tance, 900mm hei
tance
ance
5-12m scan distanc
tance
ance
5-8m scan distance
tance
ance
tance
ance
5-7m scan distance
5-7m scan distance
distance, 1050mm
distance, 1200mm
distance, 1350mm
distance, 150mm h
listance, 1500mm h
distance, 1650mm
distance, 1800mm
distance, 1950mm
distance, 2100mm
distance, 2250mm
distance, 2400mm
distance, 300mm h
distance, 450mm h
distance, 600mm h
distance, 750mm h
distance, 900mm h
1 distance, 1050mm
1 distance, 1200mm

1 distance, 1350mm
1 distance, 150mm
1 distance, 1500mm
1 distance, 1650mm
1 distance, 1800mm
1 distance, 1950mm
1 distance, 2100mm
1 distance, 2250mm
1 distance, 2400mm
1 distance, 300mm
1 distance, 450mm
1 distance, 600mm
1 distance, 750mm
1 distance, 900mm
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional mutin
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional muti
ting, 0.5-40m scan
ting, 20-50m scan d
ting, 0.5-40m scan
ting, 20-50m scan d
i-directional muti
i-directional muti
ance, 1050mm hei
ance, 1200mm hei
ance, 1350mm hei
ance, 150mm heig
nce, 1500mm heig
ance, 1650mm hei
ance, 1800mm hei
ance, 1950mm hei
ance, 2100mm hei
ance, 2250mm hei
ance, 2400mm hei
ance, 300mm heig
ance, 450mm heig
ance, 600mm heig
ance, 750mm heig
ance, 900mm heig
tance, 1050mm he
tance, 1200mm he
tance, 1350mm he
tance, 150mm hei
tance, 1500mm he
tance, 1650mm he
tance, 1800mm he
tance, 1950mm he
tance, 2100mm he
tance, 2250mm he

tance, 2400mm he
tance, 300mm hei
tance, 450mm hei
tance, 600mm hei
tance, 750mm hei
tance, 900mm hei
tance
ance
5-12m scan distanc
tance
ance
5-8m scan distance
tance
ance
tance
ance
5-7m scan distance
5-7m scan distance

acts

) contacts

cts

contacts

cts

s

is
is
cts
1NO contacts

s
IO contacts

t, 20-50 scan dista
»
t, 0.5-25m scan dis
| scan distance
t, 800mm height,

t, 20-50 scan dista
»
t, 0.5-25m scan dis
» to be used with 'L
| scan distance
t, 900mm height,
e
t, 20-50 scan dist

t, 20-50 scan dista
»e
t, 0.5-25m scan di
»
t, 0.5-25m scan dis

l scan distance
l, 500mm height,

t, 20-50 scan dista
»

t, 0.5-25m scan dis
l scan distance
l, 800mm height,

t, 20-50 scan dista
»

t, 0.5-25m scan dis

l scan distance
l, 900mm height,
e
rt, 20-50 scan dist

:e

rt, 0.5-25m scan di
,
t, 0.5-25m scan dis

monitoring of the

software)

ron brand

two camera, NPN
four camera, NP
two camera, PNP
four camera, PN

camera, NPN
camera, NPN
camera, PNP
camera, PNP

solution type, tw
solution type, fo
solution type, tw
solution type, fo
amera, NPN
amera, NPN

amera, PNP
amera, PNP
type, four camera,
type, two camera,
type, two camera,
type, four camera,
era, NPN
era, NPN
era, PNP
era, PNP

, two camera, PNP
, four camera, PNP

PNP
PNP
igh resolution type,
igh resolution type,
igh resolution type,
igh resolution type,
type, two camera,
type, four camera
type, two camera,
type, four camera

ncluded, camer li
ncluded, camer li
ded, camer link,
ded, camer link,
ncluded, camer li
ncluded, camer li
ded, camer link,
ded, camer link,
ncluded, firewire
ncluded, firewire
ded, firewire, NP
ded, firewire, PN

lity, 12 VDC
lity

lity

test button, lab

test button, lab

ppressor, locka
facility, 110
facility, 12 V
facility
facility
facility
facility

ty

ty, 12 VDC

ty, 48 VDC

uppressor, label
st button, labe
st button, labe
st button, labe

uppressor, lock
acility
acility
acility
acility
acility
acility

acility
acility
acility

J VAC

or, 5-24 VDC

cross switching

;

cross switching

;

;

cross switching

cross switching

cross switching

cross switchin

unction, SLC
unction, SLC
unction, SLC
unction, SLC

nals

unction, screw ter
unction, screw ter
unction, screw ter
unction, screw ter
nals
nals
nals
nals
nals
nals

;
;
;
;

ist interface (Comp
tocol)

.8A 12Vdc Relay SPST-NC

VAC

120 VAC

240 VAC

AC

top input, to be

OFF-delay' category
OFF-delay' category
-delay' category 3
-delay' category 3
-delay' category 3

ST-NC aux
-NC aux
-NC aux

reset (+ common i
al-reset (+ common
ing, auto-rese

el input, auto-rese
el input, manual-re

ed), 2 outputs (
ff delay solid
ff delay solid

ed), 2 outputs (
ed), 2 outputs (
ed), 2 outputs (
VD outputs, 1
VD outputs, 1
A), 1 x NO solid
A), 1 x NO solid
) solid state outp
) solid state outp

4 to 20mA, 1:

ne driver, 1 x 24

: NPN 0.5A range co

: PNP 0.5A range co

ution

nits

0.5 A

2 A

0.5 A

nits

flex connectors

connectors)

or)
or)

lex connectors)
00-CE401 connect
00-CE401 connect

A
A
A
A

√
√
A
A
A

√
√
√

ction, SPDT, 3 A
ction, SPDT, 3 A
ction, SPDT, 3 A

is-300h, DPDT,
is-300h, DPDT,

is-300h, DPDT
is-300h, DPDT
is-300h, trans
DPDT, 5 A
DPDT, 5 A
Transistor out

A, 100-240 VAC

A

, 100-240 VAC

, 100-240 VAC

, 100-240 VAC
, 100-240 VAC

A, 100-240 VAC
A, 100-240 VAC

ntaneous, SPST-
100-120 VAC
200-240 VAC

AC/DC
C

DC

-230 VAC/DC

VDC

SPDT, 5 A, 24-23

SPDT (inc. inst.

SPDT, 5 A, 'Smart Dial'

SPDT, 5 A, lockable set

SPDT, 5 A, lo

SPDT, 5 A, lo

SPST-NO, 5 A, lock

SPST-NO, 5 A, lock

SPDT, 5 A, 'Smart

SPDT, 5 A, lockabl

shot-delay, 0.1s-

shot-delay, 0.1s-

t 0.7A, 2-wire in-li

t 0.7A, 2-wire in-li

lti range 0.01
è 0.01s to 9999
lti range 0.01
lti range 0.01
ç 9999h (10 ra
ç 9999h (10 ra
(10 ranges), mu
(10 ranges), mu
.9h (4 ranges),
i range 0.01s
i range 0.01s
i range 0.01s
i range 0.01s
0.01s to 9999h
0.01s to 9999h

SPST-NO 3A rel
k total, SPST-
k total, trans

nction: 1-stage
nction: 1-stage
multifunction
transistor out
-stage & total,
-stage & total,
-stage & total,
-stage & total,
-stage & total,
1-stage/2-stage
-stage & total,
nt digits, multi
-stage & total,
nt digits, multi
2-stage/total/ba
1-stage/2-stage
2-stage/total/ba
1-stage/2-stage
1-stage/2-stage
1-stage/2-stage
1-stage/2-stage
1-stage/2-stage
1-stage/2-stage
ltifunction, SPST
ltifunction, SPST
put, grey case
put, black case
t, grey case
t, black case

put, grey case
put, black case
/1kcps, VDC inpu
/1kcps, VDC inpu
rey case
ack case
ey case
ey case

00ppr, VDC input,
ack case
; VDC input, blac
; VDC input, grey
9h, no-V input, g
59.9m, no-V input,
59.9m, no-V input,
9h, no-V input, b
9h, VAC/DC input,
59.9m, VAC/DC input
59.9m, VAC/DC input
9h, VAC/DC input,

9h, VDC input, gr
59.9m, VDC input, g
59.9m, 7-digit, VDC
9m59s / 9999h59.9
9m59s / 9999h59.9

9h, VDC input, bl

9.9h / 3999d23.9h
9.9h / 3999d23.9h
/PNP input, manual
/PNP input, manual
NP input, manual r

/PNP input, manual

NP input, manual re

NP input, manual res

' input, manual reset
' input, manual reset

put, manual reset
it, manual reset

totaliser, mult
totaliser, mult
quires E6CP/E6F enc
tputs (requires E6C
tputs (requires E6C
quires E6CP/E6F enc

tputs (requires E6C
tputs (requires E6C
quires E6CP/E6F enc

quires E6CP/E6F enco
puts (requires E6CP
puts (requires E6CP
quires E6CP/E6F enco

Flash card)

x RS-422A/485)

nd-side only
and-side only

N10-110

➤ mounting
ng on J7MN*R/

'DC

/DC

4 VDC

4 VDC

, 24 VDC

, 24 VDC

SSOI

4
4
4

4
4
4
4

set
set
st
t

88A-NCW152-E)(RO

)

ust be connected exter
lust be connected exter

DP140)

t to R88A-BAT01W]

IGV-09D@A@@-OY, SG
IGV-09D@A@@-OY, SG
MGV-09D@A@@-OY, S
MGV-09D@A@@-OY, S
MGV-09D@A@@-OY, S
IGV-(13/20)D@A@@-O

IGV-(13/20)D@A@@-O
MGV-(13/20)D@A@@-
MGV-(13/20)D@A@@-
MGV-(13/20)D@A@@-
IGV-(30/44)D@A@@-O
IGV-(30/44)D@A@@-O
MGV-(30/44)D@A@@-
MGV-(30/44)D@A@@-
MGV-(30/44)D@A@@-
illic connector)
e type and non meta

AV-(A5/01/C2)ADA@1-OY

AV-(A5/01/C2)ADA@1-OY

MAV-(A5/01/C2)ADA@1-OY

MAV-(A5/01/C2)ADA@1-OY

MAV-(A5/01/C2)ADA@1-OY

AV-(02/04/06)A@@@1-OY

AV-(02/04/06)A@@@1-OY

MAV-(02/04/06)A@@@1-OY

MAV-(02/04/06)A@@@1-OY

MAV-(02/04/06)A@@@1-OY

8A@@@1-OY

8A@@@1-OY

08A@@@1-OY

08A@@@1-OY

08A@@@1-OY

-(A5/01/C2)A@@@C-OY

-(A5/01/C2)A@@@C-OY

V-(A5/01/C2)A@@@C-OY

V-(A5/01/C2)A@@@C-OY

V-(A5/01/C2)A@@@C-OY

-(02/04/06)A@@@C-OY

-(02/04/06)A@@@C-OY

V-(02/04/06)A@@@C-OY

V-(02/04/06)A@@@C-OY

V-(02/04/06)A@A@C-OY,
@A@C-OY,

@A@C-OY,

A@A@C-OY,

A@A@C-OY,

A@A@C-OY,

3A-CRWx0@@C-DE)

rs

rs

ors

ors

ors

osed loop

supply , not suitable
supply for K3HB-V m
VDC 80mA sensor po
/DC 100mA power su
nd 12 VDC 80mA sensor
nd 10 VDC 100mA sensor
1 10 VDC 100mA sensor
1 10 VDC 100mA sensor
t and 12 VDC 80mA se
t and 12 VDC 80mA se
/ Output and 12 VD
/ Output and 12 VD
or K3HB-C, P, or R
or each relay
or each relay

t (HH/H/PASS/L/LL)
t (HH/H/PASS/L/LL)
out card 5 points M

out card 5 points M
out card 8 points M

includes colour d

RS-485 port, incl

r outputs, includes
r outputs, RS-485 p

includes colour d
RS-485 port, incl
r outputs, includes
r outputs, RS-485 p

actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value
actual value

actual value

actual value
actual value

actual value
actual value
actual value
actual value

output
output

) relay output
) relay output

, 1C/O relay output
, 1C/O relay output
I mounting, operatio
mounting, operation

- 250Kohms up t
- 250Kohms up t
- 250Kohms up t

C
C
C

- ∩ (External CT requi
- ∩ (External CT requi
- ∩ (External CT requi
- , in 3 and 4 wire syst
- , in 3 and 4 wire syst
- ∩ in 3phase 3wire sys
- ge phase sequence
- ge phase sequence
- between 6mV and 300
- between 1V and 150V
- and PT100 input type

and PT100 input type
tting 10 (C), Thermoc
tting 10 (C), Thermoc
en 6mV and 300mV VA
en 6mV and 300mV VA
en 6mV and 300mV VA
en 1V and 150V VAC
en 1V and 150V VAC
en 1V and 150V VAC
en 20V and 600V VAC
en 20V and 600V VAC
en 20V and 600V VAC

6mV and 300mV VAC ro

V and 150V VAC ro VD
V and 150V VAC ro VD
V and 150V VAC ro VD
0V and 600V VAC ro V
0V and 600V VAC ro V

DC supply

tion Indicators
tion Indicators
tion Indicators
tion Indicators
tion Indicators
tion Indicators
Built-in Operation
Built-in Operation
Built-in Operation
Built-in Operation
Built-in Operation
Built-in Operation
Built-in Operation
Built-in Operation

DC

it-in Operation Indic
it-in Operation Indic
it-in Operation Indic
it-in Operation Indic
it-in Operation Indic
it-in Operation Indic
itton and Built-in Ope
itton and Built-in Ope
itton and Built-in Ope
itton and Built-in Ope

ttton and Built-in Ope
ttton and Built-in Ope
ttton and Built-in Ope
ttton and Built-in Ope

:oil suppress

חנ

חנ

חנ

חנ

ding options)

0m scan distance
0m scan distance

20m scan distance
20m scan distance

ght, DC, 20m sca

ight, DC, 20m sc
ight, DC, 20m sc

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

; 7m scan distan

; 7m scan distan

; 7m scan distan

; 7m scan distan

; 7m scan distan

20m scan distance

20m scan distance

20m scan distance
20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

7m scan distance

7m scan distance

7m scan distance

0m scan distance

0m scan distance

height, DC, 7m s

height, DC, 20m sc

ht, DC, 7m scan

ght, DC, 7m scan

ght, DC, 7m scan

jht, DC, 20m scan

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

DC, 7m scan dist

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

t, DC, 7m scan dis

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dista

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

DC, 20m scan dist

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

7m scan distanc

; 7m scan distan

; 7m scan distan

; 7m scan distan

; 7m scan distan

; 7m scan distan

; 7m scan distan

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distance

20m scan distanc

20m scan distanc

20m scan distanc

20m scan distanc

20m scan distanc

20m scan distanc

20m scan distanc

sensorless vector

, sensorless vector

, sensorless vector

ensorless vector

ensorless vector

t, sensorless vecto

, sensorless vector

nsorless vector

ensorless vector

sorless vector

nsorless vector

, sensorless vector

ensorless vector

ensorless vector

ensorless vector

ensorless vector

ensorless vector

sensorless vector

, sensorless vector

ensorless vector

ensorless vector

ensorless vector

t, sensorless vecto

t, sensorless vecto

t, sensorless vecto

t, sensorless vecto

sensorless vector

sensorless vector

sensorless vector

t, sensorless vecto

10/120 VAC

n, label facilit

n, label facilit

4 VAC

n, label facilit

n, label facilit

n, label facilit

push to test but

push to test but

**uppressor, lab
uppressor, lab**

**ity, 110/120 VA
ity**

**ity, 100.110 VD
ity, 12 VDC
ity, 24 VDC**

facility, 110/12

compressor, label

n, label facilit
10/120 VAC
n, label facilit
n, label facilit
n, label facilit
n, label facilit
‡ VAC
n, label facilit

n, label facilit
n, label facilit

ole push to tes
ole push to tes
ole push to tes
ole push to tes

ppressor, loc
ppressor, loc

ush to test butt
ush to test butt

ush to test butt
ush to test butt
ush to test butt

facility, 24 V

ppressor, lab

ty, 110/120 VA
ty, 220/240 VA
ty, 24 VAC
ty, 24 VAC
ty, 100/110 VD
ty, 12 VDC
ty, 24 VDC
ty, 48 VDC

00/120 VAC

4 VDC

VDC

ppressor, lockab

ppressor, lockab

acility, 110/12

acility, 12 VDC

acility, 24 VDC

ppressor label

ppressor label

t
its

uts

/485 port, USB host/s
RS-232C/485 port
MI, 2 x RS-232C/485 p
MI, 2 x RS-232C/485 p
RS-232C/485 port
RS-232C/485 port

JPG), 640x480 pix

JPG), 640x480 pix

JPG), 640x480 pix

JPG), 640x480 pix

JPG), 800x600 pix

JPG), 800x600 pix

JPG), 800x600 pix

JPG), 800x600 pix

.S232 & 1 x RS422

.S232 & 1 x RS422

240 pixels, 2 x RS23

240 pixels, 2 x RS23

240 pixels, 2 x RS23

240 pixels, 2 x RS23

'G), 320x240 pixel

'G), 320x240 pixel

'G), 320x240 pixel

'G), 320x240 pixel

PG), 320x240 pixe

PG), 320x240 pixe

PG), 320x240 pixe

PG), 320x240 pixe

PG), 640x480 pixe

PG), 640x480 pixe

PG), 640x480 pixe

PG), 640x480 pixe

colour LCD (1,024 x

colour LCD (1,024 x

,024 x 768 pixels),
,024 x 768 pixels),
,024 x 768 pixels),

24 x 768 pixels), R

lour LCD (1,024 x 7

lour LCD (1,024 x 7

24 x 768 pixels), R
24 x 768 pixels), R
24 x 768 pixels), R

24 x 768 pixels), R

(Pe, RAS board, 2 x PC
ws XPe, RAS board, 2
s XPe, RAS board, 2 x
s XPe, RAS board, 2 x
s XPro, RAS board, 2

ie RGB, for NS8/10/12

2000/Me/XP, single-

ng switch wires)
g switch wires)
ng switch wires)

r .BMP/.JPG), 320x

r .BMP/.JPG), 320x

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

s ladder program memor

ladder program memory

ladder program memory

ladder program memory

ladder program memory

ladder program memory

ladder program memory

ladder program memory

ladder program memory

communications

TP, SNTP, FINS

Me/XP, single-user li

c key pad and functio

c key pad and functio

n, black case, 24 VDC

n, beige case, 24 VDC

7)

ieral port

ieral port

al port

1 peripheral port

peripheral port

al port

al port
al port

6 function keys, bl
ction keys, black c
6 function keys, bla

numeric keypad + 8
eric keypad + 8 funct

numeric keypad + 4 f

or NT31C-ST142]

case, 24 VDC supp
case, 24 VDC supp
n, black case, 24 VDC
n, beige case, 24 VDC
/DC supply, 2 serial
/DC supply, 2 serial
/DC supply, 2 serial
/DC supply, 2 serial

s, 2 x RS232 port
s, 2 x RS232 port

1 peripheral port

NT600S, NT620, NT631,

modules, 2m length + c
modules, 2m length + c
modules, 2.5m length +
modules, 2.5m length +
modules, 3m length + c
modules, 3m length + c
: modules, 1m length +
: modules, 2m length +

modules, 5m length + c
modules, 5m length + c

ly into the A1 & A2

is per item)

per item)

per item)

s per item)

per item)

per item)

r item)

item)

item)

er item)

r item)

r item)

er item)

r item)

r item)

.ED indicator

.ED indicator

/pe) (equivalent to

and Hiperface pro

ent to 3G3FV-PPGX2)

are

age

only). Sold

multiples of 10

separately

al on the top
erminals along the

l
le), non-IP67 conne
m

m

m

coder, female to I

side

re side

r side, (both female
e, (both female & m
e, (female only,cab

tor side, (both fem
ide, (both female &
ide, (female only,ca

connector, 3m

connector, 5m

connector, 10m

7 connector, 10m

connector, 15m

000RPM, 0.095Nm

!PM, 0.095Nm

095Nm

m

000RPM, 0.159Nm

!PM, 0.159Nm

159Nm

m

3000RPM, 0.318Nm

RPM, 0.318Nm

.318Nm

Nm

3000RPM, 0.637Nm

RPM, 0.637Nm

.637Nm

Nm

3000RPM, 1.27Nm

RPM, 1.27Nm

.27Nm

m

3000RPM, 2.39Nm

RPM, 2.39Nm

.39Nm

m

00RPM, 0.318Nm

M, 0.318Nm

8Nm

10RPM, 0.637Nm
M, 0.637Nm
7Nm

10RPM, 1.27Nm
M, 1.27Nm
Nm

10RPM, 2.39Nm
M, 2.39Nm
Nm

1 connector, JZS

1 connector, JZS

1t connector, JZ

1t connector, JZ

1t connector, JZ

2D55-03G is right-a
2D55-05G is right-a
02D55-10G is right-
02D55-15G is right-
02D55-20G is right-

2D44-03G is right-a
2D44-05G is right-a
02D44-10G is right-
02D44-15G is right-
02D44-20G is right-
MM02D1A-03G is ri
MM02D1A-05G is ri
CMM02D1A-10G is r
CMM02D1A-15G is r
CMM02D1A-20G is r

!D1E-05G is right-an

in.

I-3G is right-angled

I-5G is right-angled

I2-10G is right-angled

I2-15G is right-angled

I2-20G is right-angled

cable, 1m

N, 100W, 200W)

**nal DeviceNet
nal RS-422/485**

Im, braked
Im

Nm, braked
Nm, braked

Nm

Nm

3

Nm, braked

Nm, braked

Nm

Nm

Im, braked

Im, braked

Im

Im

Im, braked

Im

|

|

|

|

20)

nge -40 to +70degC

rg

ting

nting

ounting
rg

nting
nting
ing

ounting

nting
nting
ounting

nting

ounting

ounting

unting

ounting

ounting

ounting

ver supply
r branching, re
r branching, re

ly (one supplied

ly (pack of 10)
units only, ord

· PSU for multiple co

ular PSU for multiple

ar PSU for multiple c
lar PSU for multiple

ector terminals, mo

output
output

output
output

output
output

ervoltage alarm
\ output, with underv

\ output
. output

output
output

output
output

output
output

voltage alarm
output with under vo

output
output

output
output

output
output

output
output

voltage alarm
output, with undervo

output
output
voltage alarm (PNP)
output, with undervo

output
output

\ output
\ output

output
output

voltage alarm
\ output, with underv

\ output
\ output
voltage alarm (PNP)
\ output, with underv

output
output

5A output
A output

output
output

voltage alarm

\ output, with underv

\ output

. output

ervoltage alarm(PNP)

\ output, with underv

DC 62A output, M8 co

direct panel mount

direct panel mount

direct panel mount

, direct panel moun

/, direct panel mou

/, direct panel mou

/, direct panel mou

/, direct panel mou

/AC supply, 10W 5

/AC supply, 15W 12

/AC supply, 15W 24

/AC supply, 20W 5

/AC supply, 30W 12

/AC supply, 30W 24

c model

I display with runn

I display with runn

:ic model

ital display with r

ital display with r

ital display with r

ital display with r

: model

display with runni

display with runni

al display with run

al display with run

:ic model

ital display with r

al display with run

ital display with r

ital display with r

ic model

al display with runn

al display with runn

al display with runn

al display with runn

ic model

tal display with ru

tal display with ru

ng
ing
ing
ing

»way runtime, supports
»way runtime, for Windo
»rial runtime, for Wind

k/Sysmac Board netw

)-WT01H)
D-WT01H)

)-WT02H)
D-WT02H)

)-WT04H)

iD-WT15HH)
8D-WT15HH)

-WTA3H)

-WTA5H)

-WTA5H)

nnectron connect

nnectron connect

ling, interconnect

n connector
ling, interconnect

ling, interconnect

F-BS2)

F-BS2)

·-BS2)

;-BS2)

·-BS2)

·-BS2)

3S2)

3S2)

IH-S2-D)
M-WP10030H-BS2-D)

IH-S2-D)
M-WP20030H-BS2-D)

I-S2-D)
I-WP40030H-BS2-D)

▷ brake, IP67

I-S2-D)

1-WP75030H-BS2-D)

H-S2-D)

H-S2-D)

M-WP1K530H-BS2-D)

F-BS2)

-BS2)

F-BS2)

F-S2)
-BS2)

hout brake,3 metre

out brake,15 metre

UC-06K-FSDN169, but c
DN169, but cable clamp va

3A, MIL connector

ounting

A

nectors

le

,

2mm, 3 wire, PN

ole

ible

»

»

ative frequency

»

»

ative frequency

O, custom connecto

32, 24 VDC

S232, 24 VDC

m
m
1
1
m
m
1
1

Detector outp

90 x 66 x 75mm

C

flush mounting on met
flush mounting on non

ih mounting on non-m
ih mounting on metal

nnector, 2m

ctor, 12.5m
ctor, 2m
ector, 12.5m
ector, 2m
ector, 12.5m
ector, 2.5m
nnector, 12.5m
nnector, 2.5m

3 x 110 x 75mm
m, IP68, 180°C, non-RoH
'67

r
m, 2m cable, IP67
PLC 9-pin RS-232C po

i, 1 x V700-L12 per

sensorless vector

t, sensorless vector

put, sensorless ve

put, sensorless ve

put, sensorless ve

t, sensorless vect

t, sensorless vect

nput, sensorless v

put, sensorless ve

, sensorless vector

t, sensorless vecto

sensorless vector

t, sensorless vector

put, sensorless ve

put, sensorless ve

put, sensorless ve

put, sensorless ve

t, sensorless vect

t, sensorless vect

t, sensorless vect

t, sensorless vect

t, sensorless vect

t, sensorless vect

t, sensorless vect

t, sensorless vect

ut, sensorless vec

ut, sensorless vec

put, sensorless ve

t, sensorless vecto

nput, sensorless v

nput, sensorless v

input, sensorless v

input, sensorless v
put, sensorless ve

put, sensorless ve
put, sensorless ve

put, sensorless ve
ut, sensorless vec

ut, sensorless vec
input, sensorless v

input, sensorless v

ble
total 1,024 I/O p
; Devicenet Slaves
ints max
aves max for 1,024

***γ* sealed, LED**

for
or

or, pre-wired

or, pre-wired

t Windows Vista, XP,

ws NT4.0/2000/XP,

Microsoft Windows Vista

NT/2000/Me/XP, singl

P)

als

57 connectors

I (male), 1m

I (male), 2m

I (male), 5m

r (2 x female, 1 x ma

nds (1 male, 1

nds (1 male, 1

nds (1 male, 1

nds (1 male, 1

1e end (female),
1e end (female),

1th ends (1 male,
1th ends (1 male,

ck)

rd C200H-NC112 (Doesn't
communications function

ctions.)

200HW-NC213/413, C500

ctions.)

A-CTW***N cable)

1

UT & W servo series
: for UP, UT & W servo s

ocks, 1m
: functions), 1m
tions function), 1m
functions), 1m

terminal blocks, 1m

blocks, 2m
: functions), 2m
tions functions), 2m

terminal blocks, 2m

I-pin port to PLC 2

I-pin port to PLC 2

D16(-1)/ROS16 or CRT1
D16(-1)/ROS16 or CRT1
*D16(-1)/ROS16 or CRT
*D16(-1)/ROS16 or CRT
08(-1)*D16(-1)/ROS16
08(-1)*D16(-1)/ROS16
D08(-1)*D16(-1)/ROS16
D08(-1)*D16(-1)/ROS16

iter

32 output)

als with cover

rew terminals wit
rminal with termi

17mm

iA, RTC, LCD display
logue inputs), 4x re
logue inputs), 4x tr
iA

logue inputs), 4x re
logue inputs), 4x tr
iA, RTC, LCD display
logue inputs), 4x re
iA, RTC, LCD display
logue inputs), 4x re

5A, RTC, LCD display
alogue inputs), 8x r
alogue inputs), 8x t
5A

alogue inputs), 8x r
alogue inputs), 8x t
5A, unexpandable

alogue inputs), 8x r

·SOFT01 and operating man

·SOFT01 and operating man

led barcode tools

led barcode tools

C, NPN outputs

C, NPN outputs, em

C, PNP outputs

C, PNP outputs, em

n)

i)

:able)

:able)

ble)

ible)

m)

:able)

able)
ble)
ible)
able)

7" TFT screen

requires ZX-EDA am
requires ZX-EDA ampl
n/pass/low trans
n/pass/low trans

requires ZX-EDA amp

requires ZX-EDA amp

t
t
output
output

: (requires amplifi

/ transistor NPN

/ transistor NPN

/ transistor PNP

/ transistor PNP

pass/low transis

:able)

:able)

) cable)